

TABLE L51. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and race or ethnic origin of worker, local government, 2012<sup>2</sup>

Part of body	Part of body code <sup>3</sup>	Local government <sup>4</sup>	Race or ethnic origin <sup>5</sup>								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Total .....		181,060	74,030	9,910	11,630	1,450	330	740	260	80	82,640
<b>Head</b> .....	1	11,330	5,910	420	470	110	-	40	-	-	4,380
Head, unspecified .....	10	1,990	980	80	100	-	-	-	-	-	820
Cranial region, including skull .....	11	2,760	1,470	80	90	40	-	-	-	-	1,060
Cranial region, unspecified .....	110	410	30	-	-	-	-	-	-	-	370
Brain .....	111	1,810	1,210	60	40	-	-	-	-	-	500
Scalp .....	112	380	160	-	40	30	-	-	-	-	130
Skull .....	113	100	60	-	-	-	-	-	-	-	30
Cranial region, n.e.c. ....	119	50	-	-	-	-	-	-	-	-	40
Ear(s) .....	12	190	140	-	-	-	-	-	-	-	30
Face .....	13	6,040	3,240	240	250	60	-	20	-	-	2,220
Face, unspecified .....	130	1,230	720	40	20	-	-	-	-	-	440
Forehead .....	131	390	160	-	60	40	-	-	-	-	120
Eye(s) .....	132	2,700	1,330	160	120	20	-	20	-	-	1,050
Nose, nasal cavity .....	133	320	150	-	-	-	-	-	-	-	160
Nose, except internal location of diseases or disorders .....	1330	320	150	-	-	-	-	-	-	-	160
Cheek(s) .....	134	60	20	-	-	-	-	-	-	-	30
Jaw, chin .....	135	90	40	-	-	-	-	-	-	-	40
Mouth .....	136	460	310	-	20	-	-	-	-	-	120
Lip(s) .....	1361	320	250	-	-	-	-	-	-	-	50
Tooth (teeth) .....	1363	110	40	-	-	-	-	-	-	-	60
Multiple face locations .....	138	690	500	-	-	-	-	-	-	-	180
Face, n.e.c. ....	139	100	-	-	-	-	-	-	-	-	80
Multiple head locations .....	18	340	70	-	20	-	-	-	-	-	230
<b>Neck, including throat</b> .....	2	2,660	1,140	100	70	20	-	30	-	-	1,300
Neck, except internal location of diseases or disorders ...	20	2,620	1,090	100	70	20	-	30	-	-	1,290
<b>Trunk</b> .....	3	39,120	16,350	2,000	2,970	140	110	180	30	20	17,310
Trunk, unspecified .....	30	210	40	40	-	-	-	-	-	-	130
Chest, including ribs, internal organs .....	31	2,890	1,630	110	80	-	-	-	-	-	1,060
Chest, except internal location of diseases or disorders .....	310	2,290	1,400	80	70	-	-	-	-	-	730
Internal chest location, unspecified .....	311	100	20	-	-	-	-	-	-	-	70
Heart .....	313	360	110	-	-	-	-	-	-	-	240
Lung(s), pleura .....	315	110	70	30	-	-	-	-	-	-	-
Back, including spine, spinal cord .....	32	29,790	12,010	1,600	2,500	120	110	120	20	20	13,280
Back, including spine, spinal cord, unspecified .....	320	11,780	4,860	660	850	40	50	70	-	-	5,230
Thoracic region .....	321	1,530	640	30	50	-	-	-	-	-	800
Lumbar region .....	322	15,210	5,920	870	1,470	60	60	40	20	-	6,750
Sacral region .....	323	130	120	-	-	-	-	-	-	-	-
Coccygeal region .....	324	220	80	-	30	-	-	-	-	-	100
Multiple back regions .....	328	860	390	30	100	-	-	-	-	-	320
Back, including spine, spinal cord, n.e.c. ....	329	60	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE L51. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and race or ethnic origin of worker, local government, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Local government <sup>4</sup>	Race or ethnic origin <sup>5</sup>								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Abdomen .....	33	2,440	1,370	50	220	—	—	—	—	—	790
Abdomen, except internal location of diseases or disorders .....	330	2,100	1,210	50	180	—	—	—	—	—	650
Internal abdominal location, unspecified .....	331	250	90	—	—	—	—	—	—	—	120
Intestines, peritoneum .....	335	70	50	—	—	—	—	—	—	—	—
Large intestine, colon, rectum .....	3353	60	50	—	—	—	—	—	—	—	—
Pelvic region .....	34	2,890	870	130	140	—	—	30	—	—	1,700
Pelvic region, unspecified .....	340	40	—	—	—	—	—	—	—	—	—
Hip(s) .....	341	1,070	440	80	60	—	—	20	—	—	450
Pelvis .....	342	60	20	—	—	—	—	—	—	—	20
Buttock(s) .....	343	300	60	20	—	—	—	—	—	—	220
Groin .....	344	1,320	320	20	50	—	—	—	—	—	910
External reproductive tract structures .....	345	30	20	—	—	—	—	—	—	—	—
Scrotum .....	3451	20	20	—	—	—	—	—	—	—	—
Multiple pelvic region locations .....	348	60	—	—	—	—	—	—	—	—	50
Pelvic region, n.e.c. ....	349	20	—	—	—	—	—	—	—	—	—
Multiple trunk locations .....	38	860	420	80	20	—	—	—	—	—	330
Trunk, n.e.c. ....	39	40	—	—	—	—	—	—	—	—	30
<b>Upper extremities .....</b>	<b>4</b>	<b>45,190</b>	<b>17,500</b>	<b>2,710</b>	<b>3,020</b>	<b>310</b>	<b>60</b>	<b>100</b>	<b>20</b>	<b>—</b>	<b>21,460</b>
Upper extremities, unspecified .....	40	30	—	—	—	—	—	—	—	—	20
Shoulder(s), including clavicle(s), scapula(e) .....	41	14,580	5,770	730	1,210	90	40	40	—	—	6,690
Arm(s) .....	42	8,020	3,780	640	390	60	—	20	—	—	3,130
Arm(s), unspecified .....	420	2,700	1,280	90	120	—	—	—	—	—	1,180
Upper arm(s) .....	421	930	520	30	20	—	—	—	—	—	340
Elbow(s) .....	422	2,140	730	150	170	20	—	—	—	—	1,060
Forearm(s) .....	423	1,390	510	330	40	—	—	—	—	—	480
Multiple arm locations .....	428	740	620	30	40	—	—	—	—	—	50
Multiple arm locations, unspecified .....	4280	100	90	—	—	—	—	—	—	—	—
Elbow(s) and arm(s) .....	4281	550	500	20	—	—	—	—	—	—	30
Multiple arm locations, n.e.c. ....	4289	90	30	—	40	—	—	—	—	—	20
Arm(s), n.e.c. ....	429	130	110	—	—	—	—	—	—	—	—
Wrist(s) .....	43	6,490	2,170	280	400	20	—	—	—	—	3,610
Hand(s) .....	44	12,940	4,710	850	800	130	—	20	—	—	6,430
Hand(s), unspecified .....	440	3,520	1,210	280	290	—	—	—	—	—	1,720
Hand(s), except finger(s) .....	441	780	300	20	20	20	—	—	—	—	430
Finger(s), fingernail(s) .....	442	7,500	2,900	460	460	100	—	—	—	—	3,560
Finger(s), fingernail(s), unspecified .....	4420	5,350	2,200	360	350	90	—	—	—	—	2,330
Fingernail(s), nailbed(s) .....	4421	120	30	—	—	—	—	—	—	—	80
Fingertip(s) .....	4422	420	130	70	50	—	—	—	—	—	160
Finger(s), fingernail(s), n.e.c. ....	4429	1,610	550	20	60	—	—	—	—	—	990
Hand(s) and finger(s) .....	448	660	220	50	20	—	—	—	—	—	370
Hand(s), n.e.c. ....	449	480	90	40	—	—	—	—	—	—	350
Multiple upper extremities locations .....	48	3,090	1,060	210	220	—	—	20	—	—	1,560
Multiple upper extremities locations, unspecified .....	480	80	40	—	—	—	—	—	—	—	30
Hand(s) and arms(s) .....	481	220	120	30	—	—	—	—	—	—	50

See footnotes at end of table.

TABLE L51. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and race or ethnic origin of worker, local government, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Local government <sup>4</sup>	Race or ethnic origin <sup>5</sup>									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported	
Hand(s) and arm(s), unspecified .....	4810	70	40	—	—	—	—	—	—	—	—	30
Hand(s) and elbow(s) .....	4811	40	—	—	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c. ....	4819	110	80	—	—	—	—	—	—	—	—	30
Hand(s) and wrist(s) .....	482	580	220	20	40	—	—	—	—	—	—	280
Wrist(s) and arm(s) .....	483	270	120	20	20	—	—	—	—	—	—	100
Wrist(s) and arm(s), unspecified .....	4830	80	50	—	—	—	—	—	—	—	—	20
Wrist(s) and elbow(s) .....	4831	40	20	—	—	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c. ....	4839	150	50	—	—	—	—	—	—	—	—	70
Shoulder(s) and arm(s) .....	484	980	330	70	70	—	—	—	—	—	—	500
Multiple upper extremities locations, n.e.c. ....	489	960	230	50	80	—	—	—	—	—	—	600
Upper extremities, n.e.c. ....	49	40	—	—	—	—	—	—	—	—	—	20
<b>Lower extremities</b> .....	<b>5</b>	<b>44,000</b>	<b>18,560</b>	<b>2,420</b>	<b>2,910</b>	<b>200</b>	<b>70</b>	<b>230</b>	<b>190</b>	<b>20</b>	<b>20</b>	<b>19,410</b>
Leg(s) .....	51	25,390	10,610	1,380	1,430	120	60	130	190	20	20	11,450
Leg(s), unspecified .....	510	1,770	780	130	60	—	—	20	—	—	—	770
Thigh(s) .....	511	790	300	30	20	—	—	—	—	—	—	420
Knee(s) .....	512	20,360	8,620	1,150	1,120	110	50	60	190	20	20	9,030
Lower leg(s) .....	513	1,960	690	60	70	—	—	30	—	—	—	1,110
Multiple leg locations .....	518	420	220	—	60	—	—	—	—	—	—	110
Multiple leg locations, unspecified .....	5180	20	20	—	—	—	—	—	—	—	—	—
Knee(s) and leg(s) .....	5181	320	180	—	50	—	—	—	—	—	—	80
Multiple leg locations, n.e.c. ....	5189	70	20	—	—	—	—	—	—	—	—	40
Leg(s), n.e.c. ....	519	110	—	—	90	—	—	—	—	—	—	—
Ankle(s) .....	52	10,130	4,510	470	800	30	—	50	—	—	—	4,260
Foot (feet) .....	53	6,070	2,590	330	410	40	—	20	—	—	—	2,670
Foot (feet), unspecified .....	530	4,130	1,670	170	380	30	—	—	—	—	—	1,870
Sole(s) .....	531	380	220	30	—	—	—	—	—	—	—	110
Sole(s), unspecified .....	5310	40	—	—	—	—	—	—	—	—	—	20
Heel(s) .....	5313	310	170	30	—	—	—	—	—	—	—	90
Toes(s), toenail(s) .....	532	1,030	540	60	30	—	—	—	—	—	—	400
Multiple foot (feet) locations .....	538	320	80	60	—	—	—	—	—	—	—	170
Foot (feet), n.e.c. ....	539	210	80	—	—	—	—	—	—	—	—	120
Multiple lower extremities locations .....	58	2,400	850	230	260	—	—	20	—	—	—	1,030
Multiple lower extremities locations, unspecified .....	580	40	—	—	—	—	—	—	—	—	—	30
Foot (feet) and leg(s) .....	581	350	90	170	—	—	—	—	—	—	—	80
Foot(feet) and leg(s), unspecified .....	5810	80	—	40	—	—	—	—	—	—	—	30
Foot(feet) and knee(s) .....	5811	230	70	120	—	—	—	—	—	—	—	40
Foot(feet) and leg(s), n.e.c. ....	5819	40	20	—	—	—	—	—	—	—	—	—
Foot (feet) and ankle(s) .....	582	760	220	40	80	—	—	20	—	—	—	390
Ankle(s) and leg(s) .....	583	880	390	20	160	—	—	—	—	—	—	310
Ankle(s) and leg(s), unspecified .....	5830	150	30	—	—	—	—	—	—	—	—	120
Ankle(s) and knee(s) .....	5831	630	330	—	150	—	—	—	—	—	—	140
Ankle(s) and leg(s), n.e.c. ....	5839	100	30	—	—	—	—	—	—	—	—	50
Multiple lower extremities locations, n.e.c. ....	589	370	140	—	20	—	—	—	—	—	—	220
<b>Body systems</b> .....	<b>6</b>	<b>5,810</b>	<b>2,470</b>	<b>220</b>	<b>240</b>	<b>20</b>	<b>60</b>	<b>60</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>2,740</b>

See footnotes at end of table.

TABLE L51. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and race or ethnic origin of worker, local government, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Local government <sup>4</sup>	Race or ethnic origin <sup>5</sup>								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
<b>Multiple body parts</b> .....	8	31,130	11,610	2,000	1,890	650	20	90	20	—	14,840
Multiple body parts, unspecified .....	80	3,070	1,370	180	320	—	—	—	—	—	1,190
Head and neck .....	81	500	270	—	—	—	—	—	—	—	200
Head, neck, and trunk .....	82	230	100	—	—	—	—	—	—	—	100
Head and trunk .....	83	400	200	—	20	—	—	—	—	—	170
Neck and back .....	84	2,890	1,230	130	140	—	—	—	—	—	1,100
Shoulder(s) and back .....	85	830	240	90	30	—	—	—	—	—	460
Hip(s) and leg(s) .....	86	410	180	60	40	—	—	—	—	—	130
Upper and lower limb(s) .....	87	2,820	1,060	90	170	270	—	—	—	—	1,230
Other multiple body parts .....	89	19,970	6,950	1,430	1,140	110	—	50	20	—	10,250
Whole body .....	891	60	20	—	—	—	—	—	—	—	30
Multiple body parts, n.e.c. ....	899	19,910	6,930	1,430	1,130	110	—	50	20	—	10,230
<b>Nonclassifiable</b> .....	9999	1,810	490	40	60	—	—	—	—	—	1,200

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: [https://www.bls.gov/bls/errata/iif\\_errata\\_1014.htm](https://www.bls.gov/bls/errata/iif_errata_1014.htm).

<sup>3</sup> Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>4</sup> Excludes farms with fewer than 11 employees.

<sup>5</sup> Race and ethnicity data do not add to total. Some cases may be counted as both Multi-race and Hispanic and other race.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.