

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2012²

Part of body	Part of body code ³	Local government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Total		181,060	2,870	1,170	27,650	7,990	89,800	390
Head	1	11,330	150	120	2,360	460	4,310	70
Head, unspecified	10	1,990	30	40	540	60	610	–
Cranial region, including skull	11	2,760	70	–	860	150	1,080	40
Cranial region, unspecified	110	410	–	–	150	–	40	–
Brain	111	1,810	30	–	620	120	760	–
Scalp	112	380	40	–	70	–	170	–
Skull	113	100	–	–	20	–	60	–
Cranial region, n.e.c.	119	50	–	–	–	–	50	–
Ear(s)	12	190	–	–	–	20	90	–
Face	13	6,040	40	60	910	200	2,320	30
Face, unspecified	130	1,230	–	–	120	20	730	–
Forehead	131	390	–	–	60	30	150	–
Eye(s)	132	2,700	20	30	390	80	990	–
Nose, nasal cavity	133	320	–	–	120	–	140	–
Nose, except internal location of diseases or disorders	1330	320	–	–	120	–	130	–
Cheek(s)	134	60	–	–	20	–	30	–
Jaw, chin	135	90	–	–	40	–	40	–
Mouth	136	460	–	–	50	–	50	–
Lip(s)	1361	320	–	–	20	–	–	–
Tooth (teeth)	1363	110	–	–	20	–	40	–
Multiple face locations	138	690	–	30	110	–	150	–
Face, n.e.c.	139	100	–	–	–	50	50	–
Multiple head locations	18	340	–	–	50	30	210	–
Neck, including throat	2	2,660	30	–	350	170	1,170	–
Neck, except internal location of diseases or disorders	20	2,620	30	–	300	170	1,170	–
Trunk	3	39,120	560	210	4,910	2,180	19,440	50
Trunk, unspecified	30	210	20	–	20	–	130	–
Chest, including ribs, internal organs	31	2,890	70	–	210	60	1,610	–
Chest, except internal location of diseases or disorders	310	2,290	30	–	190	50	1,150	–
Internal chest location, unspecified	311	100	20	–	–	–	70	–
Heart	313	360	–	–	–	–	290	–
Lung(s), pleura	315	110	–	–	–	–	70	–
Back, including spine, spinal cord ..	32	29,790	420	180	3,930	1,930	14,930	40
Back, including spine, spinal cord, unspecified	320	11,780	260	40	1,660	570	5,900	–

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2012²
— Continued

Part of body	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Total	7,040	100	9,040	10,530	3,170	20,920
Head	510	20	890	1,030	240	1,170
Head, unspecified	280	—	120	120	—	190
Cranial region, including skull	120	—	30	70	30	290
Cranial region, unspecified	—	—	—	—	—	210
Brain	100	—	—	50	20	60
Scalp	20	—	—	20	—	20
Skull	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—
Ear(s)	—	—	—	70	—	—
Face	90	—	720	760	200	690
Face, unspecified	—	—	60	20	—	250
Forehead	—	—	—	50	—	50
Eye(s)	20	—	340	350	130	350
Nose, nasal cavity	—	—	—	30	20	—
Nose, except internal location of diseases or disorders	—	—	—	30	20	—
Cheek(s)	—	—	—	—	—	—
Jaw, chin	—	—	—	—	—	—
Mouth	30	—	—	250	—	20
Lip(s)	—	—	—	—	—	—
Tooth (teeth)	30	—	—	—	—	—
Multiple face locations	20	—	280	60	30	—
Face, n.e.c.	—	—	—	—	—	—
Multiple head locations	20	—	—	—	—	—
Neck, including throat	120	—	80	200	20	510
Neck, except internal location of diseases or disorders	120	—	80	200	20	510
Trunk	1,190	—	2,200	2,850	870	4,550
Trunk, unspecified	—	—	—	—	20	20
Chest, including ribs, internal organs	180	—	100	320	100	240
Chest, except internal location of diseases or disorders	180	—	90	320	40	240
Internal chest location, unspecified	—	—	—	—	—	—
Heart	—	—	—	—	—	—
Lung(s), pleura	—	—	—	—	—	—
Back, including spine, spinal cord ..	890	—	1,530	1,960	530	3,340
Back, including spine, spinal cord, unspecified	370	—	620	700	180	1,440

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2012² — Continued

Part of body	Part of body code ³	Local government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Thoracic region	321	1,530	70	—	50	290	700	—
Lumbar region	322	15,210	90	110	1,930	1,000	7,780	20
Sacral region	323	130	—	—	60	—	—	—
Coccygeal region	324	220	—	—	80	—	50	—
Multiple back regions	328	860	—	20	150	70	430	—
Back, including spine, spinal cord, n.e.c.	329	60	—	—	—	—	—	—
Abdomen	33	2,440	20	20	160	50	1,330	—
Abdomen, except internal location of diseases or disorders	330	2,100	20	20	160	50	1,110	—
Internal abdominal location, unspecified	331	250	—	—	—	—	170	—
Intestines, peritoneum	335	70	—	—	—	—	40	—
Large intestine, colon, rectum	3353	60	—	—	—	—	30	—
Pelvic region	34	2,890	30	—	500	70	1,010	—
Pelvic region, unspecified	340	40	—	—	—	—	40	—
Hip(s)	341	1,070	30	—	270	50	460	—
Pelvis	342	60	—	—	40	—	20	—
Buttock(s)	343	300	—	—	150	—	80	—
Groin	344	1,320	—	—	—	30	400	—
External reproductive tract structures	345	30	—	—	20	—	—	—
Scrotum	3451	20	—	—	20	—	—	—
Multiple pelvic region locations ..	348	60	—	—	—	—	—	—
Pelvic region, n.e.c.	349	20	—	—	—	—	—	—
Multiple trunk locations	38	860	—	—	80	60	400	—
Trunk, n.e.c.	39	40	—	—	—	—	30	—
Upper extremities	4	45,190	740	180	5,100	2,100	24,040	110
Upper extremities, unspecified	40	30	—	—	—	—	20	—
Shoulder(s), including clavicle(s), scapula(e)	41	14,580	190	40	1,420	540	7,740	20
Arm(s)	42	8,020	40	—	1,510	250	3,870	—
Arm(s), unspecified	420	2,700	—	—	470	130	1,410	—
Upper arm(s)	421	930	—	—	100	20	610	—
Elbow(s)	422	2,140	20	—	410	60	1,020	—
Forearm(s)	423	1,390	—	—	500	40	640	—
Multiple arm locations	428	740	—	—	30	—	110	—
Multiple arm locations, unspecified	4280	100	—	—	—	—	—	—
Elbow(s) and arm(s)	4281	550	—	—	20	—	50	—
Multiple arm locations, n.e.c.	4289	90	—	—	—	—	60	—
Arm(s), n.e.c.	429	130	—	—	—	—	80	—

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2012²
— Continued

Part of body	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Thoracic region	—	—	50	50	—	300
Lumbar region	440	—	790	1,170	330	1,470
Sacral region	—	—	—	—	—	20
Coccygeal region	50	—	—	—	—	20
Multiple back regions	20	—	30	30	—	80
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—
Abdomen	20	—	290	300	60	190
Abdomen, except internal location of diseases or disorders	20	—	230	250	50	180
Internal abdominal location, unspecified	—	—	—	50	—	—
Intestines, peritoneum	—	—	—	—	—	—
Large intestine, colon, rectum	—	—	—	—	—	—
Pelvic region	70	—	200	200	160	640
Pelvic region, unspecified	—	—	—	—	—	—
Hip(s)	20	—	100	60	—	60
Pelvis	—	—	—	—	—	—
Buttock(s)	—	—	—	—	—	70
Groin	—	—	90	140	150	510
External reproductive tract structures	—	—	—	—	—	—
Scrotum	—	—	—	—	—	—
Multiple pelvic region locations ..	40	—	—	—	—	—
Pelvic region, n.e.c.	—	—	—	—	—	—
Multiple trunk locations	30	—	70	70	—	130
Trunk, n.e.c.	—	—	—	—	—	—
Upper extremities	1,810	30	2,340	3,180	780	4,740
Upper extremities, unspecified	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	550	20	710	910	250	2,170
Arm(s)	380	—	450	780	100	620
Arm(s), unspecified	230	—	80	150	—	210
Upper arm(s)	20	—	80	30	—	40
Elbow(s)	100	—	140	120	50	200
Forearm(s)	30	—	60	40	—	90
Multiple arm locations	—	—	90	410	—	90
Multiple arm locations, unspecified	—	—	—	—	—	60
Elbow(s) and arm(s)	—	—	50	410	—	20
Multiple arm locations, n.e.c.	—	—	—	—	—	—
Arm(s), n.e.c.	—	—	—	30	—	—

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2012² — Continued

Part of body	Part of body code ³	Local government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Wrist(s)	43	6,490	390	60	820	250	3,540	20
Hand(s)	44	12,940	100	40	1,000	550	7,390	50
Hand(s), unspecified	440	3,520	40	30	160	100	2,090	40
Hand(s), except finger(s)	441	780	—	—	40	70	430	—
Finger(s), fingernail(s)	442	7,500	50	—	760	380	4,070	—
Finger(s), fingernail(s), unspecified	4420	5,350	30	—	530	330	2,570	—
Fingernail(s), nailbed(s)	4421	120	—	—	30	—	60	—
Fingertip(s)	4422	420	—	—	80	—	240	—
Finger(s), fingernail(s), n.e.c.	4429	1,610	20	—	120	30	1,190	—
Hand(s) and finger(s)	448	660	—	—	20	—	480	—
Hand(s), n.e.c.	449	480	—	—	—	—	320	—
Multiple upper extremities locations	48	3,090	30	20	350	510	1,440	—
Multiple upper extremities locations, unspecified	480	80	—	—	20	—	20	—
Hand(s) and arms(s)	481	220	—	—	20	—	140	—
Hand(s) and arm(s), unspecified	4810	70	—	—	20	—	30	—
Hand(s) and elbow(s)	4811	40	—	—	—	—	30	—
Hand(s) and arm(s), n.e.c.	4819	110	—	—	—	—	80	—
Hand(s) and wrist(s)	482	580	—	—	60	40	320	—
Wrist(s) and arm(s)	483	270	—	—	30	—	170	—
Wrist(s) and arm(s), unspecified	4830	80	—	—	—	—	40	—
Wrist(s) and elbow(s)	4831	40	—	—	—	—	20	—
Wrist(s) and arm(s), n.e.c.	4839	150	—	—	20	—	110	—
Shoulder(s) and arm(s)	484	980	—	—	100	130	460	—
Multiple upper extremities locations, n.e.c.	489	960	—	—	120	320	330	—
Upper extremities, n.e.c.	49	40	—	—	—	—	30	—
Lower extremities	5	44,000	710	350	7,820	1,440	21,660	80
Leg(s)	51	25,390	300	260	3,920	730	13,590	40
Leg(s), unspecified	510	1,770	—	—	300	60	850	—
Thigh(s)	511	790	—	—	140	—	390	—
Knee(s)	512	20,360	260	250	3,050	640	11,130	20
Lower leg(s)	513	1,960	20	—	280	20	1,060	—
Multiple leg locations	518	420	—	—	120	—	130	—
Multiple leg locations, unspecified	5180	20	—	—	—	—	20	—
Knee(s) and leg(s)	5181	320	—	—	120	—	80	—
Multiple leg locations, n.e.c.	5189	70	—	—	—	—	30	—
Leg(s), n.e.c.	519	110	—	—	20	—	40	—
Ankle(s)	52	10,130	210	40	1,760	480	4,720	—

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2012²

— Continued

Part of body	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Wrist(s)	490	—	170	210	70	470
Hand(s)	260	—	920	1,140	320	1,130
Hand(s), unspecified	90	—	120	270	170	410
Hand(s), except finger(s)	—	—	40	110	30	50
Finger(s), fingernail(s)	150	—	580	720	130	630
Finger(s), fingernail(s), unspecified	110	—	510	630	90	530
Fingernail(s), nailbed(s)	—	—	—	20	—	—
Fingertip(s)	—	—	—	20	—	40
Finger(s), fingernail(s), n.e.c.	40	—	50	50	30	60
Hand(s) and finger(s)	—	—	80	40	—	20
Hand(s), n.e.c.	—	—	100	—	—	20
Multiple upper extremities locations	120	—	90	130	50	340
Multiple upper extremities locations, unspecified	—	—	—	—	—	—
Hand(s) and arms(s)	—	—	—	—	—	20
Hand(s) and arm(s), unspecified	—	—	—	—	—	—
Hand(s) and elbow(s)	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	—	—	—	—	—	20
Hand(s) and wrist(s)	30	—	—	—	—	90
Wrist(s) and arm(s)	—	—	—	20	—	—
Wrist(s) and arm(s), unspecified	—	—	—	—	—	—
Wrist(s) and elbow(s)	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	—	—	—	—	—	—
Shoulder(s) and arm(s)	20	—	30	60	30	150
Multiple upper extremities locations, n.e.c.	40	—	30	40	—	60
Upper extremities, n.e.c.	—	—	—	—	—	—
Lower extremities	1,940	—	2,220	2,060	730	4,940
Leg(s)	1,040	—	1,430	1,150	280	2,640
Leg(s), unspecified	70	—	80	50	50	300
Thigh(s)	—	—	50	30	20	120
Knee(s)	890	—	1,210	890	170	1,830
Lower leg(s)	50	—	70	110	—	320
Multiple leg locations	20	—	—	60	—	30
Multiple leg locations, unspecified	—	—	—	—	—	—
Knee(s) and leg(s)	—	—	—	60	—	30
Multiple leg locations, n.e.c.	—	—	—	—	—	—
Leg(s), n.e.c.	—	—	—	—	—	40
Ankle(s)	410	—	490	490	280	1,210

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2012² — Continued

Part of body	Part of body code ³	Local government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Foot (feet)	53	6,070	150	50	1,600	190	2,400	—
Foot (feet), unspecified	530	4,130	100	30	1,000	150	1,620	—
Sole(s)	531	380	—	—	60	—	230	—
Sole(s), unspecified	5310	40	—	—	—	—	20	—
Heel(s)	5313	310	—	—	40	—	200	—
Toes(s), toenail(s)	532	1,030	30	20	320	30	420	—
Multiple foot (feet) locations	538	320	—	—	190	—	30	—
Foot (feet), n.e.c.	539	210	—	—	30	—	100	—
Multiple lower extremities locations	58	2,400	40	—	550	40	940	20
Multiple lower extremities locations, unspecified	580	40	—	—	—	—	—	—
Foot (feet) and leg(s)	581	350	—	—	170	—	130	—
Foot(feet) and leg(s), unspecified	5810	80	—	—	—	—	50	—
Foot(feet) and knee(s)	5811	230	—	—	150	—	70	—
Foot(feet) and leg(s), n.e.c.	5819	40	—	—	20	—	20	—
Foot (feet) and ankle(s)	582	760	—	—	130	20	260	—
Ankle(s) and leg(s)	583	880	—	—	210	—	290	—
Ankle(s) and leg(s), unspecified	5830	150	—	—	—	—	—	—
Ankle(s) and knee(s)	5831	630	—	—	180	—	220	—
Ankle(s) and leg(s), n.e.c.	5839	100	—	—	20	—	60	—
Multiple lower extremities locations, n.e.c.	589	370	—	—	40	—	250	—
Body systems	6	5,810	90	90	670	280	2,950	—
Multiple body parts	8	31,130	520	200	6,320	1,200	15,290	70
Multiple body parts, unspecified	80	3,070	50	20	520	50	1,710	30
Head and neck	81	500	—	—	80	20	210	—
Head, neck, and trunk	82	230	—	—	20	—	190	—
Head and trunk	83	400	—	—	60	—	140	—
Neck and back	84	2,890	40	—	540	190	1,310	—
Shoulder(s) and back	85	830	20	—	180	30	250	—
Hip(s) and leg(s)	86	410	—	—	100	30	170	—
Upper and lower limb(s)	87	2,820	50	—	670	80	1,490	—
Other multiple body parts	89	19,970	330	160	4,150	730	9,820	30
Whole body	891	60	—	—	—	20	30	—
Multiple body parts, n.e.c.	899	19,910	330	160	4,150	710	9,790	30

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2012²
— Continued

Part of body	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Foot (feet)	260	—	260	350	180	610
Foot (feet), unspecified	190	—	180	210	160	470
Sole(s)	—	—	20	20	—	40
Sole(s), unspecified	—	—	—	—	—	—
Heel(s)	—	—	—	—	—	30
Toes(s), toenail(s)	30	—	40	50	—	80
Multiple foot (feet) locations	—	—	—	60	—	—
Foot (feet), n.e.c.	50	—	—	—	—	—
Multiple lower extremities locations	230	—	40	70	—	470
Multiple lower extremities locations, unspecified	—	—	—	—	—	—
Foot (feet) and leg(s)	—	—	—	—	—	20
Foot(feet) and leg(s), unspecified	—	—	—	—	—	20
Foot(feet) and knee(s)	—	—	—	—	—	—
Foot(feet) and leg(s), n.e.c.	—	—	—	—	—	—
Foot (feet) and ankle(s)	—	—	—	40	—	280
Ankle(s) and leg(s)	200	—	—	—	—	140
Ankle(s) and leg(s), unspecified	20	—	—	—	—	110
Ankle(s) and knee(s)	190	—	—	—	—	20
Ankle(s) and leg(s), n.e.c.	—	—	—	—	—	20
Multiple lower extremities locations, n.e.c.	—	—	20	—	—	20
Body systems	280	—	160	170	160	890
Multiple body parts	1,070	—	1,070	990	330	4,040
Multiple body parts, unspecified	50	—	30	50	30	520
Head and neck	20	—	90	—	—	70
Head, neck, and trunk	—	—	—	—	—	—
Head and trunk	50	—	20	20	—	—
Neck and back	30	—	50	230	40	450
Shoulder(s) and back	50	—	40	80	20	140
Hip(s) and leg(s)	50	—	50	—	—	—
Upper and lower limb(s)	130	—	80	—	—	280
Other multiple body parts	680	—	710	580	210	2,550
Whole body	—	—	—	—	—	—
Multiple body parts, n.e.c.	680	—	700	580	210	2,550

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2012² — Continued

Part of body	Part of body code ³	Local government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Nonclassifiable	9999	1,810	70	–	120	160	930	–

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2012²

— Continued

Part of body	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Nonclassifiable	120	—	90	60	20	90

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ *Standard Occupational Classification Manual*, 2010, Office of Management and Budget.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.