

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2013

Nature	Nature code ²	Local government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		180,130	1,530	11,470	6,950	4,460	7,650
Traumatic injuries and disorders	1	172,610	1,380	11,440	6,900	4,410	7,590
Traumatic injuries and disorders, unspecified	10	520	—	—	—	—	—
Traumatic injuries to bones, nerves, spinal cord	11	12,760	—	200	620	290	270
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	1,860	—	110	20	50	20
Fractures	111	10,610	—	70	590	230	250
Traumatic injuries to nerves, except the spinal cord ..	113	90	—	—	—	—	—
Pinched nerve	1131	80	—	—	—	—	—
Multiple traumatic injuries to bones, nerves, spinal cord	118	80	—	—	—	—	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	110	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	78,250	—	7,890	2,830	1,480	3,070
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	360	—	—	20	—	—
Dislocations	121	2,140	—	160	50	—	90
Dislocations, unspecified	1210	140	—	—	—	—	30
Herniated discs	1211	970	—	30	30	—	50
Dislocation of joints	1212	970	—	140	20	—	20
Dislocations, n.e.c.	1219	70	—	—	—	—	—
Cartilage fractures and tears	122	710	—	—	20	—	20
Cartilage fractures and tears, unspecified	1220	50	—	—	—	—	—
Meniscus tears	1221	650	—	—	—	—	20
Sprains, strains, tears	123	73,930	—	7,550	2,700	1,420	2,800
Sprains, strains, tears, unspecified	1230	5,260	—	740	260	130	140
Major tears to muscles, tendons, ligaments	1231	4,390	—	90	150	50	410
Sprains	1232	20,440	—	720	720	170	250
Strains	1233	42,810	—	5,940	1,560	1,070	1,980
Multiple sprains, strains, tears	1238	1,020	—	60	—	—	20
Hernias due to traumatic incidents	124	780	—	150	30	30	120
Whiplash	125	150	—	—	—	—	—
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	140	—	—	—	—	30
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	50	—	—	—	—	—
Open wounds	13	8,510	—	480	320	470	1,120
Open wounds, unspecified	130	90	—	—	—	—	—
Amputations, avulsions, enucleations	131	360	—	90	30	50	100
Amputations	1311	280	—	90	—	50	80
Avulsions, enucleations	1312	70	—	—	30	—	20
Cuts, lacerations	132	6,130	—	380	280	380	740
Puncture wounds, except gunshot wounds	133	1,750	—	—	—	—	270
Gunshot wounds	134	110	—	—	—	—	—
Multiple types of open wounds	138	60	—	—	—	30	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2013 — Continued

Nature	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Total	34,710	5,160	17,050	34,570	31,630	28,400	6,020	25,930
Traumatic injuries and disorders	34,550	5,120	16,870	30,550	29,990	27,800	5,980	23,790
Traumatic injuries and disorders, unspecified	50	—	400	30	30	40	—	—
Traumatic injuries to bones, nerves, spinal cord	4,910	170	1,480	1,000	990	2,450	90	1,170
Traumatic injuries to bones, nerves, spinal cord, unspecified	470	—	520	390	390	140	30	80
Fractures	4,360	130	940	580	570	2,200	60	1,080
Traumatic injuries to nerves, except the spinal cord ..	—	—	—	30	30	30	—	—
Pinched nerve	—	—	—	20	20	30	—	—
Multiple traumatic injuries to bones, nerves, spinal cord	—	—	—	—	—	—	—	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	—	—	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	11,190	2,440	7,270	22,050	21,850	12,650	4,070	6,250
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	70	20	70	80	80	30	20	40
Dislocations	350	—	300	260	260	750	50	150
Dislocations, unspecified	20	—	—	40	40	—	—	—
Herniated discs	50	—	250	120	120	390	30	40
Dislocation of joints	260	—	30	90	90	320	20	70
Dislocations, n.e.c.	—	—	—	—	—	40	—	—
Cartilage fractures and tears	110	50	30	320	320	100	—	50
Cartilage fractures and tears, unspecified	—	—	—	20	20	—	—	—
Meniscus tears	80	50	30	300	300	90	—	50
Sprains, strains, tears	10,580	2,250	6,690	21,310	21,120	11,610	3,960	5,900
Sprains, strains, tears, unspecified	590	150	510	1,150	1,060	850	310	740
Major tears to muscles, tendons, ligaments	490	260	170	1,140	1,110	590	60	380
Sprains	4,470	220	1,330	8,110	8,090	3,230	550	1,070
Strains	4,880	1,610	4,530	10,580	10,510	6,730	3,000	3,650
Multiple sprains, strains, tears	150	—	140	340	340	210	40	60
Hernias due to traumatic incidents	—	110	—	70	70	140	40	110
Whiplash	—	—	130	—	—	—	—	—
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	80	—	30	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	—	—	—	—	—	—	—	—
Open wounds	630	1,460	550	20	—	790	70	2,530
Open wounds, unspecified	—	40	—	—	—	—	—	40
Amputations, avulsions, enucleations	—	20	20	—	—	—	—	20
Amputations	—	20	20	—	—	—	—	—
Avulsions, enucleations	—	—	—	—	—	—	—	—
Cuts, lacerations	620	1,350	520	—	—	220	30	1,490
Puncture wounds, except gunshot wounds	—	50	—	—	—	460	30	950
Gunshot wounds	—	—	—	—	—	100	—	—
Multiple types of open wounds	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Surface wounds and bruises	14	17,980	—	530	900	520	990
Surface wounds and bruises, unspecified	140	500	—	—	—	—	—
Abrasions, scratches	141	1,490	—	—	50	30	30
Bruises, contusions	143	15,640	—	480	830	480	940
Multiple surface wounds and bruises	148	290	—	—	—	—	—
Surface wounds and bruises, n.e.c.	149	50	—	—	—	—	—
Burns and corrosions	15	2,230	290	30	30	210	70
Burns and corrosions, unspecified	150	120	—	—	—	—	—
Chemical burns and corrosions	151	190	190	—	—	—	—
Chemical burns and corrosions, unspecified	1510	190	190	—	—	—	—
Heat (thermal) burns	152	1,770	100	30	—	180	60
Heat (thermal) burns, unspecified	1520	1,100	70	20	—	160	50
First degree heat (thermal) burns	1521	50	—	—	—	—	—
Second degree heat (thermal) burns	1522	300	—	—	—	20	—
Heat (thermal) burns, n.e.c.	1529	320	—	—	—	—	—
Electrical burns	153	50	—	—	—	20	—
Electrical burns, unspecified	1530	40	—	—	—	—	—
Other burns	159	100	—	—	—	—	—
Other burns, unspecified	1590	60	—	—	—	—	—
Intracranial injuries	16	2,280	—	90	250	40	170
Intracranial injuries, unspecified	160	230	—	—	120	—	—
Concussions	162	2,030	—	90	140	40	160
Effects of environmental conditions	17	470	—	—	—	—	—
Effects of heat and light	172	420	—	—	—	—	—
Effects of heat and light, unspecified	1720	20	—	—	—	—	—
Heat syncope	1722	30	—	—	—	—	—
Heat fatigue	1723	20	—	—	—	—	—
Heat exhaustion, prostration	1725	230	—	—	—	—	—
Effects of heat and light, n.e.c.	1729	100	—	—	—	—	—
Effects of air or water pressure	173	40	—	—	—	—	—
Effects of air or water pressure, n.e.c.	1739	40	—	—	—	—	—
Multiple traumatic injuries and disorders	18	6,220	—	70	480	100	200
Multiple traumatic injuries and disorders, unspecified	180	400	—	—	—	—	30
Cuts and abrasions or bruises	181	1,010	—	20	170	30	90
Sprains and other injuries	182	2,900	—	30	150	20	40
Sprains and other injuries, unspecified	1820	230	—	—	—	—	—
Sprains and bruises	1821	2,330	—	20	110	20	40
Sprains and cuts	1822	90	—	—	—	—	—
Sprains and other injuries, n.e.c.	1829	250	—	—	—	—	—
Fractures and other injuries	183	900	—	—	150	50	30
Fractures and other injuries, unspecified	1830	210	—	—	130	—	—
Fractures and dislocations	1834	50	—	—	—	—	—
Fractures and other injuries, n.e.c.	1839	630	—	—	—	50	30
Multiple traumatic injuries and disorders, n.e.c.	189	1,000	—	—	—	—	—
Other traumatic injuries and disorders	19	43,380	1,080	2,150	1,480	1,300	1,690
Other traumatic injuries and disorders, unspecified ...	190	130	20	—	—	—	—
Asphyxiations, strangulations, suffocations	191	30	—	—	—	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2013 — Continued

Nature	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Surface wounds and bruises	5,410	110	2,450	—	—	3,810	460	3,050
Surface wounds and bruises, unspecified	240	—	20	—	—	90	—	130
Abrasions, scratches	220	—	120	—	—	680	120	330
Bruises, contusions	4,840	90	2,250	—	—	3,010	320	2,520
Multiple surface wounds and bruises	110	—	50	—	—	20	—	30
Surface wounds and bruises, n.e.c.	—	—	—	—	—	—	—	50
Burns and corrosions	—	40	30	—	—	—	—	1,530
Burns and corrosions, unspecified	—	—	—	—	—	—	—	110
Chemical burns and corrosions	—	—	—	—	—	—	—	—
Chemical burns and corrosions, unspecified	—	—	—	—	—	—	—	—
Heat (thermal) burns	—	40	30	—	—	—	—	1,310
Heat (thermal) burns, unspecified	—	30	30	—	—	—	—	710
First degree heat (thermal) burns	—	—	—	—	—	—	—	50
Second degree heat (thermal) burns	—	—	—	—	—	—	—	250
Heat (thermal) burns, n.e.c.	—	—	—	—	—	—	—	300
Electrical burns	—	—	—	—	—	—	—	—
Electrical burns, unspecified	—	—	—	—	—	—	—	—
Other burns	—	—	—	—	—	—	—	90
Other burns, unspecified	—	—	—	—	—	—	—	50
Intracranial injuries	770	50	220	—	—	310	30	320
Intracranial injuries, unspecified	30	—	—	—	—	20	—	50
Concussions	730	50	200	—	—	300	20	270
Effects of environmental conditions	—	—	—	—	—	—	—	470
Effects of heat and light	—	—	—	—	—	—	—	420
Effects of heat and light, unspecified	—	—	—	—	—	—	—	20
Heat syncope	—	—	—	—	—	—	—	30
Heat fatigue	—	—	—	—	—	—	—	20
Heat exhaustion, prostration	—	—	—	—	—	—	—	230
Effects of heat and light, n.e.c.	—	—	—	—	—	—	—	100
Effects of air or water pressure	—	—	—	—	—	—	—	40
Effects of air or water pressure, n.e.c.	—	—	—	—	—	—	—	40
Multiple traumatic injuries and disorders	2,560	50	810	130	130	1,360	80	270
Multiple traumatic injuries and disorders, unspecified	90	—	180	—	—	30	—	50
Cuts and abrasions or bruises	340	—	120	—	—	160	—	60
Sprains and other injuries	1,480	40	280	20	20	630	60	120
Sprains and other injuries, unspecified	180	—	—	—	—	—	—	—
Sprains and bruises	1,140	—	240	—	—	540	60	110
Sprains and cuts	30	—	—	—	—	30	—	—
Sprains and other injuries, n.e.c.	140	—	20	—	—	60	—	—
Fractures and other injuries	400	—	60	—	—	100	—	—
Fractures and other injuries, unspecified	50	—	—	—	—	—	—	—
Fractures and dislocations	40	—	—	—	—	—	—	—
Fractures and other injuries, n.e.c.	310	—	50	—	—	80	—	—
Multiple traumatic injuries and disorders, n.e.c.	250	—	160	—	—	430	—	20
Other traumatic injuries and disorders	9,020	800	3,650	7,310	6,980	6,380	1,170	8,200
Other traumatic injuries and disorders, unspecified ...	40	—	30	—	—	20	—	—
Asphyxiations, strangulations, suffocations	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Electrocutions, electric shocks	193	90	—	—	—	20	50
Dermatitis and reactions affecting the skin—acute	195	940	330	—	—	—	—
Dermatitis and reactions affecting the skin—acute, unspecified	1950	460	210	—	—	—	—
Allergic dermatitis—acute	1951	410	110	—	—	—	—
Irritant dermatitis—acute	1952	20	—	—	—	—	—
Multiple types of dermatitis and skin reactions—acute	1958	30	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	20	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	2,380	560	—	—	—	20
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	1,090	140	—	—	—	—
Poisoning, including poisoning-related asphyxia ...	1961	100	60	—	—	—	—
Anaphylactic shock, anaphylaxis	1962	40	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	740	260	—	—	—	—
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	20	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	60	40	—	—	—	—
Other or unspecified allergic reactions	1966	220	30	—	—	—	—
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	50	—	—	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	40	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	30	—	—	—	—	—
Nonspecified injuries and disorders	197	39,790	170	2,150	1,460	1,280	1,600
Crushing injuries	1971	990	—	50	50	50	110
Soreness, pain, hurt—nonspecified injury	1972	35,280	30	2,040	1,280	1,160	1,450
Swelling, inflammation, irritation—nonspecified injury	1973	2,230	130	30	30	—	40
Numbness—nonspecified injury	1974	160	—	—	—	—	—
Multiple nonspecified injuries and disorders	1978	940	—	—	90	50	—
Nonspecified injuries and disorders, n.e.c.	1979	180	—	—	—	—	—
Diseases and disorders of body systems	2	3,230	60	20	—	20	60
Nervous system and sense organs diseases	22	1,200	50	—	—	—	20
Other disorders of the central nervous system	223	50	—	—	—	—	—
Migraine	2232	40	—	—	—	—	—
Disorders of the peripheral nervous system	224	890	—	—	—	—	—
Disorders of the peripheral nervous system, unspecified	2240	30	—	—	—	—	—
Carpal tunnel syndrome	2241	830	—	—	—	—	—
Disorders of the peripheral nervous system, n.e.c.	2249	40	—	—	—	—	—
Disorders of the eye, adnexa, vision	225	150	50	—	—	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2013 — Continued

Nature	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Electrocutions, electric shocks	—	—	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute	—	—	—	—	—	20	—	590
Dermatitis and reactions affecting the skin—acute, unspecified	—	—	—	—	—	20	—	240
Allergic dermatitis—acute	—	—	—	—	—	—	—	300
Irritant dermatitis—acute	—	—	—	—	—	—	—	—
Multiple types of dermatitis and skin reactions—acute	—	—	—	—	—	—	—	20
Dermatitis and reactions affecting the skin—acute, n.e.c.	—	—	—	—	—	—	—	20
Other poisoning, toxic, noxious, or allergenic effects	—	—	—	30	—	—	—	1,770
Poisoning, toxic, noxious, or allergenic effect, unspecified	—	—	—	—	—	—	—	950
Poisoning, including poisoning-related asphyxia	—	—	—	—	—	—	—	40
Anaphylactic shock, anaphylaxis	—	—	—	—	—	—	—	30
Other respiratory system symptoms—toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	460
Coughing and throat irritation— toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	—
Other or unspecified allergic reactions	—	—	—	—	—	—	—	160
Nausea, vomiting— toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	40
Multiple poisoning, toxic, noxious, or allergenic effects	—	—	—	—	—	—	—	30
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	—	—	—	—	—	—	—	30
Nonspecified injuries and disorders	8,970	800	3,620	7,260	6,960	6,340	1,160	5,820
Crushing injuries	—	100	160	—	—	200	—	240
Soreness, pain, hurt—nonspecified injury	8,480	660	3,100	6,440	6,340	5,650	1,140	4,740
Swelling, inflammation, irritation—nonspecified injury	290	30	250	460	280	180	—	730
Numbness—nonspecified injury	—	—	—	100	100	20	—	20
Multiple nonspecified injuries and disorders	150	—	90	210	210	280	—	30
Nonspecified injuries and disorders, n.e.c.	30	—	20	40	30	20	—	60
Diseases and disorders of body systems	30	30	60	2,120	1,540	130	20	660
Nervous system and sense organs diseases	—	—	—	950	940	30	—	140
Other disorders of the central nervous system	—	—	—	50	40	—	—	—
Migraine	—	—	—	40	40	—	—	—
Disorders of the peripheral nervous system	—	—	—	890	890	—	—	—
Disorders of the peripheral nervous system, unspecified	—	—	—	30	30	—	—	—
Carpal tunnel syndrome	—	—	—	820	820	—	—	—
Disorders of the peripheral nervous system, n.e.c.	—	—	—	40	40	—	—	—
Disorders of the eye, adnexa, vision	—	—	—	—	—	30	—	50

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Conjunctivitis—non-viral	2251	100	50	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	2259	20	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	226	100	—	—	—	—	20
Deafness, hearing loss and impairment	2261	80	—	—	—	—	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	2269	20	—	—	—	—	20
Circulatory system diseases	23	590	—	—	—	—	—
Hypertensive disease	232	50	—	—	—	—	—
Ischemic heart disease, including heart attack	233	280	—	—	—	—	—
Ischemic heart disease, unspecified	2330	180	—	—	—	—	—
Myocardial infarction (heart attack)	2331	90	—	—	—	—	—
Other forms of heart disease	235	140	—	—	—	—	—
Other forms of heart disease, n.e.c.	2359	60	—	—	—	—	—
Cerebrovascular disease	236	40	—	—	—	—	—
Stroke	2361	30	—	—	—	—	—
Respiratory system diseases	24	240	—	—	—	—	—
Pneumonia, influenza	243	230	—	—	—	—	—
Pneumonia, influenza, unspecified	2430	130	—	—	—	—	—
Pneumonia	2431	100	—	—	—	—	—
Digestive system diseases and disorders	25	50	—	—	—	—	—
Hernia—nontraumatic	253	50	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	820	—	20	—	20	40
Soft tissue disorders, except the back	273	790	—	—	—	20	40
Soft tissue disorder, except the back, unspecified	2730	140	—	—	—	—	—
Bursitis	2731	90	—	—	—	—	20
Stenosing tenosynovitis	2732	40	—	—	—	—	—
Other tenosynovitis, synovitis	2733	30	—	—	—	—	—
Epicondylitis	2734	110	—	—	—	—	—
Other or unspecified tendonitis (tendinitis)	2735	150	—	—	—	—	—
Ganglion or cystic tumor	2736	20	—	—	—	—	—
Soft tissue disorder, except the back, n.e.c.	2739	200	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	28	340	—	—	—	—	—
Infections of the skin and subcutaneous tissue	281	320	—	—	—	—	—
Cellulitis and abscess	2811	90	—	—	—	—	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	210	—	—	—	—	—
Infectious and parasitic diseases	3	280	—	—	—	—	—
Bacterial diseases	31	20	—	—	—	—	—
Viral diseases	32	20	—	—	—	—	—
Infectious diseases peculiar to the intestines	36	50	—	—	—	—	—
Infectious diseases peculiar to the intestines, n.e.c. ..	369	30	—	—	—	—	—
Other infectious and parasitic diseases	39	180	—	—	—	—	—
Scabies and other acariases	392	170	—	—	—	—	—
Neoplasms, tumors, and cancers	4	50	—	—	—	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2013 — Continued

Nature	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Conjunctivitis—non-viral	—	—	—	—	—	—	—	20
Disorders of the eye, adnexa, vision, n.e.c.	—	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	—	—	—	—	—	—	—	80
Deafness, hearing loss and impairment	—	—	—	—	—	—	—	80
Disorders of the ear, mastoid process, and hearing, n.e.c.	—	—	—	—	—	—	—	—
Circulatory system diseases	—	—	—	520	30	—	—	70
Hypertensive disease	—	—	—	50	—	—	—	—
Ischemic heart disease, including heart attack	—	—	—	280	—	—	—	—
Ischemic heart disease, unspecified	—	—	—	180	—	—	—	—
Myocardial infarction (heart attack)	—	—	—	90	—	—	—	—
Other forms of heart disease	—	—	—	70	—	—	—	—
Other forms of heart disease, n.e.c.	—	—	—	60	—	—	—	—
Cerebrovascular disease	—	—	—	40	20	—	—	—
Stroke	—	—	—	30	20	—	—	—
Respiratory system diseases	—	—	—	60	—	—	—	180
Pneumonia, influenza	—	—	—	50	—	—	—	170
Pneumonia, influenza, unspecified	—	—	—	50	—	—	—	80
Pneumonia	—	—	—	—	—	—	—	100
Digestive system diseases and disorders	—	—	—	40	40	—	—	—
Hernia—nontraumatic	—	—	—	40	40	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	30	20	60	460	460	20	20	110
Soft tissue disorders, except the back	30	20	60	450	450	—	—	110
Soft tissue disorder, except the back, unspecified	—	—	—	130	130	—	—	—
Bursitis	—	—	40	—	—	—	—	—
Stenosing tenosynovitis	—	—	—	30	30	—	—	—
Other tenosynovitis, synovitis	—	—	—	—	—	—	—	—
Epicondylitis	—	—	—	70	70	—	—	—
Other or unspecified tendonitis (tendinitis)	—	—	—	90	90	—	—	—
Ganglion or cystic tumor	—	—	—	—	—	—	—	—
Soft tissue disorder, except the back, n.e.c.	—	—	—	90	90	—	—	80
Disorders of the skin and subcutaneous tissue	—	—	—	90	60	80	—	160
Infections of the skin and subcutaneous tissue	—	—	—	90	60	80	—	140
Cellulitis and abscess	—	—	—	60	60	—	—	20
Methicillin-resistant staphylococcus aureus (MRSA) infection	—	—	—	—	—	70	—	110
Infectious and parasitic diseases	—	—	—	—	—	—	—	280
Bacterial diseases	—	—	—	—	—	—	—	20
Viral diseases	—	—	—	—	—	—	—	20
Infectious diseases peculiar to the intestines	—	—	—	—	—	—	—	50
Infectious diseases peculiar to the intestines, n.e.c. ..	—	—	—	—	—	—	—	30
Other infectious and parasitic diseases	—	—	—	—	—	—	—	180
Scabies and other acariases	—	—	—	—	—	—	—	170
Neoplasms, tumors, and cancers	—	—	—	—	—	—	—	50

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	41	50	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	1,420	90	—	30	20	—
Symptoms	51	1,300	80	—	30	20	—
General symptoms	511	600	—	—	20	—	—
General symptoms, unspecified	5110	20	—	—	—	—	—
Loss of consciousness—not heat related	5111	130	—	—	—	—	—
Dizziness—general	5114	330	—	—	20	—	—
Inflammation, swelling—general	5115	40	—	—	—	—	—
Multiple general symptoms	5118	40	—	—	—	—	—
General symptoms, n.e.c.	5119	40	—	—	—	—	—
Symptoms involving head and neck	514	100	—	—	—	—	—
Headache, except migraine	5141	90	—	—	—	—	—
Symptoms involving cardiovascular system	515	130	—	—	—	—	—
Unspecified tachycardia (rapid heartbeat)	5151	60	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	5159	70	—	—	—	—	—
Symptoms involving respiratory system and chest	516	310	60	—	—	—	—
Symptoms involving respiratory system and chest, unspecified	5160	90	50	—	—	—	—
Chest pain	5164	70	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	150	—	—	—	—	—
Multiple symptoms	518	50	—	—	—	—	—
Abnormal findings	52	40	—	—	—	—	—
Other abnormal findings	529	40	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	58	80	—	—	—	—	—
Other diseases, conditions, and disorders	6	1,480	—	—	—	—	—
Mental disorders and syndromes	62	1,460	—	—	—	—	—
Mental disorders and syndromes, unspecified	620	20	—	—	—	—	—
Anxiety, stress	621	1,440	—	—	—	—	—
Anxiety, stress, unspecified	6210	720	—	—	—	—	—
Post-traumatic stress disorder	6211	490	—	—	—	—	—
Anxiety or panic disorder	6213	80	—	—	—	—	—
Anxiety, stress, n.e.c.	6219	130	—	—	—	—	—
Exposures to disease—no illness incurred	7	150	—	—	—	—	—
Multiple diseases, conditions, and disorders	8	40	—	—	—	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2013 — Continued

Nature	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	—	—	—	—	—	—	—	50
Symptoms, signs, and ill-defined conditions	120	—	50	770	80	80	20	230
Symptoms	120	—	30	690	40	70	20	220
General symptoms	40	—	—	280	20	50	—	160
General symptoms, unspecified	—	—	—	—	—	—	—	—
Loss of consciousness—not heat related	40	—	—	60	—	—	—	—
Dizziness—general	—	—	—	130	—	—	—	150
Inflammation, swelling—general	—	—	—	—	—	—	—	—
Multiple general symptoms	—	—	—	40	—	—	—	—
General symptoms, n.e.c.	—	—	—	—	—	20	—	—
Symptoms involving head and neck	—	—	—	40	—	20	—	—
Headache, except migraine	—	—	—	30	—	20	—	—
Symptoms involving cardiovascular system	—	—	—	120	—	—	—	—
Unspecified tachycardia (rapid heartbeat)	—	—	—	50	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	—	—	—	70	—	—	—	—
Symptoms involving respiratory system and chest	—	—	—	220	—	—	—	20
Symptoms involving respiratory system and chest, unspecified	—	—	—	—	—	—	—	20
Chest pain	—	—	—	60	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	—	—	—	140	—	—	—	—
Multiple symptoms	—	—	—	20	—	—	—	—
Abnormal findings	—	—	—	20	—	—	—	—
Other abnormal findings	—	—	—	20	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	—	—	—	70	40	—	—	—
Other diseases, conditions, and disorders	—	—	30	1,070	—	340	—	20
Mental disorders and syndromes	—	—	30	1,060	—	340	—	20
Mental disorders and syndromes, unspecified	—	—	—	20	—	—	—	—
Anxiety, stress	—	—	30	1,040	—	340	—	20
Anxiety, stress, unspecified	—	—	—	500	—	210	—	—
Post-traumatic stress disorder	—	—	—	350	—	110	—	20
Anxiety or panic disorder	—	—	—	70	—	—	—	—
Anxiety, stress, n.e.c.	—	—	—	110	—	20	—	—
Exposures to disease—no illness incurred	—	—	—	—	—	50	—	70
Multiple diseases, conditions, and disorders	—	—	30	—	—	—	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Nonclassifiable	9999	870	—	—	—	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2013 — Continued

Nature	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Nonclassifiable	—	—	—	—	—	—	—	820

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 1; Containers = 21; Furniture and fixtures = 22; Machinery = 3; Parts and materials = 4; Floors, walkways, or ground surfaces = 66; Handtools = 71-73; Vehicles = 8; Person--injured or ill worker = 56; Worker motion or position = 562; Person--other than injured or ill worker = 57; Health care patient = 574; All other sources = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.