

TABLE L45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, local government, 2013

Nature	Nature code ²	Local government ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		180,130	—	50	1,070	4,190	30,510	43,640	54,660	35,910	6,730	3,360
Traumatic injuries and disorders	1	172,610	—	50	1,070	4,060	29,610	41,820	52,280	34,800	6,500	2,420
Traumatic injuries and disorders, unspecified	10	520	—	—	—	—	—	30	420	—	—	30
Traumatic injuries to bones, nerves, spinal cord	11	12,760	—	—	70	110	2,010	2,590	3,890	3,010	930	140
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	1,860	—	—	—	—	340	700	350	290	60	110
Fractures	111	10,610	—	—	70	110	1,650	1,860	3,400	2,630	880	30
Traumatic injuries to nerves, except the spinal cord ..	113	90	—	—	—	—	—	30	40	—	—	—
Pinched nerve	1131	80	—	—	—	—	—	30	30	—	—	—
Multiple traumatic injuries to bones, nerves, spinal cord	118	80	—	—	—	—	—	—	70	—	—	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	110	—	—	—	—	—	—	30	80	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	78,250	—	30	300	1,650	13,480	20,760	23,900	14,680	2,190	1,270
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	360	—	—	—	20	30	120	110	70	—	—
Dislocations	121	2,140	—	—	—	50	470	370	800	390	30	—
Dislocations, unspecified	1210	140	—	—	—	—	—	20	70	—	—	—
Herniated discs	1211	970	—	—	—	—	120	180	490	170	—	—
Dislocation of joints	1212	970	—	—	—	40	310	150	230	200	20	—
Dislocations, n.e.c.	1219	70	—	—	—	—	30	20	—	—	—	—
Cartilage fractures and tears	122	710	—	—	—	—	80	150	250	190	30	—
Cartilage fractures and tears, unspecified	1220	50	—	—	—	—	—	—	30	—	—	—
Meniscus tears	1221	650	—	—	—	—	80	140	220	170	30	—
Sprains, strains, tears	123	73,930	—	30	300	1,530	12,740	19,910	22,260	13,840	2,060	1,260
Sprains, strains, tears, unspecified	1230	5,260	—	—	—	70	740	1,050	1,700	1,380	270	40
Major tears to muscles, tendons, ligaments	1231	4,390	—	—	—	40	700	1,170	1,050	1,340	50	20
Sprains	1232	20,440	—	—	80	450	4,140	5,530	5,560	3,530	860	250
Strains	1233	42,810	—	—	200	940	7,060	11,760	13,710	7,380	830	930
Multiple sprains, strains, tears	1238	1,020	—	—	—	20	90	400	250	210	40	—
Hernias due to traumatic incidents	124	780	—	—	—	40	120	120	290	150	60	—
Whiplash	125	150	—	—	—	—	40	20	80	—	—	—
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	140	—	—	—	—	—	20	90	20	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	50	—	—	—	—	—	30	—	—	—	—
Open wounds	13	8,510	—	—	320	280	1,480	1,890	2,580	1,540	250	170
Open wounds, unspecified	130	90	—	—	—	—	—	—	40	20	—	—
Amputations, avulsions, enucleations	131	360	—	—	—	—	50	60	90	140	20	—
Amputations	1311	280	—	—	—	—	40	40	50	120	20	—
Avulsions, enucleations	1312	70	—	—	—	—	—	—	40	—	—	—
Cuts, lacerations	132	6,130	—	—	300	200	930	1,240	2,010	1,120	210	110
Puncture wounds, except gunshot wounds	133	1,750	—	—	—	80	390	520	430	250	30	50
Gunshot wounds	134	110	—	—	—	—	50	40	20	—	—	—
Multiple types of open wounds	138	60	—	—	—	—	—	20	—	—	—	—
Surface wounds and bruises	14	17,980	—	—	100	530	2,930	4,380	4,710	4,050	1,110	170
Surface wounds and bruises, unspecified	140	500	—	—	—	—	40	80	40	330	—	—
Abrasions, scratches	141	1,490	—	—	—	30	250	510	450	200	30	—

See footnotes at end of table.

TABLE L45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Bruises, contusions	143	15,640	—	—	70	480	2,620	3,760	4,130	3,340	1,060	170	
Multiple surface wounds and bruises	148	290	—	—	—	—	20	30	70	160	—	—	
Surface wounds and bruises, n.e.c.	149	50	—	—	20	—	—	—	—	—	—	—	
Burns and corruptions	15	2,230	—	—	—	90	370	840	490	400	—	—	
Burns and corruptions, unspecified	150	120	—	—	—	—	40	—	—	—	—	—	
Chemical burns and corruptions	151	190	—	—	—	—	60	30	80	20	—	—	
Chemical burns and corruptions, unspecified	1510	190	—	—	—	—	50	30	80	20	—	—	
Heat (thermal) burns	152	1,770	—	—	—	50	240	700	400	350	—	—	
Heat (thermal) burns, unspecified	1520	1,100	—	—	—	30	210	330	320	190	—	—	
First degree heat (thermal) burns	1521	50	—	—	—	—	—	—	—	40	—	—	
Second degree heat (thermal) burns	1522	300	—	—	—	—	—	80	70	110	—	—	
Heat (thermal) burns, n.e.c.	1529	320	—	—	—	—	—	280	—	—	—	—	
Electrical burns	153	50	—	—	—	—	—	—	—	—	—	—	
Electrical burns, unspecified	1530	40	—	—	—	—	—	—	—	—	—	—	
Other burns	159	100	—	—	—	—	30	30	—	—	—	—	
Other burns, unspecified	1590	60	—	—	—	—	—	30	—	—	—	—	
Intracranial injuries	16	2,280	—	—	20	50	400	670	510	540	50	30	
Intracranial injuries, unspecified	160	230	—	—	—	—	150	—	60	—	—	—	
Concussions	162	2,030	—	—	20	50	240	650	450	530	50	30	
Effects of environmental conditions	17	470	—	—	—	20	100	120	160	40	30	—	
Effects of heat and light	172	420	—	—	—	20	100	110	120	40	30	—	
Effects of heat and light, unspecified	1720	20	—	—	—	—	—	—	—	—	—	—	
Heat syncope	1722	30	—	—	—	—	—	—	—	—	—	—	
Heat fatigue	1723	20	—	—	—	—	—	20	—	—	—	—	
Heat exhaustion, prostration	1725	230	—	—	—	20	70	60	40	—	30	—	
Effects of heat and light, n.e.c.	1729	100	—	—	—	—	20	—	50	—	—	—	
Effects of air or water pressure	173	40	—	—	—	—	—	—	40	—	—	—	
Effects of air or water pressure, n.e.c.	1739	40	—	—	—	—	—	—	40	—	—	—	
Multiple traumatic injuries and disorders	18	6,220	—	—	70	90	910	1,500	1,940	1,370	310	40	
Multiple traumatic injuries and disorders, unspecified	180	400	—	—	—	—	—	20	300	70	—	20	
Cuts and abrasions or bruises	181	1,010	—	—	—	20	130	200	320	200	150	—	
Sprains and other injuries	182	2,900	—	—	70	50	530	740	760	660	90	—	
Sprains and other injuries, unspecified	1820	230	—	—	—	—	140	—	70	—	—	—	
Sprains and bruises	1821	2,330	—	—	70	50	360	580	610	600	60	—	
Sprains and cuts	1822	90	—	—	—	—	20	20	40	—	—	—	
Sprains and other injuries, n.e.c.	1829	250	—	—	—	—	—	140	40	40	—	—	
Fractures and other injuries	183	900	—	—	—	—	70	120	320	340	30	—	
Fractures and other injuries, unspecified	1830	210	—	—	—	—	—	—	190	—	—	—	
Fractures and dislocations	1834	50	—	—	—	—	—	—	—	30	—	—	
Fractures and other injuries, n.e.c.	1839	630	—	—	—	—	70	100	130	310	20	—	
Multiple traumatic injuries and disorders, n.e.c.	189	1,000	—	—	—	—	170	420	230	110	40	—	
Other traumatic injuries and disorders	19	43,380	—	—	190	1,240	7,890	9,040	13,680	9,160	1,620	550	
Other traumatic injuries and disorders, unspecified	190	130	—	—	—	—	—	30	50	50	—	—	
Asphyxiations, strangulations, suffocations	191	30	—	—	—	—	—	—	—	20	—	—	
Electrocutions, electric shocks	193	90	—	—	—	20	—	—	20	30	—	—	
Dermatitis and reactions affecting the skin—acute	195	940	—	—	—	80	170	130	380	130	—	—	
Dermatitis and reactions affecting the skin—acute, unspecified	1950	460	—	—	—	40	30	40	230	110	—	—	
Allergic dermatitis—acute	1951	410	—	—	—	40	110	80	120	—	—	—	
Irritant dermatitis—acute	1952	20	—	—	—	—	—	—	—	—	—	—	

See footnotes at end of table.

TABLE L45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Multiple types of dermatitis and skin reactions—acute	1958	30	—	—	—	—	20	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	20	—	—	—	—	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	2,380	—	—	—	60	690	350	440	430	390	—
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	1,090	—	—	—	20	410	210	180	260	—	—
Poisoning, including poisoning-related asphyxia ...	1961	100	—	—	—	—	—	20	40	20	—	—
Anaphylactic shock, anaphylaxis	1962	40	—	—	—	30	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	740	—	—	—	—	130	50	120	60	380	—
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	20	—	—	—	—	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	60	—	—	—	—	20	—	20	—	—	—
Other or unspecified allergic reactions	1966	220	—	—	—	—	70	40	50	30	—	—
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	50	—	—	—	—	20	—	20	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	40	—	—	—	—	—	—	20	—	—	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	30	—	—	—	—	—	—	—	—	—	—
Nonspecified injuries and disorders	197	39,790	—	—	140	1,070	7,030	8,520	12,760	8,510	1,220	520
Crushing injuries	1971	990	—	—	—	40	170	320	170	280	—	—
Soreness, pain, hurt—nonspecified injury	1972	35,280	—	—	120	970	6,170	7,570	11,150	7,690	1,110	490
Swelling, inflammation, irritation—nonspecified injury	1973	2,230	—	—	20	40	430	360	870	400	100	20
Numbness—nonspecified injury	1974	160	—	—	—	—	—	30	100	20	—	—
Multiple nonspecified injuries and disorders	1978	940	—	—	—	20	220	190	410	100	—	—
Nonspecified injuries and disorders, n.e.c.	1979	180	—	—	—	—	30	50	70	20	—	—
Diseases and disorders of body systems	2	3,230	—	—	—	80	270	820	1,430	500	80	60
Nervous system and sense organs diseases	22	1,200	—	—	—	—	70	340	430	290	50	—
Other disorders of the central nervous system	223	50	—	—	—	—	40	—	—	—	—	—
Migraine	2232	40	—	—	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system	224	890	—	—	—	—	—	250	340	270	20	—
Disorders of the peripheral nervous system, unspecified	2240	30	—	—	—	—	—	20	—	—	—	—
Carpal tunnel syndrome	2241	830	—	—	—	—	—	230	310	270	20	—
Disorders of the peripheral nervous system, n.e.c.	2249	40	—	—	—	—	—	—	—	—	—	—
Disorders of the eye, adnexa, vision	225	150	—	—	—	—	30	50	50	—	—	—
Conjunctivitis—non-viral	2251	100	—	—	—	—	20	30	30	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	2259	20	—	—	—	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	226	100	—	—	—	—	—	30	—	—	—	—
Deafness, hearing loss and impairment	2261	80	—	—	—	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	2269	20	—	—	—	—	—	20	—	—	—	—
Circulatory system diseases	23	590	—	—	—	—	40	200	250	60	—	40
Hypertensive disease	232	50	—	—	—	—	—	20	20	—	—	—
Ischemic heart disease, including heart attack	233	280	—	—	—	—	—	180	60	30	—	—

See footnotes at end of table.

TABLE L45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Ischemic heart disease, unspecified	2330	180	—	—	—	—	—	180	—	—	—	—
Myocardial infarction (heart attack)	2331	90	—	—	—	—	—	—	50	30	—	—
Other forms of heart disease	235	140	—	—	—	—	—	—	90	—	—	—
Other forms of heart disease, n.e.c.	2359	60	—	—	—	—	—	—	—	—	—	—
Cerebrovascular disease	236	40	—	—	—	—	—	—	—	20	—	—
Stroke	2361	30	—	—	—	—	—	—	—	20	—	—
Respiratory system diseases	24	240	—	—	—	—	20	20	150	—	—	—
Pneumonia, influenza	243	230	—	—	—	—	20	20	150	—	—	—
Pneumonia, influenza, unspecified	2430	130	—	—	—	—	—	—	110	—	—	—
Pneumonia	2431	100	—	—	—	—	—	—	40	—	—	—
Digestive system diseases and disorders	25	50	—	—	—	—	—	—	40	—	—	—
Hernia—nontraumatic	253	50	—	—	—	—	—	—	40	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	820	—	—	—	—	90	120	440	140	20	—
Soft tissue disorders, except the back	273	790	—	—	—	—	90	120	430	130	20	—
Soft tissue disorder, except the back, unspecified	2730	140	—	—	—	—	—	—	100	30	—	—
Bursitis	2731	90	—	—	—	—	—	20	50	—	—	—
Stenosing tenosynovitis	2732	40	—	—	—	—	—	—	—	20	—	—
Other tenosynovitis, synovitis	2733	30	—	—	—	—	—	—	—	—	—	—
Epicondylitis	2734	110	—	—	—	—	—	20	70	20	—	—
Other or unspecified tendonitis (tendinitis)	2735	150	—	—	—	—	20	60	50	—	—	—
Ganglion or cystic tumor	2736	20	—	—	—	—	—	—	—	—	—	—
Soft tissue disorder, except the back, n.e.c.	2739	200	—	—	—	—	40	—	130	—	—	—
Disorders of the skin and subcutaneous tissue	28	340	—	—	—	40	40	130	120	—	—	—
Infections of the skin and subcutaneous tissue	281	320	—	—	—	40	40	110	120	—	—	—
Cellulitis and abscess	2811	90	—	—	—	—	—	—	50	—	—	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	210	—	—	—	—	20	100	70	—	—	—
Infectious and parasitic diseases	3	280	—	—	—	—	40	90	140	—	—	—
Bacterial diseases	31	20	—	—	—	—	20	—	—	—	—	—
Viral diseases	32	20	—	—	—	—	—	20	—	—	—	—
Infectious diseases peculiar to the intestines	36	50	—	—	—	—	—	—	50	—	—	—
Infectious diseases peculiar to the intestines, n.e.c. ..	369	30	—	—	—	—	—	—	20	—	—	—
Other infectious and parasitic diseases	39	180	—	—	—	—	20	70	80	—	—	—
Scabies and other acariases	392	170	—	—	—	—	—	70	80	—	—	—
Neoplasms, tumors, and cancers	4	50	—	—	—	—	—	—	—	—	—	—
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	41	50	—	—	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	1,420	—	—	—	—	310	220	410	270	50	140
Symptoms	51	1,300	—	—	—	—	280	190	400	230	50	140
General symptoms	511	600	—	—	—	—	100	60	210	180	30	—
General symptoms, unspecified	5110	20	—	—	—	—	—	—	—	—	—	—
Loss of consciousness—not heat related	5111	130	—	—	—	—	—	20	40	50	—	—
Dizziness—general	5114	330	—	—	—	—	40	30	100	120	30	—
Inflammation, swelling—general	5115	40	—	—	—	—	—	—	40	—	—	—
Multiple general symptoms	5118	40	—	—	—	—	—	—	—	—	—	—
General symptoms, n.e.c.	5119	40	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Symptoms involving head and neck	514	100	—	—	—	—	—	40	30	—	—	—
Headache, except migraine	5141	90	—	—	—	—	—	30	30	—	—	—
Symptoms involving cardiovascular system	515	130	—	—	—	—	70	—	50	—	—	—
Unspecified tachycardia (rapid heartbeat)	5151	60	—	—	—	—	—	—	50	—	—	—
Symptoms involving cardiovascular system, n.e.c.	5159	70	—	—	—	—	70	—	—	—	—	—
Symptoms involving respiratory system and chest	516	310	—	—	—	—	30	50	70	40	—	130
Symptoms involving respiratory system and chest, unspecified	5160	90	—	—	—	—	—	30	40	—	—	—
Chest pain	5164	70	—	—	—	—	—	—	20	30	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	150	—	—	—	—	—	—	—	—	—	130
Multiple symptoms	518	50	—	—	—	—	—	—	50	—	—	—
Abnormal findings	52	40	—	—	—	—	—	20	—	—	—	—
Other abnormal findings	529	40	—	—	—	—	—	20	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	58	80	—	—	—	—	30	—	—	—	—	—
Other diseases, conditions, and disorders	6	1,480	—	—	—	30	180	560	370	250	50	30
Mental disorders and syndromes	62	1,460	—	—	—	30	180	560	360	250	50	30
Mental disorders and syndromes, unspecified	620	20	—	—	—	—	—	—	—	—	—	—
Anxiety, stress	621	1,440	—	—	—	30	170	560	350	240	50	30
Anxiety, stress, unspecified	6210	720	—	—	—	—	100	100	230	220	40	30
Post-traumatic stress disorder	6211	490	—	—	—	—	20	410	50	—	—	—
Anxiety or panic disorder	6213	80	—	—	—	—	40	—	20	—	—	—
Anxiety, stress, n.e.c.	6219	130	—	—	—	—	—	40	50	—	—	—
Exposures to disease—no illness incurred	7	150	—	—	—	—	80	40	20	—	—	—
Multiple diseases, conditions, and disorders	8	40	—	—	—	—	—	—	—	40	—	—
Nonclassifiable	9999	870	—	—	—	—	20	60	—	—	—	700

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.