

TABLE L50. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and age of worker, local government, 2013

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total .....		180,130	—	50	1,070	4,190	30,510	43,640	54,660	35,910	6,730	3,360
<b>Head</b> .....	1	12,550	—	—	180	260	2,230	3,360	3,400	2,260	700	150
Head, unspecified .....	10	2,900	—	—	60	50	340	1,020	540	630	170	90
Cranial region, including skull .....	11	3,600	—	—	30	70	530	1,090	790	920	150	30
Cranial region, unspecified .....	110	620	—	—	—	—	50	310	20	220	—	—
Brain .....	111	2,380	—	—	20	50	410	680	550	580	50	30
Scalp .....	112	450	—	—	—	—	30	70	180	80	80	—
Skull .....	113	140	—	—	—	—	30	20	30	30	—	—
Ear(s) .....	12	360	—	—	—	—	50	130	100	40	40	—
Face .....	13	5,240	—	—	90	130	1,270	1,080	1,830	590	200	30
Face, unspecified .....	130	650	—	—	—	—	110	120	270	90	50	—
Forehead .....	131	380	—	—	—	—	60	70	180	50	—	—
Eye(s) .....	132	2,160	—	—	30	60	520	370	940	160	60	20
Nose, nasal cavity .....	133	840	—	—	—	50	400	70	160	80	70	—
Nose, except internal location of diseases or disorders .....	1330	830	—	—	—	50	400	70	160	80	70	—
Cheek(s) .....	134	80	—	—	—	—	—	70	—	—	—	—
Jaw, chin .....	135	260	—	—	—	—	40	—	160	—	—	—
Mouth .....	136	250	—	—	20	—	40	30	80	70	—	—
Mouth, unspecified .....	1360	20	—	—	—	—	—	—	—	—	—	—
Lip(s) .....	1361	80	—	—	—	—	20	—	—	30	—	—
Tooth (teeth) .....	1363	110	—	—	—	—	20	20	30	30	—	—
Multiple mouth locations .....	1368	50	—	—	—	—	—	—	40	—	—	—
Multiple face locations .....	138	510	—	—	—	—	80	320	40	60	—	—
Face, n.e.c. .....	139	100	—	—	—	—	20	20	—	60	—	—
Multiple head locations .....	18	440	—	—	—	20	30	40	140	80	140	—
<b>Neck, including throat</b> .....	2	3,460	—	—	—	180	790	990	720	740	20	20
Neck, except internal location of diseases or disorders ..	20	3,460	—	—	—	180	790	990	720	740	20	20
<b>Trunk</b> .....	3	40,720	—	—	250	1,200	6,950	10,190	12,580	7,310	1,260	960
Trunk, unspecified .....	30	90	—	—	—	—	—	—	30	40	—	—
Chest, including ribs, internal organs .....	31	3,040	—	—	—	40	340	630	900	730	220	190
Chest, except internal location of diseases or disorders .....	310	2,290	—	—	—	—	310	420	640	670	210	—
Internal chest location, unspecified .....	311	150	—	—	—	—	—	—	—	—	—	—
Heart .....	313	490	—	—	—	—	—	190	200	30	—	—
Lung(s), pleura .....	315	110	—	—	—	—	—	—	40	—	—	—
Back, including spine, spinal cord .....	32	31,570	—	—	240	960	5,590	8,280	9,680	5,320	790	710
Back, including spine, spinal cord, unspecified .....	320	12,270	—	—	60	210	2,640	3,330	3,090	2,380	310	250
Thoracic region .....	321	1,420	—	—	70	80	300	360	480	70	40	—
Lumbar region .....	322	16,820	—	—	90	670	2,450	4,340	5,730	2,670	420	440
Sacral region .....	323	90	—	—	—	—	50	—	20	—	—	—
Coccygeal region .....	324	230	—	—	—	—	30	30	140	30	—	—
Multiple back regions .....	328	730	—	—	20	—	120	200	220	150	—	—
Abdomen .....	33	1,640	—	—	—	80	220	310	640	320	70	—
Abdomen, except internal location of diseases or disorders .....	330	1,560	—	—	—	80	220	300	580	320	70	—
Internal abdominal location, unspecified .....	331	50	—	—	—	—	—	—	40	—	—	—

See footnotes at end of table.

TABLE L50. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and age of worker, local government, 2013 — Continued

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Age										
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported	
Intestines, peritoneum .....	335	30	—	—	—	—	—	—	—	20	—	—	—
Intestines, peritoneum, unspecified .....	3350	20	—	—	—	—	—	—	—	—	—	—	—
Pelvic region .....	34	3,090	—	—	20	70	650	660	810	710	150	20	—
Hip(s) .....	341	1,630	—	—	—	30	390	160	440	490	110	—	—
Pelvis .....	342	340	—	—	—	—	—	280	—	20	20	—	—
Buttock(s) .....	343	180	—	—	—	20	—	20	50	70	—	—	—
Groin .....	344	810	—	—	—	20	230	140	300	110	—	—	—
External reproductive tract structures .....	345	50	—	—	—	—	—	40	—	—	—	—	—
Scrotum .....	3451	20	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations .....	348	20	—	—	—	—	—	—	—	—	—	—	—
Pelvic region, n.e.c. ....	349	30	—	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations .....	38	1,280	—	—	—	50	140	300	520	190	30	50	—
<b>Upper extremities</b> .....	<b>4</b>	<b>42,990</b>	<b>—</b>	<b>30</b>	<b>310</b>	<b>1,010</b>	<b>7,620</b>	<b>10,720</b>	<b>13,220</b>	<b>8,250</b>	<b>1,160</b>	<b>670</b>	<b>—</b>
Upper extremities, unspecified .....	40	90	—	—	—	—	20	20	50	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e) .....	41	13,380	—	30	20	330	2,110	3,300	4,680	2,290	300	320	—
Arm(s) .....	42	6,660	—	—	—	160	730	2,110	1,830	1,420	250	140	—
Arm(s), unspecified .....	420	1,790	—	—	—	60	190	340	470	620	90	20	—
Upper arm(s) .....	421	1,360	—	—	—	—	160	580	350	190	30	40	—
Elbow(s) .....	422	2,130	—	—	—	30	190	640	740	380	80	70	—
Forearm(s) .....	423	1,200	—	—	—	60	160	520	230	190	30	—	—
Multiple arm locations .....	428	110	—	—	—	—	—	30	30	20	30	—	—
Elbow(s) and arm(s) .....	4281	50	—	—	—	—	—	—	20	—	—	—	—
Multiple arm locations, n.e.c. ....	4289	60	—	—	—	—	—	20	—	—	—	—	—
Arm(s), n.e.c. ....	429	70	—	—	—	—	—	—	20	20	—	—	—
Wrist(s) .....	43	5,510	—	—	—	180	1,070	1,200	1,540	1,220	210	90	—
Hand(s) .....	44	13,110	—	—	260	290	2,730	3,210	3,600	2,590	320	110	—
Hand(s), unspecified .....	440	3,560	—	—	40	70	940	790	870	660	120	50	—
Hand(s), except finger(s) .....	441	850	—	—	—	20	160	450	120	70	—	20	—
Finger(s), fingernail(s) .....	442	8,200	—	—	220	170	1,520	1,850	2,450	1,750	190	40	—
Finger(s), fingernail(s), unspecified .....	4420	6,490	—	—	210	160	1,230	1,500	1,920	1,300	150	30	—
Fingernail(s), nailbed(s) .....	4421	130	—	—	—	—	30	40	50	—	—	—	—
Fingertip(s) .....	4422	460	—	—	—	—	50	60	160	180	20	—	—
Finger(s), fingernail(s), n.e.c. ....	4429	1,120	—	—	—	—	220	260	330	280	20	—	—
Hand(s) and finger(s) .....	448	390	—	—	—	20	90	80	130	80	—	—	—
Hand(s), n.e.c. ....	449	120	—	—	—	—	—	30	40	20	—	—	—
Multiple upper extremities locations .....	48	4,220	—	—	—	40	970	890	1,510	720	70	20	—
Multiple upper extremities locations, unspecified .....	480	40	—	—	—	—	—	—	—	—	—	—	—
Hand(s) and arms(s) .....	481	270	—	—	—	20	50	90	50	60	—	—	—
Hand(s) and arm(s), unspecified .....	4810	110	—	—	—	—	20	70	—	—	—	—	—
Hand(s) and elbow(s) .....	4811	60	—	—	—	—	20	—	—	20	—	—	—
Hand(s) and arm(s), n.e.c. ....	4819	100	—	—	—	—	—	—	30	30	—	—	—
Hand(s) and wrist(s) .....	482	880	—	—	—	—	280	180	280	130	—	—	—
Wrist(s) and arm(s) .....	483	530	—	—	—	—	150	150	110	100	—	—	—
Wrist(s) and arm(s), unspecified .....	4830	140	—	—	—	—	—	70	—	60	—	—	—
Wrist(s) and elbow(s) .....	4831	220	—	—	—	—	110	60	—	20	—	—	—
Wrist(s) and arm(s), n.e.c. ....	4839	170	—	—	—	—	30	20	90	20	—	—	—
Shoulder(s) and arm(s) .....	484	1,100	—	—	—	—	110	290	500	190	20	—	—
Multiple upper extremities locations, n.e.c. ....	489	1,400	—	—	—	—	380	180	580	220	30	—	—
Upper extremities, n.e.c. ....	49	20	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L50. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and age of worker, local government, 2013 — Continued

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
<b>Lower extremities</b> .....	5	45,690	—	—	210	1,040	7,600	10,850	14,180	9,720	1,550	520
Lower extremities, unspecified .....	50	60	—	—	—	—	—	—	40	—	—	—
Leg(s) .....	51	25,350	—	—	50	520	3,870	5,990	7,690	5,900	1,050	260
Leg(s), unspecified .....	510	1,670	—	—	—	20	400	350	490	350	40	20
Thigh(s) .....	511	1,260	—	—	—	—	160	430	260	320	60	—
Knee(s) .....	512	19,570	—	—	30	430	2,860	4,470	6,280	4,820	490	180
Lower leg(s) .....	513	1,860	—	—	—	60	310	620	580	200	30	40
Multiple leg locations .....	518	960	—	—	—	—	130	110	90	200	420	—
Multiple leg locations, unspecified .....	5180	90	—	—	—	—	—	—	—	—	—	—
Knee(s) and leg(s) .....	5181	800	—	—	—	—	50	110	50	170	420	—
Multiple leg locations, n.e.c. ....	5189	70	—	—	—	—	—	—	30	30	—	—
Leg(s), n.e.c. ....	519	30	—	—	—	—	—	—	—	—	—	—
Ankle(s) .....	52	10,650	—	—	70	290	2,290	3,170	2,910	1,620	230	80
Foot (feet) .....	53	7,240	—	—	90	160	910	920	2,890	1,880	220	170
Foot (feet), unspecified .....	530	4,490	—	—	50	120	630	560	1,750	1,090	160	140
Sole(s) .....	531	460	—	—	—	—	80	160	70	130	—	—
Sole(s), unspecified .....	5310	100	—	—	—	—	70	—	—	—	—	—
Arch(es), instep(s) .....	5312	40	—	—	—	—	—	—	—	40	—	—
Heel(s) .....	5313	320	—	—	—	—	—	150	70	80	—	—
Toes(s), toenail(s) .....	532	1,810	—	—	30	30	110	170	790	620	40	20
Multiple foot (feet) locations .....	538	340	—	—	—	—	70	20	230	—	—	—
Foot (feet), n.e.c. ....	539	130	—	—	—	—	20	20	50	30	—	—
Multiple lower extremities locations .....	58	2,390	—	—	—	60	530	760	660	320	50	—
Multiple lower extremities locations, unspecified .....	580	100	—	—	—	—	80	—	—	—	—	—
Foot (feet) and leg(s) .....	581	290	—	—	—	—	20	80	120	70	—	—
Foot(feet) and leg(s), unspecified .....	5810	60	—	—	—	—	—	—	60	—	—	—
Foot(feet) and knee(s) .....	5811	130	—	—	—	—	—	20	50	60	—	—
Foot(feet) and leg(s), n.e.c. ....	5819	90	—	—	—	—	—	60	—	—	—	—
Foot (feet) and ankle(s) .....	582	600	—	—	—	20	50	290	130	100	—	—
Ankle(s) and leg(s) .....	583	850	—	—	—	30	340	90	250	90	40	—
Ankle(s) and leg(s), unspecified .....	5830	40	—	—	—	—	—	20	20	—	—	—
Ankle(s) and knee(s) .....	5831	720	—	—	—	—	330	70	210	60	40	—
Ankle(s) and leg(s), n.e.c. ....	5839	90	—	—	—	20	—	—	20	20	—	—
Multiple lower extremities locations, n.e.c. ....	589	560	—	—	—	—	30	290	150	60	—	—
<b>Body systems</b> .....	6	5,130	—	—	—	130	1,250	1,130	1,330	730	480	80
<b>Multiple body parts</b> .....	8	27,370	—	—	100	300	3,880	6,110	8,620	6,710	1,460	200
Multiple body parts, unspecified .....	80	2,910	—	—	—	70	310	560	950	650	330	50
Head and neck .....	81	520	—	—	40	—	50	90	210	100	20	—
Head, neck, and trunk .....	82	500	—	—	—	—	—	30	400	30	—	—
Head and trunk .....	83	200	—	—	—	—	70	50	30	40	—	—
Neck and back .....	84	1,670	—	—	—	60	220	480	540	310	40	—
Shoulder(s) and back .....	85	710	—	—	—	—	260	130	140	160	—	—
Hip(s) and leg(s) .....	86	240	—	—	—	—	20	40	110	70	—	—
Upper and lower limb(s) .....	87	2,720	—	—	30	20	290	840	620	630	300	—
Other multiple body parts .....	89	17,900	—	—	20	120	2,640	3,900	5,630	4,720	750	120
Whole body .....	891	150	—	—	—	—	60	20	50	—	—	—
Multiple body parts, n.e.c. ....	899	17,750	—	—	20	120	2,570	3,880	5,580	4,720	750	120

See footnotes at end of table.

TABLE L50. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and age of worker, local government, 2013 — Continued

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
<b>Nonclassifiable</b> .....	9999	2,220	—	—	—	60	190	280	610	190	110	760

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.