

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2013

Part of body	Part of body code ²	Local government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		180,130	21,510	11.9	16,870	9.4	32,460	18.0
Head	1	12,550	3,420	27.3	1,510	12.0	2,690	21.4
Head, unspecified	10	2,900	1,240	42.8	300	10.3	510	17.6
Cranial region, including skull	11	3,600	630	17.5	550	15.3	960	26.7
Cranial region, unspecified	110	620	70	11.3	40	6.5	350	56.5
Brain	111	2,380	470	19.7	300	12.6	500	21.0
Scalp	112	450	60	13.3	200	44.4	90	20.0
Skull	113	140	20	14.3	-	-	20	14.3
Ear(s)	12	360	40	11.1	40	11.1	50	13.9
Face	13	5,240	1,460	27.9	600	11.5	1,060	20.2
Face, unspecified	130	650	190	29.2	20	3.1	270	41.5
Forehead	131	380	140	36.8	20	5.3	120	31.6
Eye(s)	132	2,160	650	30.1	320	14.8	520	24.1
Nose, nasal cavity	133	840	150	17.9	80	9.5	60	7.1
Nose, except internal location of diseases or disorders	1330	830	150	18.1	80	9.6	50	6.0
Cheek(s)	134	80	20	25.0	-	-	-	-
Jaw, chin	135	260	80	30.8	20	7.7	-	-
Mouth	136	250	100	40.0	30	12.0	30	12.0
Mouth, unspecified	1360	20	-	-	-	-	-	-
Lip(s)	1361	80	50	62.5	-	-	-	-
Tooth (teeth)	1363	110	50	45.5	-	-	30	27.3
Multiple mouth locations	1368	50	-	-	-	-	-	-
Multiple face locations	138	510	120	23.5	20	3.9	40	7.8
Face, n.e.c.	139	100	20	20.0	80	80.0	-	-
Multiple head locations	18	440	50	11.4	-	-	120	27.3
Neck, including throat	2	3,460	360	10.4	360	10.4	650	18.8
Neck, except internal location of diseases or disorders ...	20	3,460	360	10.4	360	10.4	650	18.8
Trunk	3	40,720	4,520	11.1	3,450	8.5	8,720	21.4
Trunk, unspecified	30	90	20	22.2	-	-	50	55.6
Chest, including ribs, internal organs	31	3,040	500	16.4	330	10.9	470	15.5
Chest, except internal location of diseases or disorders	310	2,290	350	15.3	320	14.0	370	16.2
Internal chest location, unspecified	311	150	130	86.7	-	-	-	-
Heart	313	490	-	-	-	-	60	12.2
Lung(s), pleura	315	110	-	-	-	-	40	36.4
Back, including spine, spinal cord	32	31,570	3,550	11.2	2,650	8.4	6,940	22.0
Back, including spine, spinal cord, unspecified	320	12,270	1,210	9.9	960	7.8	3,230	26.3
Thoracic region	321	1,420	190	13.4	330	23.2	170	12.0
Lumbar region	322	16,820	2,060	12.2	1,250	7.4	3,230	19.2
Sacral region	323	90	-	-	-	-	60	66.7
Coccygeal region	324	230	50	21.7	30	13.0	40	17.4
Multiple back regions	328	730	40	5.5	70	9.6	210	28.8
Abdomen	33	1,640	30	1.8	50	3.0	280	17.1
Abdomen, except internal location of diseases or disorders	330	1,560	30	1.9	40	2.6	260	16.7

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2013 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	25,300	14.0	24,600	13.7	11,820	6.6	47,570	26.4	9
Head	1,950	15.5	1,130	9.0	530	4.2	1,330	10.6	4
Head, unspecified	260	9.0	140	4.8	90	3.1	360	12.4	2
Cranial region, including skull	330	9.2	420	11.7	240	6.7	460	12.8	4
Cranial region, unspecified	40	6.5	—	—	90	14.5	30	4.8	4
Brain	220	9.2	380	16.0	140	5.9	370	15.5	5
Scalp	50	11.1	20	4.4	20	4.4	—	—	2
Skull	30	21.4	—	—	—	—	60	42.9	8
Ear(s)	50	13.9	60	16.7	90	25.0	20	5.6	10
Face	1,270	24.2	340	6.5	100	1.9	400	7.6	4
Face, unspecified	110	16.9	20	3.1	—	—	20	3.1	3
Forehead	60	15.8	—	—	20	5.3	20	5.3	3
Eye(s)	400	18.5	90	4.2	—	—	170	7.9	3
Nose, nasal cavity	390	46.4	130	15.5	30	3.6	—	—	8
Nose, except internal location of diseases or disorders	390	47.0	130	15.7	30	3.6	—	—	8
Cheek(s)	40	50.0	—	—	—	—	—	—	10
Jaw, chin	—	—	40	15.4	—	—	—	—	11
Mouth	30	12.0	—	—	—	—	50	20.0	2
Mouth, unspecified	—	—	—	—	—	—	—	—	9
Lip(s)	—	—	—	—	—	—	—	—	1
Tooth (teeth)	—	—	—	—	—	—	—	—	2
Multiple mouth locations	—	—	—	—	—	—	30	60.0	47
Multiple face locations	230	45.1	40	7.8	30	5.9	20	3.9	8
Face, n.e.c.	—	—	—	—	—	—	—	—	2
Multiple head locations	30	6.8	150	34.1	—	—	80	18.2	15
Neck, including throat	340	9.8	520	15.0	150	4.3	1,070	30.9	11
Neck, except internal location of diseases or disorders ...	340	9.8	520	15.0	150	4.3	1,070	30.9	11
Trunk	6,440	15.8	5,140	12.6	2,090	5.1	10,370	25.5	8
Trunk, unspecified	—	—	—	—	—	—	—	—	4
Chest, including ribs, internal organs	370	12.2	400	13.2	110	3.6	860	28.3	8
Chest, except internal location of diseases or disorders	360	15.7	370	16.2	90	3.9	430	18.8	8
Internal chest location, unspecified	—	—	—	—	—	—	—	—	1
Heart	—	—	—	—	—	—	390	79.6	140
Lung(s), pleura	—	—	—	—	—	—	20	18.2	5
Back, including spine, spinal cord	5,180	16.4	3,860	12.2	1,590	5.0	7,800	24.7	7
Back, including spine, spinal cord, unspecified	1,540	12.6	1,750	14.3	510	4.2	3,070	25.0	7
Thoracic region	350	24.6	130	9.2	60	4.2	190	13.4	6
Lumbar region	3,050	18.1	1,860	11.1	970	5.8	4,400	26.2	8
Sacral region	—	—	20	22.2	—	—	—	—	5
Coccygeal region	60	26.1	30	13.0	—	—	30	13.0	6
Multiple back regions	170	23.3	80	11.0	50	6.8	120	16.4	7
Abdomen	220	13.4	370	22.6	160	9.8	530	32.3	18
Abdomen, except internal location of diseases or disorders	220	14.1	350	22.4	150	9.6	510	32.7	19

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2013 — Continued

Part of body	Part of body code ²	Local government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Internal abdominal location, unspecified	331	50	—	—	—	—	—	—
Intestines, peritoneum	335	30	—	—	—	—	—	—
Intestines, peritoneum, unspecified	3350	20	—	—	—	—	—	—
Pelvic region	34	3,090	320	10.4	310	10.0	760	24.6
Hip(s)	341	1,630	150	9.2	240	14.7	280	17.2
Pelvis	342	340	20	5.9	—	—	290	85.3
Buttock(s)	343	180	50	27.8	30	16.7	30	16.7
Groin	344	810	80	9.9	30	3.7	120	14.8
External reproductive tract structures	345	50	—	—	—	—	30	60.0
Scrotum	3451	20	—	—	—	—	—	—
Multiple pelvic region locations	348	20	—	—	—	—	—	—
Pelvic region, n.e.c.	349	30	—	—	—	—	—	—
Multiple trunk locations	38	1,280	110	8.6	110	8.6	210	16.4
Upper extremities	4	42,990	4,170	9.7	4,330	10.1	6,380	14.8
Upper extremities, unspecified	40	90	—	—	30	33.3	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	13,380	650	4.9	1,000	7.5	1,750	13.1
Arm(s)	42	6,660	610	9.2	500	7.5	1,060	15.9
Arm(s), unspecified	420	1,790	200	11.2	130	7.3	250	14.0
Upper arm(s)	421	1,360	20	1.5	70	5.1	130	9.6
Elbow(s)	422	2,130	200	9.4	110	5.2	460	21.6
Forearm(s)	423	1,200	170	14.2	190	15.8	190	15.8
Multiple arm locations	428	110	20	18.2	—	—	20	18.2
Elbow(s) and arm(s)	4281	50	—	—	—	—	—	—
Multiple arm locations, n.e.c.	4289	60	—	—	—	—	—	—
Arm(s), n.e.c.	429	70	—	—	—	—	—	—
Wrist(s)	43	5,510	500	9.1	460	8.3	750	13.6
Hand(s)	44	13,110	2,000	15.3	1,890	14.4	2,050	15.6
Hand(s), unspecified	440	3,560	400	11.2	340	9.6	680	19.1
Hand(s), except finger(s)	441	850	140	16.5	60	7.1	100	11.8
Finger(s), fingernail(s)	442	8,200	1,350	16.5	1,430	17.4	1,160	14.1
Finger(s), fingernail(s), unspecified	4420	6,490	1,140	17.6	1,290	19.9	860	13.3
Fingernail(s), nailbed(s)	4421	130	—	—	—	—	30	23.1
Fingertip(s)	4422	460	50	10.9	20	4.3	60	13.0
Finger(s), fingernail(s), n.e.c.	4429	1,120	160	14.3	110	9.8	200	17.9
Hand(s) and finger(s)	448	390	60	15.4	50	12.8	120	30.8
Hand(s), n.e.c.	449	120	40	33.3	—	—	—	—
Multiple upper extremities locations	48	4,220	420	10.0	450	10.7	750	17.8
Multiple upper extremities locations, unspecified	480	40	—	—	—	—	—	—
Hand(s) and arms(s)	481	270	30	11.1	20	7.4	20	7.4
Hand(s) and arm(s), unspecified	4810	110	20	18.2	—	—	—	—
Hand(s) and elbow(s)	4811	60	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	100	—	—	—	—	—	—
Hand(s) and wrist(s)	482	880	100	11.4	100	11.4	170	19.3
Wrist(s) and arm(s)	483	530	70	13.2	100	18.9	80	15.1
Wrist(s) and arm(s), unspecified	4830	140	20	14.3	—	—	—	—
Wrist(s) and elbow(s)	4831	220	30	13.6	80	36.4	50	22.7
Wrist(s) and arm(s), n.e.c.	4839	170	20	11.8	—	—	20	11.8
Shoulder(s) and arm(s)	484	1,100	130	11.8	210	19.1	170	15.5

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2013 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Internal abdominal location, unspecified	—	—	20	40.0	—	—	—	—	34
Intestines, peritoneum	—	—	—	—	—	—	—	—	4
Intestines, peritoneum, unspecified	—	—	—	—	—	—	—	—	4
Pelvic region	530	17.2	280	9.1	150	4.9	740	23.9	7
Hip(s)	250	15.3	170	10.4	90	5.5	460	28.2	8
Pelvis	—	—	—	—	—	—	20	5.9	4
Buttock(s)	20	11.1	—	—	—	—	20	11.1	3
Groin	230	28.4	80	9.9	30	3.7	230	28.4	8
External reproductive tract structures	—	—	—	—	—	—	—	—	4
Scrotum	—	—	—	—	—	—	—	—	14
Multiple pelvic region locations	—	—	—	—	—	—	—	—	1
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—	28
Multiple trunk locations	130	10.2	220	17.2	70	5.5	430	33.6	12
Upper extremities	5,960	13.9	6,580	15.3	3,080	7.2	12,490	29.1	11
Upper extremities, unspecified	—	—	—	—	—	—	50	55.6	45
Shoulder(s), including clavicle(s), scapula(e)	1,290	9.6	1,810	13.5	830	6.2	6,050	45.2	23
Arm(s)	1,110	16.7	920	13.8	740	11.1	1,720	25.8	11
Arm(s), unspecified	320	17.9	310	17.3	90	5.0	490	27.4	10
Upper arm(s)	200	14.7	220	16.2	350	25.7	370	27.2	21
Elbow(s)	480	22.5	230	10.8	210	9.9	440	20.7	10
Forearm(s)	70	5.8	120	10.0	60	5.0	390	32.5	7
Multiple arm locations	30	27.3	20	18.2	—	—	20	18.2	10
Elbow(s) and arm(s)	—	—	—	—	—	—	—	—	5
Multiple arm locations, n.e.c.	20	33.3	—	—	—	—	—	—	10
Arm(s), n.e.c.	—	—	—	—	—	—	20	28.6	23
Wrist(s)	1,010	18.3	920	16.7	340	6.2	1,540	27.9	11
Hand(s)	1,930	14.7	2,230	17.0	950	7.2	2,070	15.8	7
Hand(s), unspecified	540	15.2	650	18.3	60	1.7	880	24.7	9
Hand(s), except finger(s)	110	12.9	310	36.5	60	7.1	80	9.4	13
Finger(s), fingernail(s)	1,250	15.2	1,190	14.5	810	9.9	1,010	12.3	6
Finger(s), fingernail(s), unspecified	780	12.0	950	14.6	650	10.0	810	12.5	5
Fingernail(s), nailbed(s)	30	23.1	40	30.8	—	—	—	—	8
Fingertip(s)	170	37.0	50	10.9	70	15.2	50	10.9	9
Finger(s), fingernail(s), n.e.c.	270	24.1	150	13.4	80	7.1	150	13.4	7
Hand(s) and finger(s)	20	5.1	30	7.7	—	—	100	25.6	5
Hand(s), n.e.c.	—	—	40	33.3	—	—	—	—	12
Multiple upper extremities locations	610	14.5	710	16.8	220	5.2	1,060	25.1	10
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	—	—	6
Hand(s) and arms(s)	40	14.8	80	29.6	—	—	60	22.2	14
Hand(s) and arm(s), unspecified	—	—	60	54.5	—	—	—	—	12
Hand(s) and elbow(s)	20	33.3	—	—	—	—	—	—	10
Hand(s) and arm(s), n.e.c.	—	—	20	20.0	—	—	40	40.0	19
Hand(s) and wrist(s)	150	17.0	90	10.2	40	4.5	230	26.1	6
Wrist(s) and arm(s)	50	9.4	40	7.5	40	7.5	150	28.3	7
Wrist(s) and arm(s), unspecified	50	35.7	30	21.4	—	—	30	21.4	10
Wrist(s) and elbow(s)	—	—	—	—	—	—	40	18.2	2
Wrist(s) and arm(s), n.e.c.	—	—	—	—	—	—	70	41.2	27
Shoulder(s) and arm(s)	80	7.3	50	4.5	70	6.4	410	37.3	9

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2013 — Continued

Part of body	Part of body code ²	Local government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Multiple upper extremities locations, n.e.c.	489	1,400	80	5.7	30	2.1	320	22.9
Upper extremities, n.e.c.	49	20	—	—	—	—	—	—
Lower extremities	5	45,690	4,170	9.1	4,160	9.1	7,300	16.0
Lower extremities, unspecified	50	60	—	—	—	—	—	—
Leg(s)	51	25,350	1,810	7.1	2,030	8.0	3,530	13.9
Leg(s), unspecified	510	1,670	230	13.8	160	9.6	260	15.6
Thigh(s)	511	1,260	20	1.6	150	11.9	230	18.3
Knee(s)	512	19,570	1,370	7.0	1,390	7.1	2,540	13.0
Lower leg(s)	513	1,860	170	9.1	240	12.9	270	14.5
Multiple leg locations	518	960	20	2.1	90	9.4	220	22.9
Multiple leg locations, unspecified	5180	90	—	—	—	—	80	88.9
Knee(s) and leg(s)	5181	800	20	2.5	70	8.8	120	15.0
Multiple leg locations, n.e.c.	5189	70	—	—	—	—	20	28.6
Leg(s), n.e.c.	519	30	—	—	—	—	—	—
Ankle(s)	52	10,650	1,590	14.9	1,040	9.8	1,860	17.5
Foot (feet)	53	7,240	590	8.1	960	13.3	1,640	22.7
Foot (feet), unspecified	530	4,490	370	8.2	590	13.1	1,010	22.5
Sole(s)	531	460	50	10.9	100	21.7	50	10.9
Sole(s), unspecified	5310	100	30	30.0	50	50.0	—	—
Arch(es), instep(s)	5312	40	—	—	—	—	—	—
Heel(s)	5313	320	20	6.2	40	12.5	50	15.6
Toes(s), toenail(s)	532	1,810	150	8.3	260	14.4	520	28.7
Multiple foot (feet) locations	538	340	—	—	—	—	40	11.8
Foot (feet), n.e.c.	539	130	—	—	—	—	—	—
Multiple lower extremities locations	58	2,390	190	7.9	130	5.4	280	11.7
Multiple lower extremities locations, unspecified	580	100	40	40.0	—	—	—	—
Foot (feet) and leg(s)	581	290	20	6.9	30	10.3	40	13.8
Foot(feet) and leg(s), unspecified	5810	60	—	—	20	33.3	—	—
Foot(feet) and knee(s)	5811	130	—	—	—	—	20	15.4
Foot(feet) and leg(s), n.e.c.	5819	90	—	—	—	—	20	22.2
Foot (feet) and ankle(s)	582	600	40	6.7	40	6.7	40	6.7
Ankle(s) and leg(s)	583	850	50	5.9	40	4.7	120	14.1
Ankle(s) and leg(s), unspecified	5830	40	—	—	—	—	—	—
Ankle(s) and knee(s)	5831	720	40	5.6	30	4.2	110	15.3
Ankle(s) and leg(s), n.e.c.	5839	90	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	589	560	40	7.1	20	3.6	70	12.5
Body systems	6	5,130	1,310	25.5	400	7.8	740	14.4
Multiple body parts	8	27,370	3,260	11.9	2,520	9.2	5,370	19.6
Multiple body parts, unspecified	80	2,910	220	7.6	380	13.1	490	16.8
Head and neck	81	520	90	17.3	70	13.5	120	23.1
Head, neck, and trunk	82	500	30	6.0	—	—	410	82.0
Head and trunk	83	200	20	10.0	50	25.0	50	25.0
Neck and back	84	1,670	300	18.0	180	10.8	350	21.0
Shoulder(s) and back	85	710	20	2.8	50	7.0	230	32.4
Hip(s) and leg(s)	86	240	—	—	20	8.3	40	16.7
Upper and lower limb(s)	87	2,720	310	11.4	190	7.0	680	25.0

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2013 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Multiple upper extremities locations, n.e.c.	270	19.3	430	30.7	60	4.3	190	13.6	10
Upper extremities, n.e.c.	—	—	—	—	—	—	—	—	2
Lower extremities	6,460	14.1	6,210	13.6	4,040	8.8	13,340	29.2	12
Lower extremities, unspecified	—	—	20	33.3	—	—	20	33.3	17
Leg(s)	3,670	14.5	3,810	15.0	2,800	11.0	7,700	30.4	15
Leg(s), unspecified	320	19.2	140	8.4	110	6.6	440	26.3	8
Thigh(s)	190	15.1	370	29.4	90	7.1	210	16.7	15
Knee(s)	2,840	14.5	2,990	15.3	2,000	10.2	6,450	33.0	17
Lower leg(s)	300	16.1	270	14.5	220	11.8	390	21.0	9
Multiple leg locations	20	2.1	30	3.1	370	38.5	210	21.9	23
Multiple leg locations, unspecified	—	—	—	—	—	—	—	—	3
Knee(s) and leg(s)	—	—	—	—	370	46.2	200	25.0	23
Multiple leg locations, n.e.c.	—	—	20	28.6	—	—	—	—	10
Leg(s), n.e.c.	—	—	—	—	—	—	—	—	11
Ankle(s)	1,580	14.8	1,170	11.0	830	7.8	2,590	24.3	7
Foot (feet)	800	11.0	720	9.9	300	4.1	2,240	30.9	7
Foot (feet), unspecified	560	12.5	350	7.8	130	2.9	1,480	33.0	6
Sole(s)	20	4.3	30	6.5	70	15.2	150	32.6	12
Sole(s), unspecified	—	—	—	—	—	—	—	—	2
Arch(es), instep(s)	—	—	—	—	—	—	40	100.0	37
Heel(s)	—	—	20	6.2	70	21.9	110	34.4	22
Toes(s), toenail(s)	180	9.9	300	16.6	40	2.2	360	19.9	5
Multiple foot (feet) locations	—	—	20	5.9	50	14.7	210	61.8	174
Foot (feet), n.e.c.	40	30.8	30	23.1	—	—	40	30.8	16
Multiple lower extremities locations	410	17.2	480	20.1	120	5.0	790	33.1	17
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	40	40.0	4
Foot (feet) and leg(s)	100	34.5	80	27.6	—	—	30	10.3	9
Foot(feet) and leg(s), unspecified	—	—	—	—	—	—	—	—	12
Foot(feet) and knee(s)	40	30.8	40	30.8	—	—	20	15.4	8
Foot(feet) and leg(s), n.e.c.	50	55.6	—	—	—	—	—	—	9
Foot (feet) and ankle(s)	160	26.7	80	13.3	40	6.7	190	31.7	11
Ankle(s) and leg(s)	130	15.3	270	31.8	60	7.1	190	22.4	20
Ankle(s) and leg(s), unspecified	—	—	—	—	—	—	20	50.0	27
Ankle(s) and knee(s)	110	15.3	260	36.1	50	6.9	140	19.4	20
Ankle(s) and leg(s), n.e.c.	—	—	—	—	—	—	20	22.2	16
Multiple lower extremities locations, n.e.c.	20	3.6	50	8.9	20	3.6	340	60.7	90
Body systems	440	8.6	520	10.1	270	5.3	1,450	28.3	6
Multiple body parts	3,450	12.6	4,290	15.7	1,480	5.4	7,000	25.6	9
Multiple body parts, unspecified	520	17.9	280	9.6	170	5.8	860	29.6	10
Head and neck	50	9.6	40	7.7	30	5.8	120	23.1	5
Head, neck, and trunk	20	4.0	—	—	—	—	20	4.0	4
Head and trunk	—	—	30	15.0	—	—	30	15.0	4
Neck and back	300	18.0	150	9.0	60	3.6	320	19.2	6
Shoulder(s) and back	50	7.0	80	11.3	50	7.0	220	31.0	10
Hip(s) and leg(s)	30	12.5	40	16.7	50	20.8	60	25.0	14
Upper and lower limb(s)	360	13.2	570	21.0	70	2.6	550	20.2	8

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2013 — Continued

Part of body	Part of body code ²	Local government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Other multiple body parts	89	17,900	2,270	12.7	1,570	8.8	3,010	16.8
Whole body	891	150	50	33.3	—	—	70	46.7
Multiple body parts, n.e.c.	899	17,750	2,220	12.5	1,560	8.8	2,940	16.6
Nonclassifiable	9999	2,220	290	13.1	140	6.3	610	27.5

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2013 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Other multiple body parts	2,100	11.7	3,090	17.3	1,050	5.9	4,810	26.9	11
Whole body	—	—	—	—	—	—	—	—	3
Multiple body parts, n.e.c.	2,100	11.8	3,080	17.4	1,040	5.9	4,800	27.0	11
Nonclassifiable	270	12.2	210	9.5	170	7.7	520	23.4	6

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
 Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.