

TABLE L45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, local government, 2014

Nature	Nature code ²	Local government ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		173,570	800	6,970	27,620	41,620	51,970	33,930	7,420	3,200
Traumatic injuries and disorders	1	165,600	800	6,880	26,860	39,840	49,120	32,410	7,290	2,350
Traumatic injuries and disorders, unspecified	10	90	-	-	-	40	-	-	-	-
Traumatic injuries to bones, nerves, spinal cord	11	13,420	20	820	1,450	2,610	3,630	3,410	1,330	140
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	1,440	-	-	90	380	410	370	120	60
Fractures	111	11,870	-	820	1,350	2,200	3,180	3,010	1,210	80
Traumatic injuries to nerves, except the spinal cord ..	113	60	-	-	-	20	30	-	-	-
Pinched nerve	1131	40	-	-	-	-	30	-	-	-
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	40	-	-	-	-	20	-	-	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	71,820	410	2,500	11,560	19,360	21,830	12,510	2,340	1,300
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	1,250	-	-	60	1,070	30	70	20	-
Dislocations	121	1,750	-	50	460	380	570	230	20	30
Dislocations, unspecified	1210	280	-	-	60	40	140	-	-	-
Herniated discs	1211	470	-	-	-	100	220	130	-	-
Dislocation of joints	1212	1,000	-	50	400	240	200	80	-	-
Cartilage fractures and tears	122	910	-	40	70	190	180	270	50	100
Cartilage fractures and tears, unspecified	1220	30	-	-	-	20	-	-	-	-
Meniscus tears	1221	830	-	20	70	170	180	270	30	100
Cartilage fractures and tears, n.e.c.	1229	50	-	-	-	-	-	-	-	-
Sprains, strains, tears	123	65,610	390	2,390	10,110	17,430	20,750	11,640	1,720	1,170
Sprains, strains, tears, unspecified	1230	5,840	20	60	860	1,960	1,730	990	190	30
Major tears to muscles, tendons, ligaments	1231	3,150	-	60	270	740	1,240	680	140	-
Sprains	1232	16,980	30	830	3,110	4,060	5,730	2,750	350	120
Strains	1233	38,050	320	1,440	5,750	10,360	11,260	6,900	1,020	1,000
Multiple sprains, strains, tears	1238	1,590	-	-	120	320	790	310	20	-
Hernias due to traumatic incidents	124	2,090	-	20	820	240	230	280	500	-
Whiplash	125	110	-	-	20	30	40	20	-	-
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	60	-	-	-	-	-	-	20	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	40	-	-	-	-	20	-	-	-
Open wounds	13	8,630	90	660	1,930	1,850	2,390	1,300	310	100
Open wounds, unspecified	130	90	-	30	-	-	20	-	-	-
Amputations, avulsions, enucleations	131	650	-	330	60	100	80	70	-	-
Amputations	1311	510	-	330	50	30	50	50	-	-
Avulsions, enucleations	1312	140	-	-	-	60	30	20	-	-
Cuts, lacerations	132	5,610	70	210	1,250	1,180	1,520	1,010	280	90
Puncture wounds, except gunshot wounds	133	1,940	20	90	560	490	580	200	-	-
Gunshot wounds	134	170	-	-	60	70	20	-	-	-
Multiple types of open wounds	138	170	-	-	-	-	160	-	-	-
Surface wounds and bruises	14	18,430	90	750	3,480	4,290	4,420	4,020	1,050	330
Surface wounds and bruises, unspecified	140	30	-	-	20	-	-	-	-	-
Abrasions, scratches	141	810	-	40	120	200	250	160	30	-
Blisters	142	40	-	-	-	-	-	-	-	-
Bruises, contusions	143	17,060	90	690	3,250	3,960	4,030	3,710	1,000	330

See footnotes at end of table.

TABLE L45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, local government, 2014 — Continued

Nature	Nature code ²	Local government ³	Age							65 and over	Not reported
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64			
Multiple surface wounds and bruises	148	380	—	—	60	90	90	130	—	—	
Surface wounds and bruises, n.e.c.	149	100	—	—	30	20	—	20	—	—	
Burns and corrosions	15	1,600	20	290	200	340	520	150	50	20	
Burns and corrosions, unspecified	150	150	—	—	—	—	110	—	—	—	
Chemical burns and corrosions	151	200	—	20	—	50	80	20	20	—	
Chemical burns and corrosions, unspecified	1510	180	—	20	—	40	80	20	—	—	
Heat (thermal) burns	152	1,010	20	70	180	280	320	100	30	20	
Heat (thermal) burns, unspecified	1520	690	20	40	120	240	180	50	30	20	
First degree heat (thermal) burns	1521	40	—	20	—	—	—	—	—	—	
Second degree heat (thermal) burns	1522	230	—	—	50	20	110	40	—	—	
Third or fourth degree heat (thermal) burns	1523	30	—	—	—	—	—	—	—	—	
Heat (thermal) burns, n.e.c.	1529	30	—	—	—	—	—	—	—	—	
Electrical burns	153	230	—	—	—	20	—	—	—	—	
Electrical burns, unspecified	1530	230	—	—	—	20	—	—	—	—	
Intracranial injuries	16	2,620	—	120	450	550	830	500	160	—	
Intracranial injuries, unspecified	160	120	—	30	—	—	60	—	—	—	
Concussions	162	2,480	—	90	440	530	780	480	150	—	
Effects of environmental conditions	17	390	—	—	160	60	120	30	20	—	
Effects of reduced temperature	171	40	—	—	—	—	—	—	—	—	
Frostbite	1711	40	—	—	—	—	—	—	—	—	
Effects of heat and light	172	350	—	—	150	60	110	—	—	—	
Heat fatigue	1723	30	—	—	—	—	—	—	—	—	
Heat exhaustion, prostration	1725	230	—	—	90	40	80	—	—	—	
Effects of heat and light, n.e.c.	1729	70	—	—	50	—	—	—	—	—	
Multiple traumatic injuries and disorders	18	6,640	20	180	790	1,560	1,520	1,870	690	20	
Multiple traumatic injuries and disorders, unspecified	180	630	—	—	50	20	130	220	210	—	
Cuts and abrasions or bruises	181	700	—	20	50	200	220	130	80	—	
Sprains and other injuries	182	3,170	—	30	390	800	710	960	280	—	
Sprains and other injuries, unspecified	1820	120	—	—	—	80	20	—	20	—	
Sprains and bruises	1821	2,500	—	—	290	640	570	720	250	—	
Sprains and cuts	1822	330	—	—	40	50	60	170	—	—	
Sprains and other injuries, n.e.c.	1829	220	—	—	50	30	70	60	—	—	
Fractures and other injuries	183	1,220	—	130	70	430	130	380	70	—	
Fractures and other injuries, unspecified	1830	90	—	—	30	40	—	—	—	—	
Fractures (except skull fractures) and concussions	1831	20	—	—	—	—	—	—	—	—	
Fractures and other injuries, n.e.c.	1839	1,090	—	130	40	380	110	360	70	—	
Burns and other injuries, except fractures	184	20	—	—	—	—	—	—	—	—	
Burns and other injuries, n.e.c.	1849	20	—	—	—	—	—	—	—	—	
Multiple traumatic injuries and disorders, n.e.c.	189	900	—	—	230	110	330	170	50	—	
Other traumatic injuries and disorders	19	41,960	140	1,560	6,840	9,190	13,840	8,630	1,320	440	
Other traumatic injuries and disorders, unspecified ...	190	40	—	—	—	—	20	—	—	—	
Electrocutions, electric shocks	193	160	—	—	—	40	80	20	—	—	
Dermatitis and reactions affecting the skin—acute	195	500	—	120	150	110	80	40	—	—	
Dermatitis and reactions affecting the skin—acute, unspecified	1950	240	—	110	50	20	40	20	—	—	
Allergic dermatitis—acute	1951	200	—	—	70	80	20	—	—	—	
Irritant dermatitis—acute	1952	30	—	—	—	—	—	—	—	—	
Hives, urticaria—acute	1953	30	—	—	20	—	—	—	—	—	
Other poisoning, toxic, noxious, or allergenic effects	196	2,140	—	60	350	470	670	510	30	30	

See footnotes at end of table.

TABLE L45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, local government, 2014 — Continued

Nature	Nature code ²	Local government ³	Age							65 and over	Not reported
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64			
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	930	—	—	210	210	290	190	20	—	
Poisoning, including poisoning-related asphyxia ...	1961	120	—	—	—	40	70	—	—	—	
Anaphylactic shock, anaphylaxis	1962	20	—	—	—	—	—	—	—	—	
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	520	—	—	40	180	80	190	—	—	
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	100	—	—	—	—	—	80	—	—	
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	70	—	20	—	30	20	—	—	—	
Other or unspecified allergic reactions	1966	250	—	20	40	—	150	30	—	—	
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	20	—	—	—	—	20	—	—	—	
Multiple poisoning, toxic, noxious, or allergenic effects	1968	70	—	—	20	—	30	20	—	—	
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	40	—	—	30	—	—	—	—	—	
Nonspecified injuries and disorders	197	38,920	120	1,340	6,320	8,560	12,960	7,930	1,290	400	
Crushing injuries	1971	850	—	—	60	270	290	200	20	—	
Soreness, pain, hurt—nonspecified injury	1972	33,950	110	1,080	5,840	7,400	11,000	6,940	1,200	370	
Swelling, inflammation, irritation—nonspecified injury	1973	3,120	—	200	320	620	1,350	560	60	—	
Numbness—nonspecified injury	1974	110	—	—	20	50	—	30	—	—	
Multiple nonspecified injuries and disorders	1978	720	—	50	70	190	220	170	—	—	
Nonspecified injuries and disorders, n.e.c.	1979	170	—	—	—	20	90	30	—	—	
Other traumatic injuries and disorders, n.e.c.	199	170	—	30	—	—	20	110	—	—	
Traumatic injuries and disorders, n.e.c.	1999	170	—	30	—	—	20	110	—	—	
Diseases and disorders of body systems	2	3,440	—	—	420	660	1,280	960	70	40	
Nervous system and sense organs diseases	22	1,130	—	—	80	60	510	440	—	20	
Other disorders of the central nervous system	223	20	—	—	—	—	—	20	—	—	
Migraine	2232	20	—	—	—	—	—	—	—	—	
Disorders of the peripheral nervous system	224	990	—	—	50	50	460	400	—	20	
Disorders of the peripheral nervous system, unspecified	2240	40	—	—	20	—	—	—	—	—	
Carpal tunnel syndrome	2241	910	—	—	30	50	420	390	—	20	
Disorders of the eye, adnexa, vision	225	70	—	—	20	—	30	—	—	—	
Conjunctivitis—non-viral	2251	30	—	—	—	—	20	—	—	—	
Disorders of the eye, adnexa, vision, n.e.c.	2259	20	—	—	—	—	—	—	—	—	
Disorders of the ear, mastoid process, hearing	226	30	—	—	—	—	20	—	—	—	
Deafness, hearing loss and impairment	2261	20	—	—	—	—	20	—	—	—	
Circulatory system diseases	23	600	—	—	60	340	120	70	—	—	
Hypertensive disease	232	80	—	—	—	—	50	—	—	—	
Ischemic heart disease, including heart attack	233	280	—	—	—	130	50	60	—	—	
Ischemic heart disease, unspecified	2330	30	—	—	—	—	—	30	—	—	
Myocardial infarction (heart attack)	2331	210	—	—	—	100	50	30	—	—	
Angina	2332	30	—	—	—	—	—	—	—	—	
Other forms of heart disease	235	50	—	—	—	—	—	—	—	—	
Cerebrovascular disease	236	170	—	—	—	150	—	—	—	—	
Stroke	2361	170	—	—	—	—	—	—	—	—	

See footnotes at end of table.

TABLE L45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, local government, 2014 — Continued

Nature	Nature code ²	Local government ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Respiratory system diseases	24	260	—	—	60	30	150	30	—	—
Acute respiratory infections (including common cold)	241	40	—	—	—	—	—	—	—	—
Pneumonia, influenza	243	110	—	—	—	20	50	—	—	—
Pneumonia	2431	110	—	—	—	20	50	—	—	—
Chronic obstructive pulmonary disease and allied conditions	244	40	—	—	—	—	40	—	—	—
Chronic bronchitis	2441	40	—	—	—	—	—	—	—	—
Other respiratory system diseases	249	40	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	25	110	—	—	20	30	20	—	—	—
Hernia—nontraumatic	253	100	—	—	20	20	20	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	1,140	—	—	190	180	320	400	40	—
Arthropathies and related disorders (arthritis)	271	20	—	—	—	—	20	—	—	—
Dorsopathies	272	450	—	—	—	110	70	260	—	—
Sciatica	2721	30	—	—	—	—	—	—	—	—
Lumbago	2722	410	—	—	—	100	60	250	—	—
Soft tissue disorders, except the back	273	650	—	—	180	60	230	130	40	—
Soft tissue disorder, except the back, unspecified	2730	60	—	—	—	—	30	20	—	—
Bursitis	2731	20	—	—	—	—	—	—	—	—
Stenosing tenosynovitis	2732	70	—	—	—	—	40	—	—	—
Other tenosynovitis, synovitis	2733	30	—	—	—	—	—	—	—	—
Epicondylitis	2734	40	—	—	—	—	40	—	—	—
Other or unspecified tendonitis (tendinitis)	2735	370	—	—	140	30	90	70	—	—
Ganglion or cystic tumor	2736	30	—	—	—	—	—	—	—	—
Soft tissue disorder, except the back, n.e.c.	2739	40	—	—	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	28	190	—	—	—	20	160	—	—	—
Infections of the skin and subcutaneous tissue, unspecified	281	180	—	—	—	—	150	—	—	—
unspecified	2810	110	—	—	—	—	110	—	—	—
Cellulitis and abscess	2811	20	—	—	—	—	—	—	—	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	50	—	—	—	—	40	—	—	—
Infectious and parasitic diseases	3	110	—	—	20	40	20	—	—	—
Bacterial diseases	31	20	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	36	40	—	—	—	20	—	—	—	—
Infectious diseases peculiar to the intestines, n.e.c. ..	369	30	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	39	30	—	—	—	—	—	—	—	—
Scabies and other acariases	392	20	—	—	—	—	—	—	—	—
Neoplasms, tumors, and cancers	4	120	—	—	—	—	40	70	—	—
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	41	110	—	—	—	—	40	60	—	—
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas), unspecified	410	30	—	—	—	—	—	—	—	—
Malignant neoplasms and tumors of the skin	412	80	—	—	—	—	40	—	—	—
Non-melanoma skin cancer (squamous and basal cell)	4122	40	—	—	—	—	40	—	—	—
Symptoms, signs, and ill-defined conditions	5	1,250	—	30	80	310	680	120	20	—

See footnotes at end of table.

TABLE L45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, local government, 2014 — Continued

Nature	Nature code ²	Local government ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Symptoms	51	1,130	—	30	70	270	620	110	20	—
General symptoms	511	610	—	—	30	150	340	70	—	—
General symptoms, unspecified	5110	20	—	—	—	—	—	—	—	—
Loss of consciousness—not heat related	5111	170	—	—	—	—	120	30	—	—
Convulsions, seizures	5112	50	—	—	—	—	—	40	—	—
Dizziness—general	5114	280	—	—	—	70	200	—	—	—
Inflammation, swelling—general	5115	60	—	—	—	—	—	—	—	—
Multiple general symptoms	5118	20	—	—	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	513	20	—	—	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue, n.e.c.	5139	20	—	—	—	—	—	—	—	—
Symptoms involving head and neck	514	90	—	—	—	40	30	—	—	—
Headache, except migraine	5141	60	—	—	—	40	—	—	—	—
Symptoms involving head and neck, n.e.c.	5149	20	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system	515	120	—	—	20	20	60	—	—	—
Symptoms involving cardiovascular system, unspecified	5150	50	—	—	—	—	50	—	—	—
Unspecified tachycardia (rapid heartbeat)	5151	20	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	5159	40	—	—	20	20	—	—	—	—
Symptoms involving respiratory system and chest	516	260	—	—	—	60	160	—	—	—
Symptoms involving respiratory system and chest, unspecified	5160	50	—	—	—	20	—	—	—	—
Chest pain	5164	120	—	—	—	20	80	—	—	—
Multiple symptoms involving respiratory system and chest	5168	20	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	70	—	—	—	—	60	—	—	—
Multiple symptoms	518	20	—	—	—	—	—	—	—	—
Abnormal findings	52	20	—	—	—	—	20	—	—	—
Other abnormal findings	529	20	—	—	—	—	20	—	—	—
Multiple symptoms, signs, and ill-defined conditions	58	90	—	—	—	40	50	—	—	—
Other diseases, conditions, and disorders	6	1,940	—	30	180	690	630	270	20	120
Mental disorders and syndromes	62	1,930	—	30	180	690	630	260	20	120
Mental disorders and syndromes, unspecified	620	100	—	—	30	—	—	—	—	—
Anxiety, stress	621	1,820	—	—	140	680	620	250	20	110
Anxiety, stress, unspecified	6210	860	—	—	120	130	250	230	20	110
Post-traumatic stress disorder	6211	670	—	—	—	330	320	20	—	—
Anxiety or panic disorder	6213	200	—	—	—	180	20	—	—	—
Anxiety, stress, n.e.c.	6219	90	—	—	—	50	30	—	—	—
Exposures to disease—no illness incurred	7	140	—	—	—	40	30	40	—	—
Nonclassifiable	9999	970	—	—	50	40	150	40	—	680

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.