

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2014

Nature	Nature code ²	Local government ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Total		173,570	68,110	9,740	11,340	1,490	280	960	100	90	81,480
Traumatic injuries and disorders	1	165,600	65,890	9,520	10,890	1,450	270	940	100	70	76,480
Traumatic injuries and disorders, unspecified	10	90	—	—	—	—	—	—	—	—	80
Traumatic injuries to bones, nerves, spinal cord	11	13,420	6,100	550	960	20	20	80	—	—	5,670
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	1,440	410	140	270	—	—	—	—	—	600
Fractures	111	11,870	5,670	400	690	20	—	80	—	—	4,990
Traumatic injuries to nerves, except the spinal cord ..	113	60	—	—	—	—	—	—	—	—	30
Pinched nerve	1131	40	—	—	—	—	—	—	—	—	20
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	40	—	—	—	—	—	—	—	—	40
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	71,820	28,430	4,480	4,570	760	150	270	40	40	33,080
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	1,250	670	20	—	—	—	20	—	—	540
Dislocations	121	1,750	450	80	50	190	—	—	—	—	990
Dislocations, unspecified	1210	280	50	—	—	—	—	—	—	—	220
Herniated discs	1211	470	80	—	—	—	—	—	—	—	190
Dislocation of joints	1212	1,000	320	70	40	—	—	—	—	—	570
Cartilage fractures and tears	122	910	620	40	40	—	—	—	—	—	210
Cartilage fractures and tears, unspecified	1220	30	—	—	—	—	—	—	—	—	—
Meniscus tears	1221	830	550	40	40	—	—	—	—	—	190
Cartilage fractures and tears, n.e.c.	1229	50	50	—	—	—	—	—	—	—	—
Sprains, strains, tears	123	65,610	25,080	4,310	4,420	570	150	240	40	40	30,750
Sprains, strains, tears, unspecified	1230	5,840	2,100	350	260	20	—	—	—	—	3,120
Major tears to muscles, tendons, ligaments	1231	3,150	1,790	150	190	—	—	—	—	—	1,010
Sprains	1232	16,980	7,360	1,450	1,300	60	20	30	—	30	6,730
Strains	1233	38,050	13,600	2,290	2,540	490	120	190	40	—	18,760
Multiple sprains, strains, tears	1238	1,590	230	80	140	—	—	—	—	—	1,130
Hernias due to traumatic incidents	124	2,090	1,500	20	40	—	—	—	—	—	520
Whiplash	125	110	70	—	—	—	—	—	—	—	20
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	60	—	—	—	—	—	—	—	—	40
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	40	30	—	—	—	—	—	—	—	—
Open wounds	13	8,630	3,660	370	570	30	—	140	—	—	3,860
Open wounds, unspecified	130	90	40	—	—	—	—	—	—	—	40
Amputations, avulsions, enucleations	131	650	500	—	20	—	—	—	—	—	120
Amputations	1311	510	410	—	—	—	—	—	—	—	90
Avulsions, enucleations	1312	140	90	—	—	—	—	—	—	—	40
Cuts, lacerations	132	5,610	2,150	270	370	—	—	130	—	—	2,670
Puncture wounds, except gunshot wounds	133	1,940	930	80	140	20	—	—	—	—	770
Gunshot wounds	134	170	40	—	40	—	—	—	—	—	90
Multiple types of open wounds	138	170	—	—	—	—	—	—	—	—	160
Surface wounds and bruises	14	18,430	5,510	990	1,210	300	—	30	—	—	10,380

See footnotes at end of table.

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2014 — Continued

Nature	Nature code ²	Local government ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Surface wounds and bruises, unspecified	140	30	30	—	—	—	—	—	—	—	—
Abrasions, scratches	141	810	370	—	50	—	—	—	—	—	380
Blisters	142	40	30	—	—	—	—	—	—	—	—
Bruises, contusions	143	17,060	4,890	950	1,140	290	—	30	—	—	9,740
Multiple surface wounds and bruises	148	380	160	20	—	—	—	—	—	—	200
Surface wounds and bruises, n.e.c.	149	100	20	—	—	—	—	—	—	—	60
Burns and corrosions	15	1,600	750	70	120	—	—	—	—	—	660
Burns and corrosions, unspecified	150	150	20	—	—	—	—	—	—	—	110
Chemical burns and corrosions	151	200	70	—	—	—	—	—	—	—	110
Chemical burns and corrosions, unspecified	1510	180	60	—	—	—	—	—	—	—	110
Heat (thermal) burns	152	1,010	430	50	100	—	—	—	—	—	410
Heat (thermal) burns, unspecified	1520	690	350	40	50	—	—	—	—	—	250
First degree heat (thermal) burns	1521	40	20	—	—	—	—	—	—	—	20
Second degree heat (thermal) burns	1522	230	40	—	50	—	—	—	—	—	130
Third or fourth degree heat (thermal) burns	1523	30	20	—	—	—	—	—	—	—	—
Heat (thermal) burns, n.e.c.	1529	30	—	—	—	—	—	—	—	—	20
Electrical burns	153	230	210	—	—	—	—	—	—	—	—
Electrical burns, unspecified	1530	230	210	—	—	—	—	—	—	—	—
Intracranial injuries	16	2,620	1,300	80	110	120	—	—	—	—	1,000
Intracranial injuries, unspecified	160	120	70	—	—	—	—	—	—	—	30
Concussions	162	2,480	1,220	80	90	120	—	—	—	—	960
Effects of environmental conditions	17	390	120	20	50	—	—	—	—	—	190
Effects of reduced temperature	171	40	20	—	—	—	—	—	—	—	—
Frostbite	1711	40	20	—	—	—	—	—	—	—	—
Effects of heat and light	172	350	90	20	50	—	—	—	—	—	170
Heat fatigue	1723	30	20	—	—	—	—	—	—	—	—
Heat exhaustion, prostration	1725	230	40	—	20	—	—	—	—	—	150
Effects of heat and light, n.e.c.	1729	70	—	—	—	—	—	—	—	—	20
Multiple traumatic injuries and disorders	18	6,640	2,090	250	450	50	30	40	—	—	3,730
Multiple traumatic injuries and disorders, unspecified	180	630	240	30	40	—	—	—	—	—	320
Cuts and abrasions or bruises	181	700	230	20	—	—	—	—	—	—	430
Sprains and other injuries	182	3,170	760	130	210	—	30	30	—	—	2,000
Sprains and other injuries, unspecified	1820	120	50	—	40	—	—	—	—	—	40
Sprains and bruises	1821	2,500	560	120	160	—	30	30	—	—	1,590
Sprains and cuts	1822	330	80	—	—	—	—	—	—	—	240
Sprains and other injuries, n.e.c.	1829	220	70	—	—	—	—	—	—	—	130
Fractures and other injuries	183	1,220	500	50	90	—	—	—	—	—	550
Fractures and other injuries, unspecified	1830	90	—	—	—	—	—	—	—	—	70
Fractures (except skull fractures) and concussions	1831	20	—	—	—	—	—	—	—	—	—
Fractures and other injuries, n.e.c.	1839	1,090	470	40	70	—	—	—	—	—	470
Burns and other injuries, except fractures	184	20	—	—	—	—	—	—	—	—	—
Burns and other injuries, n.e.c.	1849	20	—	—	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	900	340	30	110	—	—	—	—	—	430
Other traumatic injuries and disorders	19	41,960	17,940	2,700	2,860	160	50	370	30	20	17,850
Other traumatic injuries and disorders, unspecified ...	190	40	40	—	—	—	—	—	—	—	—
Electrocutions, electric shocks	193	160	80	—	—	—	—	—	—	—	70

See footnotes at end of table.

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2014 — Continued

Nature	Nature code ²	Local government ³	Race or ethnic origin ⁴								Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	
Dermatitis and reactions affecting the skin—acute	195	500	220	20	20	—	—	—	—	—	240
Dermatitis and reactions affecting the skin—acute, unspecified	1950	240	50	—	—	—	—	—	—	—	170
Allergic dermatitis—acute	1951	200	130	—	—	—	—	—	—	—	60
Irritant dermatitis—acute	1952	30	20	—	—	—	—	—	—	—	—
Hives, urticaria—acute	1953	30	20	—	—	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	2,140	810	90	330	—	—	—	—	—	900
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	930	390	50	320	—	—	—	—	—	170
Poisoning, including poisoning-related asphyxia	1961	120	50	—	—	—	—	—	—	—	70
Anaphylactic shock, anaphylaxis	1962	20	—	—	—	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	520	220	20	—	—	—	—	—	—	270
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	100	—	—	—	—	—	—	—	—	90
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	70	40	—	—	—	—	—	—	—	30
Other or unspecified allergic reactions	1966	250	50	—	—	—	—	—	—	—	200
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	20	—	—	—	—	—	—	—	—	20
Multiple poisoning, toxic, noxious, or allergenic effects	1968	70	40	—	—	—	—	—	—	—	20
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	40	—	—	—	—	—	—	—	—	30
Nonspecified injuries and disorders	197	38,920	16,650	2,580	2,510	160	50	360	30	20	16,590
Crushing injuries	1971	850	420	40	40	—	—	—	—	—	350
Soreness, pain, hurt—nonspecified injury	1972	33,950	14,540	2,290	1,710	130	30	350	30	20	14,850
Swelling, inflammation, irritation—nonspecified injury	1973	3,120	1,200	150	730	20	—	—	—	—	1,010
Numbness—nonspecified injury	1974	110	50	—	—	—	—	—	—	—	40
Multiple nonspecified injuries and disorders	1978	720	340	70	—	—	—	—	—	—	300
Nonspecified injuries and disorders, n.e.c.	1979	170	100	—	—	—	—	—	—	—	40
Other traumatic injuries and disorders, n.e.c.	199	170	120	—	—	—	—	—	—	—	50
Traumatic injuries and disorders, n.e.c.	1999	170	120	—	—	—	—	—	—	—	40
Diseases and disorders of body systems	2	3,440	980	90	210	40	—	—	—	—	2,110
Nervous system and sense organs diseases	22	1,130	360	20	30	—	—	—	—	—	700
Other disorders of the central nervous system	223	20	20	—	—	—	—	—	—	—	—
Migraine	2232	20	—	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system	224	990	280	20	30	—	—	—	—	—	660
Disorders of the peripheral nervous system, unspecified	2240	40	—	—	—	—	—	—	—	—	40
Carpal tunnel syndrome	2241	910	280	20	30	—	—	—	—	—	590
Disorders of the eye, adnexa, vision	225	70	30	—	—	—	—	—	—	—	20
Conjunctivitis—non-viral	2251	30	—	—	—	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	2259	20	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2014 — Continued

Nature	Nature code ²	Local government ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Disorders of the ear, mastoid process, hearing	226	30	30	—	—	—	—	—	—	—	—
Deafness, hearing loss and impairment	2261	20	20	—	—	—	—	—	—	—	—
Circulatory system diseases	23	600	200	—	70	—	—	—	—	—	320
Hypertensive disease	232	80	30	—	—	—	—	—	—	—	50
Ischemic heart disease, including heart attack	233	280	100	—	70	—	—	—	—	—	110
Ischemic heart disease, unspecified	2330	30	—	—	—	—	—	—	—	—	30
Myocardial infarction (heart attack)	2331	210	70	—	70	—	—	—	—	—	70
Angina	2332	30	—	—	—	—	—	—	—	—	—
Other forms of heart disease	235	50	50	—	—	—	—	—	—	—	—
Cerebrovascular disease	236	170	20	—	—	—	—	—	—	—	—
Stroke	2361	170	20	—	—	—	—	—	—	—	—
Respiratory system diseases	24	260	60	20	—	—	—	—	—	—	140
Acute respiratory infections (including common cold)	241	40	—	—	—	—	—	—	—	—	—
Pneumonia, influenza	243	110	50	—	—	—	—	—	—	—	40
Pneumonia	2431	110	50	—	—	—	—	—	—	—	40
Chronic obstructive pulmonary disease and allied conditions	244	40	—	—	—	—	—	—	—	—	40
Chronic bronchitis	2441	40	—	—	—	—	—	—	—	—	—
Other respiratory system diseases	249	40	—	—	—	—	—	—	—	—	40
Digestive system diseases and disorders	25	110	20	—	—	—	—	—	—	—	90
Hernia—nontraumatic	253	100	20	—	—	—	—	—	—	—	80
Musculoskeletal system and connective tissue diseases and disorders	27	1,140	310	20	90	—	—	—	—	—	710
Arthropathies and related disorders (arthritis)	271	20	—	—	—	—	—	—	—	—	—
Dorsopathies	272	450	70	—	50	—	—	—	—	—	320
Sciatica	2721	30	—	—	—	—	—	—	—	—	—
Lumbago	2722	410	60	—	50	—	—	—	—	—	300
Soft tissue disorders, except the back	273	650	240	—	30	—	—	—	—	—	360
Soft tissue disorder, except the back, unspecified	2730	60	20	—	—	—	—	—	—	—	—
Bursitis	2731	20	—	—	—	—	—	—	—	—	—
Stenosing tenosynovitis	2732	70	30	—	—	—	—	—	—	—	30
Other tenosynovitis, synovitis	2733	30	—	—	—	—	—	—	—	—	—
Epicondylitis	2734	40	30	—	—	—	—	—	—	—	—
Other or unspecified tendonitis (tendinitis)	2735	370	110	—	—	—	—	—	—	—	240
Ganglion or cystic tumor	2736	30	20	—	—	—	—	—	—	—	—
Soft tissue disorder, except the back, n.e.c.	2739	40	—	—	—	—	—	—	—	—	30
Disorders of the skin and subcutaneous tissue	28	190	—	—	—	—	—	—	—	—	150
Infections of the skin and subcutaneous tissue	281	180	—	—	—	—	—	—	—	—	140
Infections of the skin and subcutaneous tissue, unspecified	2810	110	—	—	—	—	—	—	—	—	—
Cellulitis and abscess	2811	20	—	—	—	—	—	—	—	—	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	50	—	—	—	—	—	—	—	—	20
Infectious and parasitic diseases	3	110	70	—	—	—	—	—	—	—	30
Bacterial diseases	31	20	20	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2014 — Continued

Nature	Nature code ²	Local government ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Infectious diseases peculiar to the intestines	36	40	30	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines, n.e.c. ...	369	30	20	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	39	30	—	—	—	—	—	—	—	—	20
Scabies and other acariases	392	20	—	—	—	—	—	—	—	—	—
Neoplasms, tumors, and cancers	4	120	30	—	—	—	—	—	—	—	90
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	41	110	30	—	—	—	—	—	—	—	80
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas), unspecified	410	30	30	—	—	—	—	—	—	—	—
Malignant neoplasms and tumors of the skin	412	80	—	—	—	—	—	—	—	—	80
Non-melanoma skin cancer (squamous and basal cell)	4122	40	—	—	—	—	—	—	—	—	40
Symptoms, signs, and ill-defined conditions	5	1,250	570	80	80	—	—	—	—	—	520
Symptoms	51	1,130	500	40	70	—	—	—	—	—	510
General symptoms	511	610	320	—	50	—	—	—	—	—	230
General symptoms, unspecified	5110	20	—	—	—	—	—	—	—	—	20
Loss of consciousness—not heat related	5111	170	100	—	50	—	—	—	—	—	30
Convulsions, seizures	5112	50	—	—	—	—	—	—	—	—	—
Dizziness—general	5114	280	170	—	—	—	—	—	—	—	110
Inflammation, swelling—general	5115	60	—	—	—	—	—	—	—	—	50
Multiple general symptoms	5118	20	—	—	—	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	513	20	—	—	—	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue, n.e.c.	5139	20	—	—	—	—	—	—	—	—	—
Symptoms involving head and neck	514	90	40	—	—	—	—	—	—	—	50
Headache, except migraine	5141	60	20	—	—	—	—	—	—	—	40
Symptoms involving head and neck, n.e.c.	5149	20	—	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system	515	120	80	—	—	—	—	—	—	—	30
Symptoms involving cardiovascular system, unspecified	5150	50	50	—	—	—	—	—	—	—	—
Unspecified tachycardia (rapid heartbeat)	5151	20	—	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	5159	40	20	—	—	—	—	—	—	—	20
Symptoms involving respiratory system and chest	516	260	50	—	—	—	—	—	—	—	190
Symptoms involving respiratory system and chest, unspecified	5160	50	—	—	—	—	—	—	—	—	20
Chest pain	5164	120	—	—	—	—	—	—	—	—	100
Multiple symptoms involving respiratory system and chest	5168	20	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	70	—	—	—	—	—	—	—	—	60
Multiple symptoms	518	20	—	—	—	—	—	—	—	—	—
Abnormal findings	52	20	—	—	—	—	—	—	—	—	—
Other abnormal findings	529	20	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2014 — Continued

Nature	Nature code ²	Local government ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Multiple symptoms, signs, and ill-defined conditions	58	90	40	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	1,940	390	40	90	—	—	—	—	—	1,410
Mental disorders and syndromes	62	1,930	390	40	90	—	—	—	—	—	1,410
Mental disorders and syndromes, unspecified	620	100	70	—	—	—	—	—	—	—	30
Anxiety, stress	621	1,820	310	40	90	—	—	—	—	—	1,380
Anxiety, stress, unspecified	6210	860	240	20	30	—	—	—	—	—	560
Post-traumatic stress disorder	6211	670	40	—	20	—	—	—	—	—	620
Anxiety or panic disorder	6213	200	—	—	—	—	—	—	—	—	160
Anxiety, stress, n.e.c.	6219	90	30	—	—	—	—	—	—	—	40
Exposures to disease—no illness incurred	7	140	40	—	—	—	—	—	—	—	80
Nonclassifiable	9999	970	140	—	60	—	—	—	—	—	750

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Race and ethnicity data do not add to total. Some cases may be counted as both multi-race and Hispanic and other race.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.