

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2014

| Nature | Nature code ² | Local government ³ | Gender | | | Length of service with employer | | | | |
|--|--------------------------|-------------------------------|---------|--------|--------------|---------------------------------|---------------|-------------|-------------------|--------------|
| | | | Male | Female | Not reported | Less than 3 months | 3 - 11 months | 1 - 5 years | More than 5 years | Not reported |
| Total | | 173,570 | 103,380 | 69,960 | 230 | 4,510 | 11,630 | 34,950 | 119,340 | 3,140 |
| Traumatic injuries and disorders | 1 | 165,600 | 98,270 | 67,130 | 200 | 4,430 | 11,190 | 33,870 | 113,770 | 2,340 |
| Traumatic injuries and disorders, unspecified | 10 | 90 | 20 | 70 | - | - | - | 30 | 50 | - |
| Traumatic injuries to bones, nerves, spinal cord | 11 | 13,420 | 7,290 | 6,120 | - | 370 | 950 | 2,720 | 9,260 | 110 |
| Traumatic injuries to bones, nerves, spinal cord, unspecified | 110 | 1,440 | 920 | 510 | - | 40 | - | 170 | 1,160 | 50 |
| Fractures | 111 | 11,870 | 6,290 | 5,580 | - | 330 | 940 | 2,530 | 8,020 | 60 |
| Traumatic injuries to nerves, except the spinal cord .. | 113 | 60 | 40 | 20 | - | - | - | - | 40 | - |
| Pinched nerve | 1131 | 40 | 30 | 20 | - | - | - | - | 30 | - |
| Traumatic injuries to bones, nerves, spinal cord, n.e.c. | 119 | 40 | 30 | - | - | - | - | - | 30 | - |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc. | 12 | 71,820 | 44,470 | 27,200 | 150 | 1,510 | 5,290 | 14,880 | 48,880 | 1,250 |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified | 120 | 1,250 | 600 | 660 | - | - | 70 | 530 | 650 | - |
| Dislocations | 121 | 1,750 | 1,390 | 360 | - | 60 | 90 | 260 | 1,340 | - |
| Dislocations, unspecified | 1210 | 280 | 220 | 60 | - | - | 30 | 50 | 190 | - |
| Herniated discs | 1211 | 470 | 380 | 80 | - | - | - | 40 | 430 | - |
| Dislocation of joints | 1212 | 1,000 | 790 | 210 | - | 60 | 60 | 170 | 710 | - |
| Cartilage fractures and tears | 122 | 910 | 540 | 370 | - | - | 60 | 170 | 660 | - |
| Cartilage fractures and tears, unspecified | 1220 | 30 | 30 | - | - | - | - | - | 30 | - |
| Meniscus tears | 1221 | 830 | 490 | 340 | - | - | 40 | 150 | 620 | - |
| Cartilage fractures and tears, n.e.c. | 1229 | 50 | 30 | 30 | - | - | - | - | - | - |
| Sprains, strains, tears | 123 | 65,610 | 39,950 | 25,510 | 150 | 1,420 | 4,860 | 13,120 | 44,970 | 1,240 |
| Sprains, strains, tears, unspecified | 1230 | 5,840 | 3,510 | 2,330 | - | 200 | 240 | 970 | 4,410 | 20 |
| Major tears to muscles, tendons, ligaments | 1231 | 3,150 | 2,230 | 920 | - | 50 | 200 | 540 | 2,360 | - |
| Sprains | 1232 | 16,980 | 9,630 | 7,330 | - | 530 | 980 | 3,390 | 11,920 | 160 |
| Strains | 1233 | 38,050 | 23,310 | 14,610 | 140 | 630 | 3,390 | 7,920 | 25,060 | 1,040 |
| Multiple sprains, strains, tears | 1238 | 1,590 | 1,270 | 320 | - | 20 | 50 | 290 | 1,220 | - |
| Hernias due to traumatic incidents | 124 | 2,090 | 1,850 | 240 | - | - | 190 | 750 | 1,140 | - |
| Whiplash | 125 | 110 | 70 | 40 | - | - | 30 | 30 | 50 | - |
| Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc. | 128 | 60 | 40 | 20 | - | - | - | - | 50 | - |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c. | 129 | 40 | 30 | - | - | - | - | - | 30 | - |
| Open wounds | 13 | 8,630 | 6,250 | 2,380 | - | 270 | 730 | 1,820 | 5,690 | 120 |
| Open wounds, unspecified | 130 | 90 | 80 | - | - | - | - | 30 | 50 | - |
| Amputations, avulsions, enucleations | 131 | 650 | 530 | 110 | - | 30 | 20 | 410 | 190 | - |
| Amputations | 1311 | 510 | 450 | 60 | - | - | - | 400 | 90 | - |
| Avulsions, enucleations | 1312 | 140 | 80 | 60 | - | 30 | - | - | 100 | - |
| Cuts, lacerations | 132 | 5,610 | 3,910 | 1,700 | - | 210 | 410 | 990 | 3,880 | 110 |
| Puncture wounds, except gunshot wounds | 133 | 1,940 | 1,390 | 550 | - | 30 | 290 | 350 | 1,260 | - |
| Gunshot wounds | 134 | 170 | 160 | - | - | - | - | 30 | 130 | - |
| Multiple types of open wounds | 138 | 170 | 170 | - | - | - | - | - | 170 | - |
| Surface wounds and bruises | 14 | 18,430 | 9,770 | 8,650 | - | 660 | 1,090 | 4,360 | 11,960 | 360 |
| Surface wounds and bruises, unspecified | 140 | 30 | - | 30 | - | - | - | 20 | - | - |
| Abrasions, scratches | 141 | 810 | 530 | 280 | - | 20 | 60 | 130 | 580 | 20 |
| Blisters | 142 | 40 | 40 | - | - | - | - | - | 30 | - |

See footnotes at end of table.

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2014 — Continued

| Nature | Nature code ² | Local government ³ | Gender | | | Length of service with employer | | | | |
|--|--------------------------|-------------------------------|--------|--------|--------------|---------------------------------|---------------|-------------|-------------------|--------------|
| | | | Male | Female | Not reported | Less than 3 months | 3 - 11 months | 1 - 5 years | More than 5 years | Not reported |
| Bruises, contusions | 143 | 17,060 | 8,970 | 8,090 | — | 610 | 960 | 4,150 | 11,000 | 350 |
| Multiple surface wounds and bruises | 148 | 380 | 170 | 210 | — | — | 20 | 50 | 300 | — |
| Surface wounds and bruises, n.e.c. | 149 | 100 | 50 | 40 | — | — | 40 | — | 40 | — |
| Burns and corrosions | 15 | 1,600 | 1,090 | 510 | — | 260 | 160 | 310 | 840 | 20 |
| Burns and corrosions, unspecified | 150 | 150 | 140 | — | — | — | — | — | 140 | — |
| Chemical burns and corrosions | 151 | 200 | 110 | 80 | — | 20 | — | — | 150 | — |
| Chemical burns and corrosions, unspecified | 1510 | 180 | 100 | 80 | — | 20 | — | — | 130 | — |
| Heat (thermal) burns | 152 | 1,010 | 590 | 420 | — | 40 | 150 | 290 | 530 | — |
| Heat (thermal) burns, unspecified | 1520 | 690 | 360 | 330 | — | 30 | 130 | 200 | 330 | — |
| First degree heat (thermal) burns | 1521 | 40 | — | 30 | — | — | — | — | 20 | — |
| Second degree heat (thermal) burns | 1522 | 230 | 170 | 60 | — | — | — | 50 | 170 | — |
| Third or fourth degree heat (thermal) burns | 1523 | 30 | 30 | — | — | — | — | 20 | — | — |
| Heat (thermal) burns, n.e.c. | 1529 | 30 | 20 | — | — | — | — | — | — | — |
| Electrical burns | 153 | 230 | 230 | — | — | — | — | — | — | — |
| Electrical burns, unspecified | 1530 | 230 | 230 | — | — | — | — | — | — | — |
| Intracranial injuries | 16 | 2,620 | 990 | 1,630 | — | 100 | 250 | 570 | 1,700 | 20 |
| Intracranial injuries, unspecified | 160 | 120 | 60 | 60 | — | — | 20 | 40 | 60 | — |
| Concussions | 162 | 2,480 | 920 | 1,560 | — | 90 | 230 | 520 | 1,620 | 20 |
| Effects of environmental conditions | 17 | 390 | 320 | 70 | — | — | 50 | 90 | 250 | — |
| Effects of reduced temperature | 171 | 40 | 30 | — | — | — | — | — | 40 | — |
| Frostbite | 1711 | 40 | 20 | — | — | — | — | — | 30 | — |
| Effects of heat and light | 172 | 350 | 290 | 60 | — | — | 40 | 90 | 210 | — |
| Heat fatigue | 1723 | 30 | 20 | — | — | — | — | — | 20 | — |
| Heat exhaustion, prostration | 1725 | 230 | 170 | 60 | — | — | 40 | 70 | 110 | — |
| Effects of heat and light, n.e.c. | 1729 | 70 | 70 | — | — | — | — | — | 60 | — |
| Multiple traumatic injuries and disorders | 18 | 6,640 | 3,500 | 3,130 | — | 170 | 330 | 1,260 | 4,840 | 40 |
| Multiple traumatic injuries and disorders, unspecified | 180 | 630 | 330 | 300 | — | — | — | 260 | 360 | — |
| Cuts and abrasions or bruises | 181 | 700 | 380 | 330 | — | — | 40 | 100 | 560 | — |
| Sprains and other injuries | 182 | 3,170 | 1,420 | 1,750 | — | — | 140 | 470 | 2,520 | 30 |
| Sprains and other injuries, unspecified | 1820 | 120 | 30 | 90 | — | — | — | — | 110 | — |
| Sprains and bruises | 1821 | 2,500 | 1,160 | 1,340 | — | — | 120 | 370 | 1,960 | 30 |
| Sprains and cuts | 1822 | 330 | 130 | 200 | — | — | — | 30 | 280 | — |
| Sprains and other injuries, n.e.c. | 1829 | 220 | 100 | 120 | — | — | — | 60 | 160 | — |
| Fractures and other injuries | 183 | 1,220 | 870 | 350 | — | 20 | 140 | 260 | 780 | — |
| Fractures and other injuries, unspecified | 1830 | 90 | 70 | 20 | — | — | — | — | 60 | — |
| Fractures (except skull fractures) and concussions | 1831 | 20 | 20 | — | — | — | — | — | — | — |
| Fractures and other injuries, n.e.c. | 1839 | 1,090 | 780 | 320 | — | 20 | 130 | 240 | 700 | — |
| Burns and other injuries, except fractures | 184 | 20 | 20 | — | — | — | — | — | 20 | — |
| Burns and other injuries, n.e.c. | 1849 | 20 | — | — | — | — | — | — | 20 | — |
| Multiple traumatic injuries and disorders, n.e.c. | 189 | 900 | 500 | 400 | — | 120 | — | 170 | 590 | — |
| Other traumatic injuries and disorders | 19 | 41,960 | 24,570 | 17,360 | 30 | 1,080 | 2,340 | 7,820 | 30,300 | 430 |
| Other traumatic injuries and disorders, unspecified ... | 190 | 40 | 30 | — | — | — | 20 | — | — | — |
| Electrocutions, electric shocks | 193 | 160 | 110 | 50 | — | — | 20 | — | 110 | — |
| Dermatitis and reactions affecting the skin—acute | 195 | 500 | 350 | 150 | — | 20 | 170 | 160 | 150 | — |
| Dermatitis and reactions affecting the skin—acute, unspecified | 1950 | 240 | 170 | 70 | — | — | 130 | 40 | 60 | — |
| Allergic dermatitis—acute | 1951 | 200 | 150 | 50 | — | — | 30 | 110 | 60 | — |
| Irritant dermatitis—acute | 1952 | 30 | — | — | — | — | — | — | 20 | — |
| Hives, urticaria—acute | 1953 | 30 | — | — | — | — | — | — | — | — |

See footnotes at end of table.

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2014 — Continued

| Nature | Nature code ² | Local government ³ | Gender | | | Length of service with employer | | | | |
|---|--------------------------|-------------------------------|--------------|------------|--------------|---------------------------------|---------------|-------------|-------------------|--------------|
| | | | Male | Female | Not reported | Less than 3 months | 3 - 11 months | 1 - 5 years | More than 5 years | Not reported |
| Other poisoning, toxic, noxious, or allergenic effects | 196 | 2,140 | 1,500 | 640 | — | 60 | 240 | 220 | 1,620 | — |
| Poisoning, toxic, noxious, or allergenic effect, unspecified | 1960 | 930 | 780 | 160 | — | 30 | 150 | 100 | 650 | — |
| Poisoning, including poisoning-related asphyxia | 1961 | 120 | 80 | 40 | — | — | — | 30 | 90 | — |
| Anaphylactic shock, anaphylaxis | 1962 | 20 | — | — | — | — | — | — | — | — |
| Other respiratory system symptoms—toxic, noxious, or allergenic effect | 1963 | 520 | 320 | 200 | — | — | — | 40 | 470 | — |
| Coughing and throat irritation— toxic, noxious, or allergenic effect | 1964 | 100 | 90 | — | — | — | — | — | 100 | — |
| Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect | 1965 | 70 | 40 | 30 | — | — | 30 | — | 40 | — |
| Other or unspecified allergic reactions | 1966 | 250 | 130 | 120 | — | — | 40 | 20 | 180 | — |
| Nausea, vomiting— toxic, noxious, or allergenic effect | 1967 | 20 | — | 20 | — | — | — | — | — | — |
| Multiple poisoning, toxic, noxious, or allergenic effects | 1968 | 70 | 20 | 50 | — | — | — | 30 | 40 | — |
| Other poisoning, toxic, noxious, or allergenic effects, n.e.c. | 1969 | 40 | 30 | — | — | — | — | — | 30 | — |
| Nonspecified injuries and disorders | 197 | 38,920 | 22,530 | 16,360 | 30 | 990 | 1,850 | 7,400 | 28,260 | 420 |
| Crushing injuries | 1971 | 850 | 550 | 300 | — | — | 40 | 150 | 640 | — |
| Soreness, pain, hurt—nonspecified injury | 1972 | 33,950 | 19,740 | 14,180 | 30 | 860 | 1,400 | 6,580 | 24,740 | 380 |
| Swelling, inflammation, irritation—nonspecified injury | 1973 | 3,120 | 1,630 | 1,490 | — | 120 | 390 | 400 | 2,180 | 30 |
| Numbness—nonspecified injury | 1974 | 110 | 70 | 40 | — | — | — | 20 | 80 | — |
| Multiple nonspecified injuries and disorders | 1978 | 720 | 450 | 270 | — | — | 20 | 160 | 530 | — |
| Nonspecified injuries and disorders, n.e.c. | 1979 | 170 | 90 | 80 | — | — | — | 90 | 80 | — |
| Other traumatic injuries and disorders, n.e.c. | 199 | 170 | 30 | 140 | — | — | — | — | 130 | — |
| Traumatic injuries and disorders, n.e.c. | 1999 | 170 | 30 | 140 | — | — | — | — | 130 | — |
| Diseases and disorders of body systems | 2 | 3,440 | 2,530 | 900 | 20 | 30 | 60 | 600 | 2,750 | — |
| Nervous system and sense organs diseases | 22 | 1,130 | 640 | 480 | — | — | 50 | 330 | 740 | — |
| Other disorders of the central nervous system | 223 | 20 | — | 20 | — | — | — | — | — | — |
| Migraine | 2232 | 20 | — | 20 | — | — | — | — | — | — |
| Disorders of the peripheral nervous system | 224 | 990 | 550 | 430 | — | — | — | 300 | 690 | — |
| Disorders of the peripheral nervous system, unspecified | 2240 | 40 | — | 30 | — | — | — | 20 | 20 | — |
| Carpal tunnel syndrome | 2241 | 910 | 540 | 360 | — | — | — | 280 | 630 | — |
| Disorders of the eye, adnexa, vision | 225 | 70 | 50 | 20 | — | — | — | 30 | 30 | — |
| Conjunctivitis—non-viral | 2251 | 30 | 20 | — | — | — | — | — | 20 | — |
| Disorders of the eye, adnexa, vision, n.e.c. | 2259 | 20 | 20 | — | — | — | — | 20 | — | — |
| Disorders of the ear, mastoid process, hearing | 226 | 30 | 30 | — | — | — | 20 | — | — | — |
| Deafness, hearing loss and impairment | 2261 | 20 | 20 | — | — | — | — | — | — | — |
| Circulatory system diseases | 23 | 600 | 500 | 100 | — | — | — | 30 | 560 | — |
| Hypertensive disease | 232 | 80 | 50 | 30 | — | — | — | — | 60 | — |
| Ischemic heart disease, including heart attack | 233 | 280 | 240 | 30 | — | — | — | — | 270 | — |
| Ischemic heart disease, unspecified | 2330 | 30 | 30 | — | — | — | — | — | — | — |
| Myocardial infarction (heart attack) | 2331 | 210 | 180 | 30 | — | — | — | — | 210 | — |
| Angina | 2332 | 30 | 30 | — | — | — | — | — | 30 | — |
| Other forms of heart disease | 235 | 50 | 50 | — | — | — | — | — | 50 | — |

See footnotes at end of table.

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2014 — Continued

| Nature | Nature code ² | Local government ³ | Gender | | | Length of service with employer | | | | |
|---|--------------------------|-------------------------------|--------|--------|--------------|---------------------------------|---------------|-------------|-------------------|--------------|
| | | | Male | Female | Not reported | Less than 3 months | 3 - 11 months | 1 - 5 years | More than 5 years | Not reported |
| Cerebrovascular disease | 236 | 170 | 150 | 20 | — | — | — | — | 170 | — |
| Stroke | 2361 | 170 | — | 20 | — | — | — | — | 170 | — |
| Respiratory system diseases | 24 | 260 | 240 | 20 | — | — | — | 70 | 190 | — |
| Acute respiratory infections (including common cold) | 241 | 40 | 30 | — | — | — | — | — | — | — |
| Pneumonia, influenza | 243 | 110 | 100 | — | — | — | — | — | 70 | — |
| Pneumonia | 2431 | 110 | 100 | — | — | — | — | — | 70 | — |
| Chronic obstructive pulmonary disease and allied conditions | 244 | 40 | 40 | — | — | — | — | — | 40 | — |
| Chronic bronchitis | 2441 | 40 | 40 | — | — | — | — | — | 40 | — |
| Other respiratory system diseases | 249 | 40 | 40 | — | — | — | — | — | — | — |
| Digestive system diseases and disorders | 25 | 110 | 100 | — | — | — | — | 30 | 80 | — |
| Hernia—nontraumatic | 253 | 100 | 90 | — | — | — | — | 30 | 70 | — |
| Musculoskeletal system and connective tissue diseases and disorders | 27 | 1,140 | 850 | 280 | — | — | — | 130 | 1,000 | — |
| Arthropathies and related disorders (arthritis) | 271 | 20 | — | 20 | — | — | — | — | — | — |
| Dorsopathies | 272 | 450 | 430 | 20 | — | — | — | — | 440 | — |
| Sciatica | 2721 | 30 | — | — | — | — | — | — | 20 | — |
| Lumbago | 2722 | 410 | 410 | — | — | — | — | — | 410 | — |
| Soft tissue disorders, except the back | 273 | 650 | 420 | 240 | — | — | — | 90 | 550 | — |
| Soft tissue disorder, except the back, unspecified | 2730 | 60 | 40 | 20 | — | — | — | — | 60 | — |
| Bursitis | 2731 | 20 | — | — | — | — | — | — | — | — |
| Stenosing tenosynovitis | 2732 | 70 | 30 | 40 | — | — | — | — | 60 | — |
| Other tenosynovitis, synovitis | 2733 | 30 | — | — | — | — | — | — | 30 | — |
| Epicondylitis | 2734 | 40 | 20 | 30 | — | — | — | — | 40 | — |
| Other or unspecified tendonitis (tendinitis) | 2735 | 370 | 260 | 110 | — | — | — | 30 | 330 | — |
| Ganglion or cystic tumor | 2736 | 30 | 20 | — | — | — | — | — | — | — |
| Soft tissue disorder, except the back, n.e.c. | 2739 | 40 | 20 | 20 | — | — | — | — | 20 | — |
| Disorders of the skin and subcutaneous tissue | 28 | 190 | 180 | 20 | — | — | — | — | 170 | — |
| Infections of the skin and subcutaneous tissue | 281 | 180 | 170 | — | — | — | — | — | 170 | — |
| Infections of the skin and subcutaneous tissue, unspecified | 2810 | 110 | — | — | — | — | — | — | 110 | — |
| Cellulitis and abscess | 2811 | 20 | — | — | — | — | — | — | — | — |
| Methicillin-resistant staphylococcus aureus (MRSA) infection | 2813 | 50 | 50 | — | — | — | — | — | 50 | — |
| Infectious and parasitic diseases | 3 | 110 | 70 | 40 | — | — | — | 30 | 60 | — |
| Bacterial diseases | 31 | 20 | 20 | — | — | — | — | — | — | — |
| Infectious diseases peculiar to the intestines | 36 | 40 | 30 | — | — | — | — | — | 30 | — |
| Infectious diseases peculiar to the intestines, n.e.c. .. | 369 | 30 | 20 | — | — | — | — | — | 30 | — |
| Other infectious and parasitic diseases | 39 | 30 | — | 20 | — | — | — | 20 | — | — |
| Scabies and other acariases | 392 | 20 | — | — | — | — | — | 20 | — | — |
| Neoplasms, tumors, and cancers | 4 | 120 | 120 | — | — | — | — | — | 80 | — |
| Malignant neoplasms and tumors (cancers, carcinomas, sarcomas) | 41 | 110 | 110 | — | — | — | — | — | 80 | — |
| Malignant neoplasms and tumors (cancers, carcinomas, sarcomas), unspecified | 410 | 30 | 30 | — | — | — | — | — | 30 | — |
| Malignant neoplasms and tumors of the skin | 412 | 80 | 80 | — | — | — | — | — | 40 | — |

See footnotes at end of table.

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2014 — Continued

| Nature | Nature code ² | Local government ³ | Gender | | | Length of service with employer | | | | |
|---|--------------------------|-------------------------------|--------|--------|--------------|---------------------------------|---------------|-------------|-------------------|--------------|
| | | | Male | Female | Not reported | Less than 3 months | 3 - 11 months | 1 - 5 years | More than 5 years | Not reported |
| Non-melanoma skin cancer (squamous and basal cell) | 4122 | 40 | 40 | - | - | - | - | - | 40 | - |
| Symptoms, signs, and ill-defined conditions | 5 | 1,250 | 880 | 370 | - | 30 | 20 | 200 | 990 | - |
| Symptoms | 51 | 1,130 | 770 | 360 | - | 30 | - | 200 | 880 | - |
| General symptoms | 511 | 610 | 400 | 200 | - | - | - | 140 | 460 | - |
| General symptoms, unspecified | 5110 | 20 | - | 20 | - | - | - | - | - | - |
| Loss of consciousness—not heat related | 5111 | 170 | 150 | 30 | - | - | - | - | 160 | - |
| Convulsions, seizures | 5112 | 50 | - | 50 | - | - | - | - | 40 | - |
| Dizziness—general | 5114 | 280 | 180 | 100 | - | - | - | 110 | 170 | - |
| Inflammation, swelling—general | 5115 | 60 | 50 | - | - | - | - | - | 60 | - |
| Multiple general symptoms | 5118 | 20 | - | - | - | - | - | - | 20 | - |
| Symptoms involving skin and other integumentary tissue | 513 | 20 | 20 | - | - | - | - | - | 20 | - |
| Symptoms involving skin and other integumentary tissue, n.e.c. | 5139 | 20 | 20 | - | - | - | - | - | 20 | - |
| Symptoms involving head and neck | 514 | 90 | 30 | 60 | - | - | - | - | 80 | - |
| Headache, except migraine | 5141 | 60 | 30 | 30 | - | - | - | - | 50 | - |
| Symptoms involving head and neck, n.e.c. | 5149 | 20 | - | 20 | - | - | - | - | 20 | - |
| Symptoms involving cardiovascular system | 515 | 120 | 110 | 20 | - | - | - | 20 | 90 | - |
| Symptoms involving cardiovascular system, unspecified | 5150 | 50 | 50 | - | - | - | - | - | 50 | - |
| Unspecified tachycardia (rapid heartbeat) | 5151 | 20 | 20 | - | - | - | - | - | - | - |
| Symptoms involving cardiovascular system, n.e.c. | 5159 | 40 | 40 | - | - | - | - | 20 | 30 | - |
| Symptoms involving respiratory system and chest | 516 | 260 | 200 | 60 | - | - | - | 20 | 220 | - |
| Symptoms involving respiratory system and chest, unspecified | 5160 | 50 | 20 | 30 | - | - | - | - | 30 | - |
| Chest pain | 5164 | 120 | 100 | - | - | - | - | - | 110 | - |
| Multiple symptoms involving respiratory system and chest | 5168 | 20 | - | - | - | - | - | - | 20 | - |
| Symptoms involving respiratory system and chest, n.e.c. | 5169 | 70 | 70 | - | - | - | - | - | 60 | - |
| Multiple symptoms | 518 | 20 | - | - | - | - | - | - | - | - |
| Abnormal findings | 52 | 20 | - | - | - | - | - | - | 20 | - |
| Other abnormal findings | 529 | 20 | - | - | - | - | - | - | 20 | - |
| Multiple symptoms, signs, and ill-defined conditions | 58 | 90 | 90 | - | - | - | - | - | 80 | - |
| Other diseases, conditions, and disorders | 6 | 1,940 | 1,030 | 900 | - | - | 320 | 180 | 1,330 | 110 |
| Mental disorders and syndromes | 62 | 1,930 | 1,030 | 900 | - | - | 320 | 180 | 1,320 | 110 |
| Mental disorders and syndromes, unspecified | 620 | 100 | 90 | - | - | - | - | 50 | 60 | - |
| Anxiety, stress | 621 | 1,820 | 930 | 890 | - | - | 320 | 140 | 1,260 | 110 |
| Anxiety, stress, unspecified | 6210 | 860 | 260 | 600 | - | - | 20 | 80 | 650 | 110 |
| Post-traumatic stress disorder | 6211 | 670 | 630 | 40 | - | - | 280 | 30 | 360 | - |
| Anxiety or panic disorder | 6213 | 200 | - | 200 | - | - | - | - | 180 | - |
| Anxiety, stress, n.e.c. | 6219 | 90 | 40 | 50 | - | - | - | - | 70 | - |

See footnotes at end of table.

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2014 — Continued

| Nature | Nature code ² | Local government ³ | Gender | | | Length of service with employer | | | | |
|---|--------------------------|-------------------------------|--------|--------|--------------|---------------------------------|---------------|-------------|-------------------|--------------|
| | | | Male | Female | Not reported | Less than 3 months | 3 - 11 months | 1 - 5 years | More than 5 years | Not reported |
| Exposures to disease—no illness incurred | 7 | 140 | 80 | 60 | — | — | — | 20 | 120 | — |
| Nonclassifiable | 9999 | 970 | 400 | 550 | — | 20 | 20 | — | 240 | 670 |

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.