

TABLE L50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, local government, 2014

Part of body	Part of body code ²	Local government ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		173,570	800	6,970	27,620	41,620	51,970	33,930	7,420	3,200
Head	1	11,190	70	460	1,930	2,170	3,850	1,810	700	180
Head, unspecified	10	2,900	20	120	450	440	960	580	210	120
Cranial region, including skull	11	3,280	20	130	530	930	940	540	190	-
Cranial region, unspecified	110	30	-	-	-	-	-	-	-	-
Brain	111	2,670	-	120	460	550	840	510	160	-
Scalp	112	190	-	-	30	70	30	20	20	-
Skull	113	380	-	-	-	300	60	-	-	-
Ear(s)	12	230	-	20	20	30	150	20	-	-
Face	13	4,580	30	190	910	760	1,690	630	300	60
Face, unspecified	130	540	-	30	140	110	120	80	20	40
Forehead	131	310	20	-	80	40	100	50	-	-
Eye(s)	132	1,890	-	70	340	370	790	250	50	20
Nose, nasal cavity	133	390	-	20	60	90	100	100	30	-
Nose, except internal location of diseases or disorders	1330	380	-	20	60	90	90	100	30	-
Cheek(s)	134	60	-	-	20	-	20	20	-	-
Jaw, chin	135	120	-	-	50	30	30	-	-	-
Mouth	136	710	-	-	60	50	480	70	-	-
Mouth, unspecified	1360	170	-	-	-	-	150	-	-	-
Lip(s)	1361	160	-	-	-	-	140	-	-	-
Tooth (teeth)	1363	180	-	-	40	40	30	-	-	-
Multiple mouth locations	1368	200	-	-	-	-	150	40	-	-
Multiple face locations	138	520	-	-	150	60	70	50	170	-
Face, n.e.c.	139	40	-	-	-	-	-	-	-	-
Multiple head locations	18	160	-	-	20	-	80	40	-	-
Head, n.e.c.	19	40	-	-	-	-	30	-	-	-
Neck, including throat	2	2,260	-	30	630	600	650	300	20	30
Neck, except internal location of diseases or disorders ...	20	2,260	-	30	630	600	650	300	20	30
Trunk	3	38,050	340	1,100	6,540	9,230	11,300	6,440	2,330	760
Trunk, unspecified	30	150	-	-	50	50	20	40	-	-
Chest, including ribs, internal organs	31	2,770	-	50	250	710	760	490	470	30
Chest, except internal location of diseases or disorders	310	2,070	-	30	160	480	510	390	470	20
Internal chest location, unspecified	311	20	-	-	-	-	-	-	-	-
Heart	313	390	-	-	40	180	100	70	-	-
Bronchus	314	40	-	-	-	-	-	-	-	-
Lung(s), pleura	315	210	-	-	60	40	80	30	-	-
Back, including spine, spinal cord	32	28,090	330	910	4,650	7,040	9,090	4,580	870	620
Back, including spine, spinal cord, unspecified	320	10,300	270	480	1,600	2,780	2,830	1,810	350	190
Thoracic region	321	1,080	-	30	220	230	490	80	20	-
Lumbar region	322	14,720	60	280	2,620	3,760	4,760	2,390	490	350
Sacral region	323	140	-	-	70	20	20	20	-	-
Coccygeal region	324	250	-	-	-	70	110	60	-	-
Multiple back regions	328	1,570	-	120	130	180	860	210	-	60
Back, including spine, spinal cord, n.e.c.	329	20	-	-	-	-	-	-	-	-
Abdomen	33	3,100	-	30	990	430	660	430	540	20

See footnotes at end of table.

TABLE L50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Age							65 and over	Not reported
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64			
Abdomen, except internal location of diseases or disorders	330	2,960	—	30	970	390	640	400	530	—	
Internal abdominal location, unspecified	331	70	—	—	—	20	—	—	—	—	
Intestines, peritoneum	335	60	—	—	—	—	—	—	—	—	
Intestines, peritoneum, unspecified	3350	30	—	—	—	—	—	—	—	—	
Intestines, peritoneum, n.e.c.	3359	30	—	—	—	—	—	—	—	—	
Pelvic region	34	2,820	—	80	370	660	590	630	390	100	
Pelvic region, unspecified	340	40	—	—	—	—	—	—	—	—	
Hip(s)	341	1,340	—	20	130	230	260	430	240	40	
Pelvis	342	90	—	—	—	20	20	—	30	—	
Buttock(s)	343	380	—	—	150	20	70	70	—	—	
Groin	344	920	—	20	80	360	230	130	50	50	
External reproductive tract structures	345	20	—	—	—	—	—	—	—	—	
Multiple pelvic region locations	348	20	—	—	—	—	—	—	—	—	
Multiple trunk locations	38	1,040	—	30	150	350	190	270	50	—	
Trunk, n.e.c.	39	80	—	—	70	—	—	—	—	—	
Upper extremities	4	42,570	90	2,290	7,740	10,080	11,640	8,660	1,550	510	
Upper extremities, unspecified	40	80	—	—	—	30	—	—	—	—	
Shoulder(s), including clavicle(s), scapula(e)	41	12,270	30	560	2,500	2,480	3,520	2,540	470	170	
Arm(s)	42	6,560	—	140	800	1,640	2,050	1,550	260	90	
Arm(s), unspecified	420	1,700	—	80	240	420	400	410	60	80	
Upper arm(s)	421	760	—	—	130	200	270	130	40	—	
Elbow(s)	422	2,620	—	20	320	710	910	520	120	—	
Forearm(s)	423	740	—	30	80	160	210	210	40	—	
Multiple arm locations	428	600	—	—	30	130	240	190	—	—	
Multiple arm locations, unspecified	4280	110	—	—	—	—	—	110	—	—	
Elbow(s) and arm(s)	4281	260	—	—	—	80	90	80	—	—	
Multiple arm locations, n.e.c.	4289	220	—	—	20	50	150	—	—	—	
Arm(s), n.e.c.	429	140	—	—	—	—	20	100	—	—	
Wrist(s)	43	5,850	—	180	740	1,290	1,730	1,450	360	90	
Hand(s)	44	12,570	50	1,340	3,080	2,610	2,810	2,240	300	130	
Hand(s), unspecified	440	4,050	20	590	1,560	710	660	420	50	50	
Hand(s), except finger(s)	441	520	—	60	30	130	140	150	—	—	
Finger(s), fingernail(s)	442	7,320	30	610	1,410	1,640	1,810	1,560	230	30	
Finger(s), fingernail(s), unspecified	4420	5,240	—	570	690	1,330	1,390	1,010	200	30	
Fingernail(s), nailbed(s)	4421	40	—	—	—	20	—	—	—	—	
Fingertip(s)	4422	390	—	—	170	20	100	90	—	—	
Finger(s), fingernail(s), n.e.c.	4429	1,640	—	40	550	260	310	460	20	—	
Hand(s) and finger(s)	448	430	—	60	70	90	110	60	—	40	
Hand(s), n.e.c.	449	260	—	20	—	40	90	50	—	—	
Multiple upper extremities locations	48	5,190	—	60	590	2,020	1,500	850	140	20	
Multiple upper extremities locations, unspecified	480	70	—	—	—	—	60	—	—	—	
Hand(s) and arms(s)	481	440	—	20	80	40	150	130	—	—	
Hand(s) and arm(s), unspecified	4810	100	—	20	—	—	50	—	—	—	
Hand(s) and elbow(s)	4811	120	—	—	—	20	80	—	—	—	
Hand(s) and arm(s), n.e.c.	4819	220	—	—	70	—	30	110	—	—	
Hand(s) and wrist(s)	482	930	—	—	130	470	220	60	30	—	
Wrist(s) and arm(s)	483	450	—	—	30	60	250	80	20	—	
Wrist(s) and arm(s), unspecified	4830	150	—	—	20	40	30	40	20	—	

See footnotes at end of table.

TABLE L50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Age							65 and over	Not reported
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64			
Wrist(s) and elbow(s)	4831	50	-	-	-	-	-	-	-	-	-
Wrist(s) and arm(s), n.e.c.	4839	260	-	-	-	-	210	30	-	-	-
Shoulder(s) and arm(s)	484	2,380	-	-	230	1,250	490	360	40	-	-
Multiple upper extremities locations, n.e.c.	489	920	-	-	120	200	330	220	40	-	-
Upper extremities, n.e.c.	49	50	-	-	-	-	20	-	-	-	-
Lower extremities	5	42,580	230	1,890	6,290	9,600	14,510	8,120	1,230	690	
Lower extremities, unspecified	50	90	-	-	-	-	60	30	-	-	-
Leg(s)	51	24,860	90	680	3,530	5,490	8,800	5,030	760	470	
Leg(s), unspecified	510	2,030	-	50	220	610	580	470	40	50	
Thigh(s)	511	950	-	20	80	160	300	180	190	-	
Knee(s)	512	18,060	60	510	2,920	3,690	6,170	3,830	490	390	
Lower leg(s)	513	2,830	20	40	210	660	1,540	310	30	20	
Multiple leg locations	518	820	-	-	100	370	120	210	-	-	
Multiple leg locations, unspecified	5180	30	-	-	-	20	-	-	-	-	
Knee(s) and leg(s)	5181	720	-	-	80	340	100	180	-	-	
Multiple leg locations, n.e.c.	5189	70	-	-	20	-	20	30	-	-	
Leg(s), n.e.c.	519	170	-	40	-	-	90	30	-	-	
Ankle(s)	52	9,830	70	620	1,510	2,630	3,200	1,490	210	100	
Foot (feet)	53	6,030	60	580	910	1,150	1,820	1,200	200	100	
Foot (feet), unspecified	530	3,880	30	80	690	770	1,340	760	140	70	
Sole(s)	531	400	30	20	50	90	110	70	20	20	
Sole(s), unspecified	5310	70	20	-	-	-	-	-	-	-	
Arch(es), instep(s)	5312	40	-	-	-	30	-	-	-	-	
Heel(s)	5313	270	-	-	30	40	90	60	20	-	
Toes(s), toenail(s)	532	1,290	-	470	130	220	280	180	-	-	
Multiple foot (feet) locations	538	180	-	-	-	-	20	110	-	-	
Foot (feet), n.e.c.	539	280	-	-	30	60	80	80	20	-	
Multiple lower extremities locations	58	1,760	-	-	330	330	630	380	70	-	
Foot (feet) and leg(s)	581	350	-	-	110	-	170	50	-	-	
Foot(feet) and leg(s), unspecified	5810	30	-	-	-	-	20	-	-	-	
Foot(feet) and knee(s)	5811	200	-	-	-	-	150	40	-	-	
Foot(feet) and leg(s), n.e.c.	5819	120	-	-	110	-	-	-	-	-	
Foot (feet) and ankle(s)	582	400	-	-	90	80	150	70	-	-	
Ankle(s) and leg(s)	583	720	-	-	100	230	220	140	30	-	
Ankle(s) and leg(s), unspecified	5830	60	-	-	-	30	-	-	-	-	
Ankle(s) and knee(s)	5831	590	-	-	90	190	200	100	-	-	
Ankle(s) and leg(s), n.e.c.	5839	70	-	-	-	-	-	40	-	-	
Multiple lower extremities locations, n.e.c.	589	290	-	-	40	30	80	120	20	-	
Body systems	6	5,350	-	70	570	1,500	2,040	910	90	160	
Multiple body parts	8	30,120	60	1,110	3,850	7,920	7,740	7,620	1,470	360	
Multiple body parts, unspecified	80	2,570	-	130	280	340	560	800	310	150	
Head and neck	81	710	-	20	50	140	140	340	20	-	
Head, neck, and trunk	82	310	-	-	80	30	180	-	-	-	
Head and trunk	83	690	-	-	20	310	80	260	20	-	
Neck and back	84	2,020	-	100	260	900	350	370	30	-	
Shoulder(s) and back	85	980	-	-	250	130	320	190	50	-	
Hip(s) and leg(s)	86	560	-	-	100	90	170	170	30	-	

See footnotes at end of table.

TABLE L50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Upper and lower limb(s)	87	3,200	—	60	590	1,160	600	620	150	—
Other multiple body parts	89	19,080	30	780	2,220	4,830	5,360	4,840	870	150
Whole body	891	100	—	—	—	20	20	—	—	—
Multiple body parts, n.e.c.	899	18,990	30	760	2,210	4,810	5,330	4,840	860	140
Nonclassifiable	9999	1,450	—	—	80	520	230	70	30	510

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.