

TABLE L52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, local government, 2014

Part of body	Part of body code ²	Local government ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		173,570	103,380	69,960	230	4,510	11,630	34,950	119,340	3,140
Head	1	11,190	5,770	5,420	—	390	1,020	2,110	7,470	200
Head, unspecified	10	2,900	1,390	1,510	—	70	310	490	1,910	120
Cranial region, including skull	11	3,280	1,530	1,750	—	100	280	660	2,210	20
Cranial region, unspecified	110	30	—	20	—	—	—	—	20	—
Brain	111	2,670	1,000	1,660	—	100	260	580	1,710	20
Scalp	112	190	150	30	—	—	—	40	130	—
Skull	113	380	350	30	—	—	—	20	350	—
Ear(s)	12	230	200	40	—	—	30	40	160	—
Face	13	4,580	2,570	2,000	—	200	390	900	3,030	60
Face, unspecified	130	540	250	280	—	20	50	90	340	40
Forehead	131	310	160	150	—	30	40	90	140	—
Eye(s)	132	1,890	1,330	560	—	110	220	360	1,190	—
Nose, nasal cavity	133	390	240	150	—	20	40	70	260	—
Nose, except internal location of diseases or disorders	1330	380	240	140	—	20	40	70	250	—
Cheek(s)	134	60	30	30	—	—	—	—	50	—
Jaw, chin	135	120	60	60	—	—	—	40	70	—
Mouth	136	710	350	370	—	—	—	60	630	—
Mouth, unspecified	1360	170	80	90	—	—	—	20	150	—
Lip(s)	1361	160	20	140	—	—	—	—	150	—
Tooth (teeth)	1363	180	150	30	—	—	—	30	150	—
Multiple mouth locations	1368	200	100	100	—	—	—	—	190	—
Multiple face locations	138	520	140	380	—	—	20	160	330	—
Face, n.e.c.	139	40	30	—	—	—	—	20	20	—
Multiple head locations	18	160	60	100	—	—	—	—	130	—
Head, n.e.c.	19	40	20	20	—	—	—	—	30	—
Neck, including throat	2	2,260	1,200	1,060	—	60	180	560	1,430	30
Neck, except internal location of diseases or disorders	20	2,260	1,200	1,060	—	60	180	560	1,430	30
Trunk	3	38,050	25,380	12,570	110	540	2,600	8,670	25,500	740
Trunk, unspecified	30	150	30	120	—	—	40	40	70	—
Chest, including ribs, internal organs	31	2,770	2,270	500	—	50	140	460	2,100	20
Chest, except internal location of diseases or disorders	310	2,070	1,660	410	—	30	140	370	1,510	—
Internal chest location, unspecified	311	20	—	20	—	—	—	—	—	—
Heart	313	390	360	40	—	—	—	—	370	—
Bronchus	314	40	40	—	—	—	—	—	40	—
Lung(s), pleura	315	210	180	30	—	—	—	70	130	—
Back, including spine, spinal cord	32	28,090	18,170	9,820	100	380	1,990	6,230	18,860	620
Back, including spine, spinal cord, unspecified	320	10,300	6,950	3,340	—	140	840	2,230	6,920	180
Thoracic region	321	1,080	400	680	—	20	60	240	760	—
Lumbar region	322	14,720	9,950	4,690	80	210	940	3,560	9,670	340
Sacral region	323	140	100	30	—	—	—	20	110	—
Coccygeal region	324	250	120	130	—	—	—	30	200	—
Multiple back regions	328	1,570	640	930	—	—	140	150	1,200	90
Back, including spine, spinal cord, n.e.c.	329	20	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Abdomen	33	3,100	2,630	460	—	20	240	1,080	1,750	—
Abdomen, except internal location of diseases or disorders	330	2,960	2,510	440	—	20	240	1,060	1,640	—
Internal abdominal location, unspecified	331	70	70	—	—	—	—	—	70	—
Intestines, peritoneum	335	60	40	—	—	—	—	20	30	—
Intestines, peritoneum, unspecified	3350	30	30	—	—	—	—	20	—	—
Intestines, peritoneum, n.e.c.	3359	30	—	—	—	—	—	—	30	—
Pelvic region	34	2,820	1,550	1,270	—	70	140	520	2,020	80
Pelvic region, unspecified	340	40	—	40	—	—	—	—	—	—
Hip(s)	341	1,340	660	690	—	50	20	210	1,030	—
Pelvis	342	90	60	40	—	—	—	20	60	—
Buttock(s)	343	380	60	320	—	—	—	180	190	—
Groin	344	920	740	170	—	20	60	80	710	40
External reproductive tract structures	345	20	20	—	—	—	—	—	—	—
Multiple pelvic region locations	348	20	20	—	—	—	—	—	20	—
Multiple trunk locations	38	1,040	710	330	—	—	50	330	630	—
Trunk, n.e.c.	39	80	20	70	—	—	—	—	80	—
Upper extremities	4	42,570	26,580	15,970	30	1,220	2,410	10,080	28,340	530
Upper extremities, unspecified	40	80	50	30	—	—	—	40	40	—
Shoulder(s), including clavicle(s), scapula(e)	41	12,270	8,470	3,790	—	340	680	2,290	8,830	130
Arm(s)	42	6,560	3,710	2,850	—	140	400	1,480	4,400	140
Arm(s), unspecified	420	1,700	840	870	—	40	100	490	990	80
Upper arm(s)	421	760	540	220	—	—	—	100	640	—
Elbow(s)	422	2,620	1,500	1,120	—	30	190	600	1,770	30
Forearm(s)	423	740	450	280	—	—	80	180	420	40
Multiple arm locations	428	600	260	330	—	40	—	90	460	—
Multiple arm locations, unspecified	4280	110	—	110	—	—	—	—	110	—
Elbow(s) and arm(s)	4281	260	140	120	—	—	—	30	220	—
Multiple arm locations, n.e.c.	4289	220	120	100	—	—	—	60	120	—
Arm(s), n.e.c.	429	140	120	20	—	—	—	—	120	—
Wrist(s)	43	5,850	3,150	2,690	—	170	330	1,290	3,970	100
Hand(s)	44	12,570	8,530	4,050	—	510	860	3,660	7,410	120
Hand(s), unspecified	440	4,050	3,020	1,030	—	280	180	1,500	2,070	30
Hand(s), except finger(s)	441	520	260	260	—	20	160	80	260	—
Finger(s), fingernail(s)	442	7,320	4,820	2,500	—	200	490	1,940	4,640	50
Finger(s), fingernail(s), unspecified	4420	5,240	3,540	1,700	—	90	430	1,340	3,330	50
Fingernail(s), nailbed(s)	4421	40	30	—	—	—	—	—	30	—
Fingertip(s)	4422	390	330	60	—	—	—	100	280	—
Finger(s), fingernail(s), n.e.c.	4429	1,640	920	720	—	90	50	500	1,000	—
Hand(s) and finger(s)	448	430	270	150	—	—	30	90	250	40
Hand(s), n.e.c.	449	260	160	100	—	—	—	50	190	—
Multiple upper extremities locations	48	5,190	2,640	2,550	—	50	130	1,320	3,660	40
Multiple upper extremities locations, unspecified	480	70	—	70	—	—	—	—	60	—
Hand(s) and arms(s)	481	440	340	110	—	30	—	80	320	—
Hand(s) and arm(s), unspecified	4810	100	40	60	—	—	—	20	50	—
Hand(s) and elbow(s)	4811	120	110	—	—	—	—	—	110	—
Hand(s) and arm(s), n.e.c.	4819	220	180	40	—	—	—	50	150	—
Hand(s) and wrist(s)	482	930	510	420	—	—	40	140	730	—

See footnotes at end of table.

TABLE L52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Wrist(s) and arm(s)	483	450	320	140	—	—	20	60	360	—
Wrist(s) and arm(s), unspecified	4830	150	60	80	—	—	—	30	110	—
Wrist(s) and elbow(s)	4831	50	40	—	—	—	—	—	20	—
Wrist(s) and arm(s), n.e.c.	4839	260	210	40	—	—	—	20	230	—
Shoulder(s) and arm(s)	484	2,380	940	1,440	—	—	20	940	1,400	—
Multiple upper extremities locations, n.e.c.	489	920	540	380	—	—	40	90	780	—
Upper extremities, n.e.c.	49	50	30	20	—	—	—	—	40	—
Lower extremities	5	42,580	25,150	17,370	60	1,550	2,830	7,690	29,870	640
Lower extremities, unspecified	50	90	50	40	—	—	—	—	90	—
Leg(s)	51	24,860	14,900	9,920	40	700	1,230	4,520	18,010	410
Leg(s), unspecified	510	2,030	1,370	660	—	20	160	420	1,380	50
Thigh(s)	511	950	640	310	—	50	70	210	610	—
Knee(s)	512	18,060	11,110	6,920	30	520	860	3,130	13,290	260
Lower leg(s)	513	2,830	1,350	1,470	—	70	80	660	1,930	80
Multiple leg locations	518	820	360	460	—	20	40	60	710	—
Multiple leg locations, unspecified	5180	30	30	—	—	—	—	—	—	—
Knee(s) and leg(s)	5181	720	320	400	—	—	30	30	650	—
Multiple leg locations, n.e.c.	5189	70	20	50	—	—	—	—	50	—
Leg(s), n.e.c.	519	170	60	100	—	—	30	40	90	—
Ankle(s)	52	9,830	5,900	3,930	—	470	1,050	1,540	6,660	110
Foot (feet)	53	6,030	3,640	2,380	20	220	480	1,340	3,880	110
Foot (feet), unspecified	530	3,880	2,360	1,520	—	120	260	670	2,760	70
Sole(s)	531	400	310	80	—	30	50	70	240	20
Sole(s), unspecified	5310	70	50	20	—	20	—	—	50	—
Arch(es), instep(s)	5312	40	30	—	—	—	—	—	30	—
Heel(s)	5313	270	220	50	—	—	40	60	140	20
Toes(s), toenail(s)	532	1,290	840	450	—	50	120	540	580	—
Multiple foot (feet) locations	538	180	20	160	—	—	—	—	150	—
Foot (feet), n.e.c.	539	280	110	180	—	—	40	60	150	30
Multiple lower extremities locations	58	1,760	660	1,100	—	170	70	280	1,230	—
Foot (feet) and leg(s)	581	350	70	280	—	110	—	20	220	—
Foot(feet) and leg(s), unspecified	5810	30	—	20	—	—	—	—	20	—
Foot(feet) and knee(s)	5811	200	60	150	—	—	—	—	190	—
Foot(feet) and leg(s), n.e.c.	5819	120	—	110	—	110	—	—	—	—
Foot (feet) and ankle(s)	582	400	200	200	—	30	20	110	230	—
Ankle(s) and leg(s)	583	720	290	430	—	30	20	130	540	—
Ankle(s) and leg(s), unspecified	5830	60	30	30	—	—	—	—	40	—
Ankle(s) and knee(s)	5831	590	240	350	—	30	—	110	450	—
Ankle(s) and leg(s), n.e.c.	5839	70	20	50	—	—	—	—	50	—
Multiple lower extremities locations, n.e.c.	589	290	90	200	—	—	20	30	240	—
Body systems	6	5,350	3,400	1,940	—	40	490	710	3,980	120
Multiple body parts	8	30,120	15,070	15,040	—	690	2,070	4,950	22,030	380
Multiple body parts, unspecified	80	2,570	1,340	1,230	—	40	150	400	1,840	150
Head and neck	81	710	160	550	—	20	20	90	570	—
Head, neck, and trunk	82	310	100	210	—	—	—	50	240	20
Head and trunk	83	690	520	160	—	—	—	70	600	—

See footnotes at end of table.

TABLE L52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Neck and back	84	2,020	1,360	660	—	50	130	200	1,640	—
Shoulder(s) and back	85	980	530	450	—	—	120	200	620	—
Hip(s) and leg(s)	86	560	280	280	—	—	40	220	290	—
Upper and lower limb(s)	87	3,200	1,580	1,620	—	180	80	630	2,290	—
Other multiple body parts	89	19,080	9,200	9,880	—	400	1,520	3,090	13,940	140
Whole body	891	100	50	50	—	—	—	—	60	—
Multiple body parts, n.e.c.	899	18,990	9,150	9,840	—	400	1,500	3,080	13,880	130

See footnotes at end of table.

TABLE L52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Nonclassifiable	9999	1,450	830	610	–	20	20	180	710	510

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.