

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2014

Part of body	Part of body code ²	Local government ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Total		173,570	3,600	1,090	29,260	7,370	83,990	180
Head	1	11,190	200	50	3,300	470	4,550	–
Head, unspecified	10	2,900	50	–	750	190	1,150	–
Cranial region, including skull	11	3,280	80	20	1,230	70	1,260	–
Cranial region, unspecified	110	30	–	–	20	–	–	–
Brain	111	2,670	80	20	1,200	70	740	–
Scalp	112	190	–	–	–	–	130	–
Skull	113	380	–	–	–	–	370	–
Ear(s)	12	230	–	–	–	20	160	–
Face	13	4,580	70	20	1,220	170	1,930	–
Face, unspecified	130	540	30	–	150	30	170	–
Forehead	131	310	–	–	120	–	110	–
Eye(s)	132	1,890	–	20	230	50	970	–
Nose, nasal cavity	133	390	–	–	130	–	210	–
Nose, except internal location of diseases or disorders	1330	380	–	–	130	–	200	–
Cheek(s)	134	60	–	–	–	–	30	–
Jaw, chin	135	120	–	–	30	–	80	–
Mouth	136	710	–	–	200	60	250	–
Mouth, unspecified	1360	170	–	–	–	–	130	–
Lip(s)	1361	160	–	–	130	–	–	–
Tooth (teeth)	1363	180	–	–	20	–	40	–
Multiple mouth locations	1368	200	–	–	40	–	70	–
Multiple face locations	138	520	–	–	330	20	80	–
Face, n.e.c.	139	40	–	–	–	–	30	–
Multiple head locations	18	160	–	–	70	–	40	–
Head, n.e.c.	19	40	–	–	20	–	–	–
Neck, including throat	2	2,260	–	20	500	110	1,010	–
Neck, except internal location of diseases or disorders	20	2,260	–	20	500	110	1,010	–
Trunk	3	38,050	370	140	5,060	1,960	19,510	–
Trunk, unspecified	30	150	–	–	–	30	90	–
Chest, including ribs, internal organs	31	2,770	–	–	220	30	1,900	–
Chest, except internal location of diseases or disorders	310	2,070	–	–	210	30	1,280	–
Internal chest location, unspecified	311	20	–	–	–	–	–	–
Heart	313	390	–	–	–	–	370	–
Bronchus	314	40	–	–	–	–	40	–
Lung(s), pleura	315	210	–	–	–	–	160	–

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2014

— Continued

Part of body	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Total	7,090	160	10,990	10,060	2,630	16,880
Head	410	—	700	550	140	810
Head, unspecified	120	—	180	200	30	230
Cranial region, including skull	190	—	150	30	60	180
Cranial region, unspecified	—	—	—	—	—	—
Brain	180	—	150	20	50	150
Scalp	—	—	—	—	—	20
Skull	—	—	—	—	—	—
Ear(s)	—	—	—	—	—	20
Face	90	—	350	290	60	380
Face, unspecified	—	—	50	20	—	70
Forehead	—	—	40	—	—	—
Eye(s)	—	—	170	170	40	230
Nose, nasal cavity	—	—	—	—	—	—
Nose, except internal location of diseases or disorders	—	—	—	—	—	—
Cheek(s)	—	—	—	—	—	—
Jaw, chin	—	—	—	—	—	—
Mouth	—	—	70	70	—	50
Mouth, unspecified	—	—	—	—	—	20
Lip(s)	—	—	—	—	—	—
Tooth (teeth)	—	—	70	30	—	20
Multiple mouth locations	—	—	—	—	—	—
Multiple face locations	40	—	—	—	—	—
Face, n.e.c.	—	—	—	—	—	—
Multiple head locations	—	—	—	20	—	—
Head, n.e.c.	—	—	—	—	—	—
Neck, including throat	60	—	180	100	—	260
Neck, except internal location of diseases or disorders	60	—	180	100	—	260
Trunk	950	50	2,950	2,970	760	3,200
Trunk, unspecified	—	—	—	—	—	—
Chest, including ribs, internal organs	50	—	120	210	90	110
Chest, except internal location of diseases or disorders	30	—	120	180	90	110
Internal chest location, unspecified	—	—	—	—	—	—
Heart	—	—	—	—	—	—
Bronchus	—	—	—	—	—	—
Lung(s), pleura	—	—	—	30	—	—

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Back, including spine, spinal cord ..	32	28,090	270	90	4,090	1,600	13,700	—
Back, including spine, spinal cord, unspecified	320	10,300	40	30	1,810	610	4,540	—
Thoracic region	321	1,080	40	—	210	70	580	—
Lumbar region	322	14,720	180	60	1,260	850	7,970	—
Sacral region	323	140	—	—	—	—	90	—
Coccygeal region	324	250	—	—	30	—	100	—
Multiple back regions	328	1,570	—	—	760	60	410	—
Back, including spine, spinal cord, n.e.c.	329	20	—	—	—	—	—	—
Abdomen	33	3,100	40	—	150	90	1,790	—
Abdomen, except internal location of diseases or disorders	330	2,960	30	—	140	90	1,690	—
Internal abdominal location, unspecified	331	70	—	—	—	—	60	—
Intestines, peritoneum	335	60	—	—	—	—	30	—
Intestines, peritoneum, unspecified	3350	30	—	—	—	—	20	—
Intestines, peritoneum, n.e.c.	3359	30	—	—	—	—	—	—
Pelvic region	34	2,820	20	40	500	160	1,430	—
Pelvic region, unspecified	340	40	—	—	40	—	—	—
Hip(s)	341	1,340	20	30	170	100	700	—
Pelvis	342	90	—	—	—	—	30	—
Buttock(s)	343	380	—	—	250	—	70	—
Groin	344	920	—	—	30	40	600	—
External reproductive tract structures	345	20	—	—	—	—	—	—
Multiple pelvic region locations ..	348	20	—	—	—	—	20	—
Multiple trunk locations	38	1,040	30	—	90	40	530	—
Trunk, n.e.c.	39	80	—	—	—	—	70	—
Upper extremities	4	42,570	800	400	4,840	1,790	22,310	—
Upper extremities, unspecified	40	80	—	—	—	—	60	—
Shoulder(s), including clavicle(s), scapula(e)	41	12,270	160	110	920	730	6,510	—
Arm(s)	42	6,560	240	40	910	180	3,080	—
Arm(s), unspecified	420	1,700	160	20	360	70	650	—
Upper arm(s)	421	760	40	—	100	30	340	—
Elbow(s)	422	2,620	—	20	250	50	1,350	—
Forearm(s)	423	740	20	—	90	20	430	—
Multiple arm locations	428	600	—	—	110	—	290	—
Multiple arm locations, unspecified	4280	110	—	—	—	—	—	—

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2014

— Continued

Part of body	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Back, including spine, spinal cord ..	730	40	1,890	2,350	570	2,650
Back, including spine, spinal cord, unspecified	370	—	750	1,000	220	870
Thoracic region	20	—	40	50	—	80
Lumbar region	300	—	1,030	1,120	280	1,620
Sacral region	—	—	—	—	—	—
Coccygeal region	—	—	40	30	—	—
Multiple back regions	30	—	30	130	70	80
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—
Abdomen	—	—	630	220	40	120
Abdomen, except internal location of diseases or disorders	—	—	610	220	40	110
Internal abdominal location, unspecified	—	—	—	—	—	—
Intestines, peritoneum	—	—	—	—	—	—
Intestines, peritoneum, unspecified	—	—	—	—	—	—
Intestines, peritoneum, n.e.c.	—	—	—	—	—	—
Pelvic region	130	—	120	150	20	260
Pelvic region, unspecified	—	—	—	—	—	—
Hip(s)	90	—	50	50	—	130
Pelvis	20	—	—	—	—	—
Buttock(s)	—	—	—	20	—	—
Groin	—	—	60	70	—	90
External reproductive tract structures	—	—	—	—	—	—
Multiple pelvic region locations ..	—	—	—	—	—	—
Multiple trunk locations	20	—	180	40	40	60
Trunk, n.e.c.	—	—	—	—	—	—
Upper extremities	1,570	40	2,720	2,680	520	4,810
Upper extremities, unspecified	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	400	—	1,230	680	160	1,320
Arm(s)	240	40	490	630	60	640
Arm(s), unspecified	60	—	50	190	—	110
Upper arm(s)	20	—	30	50	—	130
Elbow(s)	120	40	240	300	20	230
Forearm(s)	20	—	40	60	—	60
Multiple arm locations	—	—	20	30	—	110
Multiple arm locations, unspecified	—	—	—	—	—	—

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Elbow(s) and arm(s)	4281	260	—	—	70	—	140	—
Multiple arm locations, n.e.c.	4289	220	—	—	40	—	150	—
Arm(s), n.e.c.	429	140	—	—	—	—	20	—
Wrist(s)	43	5,850	120	40	620	300	2,590	—
Hand(s)	44	12,570	100	200	1,230	310	7,440	—
Hand(s), unspecified	440	4,050	—	—	280	130	2,790	—
Hand(s), except finger(s)	441	520	—	—	230	—	180	—
Finger(s), fingernail(s)	442	7,320	60	190	620	170	4,190	—
Finger(s), fingernail(s), unspecified	4420	5,240	60	—	380	140	3,140	—
Fingernail(s), nailbed(s)	4421	40	—	—	—	—	—	—
Fingertip(s)	4422	390	—	—	20	—	100	—
Finger(s), fingernail(s), n.e.c.	4429	1,640	—	190	210	20	930	—
Hand(s) and finger(s)	448	430	20	—	50	—	160	—
Hand(s), n.e.c.	449	260	—	—	50	—	110	—
Multiple upper extremities locations	48	5,190	180	—	1,140	260	2,600	—
Multiple upper extremities locations, unspecified	480	70	—	—	—	—	—	—
Hand(s) and arms(s)	481	440	—	—	30	120	240	—
Hand(s) and arm(s), unspecified	4810	100	—	—	20	—	40	—
Hand(s) and elbow(s)	4811	120	—	—	—	—	110	—
Hand(s) and arm(s), n.e.c.	4819	220	—	—	—	120	90	—
Hand(s) and wrist(s)	482	930	—	—	50	40	680	—
Wrist(s) and arm(s)	483	450	—	—	50	—	250	—
Wrist(s) and arm(s), unspecified	4830	150	—	—	30	—	30	—
Wrist(s) and elbow(s)	4831	50	—	—	—	—	20	—
Wrist(s) and arm(s), n.e.c.	4839	260	—	—	—	—	200	—
Shoulder(s) and arm(s)	484	2,380	150	—	880	80	820	—
Multiple upper extremities locations, n.e.c.	489	920	—	—	120	30	610	—
Upper extremities, n.e.c.	49	50	—	—	—	—	30	—
Lower extremities	5	42,580	1,090	210	8,530	1,680	20,370	90
Lower extremities, unspecified	50	90	—	—	—	—	60	—
Leg(s)	51	24,860	580	130	4,960	930	11,950	70
Leg(s), unspecified	510	2,030	80	—	370	130	970	—
Thigh(s)	511	950	—	—	210	—	580	—
Knee(s)	512	18,060	480	110	3,160	720	8,950	70
Lower leg(s)	513	2,830	—	—	820	70	1,100	—
Multiple leg locations	518	820	—	—	330	—	250	—
Multiple leg locations, unspecified	5180	30	—	—	—	—	30	—

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2014
— Continued

Part of body	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Elbow(s) and arm(s)	—	—	—	—	—	—
Multiple arm locations, n.e.c.	—	—	—	20	—	—
Arm(s), n.e.c.	—	—	—	—	—	—
Wrist(s)	480	—	360	300	140	870
Hand(s)	270	—	590	930	120	1,380
Hand(s), unspecified	50	—	90	210	30	460
Hand(s), except finger(s)	—	—	20	40	—	40
Finger(s), fingernail(s)	170	—	440	660	90	700
Finger(s), fingernail(s), unspecified	150	—	260	580	80	440
Fingernail(s), nailbed(s)	—	—	—	—	—	—
Fingertip(s)	—	—	100	—	—	160
Finger(s), fingernail(s), n.e.c.	20	—	90	80	—	90
Hand(s) and finger(s)	20	—	20	20	—	110
Hand(s), n.e.c.	—	—	—	—	—	70
Multiple upper extremities locations	190	—	60	140	40	580
Multiple upper extremities locations, unspecified	—	—	—	—	—	—
Hand(s) and arms(s)	—	—	20	20	—	—
Hand(s) and arm(s), unspecified	—	—	—	20	—	—
Hand(s) and elbow(s)	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	—	—	—	—	—	—
Hand(s) and wrist(s)	30	—	20	—	—	90
Wrist(s) and arm(s)	20	—	—	30	—	70
Wrist(s) and arm(s), unspecified	20	—	—	30	—	30
Wrist(s) and elbow(s)	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	—	—	—	—	—	20
Shoulder(s) and arm(s)	90	—	20	60	—	250
Multiple upper extremities locations, n.e.c.	30	—	—	20	—	100
Upper extremities, n.e.c.	—	—	—	—	—	—
Lower extremities	1,400	60	2,970	2,050	550	3,550
Lower extremities, unspecified	—	—	—	—	—	—
Leg(s)	690	—	1,910	1,360	400	1,820
Leg(s), unspecified	70	—	60	100	30	210
Thigh(s)	—	—	50	20	—	60
Knee(s)	500	—	1,650	880	160	1,310
Lower leg(s)	60	—	70	300	200	200
Multiple leg locations	60	—	90	60	—	40
Multiple leg locations, unspecified	—	—	—	—	—	—

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Knee(s) and leg(s)	5181	720	—	—	320	—	200	—
Multiple leg locations, n.e.c.	5189	70	—	—	—	—	20	—
Leg(s), n.e.c.	519	170	—	—	60	—	90	—
Ankle(s)	52	9,830	360	50	1,760	410	4,670	—
Foot (feet)	53	6,030	120	30	1,170	260	3,060	—
Foot (feet), unspecified	530	3,880	80	20	700	220	1,850	—
Sole(s)	531	400	—	—	—	—	230	—
Sole(s), unspecified	5310	70	—	—	—	—	50	—
Arch(es), instep(s)	5312	40	—	—	—	—	30	—
Heel(s)	5313	270	—	—	—	—	140	—
Toes(s), toenail(s)	532	1,290	—	—	270	30	810	—
Multiple foot (feet) locations	538	180	—	—	120	—	40	—
Foot (feet), n.e.c.	539	280	—	—	70	—	120	—
Multiple lower extremities locations	58	1,760	30	—	630	70	640	—
Foot (feet) and leg(s)	581	350	—	—	230	—	80	—
Foot(feet) and leg(s), unspecified	5810	30	—	—	—	—	20	—
Foot(feet) and knee(s)	5811	200	—	—	130	—	60	—
Foot(feet) and leg(s), n.e.c.	5819	120	—	—	110	—	—	—
Foot (feet) and ankle(s)	582	400	—	—	120	20	190	—
Ankle(s) and leg(s)	583	720	—	—	200	30	270	—
Ankle(s) and leg(s), unspecified	5830	60	—	—	20	—	20	—
Ankle(s) and knee(s)	5831	590	—	—	170	30	240	—
Ankle(s) and leg(s), n.e.c.	5839	70	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	589	290	—	—	80	—	100	—
Body systems	6	5,350	70	40	580	70	2,160	—
Multiple body parts	8	30,120	1,040	220	6,320	1,270	13,280	60
Multiple body parts, unspecified	80	2,570	60	—	680	30	1,260	—
Head and neck	81	710	20	—	350	20	190	—
Head, neck, and trunk	82	310	—	—	150	—	80	—
Head and trunk	83	690	—	—	20	60	320	—
Neck and back	84	2,020	30	—	200	110	1,080	—
Shoulder(s) and back	85	980	20	—	180	60	420	—
Hip(s) and leg(s)	86	560	—	—	90	—	310	—
Upper and lower limb(s)	87	3,200	30	—	510	100	1,990	—
Other multiple body parts	89	19,080	870	190	4,140	890	7,620	—
Whole body	891	100	—	—	—	—	60	—
Multiple body parts, n.e.c.	899	18,990	870	190	4,140	890	7,560	—

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2014

— Continued

Part of body	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Knee(s) and leg(s)	20	—	70	60	—	40
Multiple leg locations, n.e.c. ...	30	—	—	—	—	—
Leg(s), n.e.c.	—	—	—	—	—	—
Ankle(s)	420	20	430	470	80	1,150
Foot (feet)	210	—	580	200	70	330
Foot (feet), unspecified	130	—	450	130	40	260
Sole(s)	—	—	80	—	—	30
Sole(s), unspecified	—	—	20	—	—	—
Arch(es), instep(s)	—	—	—	—	—	—
Heel(s)	—	—	60	—	—	20
Toes(s), toenail(s)	20	—	40	50	—	20
Multiple foot (feet) locations	—	—	—	—	—	—
Foot (feet), n.e.c.	30	—	—	—	—	20
Multiple lower extremities locations	80	—	40	20	—	240
Foot (feet) and leg(s)	—	—	—	—	—	—
Foot(feet) and leg(s), unspecified	—	—	—	—	—	—
Foot(feet) and knee(s)	—	—	—	—	—	—
Foot(feet) and leg(s), n.e.c. ...	—	—	—	—	—	—
Foot (feet) and ankle(s)	30	—	20	—	—	20
Ankle(s) and leg(s)	20	—	—	—	—	170
Ankle(s) and leg(s), unspecified	—	—	—	—	—	—
Ankle(s) and knee(s)	—	—	—	—	—	120
Ankle(s) and leg(s), n.e.c.	—	—	—	—	—	40
Multiple lower extremities locations, n.e.c.	20	—	—	—	—	50
Body systems	680	—	200	340	210	980
Multiple body parts	1,910	—	1,260	1,200	440	3,100
Multiple body parts, unspecified	110	—	70	130	—	210
Head and neck	40	—	—	20	—	50
Head, neck, and trunk	—	—	—	30	—	20
Head and trunk	50	—	50	—	—	—
Neck and back	30	—	70	50	20	440
Shoulder(s) and back	—	—	50	60	—	190
Hip(s) and leg(s)	110	—	—	—	—	20
Upper and lower limb(s)	280	—	60	—	30	120
Other multiple body parts	1,280	—	930	870	220	2,040
Whole body	—	—	—	—	—	—
Multiple body parts, n.e.c.	1,270	—	930	870	220	2,030

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Nonclassifiable	9999	1,450	20	–	140	30	780	–

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2014
 — Continued

Part of body	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Nonclassifiable	90	—	—	170	—	170

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ *Standard Occupational Classification Manual*, 2010, Office of Management and Budget.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.