

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2014

Nature	Nature code ²	Local government ³	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Total		173,570	1,990	17,990	15,710	34,560	27,620	20,880	10,030	4,870	2,890	1,080	35,940
Traumatic injuries and disorders	1	165,600	1,980	17,260	15,180	33,570	26,150	20,270	9,460	4,700	2,860	1,070	33,100
Traumatic injuries and disorders, unspecified	10	90	-	-	-	-	-	-	20	-	-	-	20
Traumatic injuries to bones, nerves, spinal cord	11	13,420	220	1,860	1,250	2,310	1,670	1,630	860	290	160	230	2,940
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	1,440	-	160	120	250	230	190	60	-	-	-	420
Fractures	111	11,870	220	1,680	1,120	2,020	1,440	1,430	790	280	150	230	2,480
Traumatic injuries to nerves, except the spinal cord	113	60	-	-	-	20	-	-	-	-	-	-	-
Pinched nerve	1131	40	-	-	-	-	-	-	-	-	-	-	-
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	40	-	-	-	20	-	-	-	-	-	-	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	71,820	510	7,650	7,120	15,350	11,650	8,580	3,950	2,300	1,380	560	12,760
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	1,250	-	-	520	520	60	20	50	-	-	-	70
Dislocations	121	1,750	20	350	170	280	260	130	70	220	-	-	240
Dislocations, unspecified	1210	280	-	30	-	150	20	20	-	-	-	-	40
Herniated discs	1211	470	-	20	120	30	70	-	-	-	-	-	30
Dislocation of joints	1212	1,000	20	300	40	100	170	100	60	40	-	-	170
Cartilage fractures and tears	122	910	20	70	50	270	170	150	-	40	-	-	130
Cartilage fractures and tears, unspecified	1220	30	-	-	-	-	-	-	-	-	-	-	-
Meniscus tears	1221	830	20	60	40	230	140	150	-	40	-	-	130
Cartilage fractures and tears, n.e.c.	1229	50	-	-	-	-	30	-	-	-	-	-	-
Sprains, strains, tears	123	65,610	460	7,180	6,350	14,000	10,960	8,140	3,650	2,020	1,360	540	10,950
Sprains, strains, tears, unspecified	1230	5,840	-	300	630	1,740	980	560	230	550	330	-	490
Major tears to muscles, tendons, ligaments	1231	3,150	20	330	340	510	730	390	150	230	40	-	410
Sprains	1232	16,980	220	1,860	1,810	2,870	2,630	2,540	1,230	370	230	90	3,130
Strains	1233	38,050	190	4,620	3,430	8,620	6,350	4,460	1,860	720	700	440	6,670
Multiple sprains, strains, tears	1238	1,590	20	70	140	260	260	200	170	150	70	-	250
Hernias due to traumatic incidents	124	2,090	-	50	40	220	160	100	150	-	-	-	1,350
Whiplash	125	110	-	-	-	40	20	30	-	-	-	-	-
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	60	-	-	-	-	-	-	-	-	-	-	20
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	40	-	-	-	-	20	-	-	-	-	-	-
Open wounds	13	8,630	30	930	840	1,930	1,300	1,270	550	210	50	30	1,510
Open wounds, unspecified	130	90	-	-	-	-	30	-	-	-	-	-	-
Amputations, avulsions, enucleations	131	650	-	350	50	80	80	30	-	-	-	-	30
Amputations	1311	510	-	330	20	50	40	-	-	-	-	-	30
Avulsions, enucleations	1312	140	-	-	30	30	50	-	-	-	-	-	-
Cuts, lacerations	132	5,610	30	470	600	1,300	730	900	420	120	20	30	1,000

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2014 — Continued

Nature	Nature code ²	Local government ³	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Puncture wounds, except gunshot wounds	133	1,940	—	100	170	530	420	290	90	40	—	—	290
Gunshot wounds	134	170	—	—	20	—	20	30	20	—	—	—	20
Multiple types of open wounds	138	170	—	—	—	—	—	—	—	—	—	—	—
Surface wounds and bruises	14	18,430	160	1,540	1,410	4,220	4,200	2,040	670	390	110	60	3,620
Surface wounds and bruises, unspecified	140	30	—	—	—	—	—	20	—	—	—	—	—
Abrasions, scratches	141	810	—	60	110	150	160	120	70	—	—	—	130
Blisters	142	40	—	—	—	—	—	—	—	—	—	20	—
Bruises, contusions	143	17,060	150	1,430	1,270	4,000	3,980	1,820	580	370	100	40	3,330
Multiple surface wounds and bruises	148	380	—	20	30	60	40	50	—	—	—	—	140
Surface wounds and bruises, n.e.c. ...	149	100	—	20	—	—	—	30	—	—	—	—	—
Burns and corrosions	15	1,600	—	140	90	380	430	120	110	110	—	20	200
Burns and corrosions, unspecified	150	150	—	—	—	30	—	—	—	—	—	—	—
Chemical burns and corrosions	151	200	—	50	—	20	20	—	—	—	—	—	80
Chemical burns and corrosions, unspecified	1510	180	—	50	—	—	20	—	—	—	—	—	80
Heat (thermal) burns	152	1,010	—	80	70	320	180	110	110	—	—	20	100
Heat (thermal) burns, unspecified ..	1520	690	—	70	40	190	140	70	90	—	—	—	90
First degree heat (thermal) burns ..	1521	40	—	—	20	—	—	—	—	—	—	—	—
Second degree heat (thermal) burns	1522	230	—	—	20	120	30	20	—	—	—	—	—
Third or fourth degree heat (thermal) burns	1523	30	—	—	—	—	—	—	—	—	—	—	—
Heat (thermal) burns, n.e.c.	1529	30	—	—	—	—	—	—	—	—	—	—	—
Electrical burns	153	230	—	—	—	—	210	—	—	—	—	—	—
Electrical burns, unspecified	1530	230	—	—	—	—	210	—	—	—	—	—	—
Intracranial injuries	16	2,620	60	370	390	580	330	510	110	80	30	—	160
Intracranial injuries, unspecified	160	120	—	—	—	20	30	—	—	—	—	—	30
Concussions	162	2,480	60	370	380	560	300	500	100	70	20	—	130
Effects of environmental conditions	17	390	—	30	—	60	40	120	20	—	—	—	100
Effects of reduced temperature	171	40	—	—	—	—	—	—	—	—	—	—	—
Frostbite	1711	40	—	—	—	—	—	—	—	—	—	—	—
Effects of heat and light	172	350	—	20	—	60	30	120	20	—	—	—	90
Heat fatigue	1723	30	—	—	—	—	—	—	—	—	—	—	—
Heat exhaustion, prostration	1725	230	—	—	—	20	—	80	—	—	—	—	70
Effects of heat and light, n.e.c.	1729	70	—	—	—	—	—	30	—	—	—	—	—
Multiple traumatic injuries and disorders	18	6,640	120	480	900	1,540	1,270	1,060	390	110	60	—	700
Multiple traumatic injuries and disorders, unspecified	180	630	—	70	250	30	60	130	20	—	—	—	70
Cuts and abrasions or bruises	181	700	—	60	90	190	140	60	100	30	—	—	30
Sprains and other injuries	182	3,170	50	280	390	670	730	530	120	60	30	—	310
Sprains and other injuries, unspecified	1820	120	—	40	—	—	20	40	30	—	—	—	—
Sprains and bruises	1821	2,500	40	200	360	600	500	420	70	20	20	—	250
Sprains and cuts	1822	330	—	20	—	20	170	20	—	—	—	—	50
Sprains and other injuries, n.e.c. ...	1829	220	—	20	20	50	40	50	—	—	—	—	—
Fractures and other injuries	183	1,220	50	40	100	370	200	80	90	20	—	—	230

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2014 — Continued

Nature	Nature code ²	Local government ³	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Fractures and other injuries, unspecified	1830	90	—	—	—	—	30	—	—	—	—	—	—
Fractures (except skull fractures) and concussions	1831	20	—	—	—	—	—	—	—	—	—	—	—
Fractures and other injuries, n.e.c.	1839	1,090	40	40	80	340	180	70	90	20	—	—	220
Burns and other injuries, except fractures	184	20	—	—	—	—	—	—	—	—	—	—	—
Burns and other injuries, n.e.c.	1849	20	—	—	—	—	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	900	—	30	60	270	130	260	60	—	20	—	50
Other traumatic injuries and disorders ...	19	41,960	850	4,260	3,190	7,190	5,270	4,940	2,780	1,170	1,050	160	11,090
Other traumatic injuries and disorders, unspecified	190	40	—	—	—	—	—	—	—	—	—	—	—
Electrocutions, electric shocks	193	160	—	—	—	—	30	30	—	20	—	—	30
Dermatitis and reactions affecting the skin—acute	195	500	—	30	40	60	70	50	40	110	—	—	110
Dermatitis and reactions affecting the skin—acute, unspecified	1950	240	—	—	—	30	30	—	40	110	—	—	20
Allergic dermatitis—acute	1951	200	—	20	30	30	20	—	—	—	—	—	80
Irritant dermatitis—acute	1952	30	—	—	—	—	—	—	—	—	—	—	—
Hives, urticaria—acute	1953	30	—	—	—	—	—	30	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	2,140	—	370	260	340	80	230	360	30	—	—	450
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	930	—	260	50	160	20	70	260	—	—	—	80
Poisoning, including poisoning-related asphyxia	1961	120	—	—	—	—	—	—	—	—	—	—	—
Anaphylactic shock, anaphylaxis ...	1962	20	—	—	—	—	—	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	520	—	40	60	50	30	20	80	—	—	—	230
Coughing and throat irritation—toxic, noxious, or allergenic effect	1964	100	—	—	—	—	—	50	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	70	—	—	—	20	—	—	—	—	—	—	—
Other or unspecified allergic reactions	1966	250	—	40	70	80	20	—	—	—	—	—	30
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	20	—	—	—	—	—	—	—	—	—	—	20
Multiple poisoning, toxic, noxious, or allergenic effects	1968	70	—	—	—	20	—	—	—	—	—	—	30
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	40	—	—	—	—	—	—	—	—	—	—	—
Nonspecified injuries and disorders ...	197	38,920	830	3,850	2,870	6,760	5,040	4,520	2,380	1,020	1,050	120	10,480
Crushing injuries	1971	850	—	60	20	250	260	70	20	30	50	—	100
Soreness, pain, hurt—nonspecified injury	1972	33,950	810	3,430	2,530	5,610	4,310	4,140	2,110	980	960	120	8,950

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2014 — Continued

Nature	Nature code ²	Local government ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Swelling, inflammation, irritation—nonspecified injury	1973	3,120	—	160	280	610	360	260	200	—	—	—	1,220
Numbness—nonspecified injury	1974	110	—	—	—	20	20	—	—	—	—	—	50
Multiple nonspecified injuries and disorders	1978	720	—	200	30	200	70	40	30	—	30	—	120
Nonspecified injuries and disorders, n.e.c.	1979	170	—	—	—	70	20	—	—	—	—	—	50
Other traumatic injuries and disorders, n.e.c.	199	170	—	—	—	20	20	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	1999	170	—	—	—	20	20	—	—	—	—	—	—
Diseases and disorders of body systems	2	3,440	—	530	260	550	570	190	350	50	—	—	930
Nervous system and sense organs diseases	22	1,130	—	220	70	70	260	40	—	20	—	—	440
Other disorders of the central nervous system	223	20	—	—	—	—	—	—	—	—	—	—	—
Migraine	2232	20	—	—	—	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system	224	990	—	220	50	60	250	30	—	—	—	—	390
Disorders of the peripheral nervous system, unspecified	2240	40	—	—	—	—	—	—	—	—	—	—	—
Carpal tunnel syndrome	2241	910	—	210	30	50	210	30	—	—	—	—	380
Disorders of the eye, adnexa, vision ..	225	70	—	—	—	—	—	—	—	—	—	—	—
Conjunctivitis—non-viral	2251	30	—	—	—	—	—	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	2259	20	—	—	—	—	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	226	30	—	—	—	—	—	—	—	—	—	—	—
Deafness, hearing loss and impairment	2261	20	—	—	—	—	—	—	—	—	—	—	—
Circulatory system diseases	23	600	—	180	—	50	70	50	80	30	—	—	120
Hypertensive disease	232	80	—	—	—	—	—	—	—	—	—	—	—
Ischemic heart disease, including heart attack	233	280	—	—	—	40	70	30	—	—	—	—	110
Ischemic heart disease, unspecified	2330	30	—	—	—	—	—	—	—	—	—	—	—
Myocardial infarction (heart attack)	2331	210	—	—	—	—	70	30	—	—	—	—	80
Angina	2332	30	—	—	—	—	—	—	—	—	—	—	—
Other forms of heart disease	235	50	—	—	—	—	—	—	—	—	—	—	—
Cerebrovascular disease	236	170	—	160	—	—	—	—	—	—	—	—	—
Stroke	2361	170	—	160	—	—	—	—	—	—	—	—	—
Respiratory system diseases	24	260	—	60	50	20	—	30	—	—	—	—	70
Acute respiratory infections (including common cold)	241	40	—	—	—	—	—	—	—	—	—	—	—
Pneumonia, influenza	243	110	—	—	—	—	—	—	—	—	—	—	70
Pneumonia	2431	110	—	—	—	—	—	—	—	—	—	—	70

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2014 — Continued

Nature	Nature code ²	Local government ³	Hours on the job before event occurred											
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported	
Chronic obstructive pulmonary disease and allied conditions	244	40	—	—	—	—	—	—	—	—	—	—	—	—
Chronic bronchitis	2441	40	—	—	—	—	—	—	—	—	—	—	—	—
Other respiratory system diseases	249	40	—	—	—	—	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	25	110	—	—	—	—	—	20	—	—	—	—	—	60
Hernia—nontraumatic	253	100	—	—	—	—	—	20	—	—	—	—	—	60
Musculoskeletal system and connective tissue diseases and disorders	27	1,140	—	60	110	400	170	30	150	—	—	—	—	200
Arthropathies and related disorders (arthritis)	271	20	—	—	—	—	—	—	—	—	—	—	—	20
Dorsopathies	272	450	—	—	90	260	60	—	—	—	—	—	—	20
Sciatica	2721	30	—	—	—	—	—	—	—	—	—	—	—	—
Lumbago	2722	410	—	—	90	260	60	—	—	—	—	—	—	—
Soft tissue disorders, except the back	273	650	—	50	20	130	110	30	140	—	—	—	—	160
Soft tissue disorder, except the back, unspecified	2730	60	—	—	—	—	—	—	—	—	—	—	—	30
Bursitis	2731	20	—	—	—	—	—	—	—	—	—	—	—	—
Stenosing tenosynovitis	2732	70	—	20	—	—	—	—	—	—	—	—	—	30
Other tenosynovitis, synovitis	2733	30	—	—	—	—	—	—	—	—	—	—	—	—
Epicondylitis	2734	40	—	—	—	20	—	—	—	—	—	—	—	—
Other or unspecified tendonitis (tendinitis)	2735	370	—	20	—	60	80	20	130	—	—	—	—	60
Ganglion or cystic tumor	2736	30	—	—	—	20	—	—	—	—	—	—	—	—
Soft tissue disorder, except the back, n.e.c.	2739	40	—	—	—	—	—	—	—	—	—	—	—	20
Disorders of the skin and subcutaneous tissue	28	190	—	—	30	—	—	—	110	—	—	—	—	30
Infections of the skin and subcutaneous tissue	281	180	—	—	30	—	—	—	110	—	—	—	—	20
Infections of the skin and subcutaneous tissue, unspecified	2810	110	—	—	—	—	—	—	—	—	—	—	—	—
Cellulitis and abscess	2811	20	—	—	—	—	—	—	—	—	—	—	—	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	50	—	—	—	—	—	—	—	—	—	—	—	20
Infectious and parasitic diseases	3	110	—	20	—	—	—	—	—	—	—	—	—	30
Bacterial diseases	31	20	—	—	—	—	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	36	40	—	—	—	—	—	—	—	—	—	—	—	20
Infectious diseases peculiar to the intestines, n.e.c.	369	30	—	—	—	—	—	—	—	—	—	—	—	20
Other infectious and parasitic diseases	39	30	—	—	—	—	—	—	—	—	—	—	—	—
Scabies and other acarases	392	20	—	—	—	—	—	—	—	—	—	—	—	—
Neoplasms, tumors, and cancers	4	120	—	—	—	—	—	—	—	—	—	—	—	70
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	41	110	—	—	—	—	—	—	—	—	—	—	—	60

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2014 — Continued

Nature	Nature code ²	Local government ³	Hours on the job before event occurred											
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported	
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas), unspecified	410	30	—	—	—	—	—	—	—	—	—	—	—	30
Malignant neoplasms and tumors of the skin	412	80	—	—	—	—	—	—	—	—	—	—	—	30
Non-melanoma skin cancer (squamous and basal cell)	4122	40	—	—	—	—	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	1,250	—	130	150	140	290	180	110	50	—	—	—	180
Symptoms	51	1,130	—	130	100	100	270	180	100	50	—	—	—	180
General symptoms	511	610	—	40	80	30	200	140	40	—	—	—	—	80
General symptoms, unspecified	5110	20	—	—	—	—	—	—	—	—	—	—	—	—
Loss of consciousness—not heat related	5111	170	—	—	40	—	70	20	—	—	—	—	—	—
Convulsions, seizures	5112	50	—	—	—	—	—	—	—	—	—	—	—	—
Dizziness—general	5114	280	—	—	40	—	90	100	30	—	—	—	—	—
Inflammation, swelling—general	5115	60	—	—	—	—	—	—	—	—	—	—	—	—
Multiple general symptoms	5118	20	—	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	513	20	—	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue, n.e.c.	5139	20	—	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving head and neck ..	514	90	—	—	—	30	20	—	—	—	—	—	—	—
Headache, except migraine	5141	60	—	—	—	20	—	—	—	—	—	—	—	—
Symptoms involving head and neck, n.e.c.	5149	20	—	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system	515	120	—	—	—	—	30	—	30	—	—	—	—	30
Symptoms involving cardiovascular system, unspecified	5150	50	—	—	—	—	—	—	—	—	—	—	—	—
Unspecified tachycardia (rapid heartbeat)	5151	20	—	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	5159	40	—	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	260	—	70	—	20	20	30	—	50	—	—	—	50
Symptoms involving respiratory system and chest, unspecified	5160	50	—	—	—	—	—	20	—	—	—	—	—	—
Chest pain	5164	120	—	70	—	—	—	—	—	—	—	—	—	30
Multiple symptoms involving respiratory system and chest	5168	20	—	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	70	—	—	—	—	—	—	—	50	—	—	—	—
Multiple symptoms	518	20	—	—	—	—	—	—	—	—	—	—	—	—
Abnormal findings	52	20	—	—	—	—	—	—	—	—	—	—	—	—
Other abnormal findings	529	20	—	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2014 — Continued

Nature	Nature code ²	Local government ³	Hours on the job before event occurred											
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported	
Multiple symptoms, signs, and ill-defined conditions	58	90	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	1,940	—	30	70	250	510	210	70	60	—	—	—	730
Mental disorders and syndromes	62	1,930	—	30	70	250	510	210	70	60	—	—	—	730
Mental disorders and syndromes, unspecified	620	100	—	—	—	—	—	40	—	—	—	—	—	30
Anxiety, stress	621	1,820	—	30	70	250	510	170	70	20	—	—	—	700
Anxiety, stress, unspecified	6210	860	—	20	—	100	70	—	30	—	—	—	—	610
Post-traumatic stress disorder	6211	670	—	—	—	140	440	20	—	—	—	—	—	40
Anxiety or panic disorder	6213	200	—	—	50	—	—	—	—	—	—	—	—	—
Anxiety, stress, n.e.c.	6219	90	—	—	—	—	—	—	30	—	—	—	—	50
Exposures to disease—no illness incurred	7	140	—	30	20	—	30	—	—	—	—	—	—	30
Nonclassifiable	9999	970	—	—	—	40	—	20	—	—	—	—	—	880

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.