

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, local government, 2014

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Total .....		173,570	1,990	17,990	15,710	34,560	27,620	20,880	10,030	4,870	2,890	1,080	35,940
<b>Head</b> .....	1	11,190	100	1,080	1,330	2,630	1,840	1,290	470	300	200	30	1,910
Head, unspecified .....	10	2,900	—	350	260	640	620	220	210	40	80	—	450
Cranial region, including skull .....	11	3,280	70	380	420	630	370	580	120	80	80	20	540
Cranial region, unspecified .....	110	30	—	—	—	—	—	—	—	—	—	—	—
Brain .....	111	2,670	60	370	390	610	330	510	110	80	30	—	180
Scalp .....	112	190	—	—	20	20	20	60	—	—	—	—	30
Skull .....	113	380	—	—	—	—	—	—	—	—	—	—	330
Ear(s) .....	12	230	—	—	20	40	—	—	—	110	—	—	30
Face .....	13	4,580	20	290	620	1,280	810	460	130	80	40	—	860
Face, unspecified .....	130	540	—	30	120	90	40	90	20	40	—	—	110
Forehead .....	131	310	—	—	30	120	80	50	—	—	—	—	—
Eye(s) .....	132	1,890	—	120	240	430	250	180	60	30	—	—	590
Nose, nasal cavity .....	133	390	—	—	—	70	140	30	—	—	—	—	100
Nose, except internal location of diseases or disorders .....	1330	380	—	—	—	70	140	30	—	—	—	—	90
Cheek(s) .....	134	60	—	—	—	20	—	—	—	—	—	—	—
Jaw, chin .....	135	120	—	—	—	60	30	—	—	—	—	—	—
Mouth .....	136	710	—	50	160	320	70	70	—	—	—	—	30
Mouth, unspecified .....	1360	170	—	—	70	—	—	30	—	—	—	—	—
Lip(s) .....	1361	160	—	—	20	120	—	—	—	—	—	—	—
Tooth (teeth) .....	1363	180	—	—	70	20	—	40	—	—	—	—	20
Multiple mouth locations .....	1368	200	—	—	—	110	40	—	—	—	—	—	—
Multiple face locations .....	138	520	—	50	40	180	190	20	—	—	—	—	—
Face, n.e.c. ....	139	40	—	—	—	—	—	—	—	—	—	—	—
Multiple head locations .....	18	160	—	40	—	30	20	20	—	—	—	—	30
Head, n.e.c. ....	19	40	—	—	—	—	—	—	—	—	—	—	—
<b>Neck, including throat</b> .....	2	2,260	30	190	380	530	270	300	100	40	—	—	400
Neck, except internal location of diseases or disorders .....	20	2,260	30	190	380	530	270	300	100	40	—	—	400
<b>Trunk</b> .....	3	38,050	270	3,790	3,690	7,640	5,160	3,620	2,370	940	470	400	9,710
Trunk, unspecified .....	30	150	—	20	20	—	20	—	—	—	—	—	40
Chest, including ribs, internal organs .....	31	2,770	—	320	220	430	280	330	200	80	—	—	900
Chest, except internal location of diseases or disorders .....	310	2,070	—	250	160	370	160	250	100	70	—	—	680
Internal chest location, unspecified .....	311	20	—	—	—	—	—	—	—	—	—	—	—
Heart .....	313	390	—	—	—	40	80	30	90	—	—	—	130
Bronchus .....	314	40	—	—	—	—	—	—	—	—	—	—	—
Lung(s), pleura .....	315	210	—	—	50	—	—	40	—	—	—	—	80
Back, including spine, spinal cord .....	32	28,090	190	2,870	2,790	6,030	3,960	2,620	1,780	750	370	340	6,400
Back, including spine, spinal cord, unspecified .....	320	10,300	90	780	1,120	2,340	1,330	870	840	240	120	40	2,540
Thoracic region .....	321	1,080	—	80	70	250	180	110	40	30	—	40	280
Lumbar region .....	322	14,720	90	1,900	1,440	3,130	2,310	1,460	860	460	220	250	2,600
Sacral region .....	323	140	—	—	20	20	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, local government, 2014 — Continued

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Coccygeal region .....	324	250	—	40	—	120	—	40	—	—	—	—	20
Multiple back regions .....	328	1,570	—	60	120	180	140	120	—	—	30	—	890
Back, including spine, spinal cord, n.e.c. ....	329	20	—	—	—	—	—	—	—	—	—	—	—
Abdomen .....	33	3,100	—	100	120	340	310	310	170	30	—	30	1,680
Abdomen, except internal location of diseases or disorders .....	330	2,960	—	90	120	330	300	290	170	30	—	30	1,600
Internal abdominal location, unspecified .....	331	70	—	—	—	—	—	—	—	—	—	—	40
Intestines, peritoneum .....	335	60	—	—	—	—	—	—	—	—	—	—	30
Intestines, peritoneum, unspecified .....	3350	30	—	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum, n.e.c. ....	3359	30	—	—	—	—	—	—	—	—	—	—	—
Pelvic region .....	34	2,820	60	300	430	510	430	310	190	50	—	—	530
Pelvic region, unspecified .....	340	40	—	—	—	40	—	—	—	—	—	—	—
Hip(s) .....	341	1,340	60	80	50	340	180	190	100	40	—	—	300
Pelvis .....	342	90	—	20	—	—	—	20	20	—	—	—	20
Buttock(s) .....	343	380	—	160	30	50	90	—	30	—	—	—	20
Groin .....	344	920	—	40	340	80	140	90	40	—	—	—	180
External reproductive tract structures ..	345	20	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations .....	348	20	—	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations .....	38	1,040	—	190	110	320	160	50	30	—	—	20	160
Trunk, n.e.c. ....	39	80	—	—	—	—	—	—	—	—	—	—	—
<b>Upper extremities .....</b>	<b>4</b>	<b>42,570</b>	<b>230</b>	<b>5,130</b>	<b>3,820</b>	<b>9,360</b>	<b>7,110</b>	<b>5,380</b>	<b>2,090</b>	<b>830</b>	<b>710</b>	<b>120</b>	<b>7,790</b>
Upper extremities, unspecified .....	40	80	—	—	—	20	50	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e) .....	41	12,270	70	1,560	1,160	2,580	2,090	1,840	610	200	100	50	2,000
Arm(s) .....	42	6,560	70	680	590	1,300	1,000	920	360	170	120	20	1,330
Arm(s), unspecified .....	420	1,700	20	190	130	350	200	210	100	70	90	—	340
Upper arm(s) .....	421	760	—	70	60	200	120	140	50	—	—	—	120
Elbow(s) .....	422	2,620	30	240	290	530	350	380	130	60	—	—	610
Forearm(s) .....	423	740	—	40	70	100	170	50	70	—	—	—	220
Multiple arm locations .....	428	600	—	40	30	120	160	140	20	—	—	—	30
Multiple arm locations, unspecified ..	4280	110	—	—	—	—	—	110	—	—	—	—	—
Elbow(s) and arm(s) .....	4281	260	—	40	20	50	40	30	—	—	—	—	20
Multiple arm locations, n.e.c. ....	4289	220	—	—	—	70	120	—	—	—	—	—	—
Arm(s), n.e.c. ....	429	140	—	100	—	—	—	—	—	—	—	—	—
Wrist(s) .....	43	5,850	40	1,140	440	1,210	650	640	170	70	70	30	1,380
Hand(s) .....	44	12,570	30	1,360	1,170	2,340	2,770	1,460	760	330	120	20	2,210
Hand(s), unspecified .....	440	4,050	—	310	390	640	970	420	180	70	20	—	1,040
Hand(s), except finger(s) .....	441	520	—	130	—	80	30	190	20	—	—	—	20
Finger(s), fingernail(s) .....	442	7,320	20	860	730	1,440	1,630	810	520	200	100	—	990
Finger(s), fingernail(s), unspecified ..	4420	5,240	—	760	400	1,070	950	530	350	180	90	—	900
Fingernail(s), nailbed(s) .....	4421	40	—	—	—	—	—	—	—	—	—	—	—
Fingertip(s) .....	4422	390	—	—	—	30	270	—	40	—	—	—	—
Finger(s), fingernail(s), n.e.c. ....	4429	1,640	—	70	320	330	420	260	130	—	—	—	80
Hand(s) and finger(s) .....	448	430	—	—	30	130	100	30	20	—	—	—	90
Hand(s), n.e.c. ....	449	260	—	50	—	50	40	—	20	—	—	—	70

See footnotes at end of table.

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, local government, 2014 — Continued

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Multiple upper extremities locations .....	48	5,190	—	390	450	1,890	530	520	180	50	300	—	870
Multiple upper extremities locations, unspecified .....	480	70	—	—	—	—	60	—	—	—	—	—	—
Hand(s) and arms(s) .....	481	440	—	—	40	220	40	90	—	—	—	—	30
Hand(s) and arm(s), unspecified .....	4810	100	—	—	20	30	20	—	—	—	—	—	—
Hand(s) and elbow(s) .....	4811	120	—	—	—	70	—	30	—	—	—	—	20
Hand(s) and arm(s), n.e.c. ....	4819	220	—	—	20	110	—	60	—	—	—	—	—
Hand(s) and wrist(s) .....	482	930	—	70	30	260	80	50	30	—	270	—	120
Wrist(s) and arm(s) .....	483	450	—	—	80	50	60	30	—	—	—	—	210
Wrist(s) and arm(s), unspecified .....	4830	150	—	—	20	30	40	20	—	—	—	—	30
Wrist(s) and elbow(s) .....	4831	50	—	—	—	—	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c. ....	4839	260	—	—	40	—	20	—	—	—	—	—	180
Shoulder(s) and arm(s) .....	484	2,380	—	240	190	1,100	150	240	—	30	20	—	390
Multiple upper extremities locations, n.e.c. ....	489	920	—	40	120	250	140	110	130	—	—	—	120
Upper extremities, n.e.c. ....	49	50	—	—	—	20	—	—	—	—	—	—	—
<b>Lower extremities</b> .....	<b>5</b>	<b>42,580</b>	<b>660</b>	<b>4,360</b>	<b>3,210</b>	<b>8,430</b>	<b>6,540</b>	<b>5,560</b>	<b>2,680</b>	<b>1,480</b>	<b>930</b>	<b>440</b>	<b>8,270</b>
Lower extremities, unspecified .....	50	90	—	—	—	—	—	—	50	—	—	—	20
Leg(s) .....	51	24,860	420	2,210	1,870	5,120	4,370	2,980	1,400	750	480	140	5,130
Leg(s), unspecified .....	510	2,030	30	160	260	370	240	170	110	140	—	40	520
Thigh(s) .....	511	950	—	150	70	90	180	150	50	60	30	—	160
Knee(s) .....	512	18,060	360	1,690	1,360	3,830	3,190	2,330	1,120	380	360	80	3,370
Lower leg(s) .....	513	2,830	20	160	90	720	360	210	90	160	20	—	1,000
Multiple leg locations .....	518	820	—	40	90	110	380	50	20	—	70	—	40
Multiple leg locations, unspecified ...	5180	30	—	—	—	—	—	20	—	—	—	—	—
Knee(s) and leg(s) .....	5181	720	—	40	80	100	350	30	—	—	60	—	30
Multiple leg locations, n.e.c. ....	5189	70	—	—	—	—	20	—	20	—	—	—	—
Leg(s), n.e.c. ....	519	170	—	—	—	—	30	70	—	—	—	—	40
Ankle(s) .....	52	9,830	160	1,480	720	1,620	1,190	1,620	700	390	390	60	1,480
Foot (feet) .....	53	6,030	50	460	450	1,460	760	520	380	230	60	210	1,460
Foot (feet), unspecified .....	530	3,880	40	290	220	970	440	310	310	180	30	180	900
Sole(s) .....	531	400	—	40	40	110	60	30	30	—	—	—	80
Sole(s), unspecified .....	5310	70	—	20	—	—	—	—	—	—	—	—	40
Arch(es), instep(s) .....	5312	40	—	30	—	—	—	—	—	—	—	—	—
Heel(s) .....	5313	270	—	—	30	90	50	30	30	—	—	—	30
Toes(s), toenail(s) .....	532	1,290	—	70	150	180	210	140	20	40	30	—	440
Multiple foot (feet) locations .....	538	180	—	—	—	130	—	—	—	—	—	—	—
Foot (feet), n.e.c. ....	539	280	—	50	30	70	50	20	—	20	—	—	30
Multiple lower extremities locations .....	58	1,760	30	200	170	220	210	440	150	120	—	40	180
Foot (feet) and leg(s) .....	581	350	—	40	—	20	40	220	—	—	—	—	—
Foot(feet) and leg(s), unspecified ....	5810	30	—	—	—	—	—	—	—	—	—	—	—
Foot(feet) and knee(s) .....	5811	200	—	30	—	—	40	—	—	—	—	—	—
Foot(feet) and leg(s), n.e.c. ....	5819	120	—	—	—	—	—	110	—	—	—	—	—
Foot (feet) and ankle(s) .....	582	400	—	50	40	80	60	30	40	60	—	—	—
Ankle(s) and leg(s) .....	583	720	20	100	100	90	90	100	30	50	—	—	140
Ankle(s) and leg(s), unspecified .....	5830	60	—	20	—	—	—	—	—	—	—	—	—
Ankle(s) and knee(s) .....	5831	590	—	70	90	80	80	100	30	40	—	—	90

See footnotes at end of table.

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, local government, 2014 — Continued

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Hours on the job before event occurred										Not reported	
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours		
Ankle(s) and leg(s), n.e.c. ....	5839	70	—	—	—	—	—	—	—	—	—	—	—	40
Multiple lower extremities locations, n.e.c. ....	589	290	—	20	20	30	—	90	70	—	—	—	—	20
<b>Body systems</b> .....	6	5,350	—	390	430	630	920	740	570	200	30	30	—	1,400
<b>Multiple body parts</b> .....	8	30,120	690	3,030	2,840	5,060	5,660	3,920	1,700	1,060	510	60	—	5,590
Multiple body parts, unspecified .....	80	2,570	40	370	440	240	480	180	40	120	50	—	—	610
Head and neck .....	81	710	—	70	50	130	240	70	30	20	—	—	—	120
Head, neck, and trunk .....	82	310	—	20	30	40	20	—	—	—	—	—	—	170
Head and trunk .....	83	690	50	40	240	60	—	20	—	—	—	—	—	240
Neck and back .....	84	2,020	20	180	310	380	250	330	150	30	30	—	—	340
Shoulder(s) and back .....	85	980	—	40	80	200	170	230	40	—	90	—	—	120
Hip(s) and leg(s) .....	86	560	—	20	80	190	120	20	—	—	—	—	—	100
Upper and lower limb(s) .....	87	3,200	160	230	130	420	340	330	130	90	20	—	—	1,360
Other multiple body parts .....	89	19,080	410	2,050	1,470	3,400	4,030	2,730	1,300	800	310	40	—	2,540
Whole body .....	891	100	—	—	—	20	—	—	—	—	—	—	—	30
Multiple body parts, n.e.c. ....	899	18,990	410	2,040	1,470	3,370	4,020	2,730	1,280	800	310	40	—	2,510

See footnotes at end of table.

**TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, local government, 2014 — Continued**

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
<b>Nonclassifiable .....</b>	9999	1,450	–	30	–	260	130	60	40	30	20	–	860

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.  
 Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.