

TABLE L93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, local government, 2014

Part of body	Part of body code ²	Local government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Total		173,570	5,190	17,210	55,540	37,130	16,760	9,660	32,090
Head	1	11,190	280	980	4,240	2,490	1,100	460	1,630
Head, unspecified	10	2,900	140	270	1,020	540	340	160	430
Cranial region, including skull	11	3,280	70	460	1,210	750	250	60	490
Cranial region, unspecified	110	30	—	—	—	—	—	—	—
Brain	111	2,670	60	420	1,110	650	240	40	150
Scalp	112	190	—	30	40	90	—	20	—
Skull	113	380	—	—	50	—	—	—	330
Ear(s)	12	230	—	—	50	30	110	—	30
Face	13	4,580	70	220	1,890	1,120	380	240	660
Face, unspecified	130	540	—	40	250	100	40	20	90
Forehead	131	310	20	20	80	170	—	—	—
Eye(s)	132	1,890	40	100	820	350	90	90	410
Nose, nasal cavity	133	390	—	—	100	60	60	70	100
Nose, except internal location of diseases or disorders	1330	380	—	—	100	60	60	70	90
Cheek(s)	134	60	—	—	30	—	—	—	—
Jaw, chin	135	120	—	—	70	30	—	—	—
Mouth	136	710	—	—	440	110	110	20	30
Mouth, unspecified	1360	170	—	—	140	30	—	—	—
Lip(s)	1361	160	—	—	140	—	—	—	—
Tooth (teeth)	1363	180	—	—	90	50	—	20	20
Multiple mouth locations	1368	200	—	—	70	—	110	—	—
Multiple face locations	138	520	—	60	80	290	60	20	—
Face, n.e.c.	139	40	—	—	—	—	—	20	—
Multiple head locations	18	160	—	—	70	40	—	—	30
Head, n.e.c.	19	40	—	—	—	—	—	—	—
Neck, including throat	2	2,260	120	180	840	450	150	130	380
Neck, except internal location of diseases or disorders	20	2,260	120	180	840	450	150	130	380
Trunk	3	38,050	1,120	3,970	11,920	7,540	2,980	1,710	8,820
Trunk, unspecified	30	150	—	40	20	20	20	—	20
Chest, including ribs, internal organs	31	2,770	70	280	670	560	230	180	780
Chest, except internal location of diseases or disorders	310	2,070	50	250	550	360	90	150	620
Internal chest location, unspecified	311	20	—	—	—	—	—	—	—
Heart	313	390	—	—	50	120	130	—	70
Bronchus	314	40	—	—	—	—	—	—	—
Lung(s), pleura	315	210	—	—	30	40	—	—	80
Back, including spine, spinal cord	32	28,090	620	3,140	9,520	5,660	2,170	1,160	5,820
Back, including spine, spinal cord, unspecified	320	10,300	170	970	3,700	2,100	690	230	2,430
Thoracic region	321	1,080	—	110	370	220	40	60	260
Lumbar region	322	14,720	420	1,890	4,950	3,110	1,380	820	2,150
Sacral region	323	140	—	20	30	20	—	—	—
Coccygeal region	324	250	—	30	130	60	—	—	20
Multiple back regions	328	1,570	—	110	330	150	50	40	880

See footnotes at end of table.

TABLE L93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Back, including spine, spinal cord, n.e.c.	329	20	—	—	—	—	—	—	—
Abdomen	33	3,100	120	100	550	480	160	80	1,600
Abdomen, except internal location of diseases or disorders	330	2,960	120	100	540	450	160	60	1,520
Internal abdominal location, unspecified	331	70	—	—	—	30	—	—	40
Intestines, peritoneum	335	60	—	—	—	—	—	20	30
Intestines, peritoneum, unspecified	3350	30	—	—	—	—	—	—	—
Intestines, peritoneum, n.e.c.	3359	30	—	—	—	—	—	—	—
Pelvic region	34	2,820	270	280	760	690	230	110	480
Pelvic region, unspecified	340	40	—	—	40	—	—	—	—
Hip(s)	341	1,340	30	90	370	370	140	60	280
Pelvis	342	90	—	—	20	40	—	—	20
Buttock(s)	343	380	—	160	50	140	—	—	20
Groin	344	920	240	30	270	130	70	40	150
External reproductive tract structures ..	345	20	—	—	—	—	—	—	—
Multiple pelvic region locations	348	20	—	—	—	—	—	—	—
Multiple trunk locations	38	1,040	—	130	390	120	160	100	130
Trunk, n.e.c.	39	80	—	—	—	—	—	—	—
Upper extremities	4	42,570	1,250	4,650	14,300	8,380	4,850	2,170	6,970
Upper extremities, unspecified	40	80	—	—	60	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	12,270	280	1,840	3,790	2,500	1,290	870	1,710
Arm(s)	42	6,560	110	540	2,330	1,390	730	200	1,260
Arm(s), unspecified	420	1,700	30	140	540	320	270	70	320
Upper arm(s)	421	760	20	110	260	220	40	—	110
Elbow(s)	422	2,620	30	220	910	500	310	80	580
Forearm(s)	423	740	20	50	230	140	60	20	220
Multiple arm locations	428	600	—	20	270	210	50	—	30
Multiple arm locations, unspecified ..	4280	110	—	—	—	110	—	—	—
Elbow(s) and arm(s)	4281	260	—	20	100	50	40	—	20
Multiple arm locations, n.e.c.	4289	220	—	—	160	50	—	—	—
Arm(s), n.e.c.	429	140	—	—	130	—	—	—	—
Wrist(s)	43	5,850	220	940	1,800	1,010	330	220	1,310
Hand(s)	44	12,570	480	990	3,910	2,670	1,900	730	1,900
Hand(s), unspecified	440	4,050	280	270	940	870	590	170	930
Hand(s), except finger(s)	441	520	—	180	120	160	40	—	—
Finger(s), fingernail(s)	442	7,320	190	480	2,560	1,530	1,190	540	820
Finger(s), fingernail(s), unspecified ..	4420	5,240	160	400	1,470	1,110	950	400	740
Fingernail(s), nailbed(s)	4421	40	—	20	—	—	—	—	—
Fingertip(s)	4422	390	—	—	290	70	—	—	—
Finger(s), fingernail(s), n.e.c.	4429	1,640	30	60	790	330	240	130	70
Hand(s) and finger(s)	448	430	—	20	210	60	60	—	70
Hand(s), n.e.c.	449	260	—	30	80	40	30	—	70
Multiple upper extremities locations	48	5,190	150	340	2,380	800	590	150	790
Multiple upper extremities locations, unspecified	480	70	—	—	—	60	—	—	—
Hand(s) and arms(s)	481	440	—	—	220	60	100	—	30

See footnotes at end of table.

TABLE L93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Hand(s) and arm(s), unspecified	4810	100	—	—	40	20	30	—	—
Hand(s) and elbow(s)	4811	120	—	—	—	30	—	—	20
Hand(s) and arm(s), n.e.c.	4819	220	—	—	120	—	70	—	—
Hand(s) and wrist(s)	482	930	30	40	340	90	300	40	80
Wrist(s) and arm(s)	483	450	—	30	110	40	50	—	210
Wrist(s) and arm(s), unspecified	4830	150	—	—	80	20	—	—	30
Wrist(s) and elbow(s)	4831	50	—	20	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	260	—	—	20	—	40	—	180
Shoulder(s) and arm(s)	484	2,380	80	220	1,330	310	40	40	360
Multiple upper extremities locations, n.e.c.	489	920	30	30	370	240	100	40	120
Upper extremities, n.e.c.	49	50	—	—	30	—	—	—	—
Lower extremities	5	42,580	1,330	4,040	12,880	10,280	4,170	2,530	7,350
Lower extremities, unspecified	50	90	—	—	—	—	50	—	20
Leg(s)	51	24,860	690	2,240	7,470	6,340	2,230	1,360	4,540
Leg(s), unspecified	510	2,030	70	280	490	270	350	130	440
Thigh(s)	511	950	60	70	270	320	20	60	160
Knee(s)	512	18,060	510	1,660	5,900	4,550	1,560	990	2,910
Lower leg(s)	513	2,830	40	140	590	720	260	110	960
Multiple leg locations	518	820	—	80	180	410	30	70	40
Multiple leg locations, unspecified ...	5180	30	—	—	—	20	—	—	—
Knee(s) and leg(s)	5181	720	—	80	150	360	20	60	30
Multiple leg locations, n.e.c.	5189	70	—	—	30	30	—	—	—
Leg(s), n.e.c.	519	170	—	—	40	80	—	—	40
Ankle(s)	52	9,830	440	1,120	2,950	2,180	1,270	550	1,300
Foot (feet)	53	6,030	90	480	2,010	1,180	440	520	1,310
Foot (feet), unspecified	530	3,880	70	310	1,270	740	320	400	780
Sole(s)	531	400	—	50	110	80	20	50	80
Sole(s), unspecified	5310	70	—	—	20	—	—	—	40
Arch(es), instep(s)	5312	40	—	—	—	30	—	—	—
Heel(s)	5313	270	—	40	90	40	20	50	30
Toes(s), toenail(s)	532	1,290	—	80	400	260	70	60	410
Multiple foot (feet) locations	538	180	—	—	130	20	—	—	—
Foot (feet), n.e.c.	539	280	—	40	100	80	20	—	30
Multiple lower extremities locations	58	1,760	110	190	440	570	190	90	170
Foot (feet) and leg(s)	581	350	—	—	60	230	—	—	—
Foot(feet) and leg(s), unspecified	5810	30	—	—	—	—	—	—	—
Foot(feet) and knee(s)	5811	200	—	—	50	120	—	—	—
Foot(feet) and leg(s), n.e.c.	5819	120	—	—	—	110	—	—	—
Foot (feet) and ankle(s)	582	400	20	30	140	100	90	20	—
Ankle(s) and leg(s)	583	720	20	130	190	130	60	50	140
Ankle(s) and leg(s), unspecified	5830	60	—	30	—	—	—	—	—
Ankle(s) and knee(s)	5831	590	—	100	170	130	50	50	90
Ankle(s) and leg(s), n.e.c.	5839	70	—	—	20	—	—	—	40
Multiple lower extremities locations, n.e.c.	589	290	70	—	50	100	40	—	—
Body systems	6	5,350	240	360	1,440	1,270	320	520	1,200

See footnotes at end of table.

TABLE L93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Multiple body parts	8	30,120	830	2,990	9,560	6,570	3,120	2,110	4,940
Multiple body parts, unspecified	80	2,570	20	250	830	660	230	90	490
Head and neck	81	710	20	40	220	250	60	—	110
Head, neck, and trunk	82	310	—	20	70	40	—	—	160
Head and trunk	83	690	—	90	300	40	20	—	220
Neck and back	84	2,020	20	310	480	340	400	160	300
Shoulder(s) and back	85	980	30	80	260	400	20	80	100
Hip(s) and leg(s)	86	560	—	30	170	240	—	—	90
Upper and lower limb(s)	87	3,200	70	350	680	570	120	130	1,270
Other multiple body parts	89	19,080	650	1,820	6,550	4,010	2,240	1,620	2,200
Whole body	891	100	20	—	30	—	—	—	30
Multiple body parts, n.e.c.	899	18,990	620	1,810	6,520	4,010	2,240	1,620	2,160

See footnotes at end of table.

TABLE L93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Nonclassifiable	9999	1,450	40	30	360	140	70	30	790

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.