

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, state government, 2011²

Part of body	Part of body code ³	State government ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		73,790	700	4,270	2,970	1,520	2,370
Head	1	4,980	230	100	220	110	160
Head, unspecified	10	1,220	—	—	130	90	50
Cranial region, including skull	11	640	—	—	40	—	20
Cranial region, unspecified	110	40	—	—	—	—	—
Brain	111	460	—	—	30	—	—
Scalp	112	120	—	—	—	—	20
Skull	113	30	—	—	—	—	—
Ear(s)	12	70	—	—	—	—	—
Face	13	2,900	150	20	30	—	80
Face, unspecified	130	480	—	—	—	—	—
Forehead	131	680	—	—	—	—	—
Eye(s)	132	1,030	140	20	—	—	—
Nose, nasal cavity	133	130	—	—	—	—	30
Nose, except internal location of diseases or disorders	1330	130	—	—	—	—	30
Cheek(s)	134	60	—	—	—	—	—
Jaw, chin	135	40	—	—	—	—	—
Mouth	136	130	—	—	—	—	—
Lip(s)	1361	70	—	—	—	—	—
Tooth (teeth)	1363	30	—	—	—	—	—
Multiple mouth locations	1368	30	—	—	—	—	—
Multiple face locations	138	280	—	—	—	—	30
Face, n.e.c.	139	70	—	—	—	—	—
Multiple head locations	18	130	—	—	—	—	—
Head, n.e.c.	19	30	—	—	—	—	—
Neck, including throat	2	1,940	—	50	210	30	30
Neck, except internal location of diseases or disorders ...	20	1,940	—	50	210	30	30
Trunk	3	14,960	40	1,670	810	450	680
Trunk, unspecified	30	60	—	—	—	—	—
Chest, including ribs, internal organs	31	1,350	40	40	60	—	20
Chest, except internal location of diseases or disorders	310	1,250	—	40	60	—	—
Internal chest location, unspecified	311	20	—	—	—	—	20
Heart	313	30	—	—	—	—	—
Lung(s), pleura	315	40	20	—	—	—	—
Back, including spine, spinal cord	32	11,860	—	1,450	570	400	530
Back, including spine, spinal cord, unspecified	320	5,020	—	740	260	290	140
Thoracic region	321	280	—	40	20	—	—
Lumbar region	322	6,200	—	670	280	100	380
Sacral region	323	50	—	—	—	—	—
Coccygeal region	324	70	—	—	—	—	—
Multiple back regions	328	220	—	—	—	—	20
Back, including spine, spinal cord, n.e.c.	329	20	—	—	—	—	—

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, state government, 2011² — Continued

Part of body	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Total	13,040	1,280	6,610	11,050	10,250	21,030	9,690	8,640
Head	540	40	280	20	—	2,530	1,070	750
Head, unspecified	260	—	140	—	—	350	220	110
Cranial region, including skull	180	—	90	—	—	220	110	60
Cranial region, unspecified	—	—	—	—	—	—	—	—
Brain	150	—	50	—	—	160	70	50
Scalp	—	—	—	—	—	40	40	—
Skull	20	—	—	—	—	—	—	—
Ear(s)	—	—	—	—	—	20	20	—
Face	90	20	40	—	—	1,900	690	560
Face, unspecified	—	—	—	—	—	440	270	20
Forehead	30	—	—	—	—	630	—	—
Eye(s)	—	—	20	—	—	350	160	470
Nose, nasal cavity	20	—	—	—	—	70	20	—
Nose, except internal location of diseases or disorders	20	—	—	—	—	70	20	—
Cheek(s)	—	—	—	—	—	40	—	—
Jaw, chin	—	—	—	—	—	20	—	—
Mouth	20	—	—	—	—	90	70	—
Lip(s)	—	—	—	—	—	70	70	—
Tooth (teeth)	20	—	—	—	—	—	—	—
Multiple mouth locations	—	—	—	—	—	20	—	—
Multiple face locations	—	—	—	—	—	200	70	30
Face, n.e.c.	—	—	—	—	—	60	50	—
Multiple head locations	—	—	—	—	—	30	20	20
Head, n.e.c.	—	—	—	—	—	—	—	—
Neck, including throat	50	—	330	130	130	1,060	280	50
Neck, except internal location of diseases or disorders ...	50	—	330	130	130	1,060	280	50
Trunk	1,380	300	1,250	2,620	2,560	4,460	2,690	1,280
Trunk, unspecified	—	—	—	—	—	—	—	20
Chest, including ribs, internal organs	160	20	290	170	130	400	230	150
Chest, except internal location of diseases or disorders	160	20	290	140	130	390	230	140
Internal chest location, unspecified	—	—	—	—	—	—	—	—
Heart	—	—	—	20	—	—	—	—
Lung(s), pleura	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	930	240	870	2,180	2,160	3,720	2,230	940
Back, including spine, spinal cord, unspecified	390	120	380	940	940	1,460	1,030	300
Thoracic region	20	20	40	30	30	100	60	—
Lumbar region	450	100	420	1,140	1,130	2,040	1,050	610
Sacral region	—	—	—	—	—	40	30	—
Coccygeal region	30	—	—	—	—	—	—	—
Multiple back regions	40	—	—	60	60	60	60	20
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Abdomen	33	500	—	110	20	—	90
Abdomen, except internal location of diseases or disorders	330	460	—	110	20	—	90
Pelvic region	34	720	—	50	150	20	30
Pelvic region, unspecified	340	20	—	—	—	—	—
Hip(s)	341	280	—	—	—	—	—
Buttock(s)	343	210	—	—	130	—	—
Groin	344	200	—	40	—	20	30
Multiple trunk locations	38	460	—	20	—	—	—
Upper extremities	4	19,170	40	1,840	740	610	910
Upper extremities, unspecified	40	100	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	4,860	—	620	240	110	130
Arm(s)	42	3,530	—	240	180	50	150
Arm(s), unspecified	420	920	—	140	50	—	20
Upper arm(s)	421	310	—	—	50	30	—
Elbow(s)	422	1,560	—	40	50	—	40
Forearm(s)	423	480	—	40	20	—	50
Multiple arm locations	428	200	—	—	—	—	—
Multiple arm locations, unspecified	4280	60	—	—	—	—	—
Elbow(s) and arm(s)	4281	40	—	—	—	—	—
Multiple arm locations, n.e.c.	4289	100	—	—	—	—	—
Arm(s), n.e.c.	429	60	—	—	—	—	—
Wrist(s)	43	2,150	—	110	80	40	40
Hand(s)	44	5,440	20	120	210	360	560
Hand(s), unspecified	440	1,760	—	20	100	60	170
Hand(s), except finger(s)	441	340	—	—	—	—	20
Finger(s), fingernail(s)	442	3,000	—	100	90	260	340
Finger(s), fingernail(s), unspecified	4420	2,240	—	70	50	200	170
Fingernail(s), nailbed(s)	4421	60	—	—	—	—	—
Fingertip(s)	4422	60	—	—	—	—	30
Finger(s), fingernail(s), n.e.c.	4429	630	—	20	40	50	140
Hand(s) and finger(s)	448	270	—	—	—	40	—
Hand(s), n.e.c.	449	70	—	—	—	—	—
Multiple upper extremities locations	48	3,070	—	750	20	50	30
Multiple upper extremities locations, unspecified	480	20	—	—	—	—	—
Hand(s) and arms(s)	481	230	—	—	—	—	—
Hand(s) and arm(s), unspecified	4810	50	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	180	—	—	—	—	—
Hand(s) and wrist(s)	482	360	—	—	—	—	—
Wrist(s) and arm(s)	483	750	—	—	—	—	—
Wrist(s) and arm(s), unspecified	4830	50	—	—	—	—	—
Wrist(s) and elbow(s)	4831	650	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	50	—	—	—	—	—
Shoulder(s) and arm(s)	484	650	—	100	—	40	—
Multiple upper extremities locations, n.e.c.	489	1,040	—	630	—	—	—

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, state government, 2011² — Continued

Part of body	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Abdomen	—	—	20	60	60	110	90	70
Abdomen, except internal location of diseases or disorders	—	—	—	50	50	100	90	50
Pelvic region	170	—	40	100	100	120	70	40
Pelvic region, unspecified	—	—	—	—	—	—	—	—
Hip(s)	120	—	40	50	50	40	30	20
Buttock(s)	30	—	—	30	30	—	—	—
Groin	—	—	—	30	30	60	20	—
Multiple trunk locations	100	—	40	100	100	110	60	50
Upper extremities	1,960	800	1,330	2,170	2,150	5,510	2,610	3,190
Upper extremities, unspecified	—	—	20	50	50	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	590	200	500	500	490	1,260	860	690
Arm(s)	400	110	140	270	270	1,380	520	570
Arm(s), unspecified	130	50	50	40	40	250	170	160
Upper arm(s)	50	—	—	20	20	110	100	30
Elbow(s)	140	—	50	150	150	820	130	240
Forearm(s)	60	—	40	30	30	170	130	60
Multiple arm locations	20	40	—	—	—	30	—	50
Multiple arm locations, unspecified	—	—	—	—	—	—	—	—
Elbow(s) and arm(s)	—	20	—	—	—	—	—	—
Multiple arm locations, n.e.c.	—	—	—	—	—	20	—	—
Arm(s), n.e.c.	—	—	—	20	20	—	—	20
Wrist(s)	340	70	40	700	700	520	330	200
Hand(s)	310	360	560	200	200	1,240	650	1,480
Hand(s), unspecified	80	90	210	70	70	400	200	550
Hand(s), except finger(s)	20	—	—	40	40	110	50	90
Finger(s), fingernail(s)	190	250	330	70	70	570	310	790
Finger(s), fingernail(s), unspecified	90	220	320	50	50	410	220	640
Fingernail(s), nailbed(s)	—	—	—	—	—	—	—	40
Fingertip(s)	—	—	—	—	—	—	—	—
Finger(s), fingernail(s), n.e.c.	90	20	—	—	—	150	100	100
Hand(s) and finger(s)	—	—	—	20	20	130	60	30
Hand(s), n.e.c.	—	—	—	—	—	30	30	20
Multiple upper extremities locations	310	60	80	440	430	1,070	240	250
Multiple upper extremities locations, unspecified	—	—	—	—	—	20	—	—
Hand(s) and arms(s)	30	—	—	90	90	50	20	40
Hand(s) and arm(s), unspecified	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	—	—	—	80	80	30	20	40
Hand(s) and wrist(s)	100	—	—	90	90	90	60	60
Wrist(s) and arm(s)	60	—	—	20	20	640	20	—
Wrist(s) and arm(s), unspecified	30	—	—	—	—	—	—	—
Wrist(s) and elbow(s)	30	—	—	—	—	620	—	—
Wrist(s) and arm(s), n.e.c.	—	—	—	—	—	—	—	—
Shoulder(s) and arm(s)	60	—	40	190	180	130	70	80
Multiple upper extremities locations, n.e.c.	70	50	20	60	60	150	70	40

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Lower extremities	5	15,920	—	370	490	210	370
Lower extremities, unspecified	50	50	—	—	—	—	—
Leg(s)	51	9,960	—	190	260	70	180
Leg(s), unspecified	510	750	—	—	30	—	40
Thigh(s)	511	260	—	—	—	—	—
Knee(s)	512	8,060	—	160	230	50	110
Lower leg(s)	513	650	—	—	—	—	—
Multiple leg locations	518	230	—	—	—	—	—
Multiple leg locations, unspecified	5180	40	—	—	—	—	—
Knee(s) and leg(s)	5181	150	—	—	—	—	—
Multiple leg locations, n.e.c.	5189	30	—	—	—	—	—
Leg(s), n.e.c.	519	20	—	—	—	—	—
Ankle(s)	52	3,080	—	100	30	60	30
Foot (feet)	53	2,120	—	70	200	80	160
Foot (feet), unspecified	530	1,480	—	50	70	50	120
Sole(s)	531	90	—	—	—	—	—
Arch(es), instep(s)	5312	20	—	—	—	—	—
Heel(s)	5313	60	—	—	—	—	—
Toes(s), toenail(s)	532	430	—	20	120	30	30
Multiple foot (feet) locations	538	20	—	—	—	—	—
Foot (feet), n.e.c.	539	90	—	—	—	—	—
Multiple lower extremities locations	58	700	—	—	—	—	—
Foot (feet) and leg(s)	581	100	—	—	—	—	—
Foot(feet) and knee(s)	5811	30	—	—	—	—	—
Foot(feet) and leg(s), n.e.c.	5819	60	—	—	—	—	—
Foot (feet) and ankle(s)	582	170	—	—	—	—	—
Ankle(s) and leg(s)	583	300	—	—	—	—	—
Ankle(s) and knee(s)	5831	230	—	—	—	—	—
Ankle(s) and leg(s), n.e.c.	5839	70	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	589	130	—	—	—	—	—
Body systems	6	2,950	370	—	—	—	60
Multiple body parts	8	13,200	—	230	500	90	100
Multiple body parts, unspecified	80	590	—	30	30	—	—
Head and neck	81	340	—	—	40	—	—
Head, neck, and trunk	82	190	—	—	—	—	—
Head and trunk	83	80	—	—	—	—	—
Neck and back	84	700	—	20	50	—	—
Shoulder(s) and back	85	390	—	—	20	—	—
Hip(s) and leg(s)	86	150	—	—	20	—	—
Upper and lower limb(s)	87	1,510	—	—	—	—	—
Other multiple body parts	89	9,250	—	170	330	60	80
Whole body	891	60	—	—	—	—	—
Multiple body parts, n.e.c.	899	9,190	—	170	330	60	80

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, state government, 2011² — Continued

Part of body	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Lower extremities	4,580	60	930	4,740	4,720	2,990	880	1,120
Lower extremities, unspecified	—	—	—	—	—	—	—	—
Leg(s)	2,800	50	370	3,060	3,060	2,440	580	510
Leg(s), unspecified	280	20	80	120	120	40	20	120
Thigh(s)	70	—	20	80	80	40	40	30
Knee(s)	2,140	20	260	2,590	2,580	2,200	400	280
Lower leg(s)	210	—	—	200	200	130	120	50
Multiple leg locations	90	—	—	80	80	20	—	20
Multiple leg locations, unspecified	30	—	—	—	—	—	—	—
Knee(s) and leg(s)	50	—	—	60	60	20	—	20
Multiple leg locations, n.e.c.	20	—	—	—	—	—	—	—
Leg(s), n.e.c.	—	—	—	—	—	—	—	—
Ankle(s)	1,130	—	280	1,050	1,030	240	110	160
Foot (feet)	370	—	270	430	430	160	110	350
Foot (feet), unspecified	270	—	200	360	360	110	100	240
Sole(s)	20	—	—	30	30	—	—	20
Arch(es), instep(s)	—	—	—	—	—	—	—	—
Heel(s)	—	—	—	—	—	—	—	20
Toes(s), toenail(s)	60	—	50	—	—	50	—	70
Multiple foot (feet) locations	—	—	—	—	—	—	—	—
Foot (feet), n.e.c.	20	—	20	30	30	—	—	20
Multiple lower extremities locations	280	—	20	170	170	130	80	80
Foot (feet) and leg(s)	40	—	—	20	20	30	—	—
Foot(feet) and knee(s)	—	—	—	—	—	—	—	—
Foot(feet) and leg(s), n.e.c.	20	—	—	—	—	—	—	—
Foot (feet) and ankle(s)	60	—	—	60	60	20	—	20
Ankle(s) and leg(s)	150	—	—	50	50	40	—	50
Ankle(s) and knee(s)	110	—	—	50	50	—	—	50
Ankle(s) and leg(s), n.e.c.	40	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	30	—	—	40	40	40	30	—
Body systems	—	—	—	670	60	510	150	1,310
Multiple body parts	4,450	70	2,430	680	610	3,850	1,920	650
Multiple body parts, unspecified	170	—	180	70	70	80	50	20
Head and neck	20	—	30	—	—	220	170	30
Head, neck, and trunk	40	—	90	—	—	50	40	—
Head and trunk	30	—	30	—	—	20	—	—
Neck and back	90	—	300	20	20	190	80	20
Shoulder(s) and back	110	—	50	50	50	120	70	20
Hip(s) and leg(s)	100	—	—	—	—	—	—	—
Upper and lower limb(s)	1,140	—	20	40	40	130	20	100
Other multiple body parts	2,760	60	1,730	500	420	3,030	1,480	450
Whole body	40	—	—	—	—	—	—	—
Multiple body parts, n.e.c.	2,720	60	1,730	500	420	3,020	1,470	450

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Nonclassifiable	9999	670	—	—	—	—	70

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, state government, 2011² — Continued

Part of body	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Nonclassifiable	80	—	40	30	30	120	90	310

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 1; Containers = 21; Furniture and fixtures = 22; Machinery = 3; Parts and materials = 4; Floors, walkways, or ground surfaces = 66; Handtools = 71-73; Vehicles = 8; Person--injured or ill worker = 56; Worker motion or position = 562; Person--other than injured or ill worker = 57; Health care patient = 574; All other sources = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁶ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
 Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.