

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, state government, 2011²

Part of body	Part of body code ³	State government ⁴	Event or exposure leading to injury or illness ⁵							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Total		73,790	8,550	4,290	2,650	890	17,600	2,310	12,100	2,720
Head	1	4,980	1,090	560	310	–	690	70	600	–
Head, unspecified	10	1,220	360	240	130	–	340	30	300	–
Cranial region, including skull	11	640	130	60	60	–	210	30	180	–
Cranial region, unspecified	110	40	–	–	–	–	–	–	–	–
Brain	111	460	70	20	40	–	180	30	150	–
Scalp	112	120	60	40	20	–	–	–	–	–
Skull	113	30	–	–	–	–	20	–	–	–
Ear(s)	12	70	20	–	–	–	–	–	–	–
Face	13	2,900	480	170	100	–	120	–	110	–
Face, unspecified	130	480	–	–	–	–	20	–	20	–
Forehead	131	680	20	–	20	–	30	–	30	–
Eye(s)	132	1,030	350	100	50	–	–	–	–	–
Nose, nasal cavity	133	130	40	40	–	–	20	–	20	–
Nose, except internal location of diseases or disorders	1330	130	40	40	–	–	20	–	20	–
Cheek(s)	134	60	–	–	–	–	–	–	–	–
Jaw, chin	135	40	–	–	–	–	–	–	–	–
Mouth	136	130	20	–	–	–	30	–	20	–
Lip(s)	1361	70	–	–	–	–	–	–	–	–
Tooth (teeth)	1363	30	–	–	–	–	30	–	20	–
Multiple mouth locations	1368	30	–	–	–	–	–	–	–	–
Multiple face locations	138	280	30	–	–	–	–	–	–	–
Face, n.e.c.	139	70	–	–	–	–	–	–	–	–
Multiple head locations	18	130	80	70	–	–	–	–	–	–
Head, n.e.c.	19	30	–	–	–	–	–	–	–	–
Neck, including throat	2	1,940	40	–	30	–	70	–	40	–
Neck, except internal location of diseases or disorders	20	1,940	40	–	30	–	70	–	40	–
Trunk	3	14,960	540	280	70	50	2,280	210	1,640	370
Trunk, unspecified	30	60	–	–	–	–	30	–	30	–
Chest, including ribs, internal organs	31	1,350	120	80	30	–	180	20	170	–
Chest, except internal location of diseases or disorders	310	1,250	120	80	30	–	180	20	170	–
Internal chest location, unspecified	311	20	–	–	–	–	–	–	–	–
Heart	313	30	–	–	–	–	–	–	–	–
Lung(s), pleura	315	40	–	–	–	–	–	–	–	–
Back, including spine, spinal cord	32	11,860	370	150	40	50	1,570	170	1,020	320
Back, including spine, spinal cord, unspecified	320	5,020	190	100	–	–	600	40	440	90
Thoracic region	321	280	20	–	–	–	30	–	20	–
Lumbar region	322	6,200	120	40	20	40	820	110	490	190
Sacral region	323	50	–	–	–	–	–	–	–	–

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, state government, 2011² — Continued

Part of body	Event or exposure leading to injury or illness ⁵											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁶
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Total	21,110	5,530	1,720	3,220	4,570	3,210	20	18,280	7,700	9,220	1,260	440
Head	—	—	—	510	170	130	—	2,510	2,140	310	60	—
Head, unspecified	—	—	—	110	80	70	—	320	260	60	—	—
Cranial region, including skull	—	—	—	—	70	40	—	220	210	—	—	—
Cranial region, unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Brain	—	—	—	—	40	—	—	160	160	—	—	—
Scalp	—	—	—	—	—	—	—	50	40	—	—	—
Skull	—	—	—	—	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	—	—	—	—	20	20	—	—	—
Face	—	—	—	380	—	—	—	1,900	1,610	240	50	—
Face, unspecified	—	—	—	—	—	—	—	440	420	20	—	—
Forehead	—	—	—	—	—	—	—	630	630	—	—	—
Eye(s)	—	—	—	340	—	—	—	320	240	50	20	—
Nose, nasal cavity	—	—	—	—	—	—	—	70	50	20	—	—
Nose, except internal location of diseases or disorders	—	—	—	—	—	—	—	70	50	20	—	—
Cheek(s)	—	—	—	—	—	—	—	50	40	—	—	—
Jaw, chin	—	—	—	—	—	—	—	20	—	—	—	—
Mouth	—	—	—	—	—	—	—	90	30	50	—	—
Lip(s)	—	—	—	—	—	—	—	70	—	—	—	—
Tooth (teeth)	—	—	—	—	—	—	—	—	—	—	—	—
Multiple mouth locations	—	—	—	—	—	—	—	20	—	—	—	—
Multiple face locations	—	—	—	20	—	—	—	220	140	70	—	—
Face, n.e.c.	—	—	—	—	—	—	—	50	40	—	—	—
Multiple head locations	—	—	—	—	—	—	—	30	30	—	—	—
Head, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Neck, including throat	490	130	—	20	280	240	—	1,040	840	190	—	—
Neck, except internal location of diseases or disorders ...	490	130	—	—	280	240	—	1,040	840	190	—	—
Trunk	8,190	3,000	110	130	1,010	490	—	2,700	790	1,870	30	100
Trunk, unspecified	20	—	—	—	—	—	—	—	—	—	—	—
Chest, including ribs, internal organs	270	30	—	90	290	40	—	350	250	100	—	50
Chest, except internal location of diseases or disorders	240	20	—	—	290	40	—	350	250	100	—	50
Internal chest location, unspecified	—	—	—	20	—	—	—	—	—	—	—	—
Heart	30	—	—	—	—	—	—	—	—	—	—	—
Lung(s), pleura	—	—	—	40	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	7,070	2,610	100	—	680	420	—	2,120	400	1,710	—	50
Back, including spine, spinal cord, unspecified	3,040	1,350	50	—	450	240	—	730	250	470	—	20
Thoracic region	170	60	—	—	20	20	—	40	—	30	—	—
Lumbar region	3,710	1,180	50	—	210	170	—	1,300	110	1,190	—	30
Sacral region	30	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Event or exposure leading to injury or illness ⁵							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Coccygeal region	324	70	-	-	-	-	40	-	30	-
Multiple back regions	328	220	-	-	-	-	80	-	30	40
Back, including spine, spinal cord, n.e.c.	329	20	-	-	-	-	-	-	-	-
Abdomen	33	500	-	-	-	-	-	-	-	-
Abdomen, except internal location of diseases or disorders	330	460	-	-	-	-	-	-	-	-
Pelvic region	34	720	-	-	-	-	360	-	320	30
Pelvic region, unspecified	340	20	-	-	-	-	-	-	-	-
Hip(s)	341	280	-	-	-	-	160	-	140	20
Buttock(s)	343	210	-	-	-	-	160	-	150	-
Groin	344	200	-	-	-	-	20	-	20	-
Multiple trunk locations	38	460	40	40	-	-	130	20	100	-
Upper extremities	4	19,170	4,190	2,150	1,260	630	2,440	410	1,800	200
Upper extremities, unspecified	40	100	-	-	-	-	-	-	-	-
Shoulder(s), including clavicle(s), scapula(e)	41	4,860	280	130	110	20	810	140	580	100
Arm(s)	42	3,530	470	110	330	30	510	90	360	50
Arm(s), unspecified	420	920	110	70	30	-	150	-	100	30
Upper arm(s)	421	310	20	-	-	-	60	20	30	-
Elbow(s)	422	1,560	270	20	250	-	180	40	130	-
Forearm(s)	423	480	30	-	20	-	90	-	80	-
Multiple arm locations	428	200	40	-	40	-	20	-	-	-
Multiple arm locations, unspecified	4280	60	-	-	-	-	-	-	-	-
Elbow(s) and arm(s)	4281	40	-	-	-	-	-	-	-	-
Multiple arm locations, n.e.c.	4289	100	-	-	-	-	-	-	-	-
Arm(s), n.e.c.	429	60	-	-	-	-	-	-	-	-
Wrist(s)	43	2,150	240	170	40	20	380	50	330	-
Hand(s)	44	5,440	3,030	1,640	750	540	360	70	280	-
Hand(s), unspecified	440	1,760	1,000	420	370	180	110	30	60	-
Hand(s), except finger(s)	441	340	140	80	30	20	30	20	-	-
Finger(s), fingernail(s)	442	3,000	1,800	1,080	320	320	210	20	190	-
Finger(s), fingernail(s), unspecified	4420	2,240	1,370	820	240	260	110	-	90	-
Fingernail(s), nailbed(s)	4421	60	50	40	-	-	-	-	-	-
Fingertip(s)	4422	60	50	20	-	30	-	-	-	-
Finger(s), fingernail(s), n.e.c.	4429	630	320	200	80	20	100	-	100	-
Hand(s) and finger(s)	448	270	80	30	30	20	-	-	-	-
Hand(s), n.e.c.	449	70	20	-	-	-	-	-	-	-
Multiple upper extremities locations	48	3,070	180	110	20	30	370	60	260	50
Multiple upper extremities locations, unspecified	480	20	-	-	-	-	-	-	-	-
Hand(s) and arms(s)	481	230	30	-	-	-	30	-	20	-
Hand(s) and arm(s), unspecified	4810	50	20	-	-	-	-	-	-	-
Hand(s) and arm(s), n.e.c.	4819	180	-	-	-	-	-	-	-	-
Hand(s) and wrist(s)	482	360	30	20	-	-	110	-	80	-
Wrist(s) and arm(s)	483	750	-	-	-	-	70	20	40	-

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, state government, 2011² — Continued

Part of body	Event or exposure leading to injury or illness ⁵											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁶
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Coccygeal region	-	-	-	-	-	-	-	-	-	-	-	-
Multiple back regions	110	20	-	-	-	-	-	20	-	-	-	-
Back, including spine, spinal cord, n.e.c.	-	-	-	-	-	-	-	-	-	-	-	-
Abdomen	430	220	-	-	-	-	-	40	30	-	-	-
Abdomen, except internal location of diseases or disorders	410	220	-	-	-	-	-	40	30	-	-	-
Pelvic region	210	100	-	20	-	-	-	110	60	30	20	-
Pelvic region, unspecified	-	-	-	-	-	-	-	-	-	-	-	-
Hip(s)	60	-	-	-	-	-	-	40	30	-	-	-
Buttock(s)	-	-	-	20	-	-	-	-	-	-	-	-
Groin	130	80	-	-	-	-	-	50	30	20	-	-
Multiple trunk locations	190	40	-	-	30	20	-	80	60	20	-	-
Upper extremities	6,490	1,900	1,450	320	790	440	-	4,880	1,250	3,300	280	50
Upper extremities, unspecified	50	-	50	-	20	20	-	20	-	-	-	-
Shoulder(s), including clavicle(s), scapula(e)	2,530	740	150	-	320	270	-	900	310	570	-	20
Arm(s)	990	200	180	130	80	40	-	1,330	190	1,030	110	-
Arm(s), unspecified	290	50	-	80	40	30	-	240	20	190	20	-
Upper arm(s)	170	50	-	-	-	-	-	40	20	30	-	-
Elbow(s)	330	60	130	-	-	-	-	780	60	710	-	-
Forearm(s)	110	-	-	30	30	-	-	190	70	100	30	-
Multiple arm locations	70	30	-	-	-	-	-	80	20	-	-	-
Multiple arm locations, unspecified	-	-	-	-	-	-	-	60	-	-	-	-
Elbow(s) and arm(s)	20	-	-	-	-	-	-	-	-	-	-	-
Multiple arm locations, n.e.c.	40	30	-	-	-	-	-	20	20	-	-	-
Arm(s), n.e.c.	30	-	20	-	-	-	-	-	-	-	-	-
Wrist(s)	1,070	90	680	-	40	30	-	430	210	170	50	-
Hand(s)	390	50	190	130	300	60	-	1,210	390	680	110	-
Hand(s), unspecified	100	-	60	70	70	60	-	410	110	210	80	-
Hand(s), except finger(s)	40	-	40	-	-	-	-	130	70	40	-	-
Finger(s), fingernail(s)	150	40	70	50	240	-	-	550	150	370	-	-
Finger(s), fingernail(s), unspecified	60	-	50	50	240	-	-	410	70	310	-	-
Fingernail(s), nailbed(s)	-	-	-	-	-	-	-	-	-	-	-	-
Fingertip(s)	-	-	-	-	-	-	-	-	-	-	-	-
Finger(s), fingernail(s), n.e.c.	70	30	-	-	-	-	-	130	80	50	-	-
Hand(s) and finger(s)	90	-	20	-	-	-	-	90	50	40	-	-
Hand(s), n.e.c.	-	-	-	-	-	-	-	40	-	-	-	-
Multiple upper extremities locations	1,460	810	200	50	20	20	-	980	130	840	-	-
Multiple upper extremities locations, unspecified	-	-	-	-	-	-	-	20	20	-	-	-
Hand(s) and arms(s)	110	-	-	50	-	-	-	-	-	-	-	-
Hand(s) and arm(s), unspecified	-	-	-	-	-	-	-	-	-	-	-	-
Hand(s) and arm(s), n.e.c.	100	-	-	40	-	-	-	-	-	-	-	-
Hand(s) and wrist(s)	140	40	90	-	-	-	-	80	-	70	-	-
Wrist(s) and arm(s)	40	-	20	-	-	-	-	640	-	630	-	-

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Event or exposure leading to injury or illness ⁵							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Wrist(s) and arm(s), unspecified	4830	50	—	—	—	—	30	—	30	—
Wrist(s) and elbow(s)	4831	650	—	—	—	—	30	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	50	—	—	—	—	—	—	—	—
Shoulder(s) and arm(s)	484	650	40	—	—	—	70	—	50	—
Multiple upper extremities locations, n.e.c.	489	1,040	70	60	—	—	90	20	60	—
Lower extremities	5	15,920	2,070	1,000	860	160	6,460	900	3,510	1,780
Lower extremities, unspecified	50	50	—	—	—	—	—	—	—	—
Leg(s)	51	9,960	620	200	350	50	3,910	430	2,410	920
Leg(s), unspecified	510	750	160	60	90	—	310	20	270	20
Thigh(s)	511	260	20	—	—	—	100	—	70	30
Knee(s)	512	8,060	390	110	230	30	3,120	380	1,850	830
Lower leg(s)	513	650	40	—	—	—	260	20	130	30
Multiple leg locations	518	230	—	—	—	—	110	—	90	—
Multiple leg locations, unspecified	5180	40	—	—	—	—	30	—	20	—
Knee(s) and leg(s)	5181	150	—	—	—	—	60	—	50	—
Multiple leg locations, n.e.c.	5189	30	—	—	—	—	20	—	20	—
Leg(s), n.e.c.	519	20	—	—	—	—	—	—	—	—
Ankle(s)	52	3,080	340	70	230	40	1,680	290	740	580
Foot (feet)	53	2,120	1,020	700	270	30	470	70	160	190
Foot (feet), unspecified	530	1,480	620	410	180	20	380	60	130	150
Sole(s)	531	90	30	20	—	—	30	—	—	20
Arch(es), instep(s)	5312	20	—	—	—	—	—	—	—	—
Heel(s)	5313	60	20	—	—	—	30	—	—	—
Toes(s), toenail(s)	532	430	340	240	70	—	30	—	—	—
Multiple foot (feet) locations	538	20	—	—	—	—	—	—	—	—
Foot (feet), n.e.c.	539	90	20	20	—	—	20	—	—	20
Multiple lower extremities locations	58	700	70	20	—	40	390	110	200	80
Foot (feet) and leg(s)	581	100	—	—	—	—	40	—	30	—
Foot(feet) and knee(s)	5811	30	—	—	—	—	—	—	—	—
Foot(feet) and leg(s), n.e.c.	5819	60	—	—	—	—	20	—	20	—
Foot (feet) and ankle(s)	582	170	30	—	—	—	100	40	20	40
Ankle(s) and leg(s)	583	300	—	—	—	—	210	60	110	40
Ankle(s) and knee(s)	5831	230	—	—	—	—	160	30	100	30
Ankle(s) and leg(s), n.e.c.	5839	70	—	—	—	—	40	30	—	—
Multiple lower extremities locations, n.e.c.	589	130	30	—	—	30	50	—	30	—
Body systems	6	2,950	—	—	—	—	—	—	—	—
Multiple body parts	8	13,200	610	300	100	40	5,560	700	4,410	350
Multiple body parts, unspecified	80	590	—	—	—	—	230	20	150	30
Head and neck	81	340	60	20	40	—	30	—	30	—
Head, neck, and trunk	82	190	—	—	—	—	40	—	40	—
Head and trunk	83	80	—	—	—	—	30	20	20	—

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, state government, 2011² — Continued

Part of body	Event or exposure leading to injury or illness ⁵											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁶
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Wrist(s) and arm(s), unspecified	-	-	-	-	-	-	-	-	-	-	-	-
Wrist(s) and elbow(s)	-	-	-	-	-	-	-	620	-	620	-	-
Wrist(s) and arm(s), n.e.c.	20	-	-	-	-	-	-	-	-	-	-	-
Shoulder(s) and arm(s)	410	120	30	-	-	-	-	110	30	70	-	-
Multiple upper extremities locations, n.e.c.	750	640	50	-	-	-	-	120	50	60	-	-
Lower extremities	4,200	220	20	70	290	90	-	2,770	350	2,300	110	60
Lower extremities, unspecified	-	-	-	-	-	-	-	30	-	-	-	-
Leg(s)	2,860	160	20	40	130	30	-	2,380	270	2,010	90	30
Leg(s), unspecified	160	-	-	-	20	-	-	80	-	-	50	-
Thigh(s)	80	-	-	-	-	-	-	40	-	20	-	-
Knee(s)	2,310	150	20	-	100	20	-	2,120	200	1,910	-	20
Lower leg(s)	210	-	-	-	-	-	-	120	50	60	20	-
Multiple leg locations	80	-	-	-	-	-	-	20	-	20	-	-
Multiple leg locations, unspecified	-	-	-	-	-	-	-	-	-	-	-	-
Knee(s) and leg(s)	60	-	-	-	-	-	-	20	-	20	-	-
Multiple leg locations, n.e.c.	-	-	-	-	-	-	-	-	-	-	-	-
Leg(s), n.e.c.	-	-	-	-	-	-	-	-	-	-	-	-
Ankle(s)	780	40	-	-	70	60	-	180	20	150	-	30
Foot (feet)	390	-	-	30	90	-	-	100	20	80	-	-
Foot (feet), unspecified	340	-	-	-	80	-	-	50	-	30	-	-
Sole(s)	20	-	-	-	-	-	-	-	-	-	-	-
Arch(es), instep(s)	-	-	-	-	-	-	-	-	-	-	-	-
Heel(s)	-	-	-	-	-	-	-	-	-	-	-	-
Toes(s), toenail(s)	-	-	-	-	-	-	-	50	-	50	-	-
Multiple foot (feet) locations	-	-	-	-	-	-	-	-	-	-	-	-
Foot (feet), n.e.c.	20	-	-	-	-	-	-	-	-	-	-	-
Multiple lower extremities locations	150	-	-	-	-	-	-	70	20	50	-	-
Foot (feet) and leg(s)	20	-	-	-	-	-	-	30	-	30	-	-
Foot(feet) and knee(s)	-	-	-	-	-	-	-	-	-	-	-	-
Foot(feet) and leg(s), n.e.c.	-	-	-	-	-	-	-	-	-	-	-	-
Foot (feet) and ankle(s)	30	-	-	-	-	-	-	20	-	-	-	-
Ankle(s) and leg(s)	70	-	-	-	-	-	-	-	-	-	-	-
Ankle(s) and knee(s)	40	-	-	-	-	-	-	-	-	-	-	-
Ankle(s) and leg(s), n.e.c.	-	-	-	-	-	-	-	-	-	-	-	-
Multiple lower extremities locations, n.e.c.	30	-	-	-	-	-	-	-	-	-	-	-
Body systems	250	-	60	1,820	-	-	-	820	140	20	660	30
Multiple body parts	1,400	280	70	170	2,000	1,780	-	3,420	2,160	1,170	50	40
Multiple body parts, unspecified	100	20	20	-	160	130	-	80	60	-	-	-
Head and neck	-	-	-	-	20	20	-	220	120	70	-	-
Head, neck, and trunk	-	-	-	-	90	90	-	50	30	20	-	-
Head and trunk	-	-	-	-	30	-	-	20	-	-	-	-

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Event or exposure leading to injury or illness ⁵							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Neck and back	84	700	—	—	—	—	140	—	120	—
Shoulder(s) and back	85	390	30	30	—	—	150	—	120	—
Hip(s) and leg(s)	86	150	—	—	—	—	100	—	100	—
Upper and lower limb(s)	87	1,510	—	—	—	—	1,340	90	1,220	30
Other multiple body parts	89	9,250	490	240	50	30	3,500	540	2,630	270
Whole body	891	60	—	—	—	—	50	—	40	—
Multiple body parts, n.e.c.	899	9,190	490	240	50	30	3,460	540	2,590	270

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, state government, 2011² — Continued

Part of body	Event or exposure leading to injury or illness ⁵											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁶
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Neck and back	110	30	—	—	270	240	—	160	110	40	—	—
Shoulder(s) and back	90	30	—	—	30	30	—	90	50	40	—	—
Hip(s) and leg(s)	30	—	—	—	—	—	—	—	—	—	—	—
Upper and lower limb(s)	30	—	—	—	—	—	—	130	50	80	—	—
Other multiple body parts	1,030	180	40	160	1,370	1,240	—	2,670	1,730	900	30	30
Whole body	—	—	—	—	—	—	—	—	—	—	—	—
Multiple body parts, n.e.c.	1,020	180	40	160	1,370	1,240	—	2,660	1,720	890	30	30

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Event or exposure leading to injury or illness ⁵							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Nonclassifiable	9999	670	–	–	–	–	90	–	90	–

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, state government, 2011² — Continued

Part of body	Event or exposure leading to injury or illness ⁵											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁶
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Nonclassifiable	80	–	–	170	40	40	–	140	20	60	60	140

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 6; Struck by object = 62; Struck against object = 63; Caught in or compressed or crushed = 64; Falls, slips, trips, Total = 4; Fall to lower level = 43; Fall on same level = 42; Slips or trips without fall = 41; Overexertion and bodily reaction, Total = 7; In lifting = 711; Repetitive motion = 72; Exposure to harmful substance or environment = 5; Transportation accidents, Total = 2; Roadway accident = 26; Fires and explosions = 3; Violence and other injuries by persons or animals, Total = 1; Intentional injury by other person = 111; Injury by person-unintentional or intent unknown = 12; Animal and other insect related = 13; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁶ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.