

TABLE S24. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, state government, 2011<sup>3</sup>

Part of body	Part of body code <sup>4</sup>	State government <sup>5</sup>	Event or exposure leading to injury or illness <sup>6</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Total [73,790 cases] .....		186.4	21.6	10.8	6.7	2.2	44.5	5.8	30.6	6.9
<b>Head</b> .....	1	12.6	2.7	1.4	.8	—	1.7	.2	1.5	—
Head, unspecified .....	10	3.1	.9	.6	.3	—	.9	.1	.7	—
Cranial region, including skull .....	11	1.6	.3	.2	.2	—	.5	.1	.5	—
Cranial region, unspecified .....	110	.1	—	—	—	—	—	—	—	—
Brain .....	111	1.2	.2	.1	.1	—	.5	.1	.4	—
Scalp .....	112	.3	.1	.1	( <sup>8</sup> )	—	—	—	—	—
Skull .....	113	.1	—	—	—	( <sup>8</sup> )	—	—	—	—
Ear(s) .....	12	.2	( <sup>8</sup> )	—	—	—	—	—	—	—
Face .....	13	7.3	1.2	.4	.3	—	.3	—	.3	—
Face, unspecified .....	130	1.2	—	—	—	( <sup>8</sup> )	—	( <sup>8</sup> )	—	—
Forehead .....	131	1.7	.1	—	( <sup>8</sup> )	—	.1	—	.1	—
Eye(s) .....	132	2.6	.9	.3	.1	—	—	—	—	—
Nose, nasal cavity .....	133	.3	.1	.1	—	( <sup>8</sup> )	—	( <sup>8</sup> )	—	—
Nose, except internal location of diseases or disorders .....	1330	.3	.1	.1	—	( <sup>8</sup> )	—	( <sup>8</sup> )	—	—
Cheek(s) .....	134	.1	—	—	—	—	—	—	—	—
Jaw, chin .....	135	.1	—	—	—	—	—	—	—	—
Mouth .....	136	.3	( <sup>8</sup> )	—	—	—	.1	—	.1	—
Lip(s) .....	1361	.2	—	—	—	—	—	—	—	—
Tooth (teeth) .....	1363	.1	—	—	—	—	.1	—	.1	—
Multiple mouth locations .....	1368	.1	—	—	—	—	—	—	—	—
Multiple face locations .....	138	.7	.1	—	—	—	—	—	—	—
Face, n.e.c. .....	139	.2	—	—	—	—	—	—	—	—
Multiple head locations .....	18	.3	.2	.2	—	—	—	—	—	—
Head, n.e.c. .....	19	.1	—	—	—	—	—	—	—	—
<b>Neck, including throat</b> .....	2	4.9	.1	—	.1	—	.2	—	.1	—
Neck, except internal location of diseases or disorders ...	20	4.9	.1	—	.1	—	.2	—	.1	—
<b>Trunk</b> .....	3	37.8	1.4	.7	.2	.1	5.8	.5	4.1	.9
Trunk, unspecified .....	30	.2	—	—	—	—	.1	—	.1	—
Chest, including ribs, internal organs .....	31	3.4	.3	.2	.1	—	.5	( <sup>8</sup> )	.4	—
Chest, except internal location of diseases or disorders .....	310	3.1	.3	.2	.1	—	.5	( <sup>8</sup> )	.4	—
Internal chest location, unspecified .....	311	.1	—	—	—	—	—	—	—	—
Heart .....	313	.1	—	—	—	—	—	—	—	—
Lung(s), pleura .....	315	.1	—	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	32	30.0	.9	.4	.1	.1	4.0	.4	2.6	.8
Back, including spine, spinal cord, unspecified .....	320	12.7	.5	.3	—	—	1.5	.1	1.1	.2
Thoracic region .....	321	.7	.1	—	—	—	.1	—	.1	—
Lumbar region .....	322	15.7	.3	.1	.1	.1	2.1	.3	1.2	.5
Sacral region .....	323	.1	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S24. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, state government, 2011<sup>3</sup> — Continued

Part of body	Event or exposure leading to injury or illness <sup>6</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>7</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Total [73,790 cases] .....	53.3	14.0	4.4	8.1	11.5	8.1	( <sup>8</sup> )	46.2	19.4	23.3	3.2	1.1
<b>Head</b> .....	—	—	—	1.3	.4	.3	—	6.3	5.4	.8	.2	—
Head, unspecified .....	—	—	—	.3	.2	.2	—	.8	.6	.1	—	—
Cranial region, including skull .....	—	—	—	—	.2	.1	—	.6	.5	—	—	—
Cranial region, unspecified .....	—	—	—	—	—	—	—	—	—	—	—	—
Brain .....	—	—	—	—	.1	—	—	.4	.4	—	—	—
Scalp .....	—	—	—	—	—	—	—	.1	.1	—	—	—
Skull .....	—	—	—	—	—	—	—	—	—	—	—	—
Ear(s) .....	—	—	—	—	—	—	—	.1	.1	—	—	—
Face .....	—	—	—	1.0	—	—	—	4.8	4.1	.6	.1	—
Face, unspecified .....	—	—	—	—	—	—	—	1.1	1.1	( <sup>8</sup> )	—	—
Forehead .....	—	—	—	—	—	—	—	1.6	1.6	—	—	—
Eye(s) .....	—	—	—	.9	—	—	—	.8	.6	.1	.1	—
Nose, nasal cavity .....	—	—	—	—	—	—	—	.2	.1	.1	—	—
Nose, except internal location of diseases or disorders .....	—	—	—	—	—	—	—	.2	.1	.1	—	—
Cheek(s) .....	—	—	—	—	—	—	—	.1	.1	—	—	—
Jaw, chin .....	—	—	—	—	—	—	—	( <sup>8</sup> )	—	—	—	—
Mouth .....	—	—	—	—	—	—	—	.2	.1	.1	—	—
Lip(s) .....	—	—	—	—	—	—	—	.2	—	—	—	—
Tooth (teeth) .....	—	—	—	—	—	—	—	—	—	—	—	—
Multiple mouth locations .....	—	—	—	—	—	—	—	( <sup>8</sup> )	—	—	—	—
Multiple face locations .....	—	—	—	.1	—	—	—	.5	.3	.2	—	—
Face, n.e.c. .....	—	—	—	—	—	—	—	.1	.1	—	—	—
Multiple head locations .....	—	—	—	—	—	—	—	.1	.1	—	—	—
Head, n.e.c. .....	—	—	—	—	—	—	—	—	—	—	—	—
<b>Neck, including throat</b> .....	1.2	.3	—	( <sup>8</sup> )	.7	.6	—	2.6	2.1	.5	—	—
Neck, except internal location of diseases or disorders ...	1.2	.3	—	—	.7	.6	—	2.6	2.1	.5	—	—
<b>Trunk</b> .....	20.7	7.6	.3	.3	2.6	1.2	—	6.8	2.0	4.7	.1	.3
Trunk, unspecified .....	( <sup>8</sup> )	—	—	—	—	—	—	—	—	—	—	—
Chest, including ribs, internal organs .....	.7	.1	—	.2	.7	.1	—	.9	.6	.3	—	.1
Chest, except internal location of diseases or disorders .....	.6	.1	—	—	.7	.1	—	.9	.6	.3	—	.1
Internal chest location, unspecified .....	—	—	—	( <sup>8</sup> )	—	—	—	—	—	—	—	—
Heart .....	.1	—	—	—	—	—	—	—	—	—	—	—
Lung(s), pleura .....	—	—	—	.1	—	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	17.9	6.6	.3	—	1.7	1.1	—	5.3	1.0	4.3	—	.1
Back, including spine, spinal cord, unspecified .....	7.7	3.4	.1	—	1.1	.6	—	1.8	.6	1.2	—	( <sup>8</sup> )
Thoracic region .....	.4	.2	—	—	( <sup>8</sup> )	( <sup>8</sup> )	—	.1	—	.1	—	—
Lumbar region .....	9.4	3.0	.1	—	.5	.4	—	3.3	.3	3.0	—	.1
Sacral region .....	.1	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S24. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, state government, 2011<sup>3</sup> — Continued

Part of body	Part of body code <sup>4</sup>	State government <sup>5</sup>	Event or exposure leading to injury or illness <sup>6</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Coccygeal region .....	324	0.2	—	—	—	—	0.1	—	0.1	—
Multiple back regions .....	328	.6	—	—	—	—	.2	—	.1	0.1
Back, including spine, spinal cord, n.e.c. ....	329	.1	—	—	—	—	—	—	—	—
Abdomen .....	33	1.3	—	—	—	—	—	—	—	—
Abdomen, except internal location of diseases or disorders .....	330	1.2	—	—	—	—	—	—	—	—
Pelvic region .....	34	1.8	—	—	—	—	.9	—	.8	.1
Pelvic region, unspecified .....	340	.1	—	—	—	—	—	—	—	—
Hip(s) .....	341	.7	—	—	—	—	.4	—	.4	( <sup>8</sup> )
Buttock(s) .....	343	.5	—	—	—	—	.4	—	.4	—
Groin .....	344	.5	—	—	—	—	.1	—	( <sup>8</sup> )	—
Multiple trunk locations .....	38	1.2	0.1	0.1	—	—	.3	( <sup>8</sup> )	.3	—
<b>Upper extremities</b> .....	4	48.4	10.6	5.4	3.2	1.6	6.2	1.0	4.6	.5
Upper extremities, unspecified .....	40	.3	—	—	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e) .....	41	12.3	.7	.3	.3	( <sup>8</sup> )	2.0	.3	1.5	.2
Arm(s) .....	42	8.9	1.2	.3	.8	.1	1.3	.2	.9	.1
Arm(s), unspecified .....	420	2.3	.3	.2	.1	—	.4	—	.3	.1
Upper arm(s) .....	421	.8	.1	—	—	—	.2	( <sup>8</sup> )	.1	—
Elbow(s) .....	422	3.9	.7	( <sup>8</sup> )	.6	—	.5	.1	.3	—
Forearm(s) .....	423	1.2	.1	—	( <sup>8</sup> )	—	.2	—	.2	—
Multiple arm locations .....	428	.5	.1	—	.1	—	( <sup>8</sup> )	—	—	—
Multiple arm locations, unspecified .....	4280	.2	—	—	—	—	—	—	—	—
Elbow(s) and arm(s) .....	4281	.1	—	—	—	—	—	—	—	—
Multiple arm locations, n.e.c. ....	4289	.3	—	—	—	—	—	—	—	—
Arm(s), n.e.c. ....	429	.1	—	—	—	—	—	—	—	—
Wrist(s) .....	43	5.4	.6	.4	.1	.1	1.0	.1	.8	—
Hand(s) .....	44	13.7	7.7	4.1	1.9	1.4	.9	.2	.7	—
Hand(s), unspecified .....	440	4.5	2.5	1.1	.9	.5	.3	.1	.2	—
Hand(s), except finger(s) .....	441	.9	.3	.2	.1	( <sup>8</sup> )	.1	( <sup>8</sup> )	—	—
Finger(s), fingernail(s) .....	442	7.6	4.5	2.7	.8	.8	.5	.1	.5	—
Finger(s), fingernail(s), unspecified .....	4420	5.7	3.5	2.1	.6	.7	.3	—	.2	—
Fingernail(s), nailbed(s) .....	4421	.1	.1	.1	—	—	—	—	—	—
Fingertip(s) .....	4422	.2	.1	.1	—	.1	—	—	—	—
Finger(s), fingernail(s), n.e.c. ....	4429	1.6	.8	.5	.2	.1	.2	—	.2	—
Hand(s) and finger(s) .....	448	.7	.2	.1	.1	( <sup>8</sup> )	—	—	—	—
Hand(s), n.e.c. ....	449	.2	.1	—	—	—	—	—	—	—
Multiple upper extremities locations .....	48	7.8	.4	.3	.1	.1	.9	.2	.7	.1
Multiple upper extremities locations, unspecified .....	480	.1	—	—	—	—	—	—	—	—
Hand(s) and arms(s) .....	481	.6	.1	—	—	—	.1	—	.1	—
Hand(s) and arm(s), unspecified .....	4810	.1	( <sup>8</sup> )	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c. ....	4819	.4	—	—	—	—	—	—	—	—
Hand(s) and wrist(s) .....	482	.9	.1	( <sup>8</sup> )	—	—	.3	—	.2	—
Wrist(s) and arm(s) .....	483	1.9	—	—	—	—	.2	.1	.1	—

See footnotes at end of table.

TABLE S24. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, state government, 2011<sup>3</sup> — Continued

Part of body	Event or exposure leading to injury or illness <sup>6</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>7</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Coccygeal region .....	—	—	—	—	—	—	—	—	—	—	—	—
Multiple back regions .....	0.3	0.1	—	—	—	—	—	0.1	—	—	—	—
Back, including spine, spinal cord, n.e.c. ....	—	—	—	—	—	—	—	—	—	—	—	—
Abdomen .....	1.1	.6	—	—	—	—	—	.1	0.1	—	—	—
Abdomen, except internal location of diseases or disorders .....	1.0	.5	—	—	—	—	—	.1	.1	—	—	—
Pelvic region .....	.5	.2	—	( <sup>8</sup> )	—	—	—	.3	.1	0.1	( <sup>8</sup> )	—
Pelvic region, unspecified .....	—	—	—	—	—	—	—	—	—	—	—	—
Hip(s) .....	.1	—	—	—	—	—	—	.1	.1	—	—	—
Buttock(s) .....	—	—	—	( <sup>8</sup> )	—	—	—	—	—	—	—	—
Groin .....	.3	.2	—	—	—	—	—	.1	.1	.1	—	—
Multiple trunk locations .....	.5	.1	—	—	0.1	( <sup>8</sup> )	—	.2	.1	.1	—	—
<b>Upper extremities</b> .....	<b>16.4</b>	<b>4.8</b>	<b>3.7</b>	<b>.8</b>	<b>2.0</b>	<b>1.1</b>	<b>—</b>	<b>12.3</b>	<b>3.2</b>	<b>8.3</b>	<b>.7</b>	<b>0.1</b>
Upper extremities, unspecified .....	.1	—	.1	—	( <sup>8</sup> )	( <sup>8</sup> )	—	.1	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e) .....	6.4	1.9	.4	—	.8	.7	—	2.3	.8	1.5	—	.1
Arm(s) .....	2.5	.5	.5	.3	.2	.1	—	3.4	.5	2.6	.3	—
Arm(s), unspecified .....	.7	.1	—	.2	.1	.1	—	.6	.1	.5	.1	—
Upper arm(s) .....	.4	.1	—	—	—	—	—	.1	( <sup>8</sup> )	.1	—	—
Elbow(s) .....	.8	.2	.3	—	—	—	—	2.0	.1	1.8	—	—
Forearm(s) .....	.3	—	—	.1	.1	—	—	.5	.2	.2	.1	—
Multiple arm locations .....	.2	.1	—	—	—	—	—	.2	( <sup>8</sup> )	—	—	—
Multiple arm locations, unspecified .....	—	—	—	—	—	—	—	.1	—	—	—	—
Elbow(s) and arm(s) .....	.1	—	—	—	—	—	—	—	—	—	—	—
Multiple arm locations, n.e.c. ....	.1	.1	—	—	—	—	—	( <sup>8</sup> )	( <sup>8</sup> )	—	—	—
Arm(s), n.e.c. ....	.1	—	.1	—	—	—	—	—	—	—	—	—
Wrist(s) .....	2.7	.2	1.7	—	.1	.1	—	1.1	.5	.4	.1	—
Hand(s) .....	1.0	.1	.5	.3	.8	.2	—	3.1	1.0	1.7	.3	—
Hand(s), unspecified .....	.3	—	.2	.2	.2	.1	—	1.0	.3	.5	.2	—
Hand(s), except finger(s) .....	.1	—	.1	—	—	—	—	.3	.2	.1	—	—
Finger(s), fingernail(s) .....	.4	.1	.2	.1	.6	—	—	1.4	.4	.9	—	—
Finger(s), fingernail(s), unspecified .....	.2	—	.1	.1	.6	—	—	1.0	.2	.8	—	—
Fingernail(s), nailbed(s) .....	—	—	—	—	—	—	—	—	—	—	—	—
Fingertip(s) .....	—	—	—	—	—	—	—	—	—	—	—	—
Finger(s), fingernail(s), n.e.c. ....	.2	.1	—	—	—	—	—	.3	.2	.1	—	—
Hand(s) and finger(s) .....	.2	—	( <sup>8</sup> )	—	—	—	—	.2	.1	.1	—	—
Hand(s), n.e.c. ....	—	—	—	—	—	—	—	.1	—	—	—	—
Multiple upper extremities locations .....	3.7	2.1	.5	.1	.1	( <sup>8</sup> )	—	2.5	.3	2.1	—	—
Multiple upper extremities locations, unspecified .....	—	—	—	—	—	—	—	( <sup>8</sup> )	( <sup>8</sup> )	—	—	—
Hand(s) and arms(s) .....	.3	—	—	.1	—	—	—	—	—	—	—	—
Hand(s) and arm(s), unspecified .....	—	—	—	—	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c. ....	.2	—	—	.1	—	—	—	—	—	—	—	—
Hand(s) and wrist(s) .....	.4	.1	.2	—	—	—	—	.2	—	.2	—	—
Wrist(s) and arm(s) .....	.1	—	( <sup>8</sup> )	—	—	—	—	1.6	—	1.6	—	—

See footnotes at end of table.

TABLE S24. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, state government, 2011<sup>3</sup> — Continued

Part of body	Part of body code <sup>4</sup>	State government <sup>5</sup>	Event or exposure leading to injury or illness <sup>6</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Wrist(s) and arm(s), unspecified .....	4830	0.1	—	—	—	—	0.1	—	0.1	—
Wrist(s) and elbow(s) .....	4831	1.6	—	—	—	—	.1	—	—	—
Wrist(s) and arm(s), n.e.c. ....	4839	.1	—	—	—	—	—	—	—	—
Shoulder(s) and arm(s) .....	484	1.6	0.1	—	—	—	.2	—	.1	—
Multiple upper extremities locations, n.e.c. ....	489	2.6	.2	0.1	—	—	.2	0.1	.2	—
<b>Lower extremities</b> .....	<b>5</b>	<b>40.2</b>	<b>5.2</b>	<b>2.5</b>	<b>2.2</b>	<b>0.4</b>	<b>16.3</b>	<b>2.3</b>	<b>8.9</b>	<b>4.5</b>
Lower extremities, unspecified .....	50	.1	—	—	—	—	—	—	—	—
Leg(s) .....	51	25.2	1.6	.5	.9	.1	9.9	1.1	6.1	2.3
Leg(s), unspecified .....	510	1.9	.4	.1	.2	—	.8	.1	.7	( <sup>8</sup> )
Thigh(s) .....	511	.7	.1	—	—	—	.3	—	.2	.1
Knee(s) .....	512	20.4	1.0	.3	.6	.1	7.9	1.0	4.7	2.1
Lower leg(s) .....	513	1.6	.1	—	—	—	.7	( <sup>8</sup> )	.3	.1
Multiple leg locations .....	518	.6	—	—	—	—	.3	—	.2	—
Multiple leg locations, unspecified .....	5180	.1	—	—	—	—	.1	—	( <sup>8</sup> )	—
Knee(s) and leg(s) .....	5181	.4	—	—	—	—	.1	—	.1	—
Multiple leg locations, n.e.c. ....	5189	.1	—	—	—	—	.1	—	( <sup>8</sup> )	—
Leg(s), n.e.c. ....	519	( <sup>8</sup> )	—	—	—	—	—	—	—	—
Ankle(s) .....	52	7.8	.9	.2	.6	.1	4.2	.7	1.9	1.5
Foot (feet) .....	53	5.3	2.6	1.8	.7	.1	1.2	.2	.4	.5
Foot (feet), unspecified .....	530	3.7	1.6	1.0	.5	.1	1.0	.1	.3	.4
Sole(s) .....	531	.2	.1	.1	—	—	.1	—	—	( <sup>8</sup> )
Arch(es), instep(s) .....	5312	.1	—	—	—	—	—	—	—	—
Heel(s) .....	5313	.1	.1	—	—	—	.1	—	—	—
Toes(s), toenail(s) .....	532	1.1	.8	.6	.2	—	.1	—	—	—
Multiple foot (feet) locations .....	538	( <sup>8</sup> )	—	—	—	—	—	—	—	—
Foot (feet), n.e.c. ....	539	.2	.1	( <sup>8</sup> )	—	—	.1	—	—	( <sup>8</sup> )
Multiple lower extremities locations .....	58	1.8	.2	.1	—	.1	1.0	.3	.5	.2
Foot (feet) and leg(s) .....	581	.3	—	—	—	—	.1	—	.1	—
Foot(feet) and knee(s) .....	5811	.1	—	—	—	—	—	—	—	—
Foot(feet) and leg(s), n.e.c. ....	5819	.1	—	—	—	—	.1	—	.1	—
Foot (feet) and ankle(s) .....	582	.4	.1	—	—	—	.2	.1	( <sup>8</sup> )	.1
Ankle(s) and leg(s) .....	583	.8	—	—	—	—	.5	.2	.3	.1
Ankle(s) and knee(s) .....	5831	.6	—	—	—	—	.4	.1	.3	.1
Ankle(s) and leg(s), n.e.c. ....	5839	.2	—	—	—	—	.1	.1	—	—
Multiple lower extremities locations, n.e.c. ....	589	.3	.1	—	—	.1	.1	—	.1	—
<b>Body systems</b> .....	<b>6</b>	<b>7.4</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>33.3</b>	<b>1.5</b>	<b>.8</b>	<b>.3</b>	<b>.1</b>	<b>14.0</b>	<b>1.8</b>	<b>11.1</b>	<b>.9</b>
Multiple body parts, unspecified .....	80	1.5	—	—	—	—	.6	( <sup>8</sup> )	.4	.1
Head and neck .....	81	.9	.2	( <sup>8</sup> )	.1	—	.1	—	.1	—
Head, neck, and trunk .....	82	.5	—	—	—	—	.1	—	.1	—
Head and trunk .....	83	.2	—	—	—	—	.1	( <sup>8</sup> )	( <sup>8</sup> )	—

See footnotes at end of table.

TABLE S24. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, state government, 2011<sup>3</sup> — Continued

Part of body	Event or exposure leading to injury or illness <sup>6</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>7</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Wrist(s) and arm(s), unspecified .....	—	—	—	—	—	—	—	—	—	—	—	—
Wrist(s) and elbow(s) .....	—	—	—	—	—	—	—	1.6	—	1.6	—	—
Wrist(s) and arm(s), n.e.c. ....	0.1	—	—	—	—	—	—	—	—	—	—	—
Shoulder(s) and arm(s) .....	1.0	0.3	0.1	—	—	—	—	.3	0.1	.2	—	—
Multiple upper extremities locations, n.e.c. ....	1.9	1.6	.1	—	—	—	—	.3	.1	.1	—	—
<b>Lower extremities</b> .....	10.6	.5	( <sup>8</sup> )	0.2	0.7	0.2	—	7.0	.9	5.8	0.3	0.2
Lower extremities, unspecified .....	—	—	—	—	—	—	—	.1	—	—	—	—
Leg(s) .....	7.2	.4	( <sup>8</sup> )	.1	.3	.1	—	6.0	.7	5.1	.2	.1
Leg(s), unspecified .....	.4	—	—	—	.1	—	—	.2	—	—	.1	—
Thigh(s) .....	.2	—	—	—	—	—	—	.1	—	( <sup>8</sup> )	—	—
Knee(s) .....	5.8	.4	( <sup>8</sup> )	—	.2	( <sup>8</sup> )	—	5.3	.5	4.8	—	.1
Lower leg(s) .....	.5	—	—	—	—	—	—	.3	.1	.1	( <sup>8</sup> )	—
Multiple leg locations .....	.2	—	—	—	—	—	—	.1	—	.1	—	—
Multiple leg locations, unspecified .....	—	—	—	—	—	—	—	—	—	—	—	—
Knee(s) and leg(s) .....	.2	—	—	—	—	—	—	.1	—	.1	—	—
Multiple leg locations, n.e.c. ....	—	—	—	—	—	—	—	—	—	—	—	—
Leg(s), n.e.c. ....	—	—	—	—	—	—	—	—	—	—	—	—
Ankle(s) .....	2.0	.1	—	—	.2	.1	—	.5	.1	.4	—	.1
Foot (feet) .....	1.0	—	—	.1	.2	—	—	.3	.1	.2	—	—
Foot (feet), unspecified .....	.9	—	—	—	.2	—	—	.1	—	.1	—	—
Sole(s) .....	( <sup>8</sup> )	—	—	—	—	—	—	—	—	—	—	—
Arch(es), instep(s) .....	—	—	—	—	—	—	—	—	—	—	—	—
Heel(s) .....	—	—	—	—	—	—	—	—	—	—	—	—
Toes(s), toenail(s) .....	—	—	—	—	—	—	—	.1	—	.1	—	—
Multiple foot (feet) locations .....	—	—	—	—	—	—	—	—	—	—	—	—
Foot (feet), n.e.c. ....	.1	—	—	—	—	—	—	—	—	—	—	—
Multiple lower extremities locations .....	.4	—	—	—	—	—	—	.2	.1	.1	—	—
Foot (feet) and leg(s) .....	.1	—	—	—	—	—	—	.1	—	.1	—	—
Foot(feet) and knee(s) .....	—	—	—	—	—	—	—	—	—	—	—	—
Foot(feet) and leg(s), n.e.c. ....	—	—	—	—	—	—	—	—	—	—	—	—
Foot (feet) and ankle(s) .....	.1	—	—	—	—	—	—	( <sup>8</sup> )	—	—	—	—
Ankle(s) and leg(s) .....	.2	—	—	—	—	—	—	—	—	—	—	—
Ankle(s) and knee(s) .....	.1	—	—	—	—	—	—	—	—	—	—	—
Ankle(s) and leg(s), n.e.c. ....	—	—	—	—	—	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c. ....	.1	—	—	—	—	—	—	—	—	—	—	—
<b>Body systems</b> .....	.6	—	.1	4.6	—	—	—	2.1	.3	.1	1.7	.1
<b>Multiple body parts</b> .....	3.5	.7	.2	.4	5.0	4.5	—	8.6	5.5	3.0	.1	.1
Multiple body parts, unspecified .....	.2	( <sup>8</sup> )	.1	—	.4	.3	—	.2	.2	—	—	—
Head and neck .....	—	—	—	—	.1	.1	—	.6	.3	.2	—	—
Head, neck, and trunk .....	—	—	—	—	.2	.2	—	.1	.1	( <sup>8</sup> )	—	—
Head and trunk .....	—	—	—	—	.1	—	—	.1	—	—	—	—

See footnotes at end of table.

TABLE S24. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, state government, 2011<sup>3</sup> — Continued

Part of body	Part of body code <sup>4</sup>	State government <sup>5</sup>	Event or exposure leading to injury or illness <sup>6</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Neck and back .....	84	1.8	—	—	—	—	0.4	—	0.3	—
Shoulder(s) and back .....	85	1.0	0.1	0.1	—	—	.4	—	.3	—
Hip(s) and leg(s) .....	86	.4	—	—	—	—	.3	—	.2	—
Upper and lower limb(s) .....	87	3.8	—	—	—	—	3.4	0.2	3.1	0.1
Other multiple body parts .....	89	23.4	1.2	.6	0.1	0.1	8.8	1.4	6.6	.7
Whole body .....	891	.2	—	—	—	—	.1	—	.1	—
Multiple body parts, n.e.c. ....	899	23.2	1.2	.6	.1	.1	8.7	1.4	6.5	.7

See footnotes at end of table.

TABLE S24. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, state government, 2011<sup>3</sup> — Continued

Part of body	Event or exposure leading to injury or illness <sup>6</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>7</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Neck and back .....	0.3	0.1	—	—	0.7	0.6	—	0.4	0.3	0.1	—	—
Shoulder(s) and back .....	.2	.1	—	—	.1	.1	—	.2	.1	.1	—	—
Hip(s) and leg(s) .....	.1	—	—	—	—	—	—	—	—	—	—	—
Upper and lower limb(s) .....	.1	—	—	—	—	—	—	.3	.1	.2	—	—
Other multiple body parts .....	2.6	.5	0.1	0.4	3.5	3.1	—	6.7	4.4	2.3	0.1	0.1
Whole body .....	—	—	—	—	—	—	—	—	—	—	—	—
Multiple body parts, n.e.c. ....	2.6	.5	.1	.4	3.5	3.1	—	6.7	4.4	2.3	.1	.1

See footnotes at end of table.



TABLE S24. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, state government, 2011<sup>3</sup> — Continued

Part of body	Part of body code <sup>4</sup>	State government <sup>5</sup>	Event or exposure leading to injury or illness <sup>6</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
<b>Nonclassifiable</b> .....	9999	1.7	–	–	–	–	0.2	–	0.2	–

See footnotes at end of table.

TABLE S24. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, state government, 2011<sup>3</sup> — Continued

Part of body	Event or exposure leading to injury or illness <sup>6</sup>											All other events <sup>7</sup>
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
<b>Nonclassifiable</b> .....	0.2	–	–	0.4	0.1	0.1	–	0.4	0.1	0.1	0.1	0.4

<sup>1</sup> The incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000, where  
 N = number of injuries and illnesses  
 EH = total hours worked by all employees during the calendar year  
 20,000,000 = base for 10,000 equivalent full-time workers  
 (working 40 hours per week, 50 weeks per year)

<sup>2</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>3</sup> Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: [https://www.bls.gov/bls/errata/iif\\_errata\\_1014.htm](https://www.bls.gov/bls/errata/iif_errata_1014.htm).

<sup>4</sup> Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>5</sup> Excludes farms with fewer than 11 employees.

<sup>6</sup> Data shown in columns correspond to the following Event codes: Contact with objects, Total = 6; Struck by object = 62; Struck against object = 63; Caught in or compressed or crushed = 64; Falls, slips, trips, Total = 4; Fall to lower level = 43; Fall on same level = 42; Slips or trips without fall = 41; Overexertion and bodily reaction, Total = 7; In lifting = 711; Repetitive motion = 72; Exposure to harmful substance or environment = 5; Transportation accidents, Total = 2; Roadway accident = 26; Fires and explosions = 3; Violence and other injuries by persons or animals, Total = 1; Intentional injury by other person = 111; Injury by person-unintentional or intent unknown = 12; Animal and other insect related = 13; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>7</sup> Includes nonclassifiable responses.

<sup>8</sup> Data too small to be displayed.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.  
 Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.