

TABLE S45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, state government, 2011²

Nature	Nature code ³	State government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		73,790	-	-	190	4,040	12,330	19,180	23,340	11,840	1,380	1,480
Traumatic injuries and disorders	1	70,330	-	-	180	3,980	11,970	18,370	22,080	11,150	1,290	1,310
Traumatic injuries and disorders, unspecified	10	3,500	-	-	-	50	530	940	1,050	840	60	20
Traumatic injuries to bones, nerves, spinal cord	11	3,580	-	-	40	70	740	720	970	750	240	40
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	40	-	-	-	-	-	20	-	-	-	-
Fractures	111	3,470	-	-	40	70	690	690	960	740	230	40
Traumatic injuries to nerves, except the spinal cord ..	113	50	-	-	-	-	40	-	-	-	-	-
Pinched nerve	1131	40	-	-	-	-	40	-	-	-	-	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	31,200	-	-	50	1,380	5,990	8,590	9,460	4,710	390	640
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	250	-	-	-	-	-	50	50	130	-	-
Dislocations	121	520	-	-	-	-	30	220	160	70	20	-
Dislocations, unspecified	1210	80	-	-	-	-	-	-	50	-	-	-
Herniated discs	1211	250	-	-	-	-	-	190	40	20	-	-
Dislocation of joints	1212	180	-	-	-	-	20	30	70	40	-	-
Cartilage fractures and tears	122	220	-	-	-	-	-	80	90	30	-	-
Meniscus tears	1221	200	-	-	-	-	-	70	90	30	-	-
Sprains, strains, tears	123	29,850	-	-	50	1,350	5,920	8,190	8,950	4,420	360	620
Sprains, strains, tears, unspecified	1230	2,390	-	-	-	60	400	470	820	590	-	50
Major tears to muscles, tendons, ligaments	1231	890	-	-	-	-	80	140	360	280	-	-
Sprains	1232	8,150	-	-	20	530	1,780	2,100	2,120	1,190	140	280
Strains	1233	17,480	-	-	30	750	3,540	5,140	5,340	2,200	180	290
Multiple sprains, strains, tears	1238	940	-	-	-	20	120	340	300	140	20	-
Hernias due to traumatic incidents	124	230	-	-	-	-	-	40	120	50	-	-
Whiplash	125	70	-	-	-	-	20	-	40	-	-	-
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	20	-	-	-	-	-	-	-	-	-	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	40	-	-	-	-	-	-	40	-	-	-
Open wounds	13	2,720	-	-	20	110	400	640	940	510	60	30
Open wounds, unspecified	130	60	-	-	-	-	-	30	-	-	-	-
Amputations, avulsions, enucleations	131	60	-	-	-	-	-	20	20	-	-	-
Amputations	1311	40	-	-	-	-	-	20	20	-	-	-
Avulsions, enucleations	1312	20	-	-	-	-	-	-	-	-	-	-
Cuts, lacerations	132	1,930	-	-	-	90	300	310	800	330	60	30
Puncture wounds, except gunshot wounds	133	660	-	-	-	20	70	280	100	170	-	-
Surface wounds and bruises	14	7,640	-	-	-	990	1,270	1,420	2,410	1,280	140	110
Surface wounds and bruises, unspecified	140	40	-	-	-	-	-	-	-	30	-	-
Abrasions, scratches	141	700	-	-	-	-	60	120	330	160	20	-
Bruises, contusions	143	6,750	-	-	-	960	1,170	1,250	2,040	1,100	110	100
Multiple surface wounds and bruises	148	80	-	-	-	-	30	-	30	-	-	-
Surface wounds and bruises, n.e.c.	149	60	-	-	-	-	-	30	20	-	-	-
Burns and corrosions	15	580	-	-	-	30	120	110	270	30	-	-
Burns and corrosions, unspecified	150	20	-	-	-	-	-	-	-	-	-	-
Chemical burns and corrosions	151	110	-	-	-	-	20	60	20	-	-	-
Chemical burns and corrosions, unspecified	1510	100	-	-	-	-	20	60	20	-	-	-
Heat (thermal) burns	152	340	-	-	-	20	80	40	170	20	-	-

See footnotes at end of table.

TABLE S45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, state government, 2011² — Continued

Nature	Nature code ³	State government ⁴	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Heat (thermal) burns, unspecified	1520	300	—	—	—	20	80	30	140	—	—	—	—
Second degree heat (thermal) burns	1522	20	—	—	—	—	—	—	—	—	—	—	—
Electrical burns	153	100	—	—	—	—	—	—	70	—	—	—	—
Electrical burns, unspecified	1530	90	—	—	—	—	—	—	70	—	—	—	—
Intracranial injuries	16	440	—	—	—	20	50	100	110	130	30	—	—
Intracranial injuries, unspecified	160	50	—	—	—	—	—	—	—	20	—	—	—
Concussions	162	390	—	—	—	20	40	90	100	120	20	—	—
Effects of environmental conditions	17	220	—	—	—	—	40	40	130	—	—	—	—
Effects of heat and light	172	180	—	—	—	—	40	40	90	—	—	—	—
Heat stroke	1721	40	—	—	—	—	20	—	20	—	—	—	—
Heat exhaustion, prostration	1725	100	—	—	—	—	—	30	60	—	—	—	—
Effects of heat and light, n.e.c.	1729	20	—	—	—	—	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	3,870	—	—	—	300	520	960	1,170	740	100	—	80
Multiple traumatic injuries and disorders, unspecified	180	470	—	—	—	—	100	120	130	60	—	—	40
Cuts and abrasions or bruises	181	600	—	—	—	40	90	110	240	80	—	—	30
Sprains and other injuries	182	1,620	—	—	—	80	230	560	320	360	60	—	—
Sprains and other injuries, unspecified	1820	20	—	—	—	—	—	—	—	—	—	—	—
Sprains and bruises	1821	1,250	—	—	—	30	190	440	260	290	30	—	—
Sprains and cuts	1822	180	—	—	—	—	—	50	—	40	—	—	—
Sprains and other injuries, n.e.c.	1829	160	—	—	—	—	20	70	50	20	—	—	—
Fractures and other injuries	183	720	—	—	—	100	40	20	370	160	30	—	—
Fractures and other injuries, unspecified	1830	20	—	—	—	—	—	—	—	—	—	—	—
Fractures and dislocations	1834	40	—	—	—	—	20	—	—	—	—	—	—
Fractures and other injuries, n.e.c.	1839	650	—	—	—	100	20	—	350	150	30	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	460	—	—	—	—	70	140	110	80	—	—	—
Other traumatic injuries and disorders	19	16,590	—	—	40	1,020	2,290	4,850	5,570	2,160	290	—	360
Other traumatic injuries and disorders, unspecified ...	190	30	—	—	—	—	—	—	20	—	—	—	—
Electrocutions, electric shocks	193	50	—	—	—	—	—	20	—	—	—	—	—
Internal injuries to organs and blood vessels of the trunk	194	20	—	—	—	—	—	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute	195	220	—	—	—	50	80	30	20	20	—	—	—
Dermatitis and reactions affecting the skin—acute, unspecified	1950	90	—	—	—	40	30	—	—	—	—	—	—
Allergic dermatitis—acute	1951	110	—	—	—	—	50	20	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	1,560	—	—	—	—	100	940	240	150	60	—	60
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	380	—	—	—	—	20	160	80	70	—	—	—
Poisoning, including poisoning-related asphyxia ...	1961	20	—	—	—	—	—	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	260	—	—	—	—	40	80	30	40	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	70	—	—	—	—	—	—	50	—	—	—	—
Other or unspecified allergic reactions	1966	680	—	—	—	—	—	620	40	—	—	—	—
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	70	—	—	—	—	—	40	—	20	—	—	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	30	—	—	—	—	—	30	—	—	—	—	—
Nonspecified injuries and disorders	197	14,690	—	—	30	970	2,090	3,840	5,270	1,980	220	—	290
Crushing injuries	1971	270	—	—	—	20	40	80	90	20	—	—	—
Soreness, pain, hurt—nonspecified injury	1972	11,710	—	—	30	910	1,680	2,760	4,380	1,490	180	—	280

See footnotes at end of table.

TABLE S45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, state government, 2011² — Continued

Nature	Nature code ³	State government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Swelling, inflammation, irritation—nonspecified injury	1973	1,570	—	—	—	30	140	800	420	170	—	—
Numbness—nonspecified injury	1974	110	—	—	—	—	—	20	20	—	—	—
Multiple nonspecified injuries and disorders	1978	420	—	—	—	—	80	80	140	100	20	—
Nonspecified injuries and disorders, n.e.c.	1979	620	—	—	—	—	150	100	220	120	—	—
Other traumatic injuries and disorders, n.e.c.	199	20	—	—	—	—	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	1999	20	—	—	—	—	—	—	—	—	—	—
Diseases and disorders of body systems	2	1,440	—	—	—	30	90	260	640	270	80	70
Nervous system and sense organs diseases	22	680	—	—	—	—	40	90	320	170	—	40
Disorders of the peripheral nervous system	224	630	—	—	—	—	40	80	290	160	—	40
Disorders of the peripheral nervous system, unspecified	2240	40	—	—	—	—	—	30	—	—	—	—
Carpal tunnel syndrome	2241	570	—	—	—	—	40	50	270	160	—	40
Disorders of the eye, adnexa, vision	225	40	—	—	—	—	—	—	20	—	—	—
Disorders of the eye, adnexa, vision, unspecified ..	2250	20	—	—	—	—	—	—	—	—	—	—
Circulatory system diseases	23	40	—	—	—	—	—	—	30	—	—	—
Ischemic heart disease, including heart attack	233	20	—	—	—	—	—	—	20	—	—	—
Myocardial infarction (heart attack)	2331	20	—	—	—	—	—	—	—	—	—	—
Respiratory system diseases	24	40	—	—	—	—	—	—	20	—	—	—
Pneumonia, influenza	243	20	—	—	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	25	20	—	—	—	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	400	—	—	—	—	—	120	180	60	30	—
Dorsopathies	272	30	—	—	—	—	—	—	—	—	—	—
Soft tissue disorders, except the back	273	340	—	—	—	—	—	90	160	40	30	—
Stenosing tenosynovitis	2732	50	—	—	—	—	—	—	30	20	—	—
Other tenosynovitis, synovitis	2733	20	—	—	—	—	—	—	—	—	—	—
Epicondylitis	2734	60	—	—	—	—	—	30	20	—	—	—
Other or unspecified tendonitis (tendinitis)	2735	140	—	—	—	—	—	50	50	—	20	—
Soft tissue disorder, except the back, n.e.c.	2739	40	—	—	—	—	—	—	30	—	—	—
Disorders of the skin and subcutaneous tissue	28	190	—	—	—	—	20	50	20	30	—	20
Infections of the skin and subcutaneous tissue	281	150	—	—	—	—	—	40	—	30	—	20
Cellulitis and abscess	2811	70	—	—	—	—	—	—	—	—	—	20
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	80	—	—	—	—	—	40	—	20	—	—
Other diseases and disorders of the skin and subcutaneous tissue	289	40	—	—	—	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue, unspecified	2890	40	—	—	—	—	—	—	—	—	—	—
Other systemic diseases and disorders	29	70	—	—	—	—	—	—	60	—	—	—
Other systemic diseases and disorders, unspecified	290	70	—	—	—	—	—	—	60	—	—	—
Infectious and parasitic diseases	3	170	—	—	—	20	50	80	—	—	—	—
Viral diseases	32	90	—	—	—	—	40	50	—	—	—	—
Viral diseases, unspecified	320	40	—	—	—	—	—	—	—	—	—	—
Viral diseases of the conjunctiva	326	50	—	—	—	—	—	40	—	—	—	—
Viral conjunctivitis (ophthalmia)	3261	50	—	—	—	—	—	40	—	—	—	—
Other infectious and parasitic diseases	39	60	—	—	—	20	—	—	—	—	—	—
Scabies and other acariases	392	50	—	—	—	20	—	—	—	—	—	—

See footnotes at end of table.

TABLE S45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, state government, 2011² — Continued

Nature	Nature code ³	State government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Symptoms, signs, and ill-defined conditions	5	610	—	—	—	—	60	120	270	130	—	—
Symptoms, signs, and ill-defined conditions, unspecified	50	30	—	—	—	—	—	—	—	—	—	—
Symptoms	51	490	—	—	—	—	20	50	260	130	—	—
General symptoms	511	200	—	—	—	—	—	—	80	90	—	—
Loss of consciousness—not heat related	5111	50	—	—	—	—	—	—	30	—	—	—
Dizziness—general	5114	50	—	—	—	—	—	—	—	30	—	—
Multiple general symptoms	5118	40	—	—	—	—	—	—	—	40	—	—
Symptoms involving head and neck	514	90	—	—	—	—	—	20	80	—	—	—
Headache, except migraine	5141	90	—	—	—	—	—	20	80	—	—	—
Symptoms involving respiratory system and chest	516	90	—	—	—	—	—	—	30	30	—	—
Symptoms involving respiratory system and chest, unspecified	5160	50	—	—	—	—	—	—	—	20	—	—
Chest pain	5164	20	—	—	—	—	—	—	—	—	—	—
Abnormal findings	52	80	—	—	—	—	40	40	—	—	—	—
Abnormal findings from histological and immunological studies	526	70	—	—	—	—	40	30	—	—	—	—
Positive reaction to tuberculin skin test, without a diagnosis of TB	5261	70	—	—	—	—	40	30	—	—	—	—
Other abnormal findings	529	20	—	—	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	860	—	—	—	—	110	280	240	210	—	20
Mental disorders and syndromes	62	860	—	—	—	—	110	280	240	210	—	20
Mental disorders and syndromes, unspecified	620	80	—	—	—	—	—	30	—	—	—	—
Anxiety, stress	621	780	—	—	—	—	110	240	210	200	—	20
Anxiety, stress, unspecified	6210	610	—	—	—	—	90	160	160	180	—	—
Post-traumatic stress disorder	6211	130	—	—	—	—	20	70	30	—	—	—
Anxiety or panic disorder	6213	20	—	—	—	—	—	—	—	—	—	—
Anxiety, stress, n.e.c.	6219	20	—	—	—	—	—	—	—	—	—	—
Exposures to disease—no illness incurred	7	60	—	—	—	—	—	20	20	—	—	—

See footnotes at end of table.

TABLE S45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, state government, 2011² — Continued

Nature	Nature code ³	State government ⁴	Age										
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported	
Multiple diseases, conditions, and disorders	8	50	—	—	—	—	—	—	—	—	40	—	—
Nonclassifiable	9999	270	—	—	—	—	40	50	80	20	—	—	80

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/if_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.