

TABLE S52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, state government, 2011²

Part of body	Part of body code ³	State government ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		73,790	40,570	33,080	140	1,490	5,240	21,850	43,230	1,980
Head	1	4,980	2,660	2,320	—	100	460	1,940	2,360	120
Head, unspecified	10	1,220	480	740	—	20	70	380	680	80
Cranial region, including skull	11	640	290	350	—	20	50	140	420	—
Cranial region, unspecified	110	40	—	30	—	—	—	—	30	—
Brain	111	460	210	250	—	20	50	90	290	—
Scalp	112	120	60	60	—	—	—	20	90	—
Skull	113	30	20	—	—	—	—	—	20	—
Ear(s)	12	70	50	20	—	—	—	30	30	—
Face	13	2,900	1,810	1,080	—	60	320	1,380	1,100	30
Face, unspecified	130	480	230	250	—	—	80	210	200	—
Forehead	131	680	660	20	—	—	—	650	30	—
Eye(s)	132	1,030	520	510	—	40	70	360	530	20
Nose, nasal cavity	133	130	90	50	—	—	—	20	70	—
Nose, except internal location of diseases or disorders	1330	130	90	40	—	—	—	20	70	—
Cheek(s)	134	60	20	30	—	—	20	—	20	—
Jaw, chin	135	40	20	20	—	—	—	—	30	—
Mouth	136	130	70	60	—	—	50	20	70	—
Lip(s)	1361	70	—	—	—	—	—	—	—	—
Tooth (teeth)	1363	30	—	20	—	—	—	—	30	—
Multiple mouth locations	1368	30	—	—	—	—	—	—	20	—
Multiple face locations	138	280	170	110	—	—	60	110	120	—
Face, n.e.c.	139	70	40	30	—	—	—	20	40	—
Multiple head locations	18	130	20	120	—	—	—	—	110	—
Head, n.e.c.	19	30	—	20	—	—	—	—	20	—
Neck, including throat	2	1,940	1,430	510	—	—	100	220	1,610	—
Neck, except internal location of diseases or disorders ...	20	1,940	1,430	500	—	—	100	220	1,610	—
Trunk	3	14,960	8,310	6,620	30	340	980	4,210	8,960	480
Trunk, unspecified	30	60	20	40	—	—	—	—	30	—
Chest, including ribs, internal organs	31	1,350	890	460	—	—	90	590	610	50
Chest, except internal location of diseases or disorders	310	1,250	830	420	—	—	80	570	540	50
Internal chest location, unspecified	311	20	—	20	—	—	—	20	—	—
Heart	313	30	30	—	—	—	—	—	20	—
Lung(s), pleura	315	40	20	20	—	—	—	—	40	—
Back, including spine, spinal cord	32	11,860	6,390	5,440	30	290	770	2,980	7,420	390
Back, including spine, spinal cord, unspecified	320	5,020	2,380	2,640	—	70	460	1,230	3,050	200
Thoracic region	321	280	120	150	—	—	20	110	120	20
Lumbar region	322	6,200	3,760	2,420	20	210	270	1,480	4,070	160
Sacral region	323	50	—	40	—	—	—	40	—	—
Coccygeal region	324	70	20	50	—	—	—	50	20	—
Multiple back regions	328	220	100	120	—	—	20	60	130	—
Back, including spine, spinal cord, n.e.c.	329	20	—	—	—	—	—	—	20	—
Abdomen	33	500	370	130	—	—	30	90	340	20

See footnotes at end of table.

TABLE S52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Abdomen, except internal location of diseases or disorders	330	460	350	120	-	-	30	90	320	20
Pelvic region	34	720	360	360	-	-	30	270	400	-
Pelvic region, unspecified	340	20	20	-	-	-	-	-	-	-
Hip(s)	341	280	130	150	-	-	-	60	200	-
Buttock(s)	343	210	30	180	-	-	-	150	50	-
Groin	344	200	180	20	-	-	-	60	130	-
Multiple trunk locations	38	460	280	180	-	-	40	250	160	-
Upper extremities	4	19,170	11,190	7,970	20	350	1,790	5,440	11,160	430
Upper extremities, unspecified	40	100	-	90	-	-	-	20	60	20
Shoulder(s), including clavicle(s), scapula(e)	41	4,860	2,850	2,010	-	50	180	1,310	3,130	190
Arm(s)	42	3,530	2,160	1,360	-	90	920	860	1,620	50
Arm(s), unspecified	420	920	340	590	-	50	140	280	440	-
Upper arm(s)	421	310	170	140	-	-	-	110	180	-
Elbow(s)	422	1,560	1,230	330	-	30	710	210	610	-
Forearm(s)	423	480	250	230	-	-	-	220	230	20
Multiple arm locations	428	200	150	50	-	-	50	30	120	-
Multiple arm locations, unspecified	4280	60	50	-	-	-	50	-	-	-
Elbow(s) and arm(s)	4281	40	-	30	-	-	-	-	30	-
Multiple arm locations, n.e.c.	4289	100	80	-	-	-	-	30	70	-
Arm(s), n.e.c.	429	60	30	30	-	-	-	-	40	-
Wrist(s)	43	2,150	630	1,520	-	30	110	600	1,360	50
Hand(s)	44	5,440	3,500	1,940	-	80	530	1,490	3,260	80
Hand(s), unspecified	440	1,760	1,100	660	-	30	70	490	1,130	40
Hand(s), except finger(s)	441	340	190	150	-	-	20	110	200	-
Finger(s), fingernail(s)	442	3,000	2,000	990	-	30	390	750	1,790	20
Finger(s), fingernail(s), unspecified	4420	2,240	1,630	610	-	20	330	540	1,330	20
Fingernail(s), nailbed(s)	4421	60	40	20	-	-	-	-	30	-
Fingertip(s)	4422	60	50	-	-	-	-	30	30	-
Finger(s), fingernail(s), n.e.c.	4429	630	280	350	-	-	40	160	410	-
Hand(s) and finger(s)	448	270	160	100	-	-	50	90	120	-
Hand(s), n.e.c.	449	70	30	40	-	-	-	50	20	-
Multiple upper extremities locations	48	3,070	2,030	1,040	-	90	40	1,150	1,730	50
Multiple upper extremities locations, unspecified	480	20	-	20	-	-	-	-	20	-
Hand(s) and arms(s)	481	230	70	160	-	-	-	40	190	-
Hand(s) and arm(s), unspecified	4810	50	-	30	-	-	-	20	30	-
Hand(s) and arm(s), n.e.c.	4819	180	50	120	-	-	-	20	150	-
Hand(s) and wrist(s)	482	360	140	220	-	-	-	190	160	-
Wrist(s) and arm(s)	483	750	690	70	-	-	-	650	110	-
Wrist(s) and arm(s), unspecified	4830	50	30	20	-	-	-	-	40	-
Wrist(s) and elbow(s)	4831	650	640	-	-	-	-	630	20	-
Wrist(s) and arm(s), n.e.c.	4839	50	20	30	-	-	-	-	40	-
Shoulder(s) and arm(s)	484	650	350	310	-	90	-	130	420	-
Multiple upper extremities locations, n.e.c.	489	1,040	780	260	-	-	30	140	830	40
Lower extremities	5	15,920	9,260	6,660	-	410	1,200	4,100	9,730	480
Lower extremities, unspecified	50	50	30	20	-	-	-	-	40	-
Leg(s)	51	9,960	6,480	3,480	-	220	700	2,670	6,070	290

See footnotes at end of table.

TABLE S52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Leg(s), unspecified	510	750	420	330	—	—	40	220	470	—
Thigh(s)	511	260	160	100	—	20	—	50	170	—
Knee(s)	512	8,060	5,270	2,780	—	130	590	2,240	4,840	260
Lower leg(s)	513	650	470	180	—	—	50	130	440	20
Multiple leg locations	518	230	150	70	—	50	20	20	130	—
Multiple leg locations, unspecified	5180	40	—	30	—	—	—	—	30	—
Knee(s) and leg(s)	5181	150	130	30	—	50	—	—	80	—
Multiple leg locations, n.e.c.	5189	30	—	20	—	—	—	—	20	—
Leg(s), n.e.c.	519	20	—	—	—	—	—	—	—	—
Ankle(s)	52	3,080	1,530	1,550	—	140	250	820	1,780	90
Foot (feet)	53	2,120	980	1,140	—	30	180	480	1,330	90
Foot (feet), unspecified	530	1,480	660	830	—	20	60	370	960	80
Sole(s)	531	90	50	40	—	—	—	20	70	—
Arch(es), instep(s)	5312	20	—	20	—	—	—	—	20	—
Heel(s)	5313	60	40	—	—	—	—	20	30	—
Toes(s), toenail(s)	532	430	210	220	—	—	110	70	230	—
Multiple foot (feet) locations	538	20	—	—	—	—	—	—	20	—
Foot (feet), n.e.c.	539	90	40	50	—	—	—	20	60	—
Multiple lower extremities locations	58	700	220	480	—	—	70	110	510	—
Foot (feet) and leg(s)	581	100	50	50	—	—	—	—	80	—
Foot(feet) and knee(s)	5811	30	—	—	—	—	—	—	20	—
Foot(feet) and leg(s), n.e.c.	5819	60	30	30	—	—	—	—	50	—
Foot (feet) and ankle(s)	582	170	70	100	—	—	30	40	90	—
Ankle(s) and leg(s)	583	300	50	260	—	—	—	60	230	—
Ankle(s) and knee(s)	5831	230	30	190	—	—	—	30	180	—
Ankle(s) and leg(s), n.e.c.	5839	70	—	60	—	—	—	—	40	—
Multiple lower extremities locations, n.e.c.	589	130	50	70	—	—	20	—	100	—
Body systems	6	2,950	1,520	1,420	—	80	90	1,520	1,220	30
Multiple body parts	8	13,200	5,960	7,230	—	150	570	4,340	7,840	290
Multiple body parts, unspecified	80	590	210	380	—	30	30	140	340	50
Head and neck	81	340	140	210	—	—	—	170	160	—
Head, neck, and trunk	82	190	110	70	—	—	—	20	160	—
Head and trunk	83	80	70	20	—	—	—	—	60	—
Neck and back	84	700	400	300	—	—	50	170	480	—
Shoulder(s) and back	85	390	220	160	—	—	—	120	250	—
Hip(s) and leg(s)	86	150	30	120	—	—	20	20	100	—
Upper and lower limb(s)	87	1,510	340	1,170	—	60	40	820	560	30
Other multiple body parts	89	9,250	4,450	4,800	—	60	390	2,880	5,720	190
Whole body	891	60	—	50	—	—	20	—	30	—
Multiple body parts, n.e.c.	899	9,190	4,440	4,750	—	60	380	2,870	5,690	190

See footnotes at end of table.

TABLE S52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Nonclassifiable	9999	670	240	350	80	60	60	90	340	130

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.