

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2011²

Part of body	Part of body code ³	State government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		73,790	7,250	9.8	5,340	7.2	12,950	17.5
Head	1	4,980	1,050	21.1	690	13.9	770	15.5
Head, unspecified	10	1,220	320	26.2	210	17.2	160	13.1
Cranial region, including skull	11	640	90	14.1	60	9.4	150	23.4
Cranial region, unspecified	110	40	30	75.0	—	—	—	—
Brain	111	460	30	6.5	40	8.7	100	21.7
Scalp	112	120	30	25.0	—	—	50	41.7
Skull	113	30	—	—	—	—	—	—
Ear(s)	12	70	40	57.1	—	—	—	—
Face	13	2,900	570	19.7	390	13.4	440	15.2
Face, unspecified	130	480	90	18.8	100	20.8	110	22.9
Forehead	131	680	20	2.9	—	—	—	—
Eye(s)	132	1,030	340	33.0	180	17.5	220	21.4
Nose, nasal cavity	133	130	20	15.4	—	—	—	—
Nose, except internal location of diseases or disorders	1330	130	20	15.4	—	—	—	—
Cheek(s)	134	60	30	50.0	—	—	—	—
Jaw, chin	135	40	—	—	—	—	—	—
Mouth	136	130	20	15.4	50	38.5	20	15.4
Lip(s)	1361	70	—	—	—	—	—	—
Tooth (teeth)	1363	30	—	—	—	—	—	—
Multiple mouth locations	1368	30	—	—	—	—	—	—
Multiple face locations	138	280	30	10.7	—	—	20	7.1
Face, n.e.c.	139	70	—	—	20	28.6	40	57.1
Multiple head locations	18	130	—	—	20	15.4	—	—
Head, n.e.c.	19	30	—	—	—	—	—	—
Neck, including throat	2	1,940	110	5.7	180	9.3	190	9.8
Neck, except internal location of diseases or disorders	20	1,940	110	5.7	180	9.3	180	9.3
Trunk	3	14,960	1,430	9.6	1,040	7.0	3,060	20.5
Trunk, unspecified	30	60	—	—	—	—	30	50.0
Chest, including ribs, internal organs	31	1,350	130	9.6	110	8.1	440	32.6
Chest, except internal location of diseases or disorders	310	1,250	120	9.6	70	5.6	430	34.4
Internal chest location, unspecified	311	20	—	—	—	—	—	—
Heart	313	30	—	—	—	—	—	—
Lung(s), pleura	315	40	—	—	—	—	—	—
Back, including spine, spinal cord	32	11,860	1,180	9.9	840	7.1	2,250	19.0
Back, including spine, spinal cord, unspecified	320	5,020	600	12.0	290	5.8	970	19.3
Thoracic region	321	280	60	21.4	30	10.7	40	14.3
Lumbar region	322	6,200	500	8.1	430	6.9	1,170	18.9
Sacral region	323	50	—	—	—	—	—	—
Coccygeal region	324	70	—	—	—	—	—	—
Multiple back regions	328	220	20	9.1	50	22.7	30	13.6
Back, including spine, spinal cord, n.e.c.	329	20	—	—	—	—	—	—
Abdomen	33	500	30	6.0	20	4.0	30	6.0

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2011² — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	10,460	14.2	8,460	11.5	4,950	6.7	24,380	33.0	11
Head	1,160	23.3	370	7.4	260	5.2	700	14.1	5
Head, unspecified	160	13.1	40	3.3	100	8.2	230	18.9	4
Cranial region, including skull	60	9.4	70	10.9	—	—	180	28.1	6
Cranial region, unspecified	—	—	—	—	—	—	—	—	1
Brain	50	10.9	60	13.0	—	—	160	34.8	12
Scalp	20	16.7	—	—	—	—	—	—	5
Skull	—	—	—	—	—	—	—	—	19
Ear(s)	—	—	—	—	—	—	—	—	1
Face	910	31.4	180	6.2	140	4.8	270	9.3	6
Face, unspecified	40	8.3	30	6.2	30	6.2	80	16.7	3
Forehead	640	94.1	—	—	—	—	—	—	8
Eye(s)	110	10.7	50	4.9	—	—	120	11.7	2
Nose, nasal cavity	30	23.1	50	38.5	—	—	20	15.4	13
Nose, except internal location of diseases or disorders	30	23.1	50	38.5	—	—	20	15.4	13
Cheek(s)	—	—	—	—	—	—	—	—	1
Jaw, chin	—	—	—	—	—	—	—	—	3
Mouth	—	—	—	—	—	—	—	—	2
Lip(s)	—	—	—	—	—	—	—	—	2
Tooth (teeth)	—	—	—	—	—	—	—	—	1
Multiple mouth locations	—	—	—	—	—	—	—	—	5
Multiple face locations	60	21.4	30	10.7	90	32.1	30	10.7	18
Face, n.e.c.	—	—	—	—	—	—	—	—	3
Multiple head locations	20	15.4	70	53.8	—	—	—	—	19
Head, n.e.c.	—	—	—	—	—	—	—	—	2
Neck, including throat	740	38.1	110	5.7	230	11.9	390	20.1	7
Neck, except internal location of diseases or disorders ...	740	38.1	110	5.7	230	11.9	390	20.1	7
Trunk	1,840	12.3	2,290	15.3	870	5.8	4,430	29.6	11
Trunk, unspecified	—	—	—	—	—	—	—	—	5
Chest, including ribs, internal organs	280	20.7	170	12.6	80	5.9	140	10.4	5
Chest, except internal location of diseases or disorders	270	21.6	170	13.6	70	5.6	110	8.8	6
Internal chest location, unspecified	—	—	—	—	—	—	—	—	2
Heart	—	—	—	—	—	—	—	—	23
Lung(s), pleura	—	—	—	—	—	—	—	—	6
Back, including spine, spinal cord	1,390	11.7	1,660	14.0	640	5.4	3,900	32.9	12
Back, including spine, spinal cord, unspecified	570	11.4	790	15.7	320	6.4	1,480	29.5	12
Thoracic region	20	7.1	50	17.9	20	7.1	60	21.4	6
Lumbar region	760	12.3	750	12.1	290	4.7	2,300	37.1	14
Sacral region	—	—	20	40.0	—	—	—	—	3
Coccygeal region	—	—	—	—	—	—	—	—	2
Multiple back regions	20	9.1	50	22.7	—	—	50	22.7	10
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	—	—	2
Abdomen	40	8.0	200	40.0	30	6.0	140	28.0	18

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Abdomen, except internal location of diseases or disorders	330	460	30	6.5	—	—	30	6.5
Pelvic region	34	720	50	6.9	40	5.6	240	33.3
Pelvic region, unspecified	340	20	—	—	—	—	—	—
Hip(s)	341	280	20	7.1	20	7.1	30	10.7
Buttock(s)	343	210	—	—	—	—	160	76.2
Groin	344	200	20	10.0	—	—	40	20.0
Multiple trunk locations	38	460	30	6.5	40	8.7	60	13.0
Upper extremities	4	19,170	1,840	9.6	1,230	6.4	3,180	16.6
Upper extremities, unspecified	40	100	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	4,860	480	9.9	190	3.9	490	10.1
Arm(s)	42	3,530	350	9.9	360	10.2	620	17.6
Arm(s), unspecified	420	920	150	16.3	150	16.3	170	18.5
Upper arm(s)	421	310	20	6.5	—	—	20	6.5
Elbow(s)	422	1,560	80	5.1	120	7.7	160	10.3
Forearm(s)	423	480	90	18.8	50	10.4	150	31.2
Multiple arm locations	428	200	20	10.0	20	10.0	100	50.0
Multiple arm locations, unspecified	4280	60	—	—	—	—	—	—
Elbow(s) and arm(s)	4281	40	—	—	—	—	—	—
Multiple arm locations, n.e.c.	4289	100	—	—	—	—	30	30.0
Arm(s), n.e.c.	429	60	—	—	—	—	—	—
Wrist(s)	43	2,150	230	10.7	100	4.7	320	14.9
Hand(s)	44	5,440	630	11.6	490	9.0	1,490	27.4
Hand(s), unspecified	440	1,760	160	9.1	140	8.0	440	25.0
Hand(s), except finger(s)	441	340	50	14.7	30	8.8	140	41.2
Finger(s), fingernail(s)	442	3,000	340	11.3	300	10.0	850	28.3
Finger(s), fingernail(s), unspecified	4420	2,240	250	11.2	140	6.2	720	32.1
Fingernail(s), nailbed(s)	4421	60	—	—	30	50.0	20	33.3
Fingertip(s)	4422	60	—	—	—	—	20	33.3
Finger(s), fingernail(s), n.e.c.	4429	630	90	14.3	130	20.6	90	14.3
Hand(s) and finger(s)	448	270	70	25.9	—	—	60	22.2
Hand(s), n.e.c.	449	70	—	—	—	—	—	—
Multiple upper extremities locations	48	3,070	150	4.9	80	2.6	250	8.1
Multiple upper extremities locations, unspecified	480	20	—	—	—	—	—	—
Hand(s) and arms(s)	481	230	30	13.0	40	17.4	20	8.7
Hand(s) and arm(s), unspecified	4810	50	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	180	20	11.1	40	22.2	—	—
Hand(s) and wrist(s)	482	360	20	5.6	—	—	90	25.0
Wrist(s) and arm(s)	483	750	—	—	—	—	40	5.3
Wrist(s) and arm(s), unspecified	4830	50	—	—	—	—	30	60.0
Wrist(s) and elbow(s)	4831	650	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	50	—	—	—	—	—	—
Shoulder(s) and arm(s)	484	650	—	—	—	—	30	4.6
Multiple upper extremities locations, n.e.c.	489	1,040	70	6.7	—	—	60	5.8
Lower extremities	5	15,920	1,200	7.5	1,080	6.8	2,360	14.8
Lower extremities, unspecified	50	50	—	—	—	—	20	40.0
Leg(s)	51	9,960	690	6.9	630	6.3	1,310	13.2

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2011² — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Abdomen, except internal location of diseases or disorders	30	6.5	190	41.3	30	6.5	130	28.3	18
Pelvic region	70	9.7	100	13.9	70	9.7	160	22.2	7
Pelvic region, unspecified	—	—	—	—	—	—	—	—	39
Hip(s)	40	14.3	60	21.4	20	7.1	90	32.1	13
Buttock(s)	—	—	—	—	20	9.5	—	—	3
Groin	30	15.0	30	15.0	20	10.0	50	25.0	11
Multiple trunk locations	60	13.0	140	30.4	40	8.7	100	21.7	11
Upper extremities	2,720	14.2	1,830	9.5	1,380	7.2	6,980	36.4	13
Upper extremities, unspecified	20	20.0	—	—	40	40.0	—	—	24
Shoulder(s), including clavicle(s), scapula(e)	660	13.6	530	10.9	410	8.4	2,100	43.2	25
Arm(s)	880	24.9	270	7.6	330	9.3	740	21.0	9
Arm(s), unspecified	90	9.8	90	9.8	130	14.1	160	17.4	6
Upper arm(s)	30	9.7	20	6.5	30	9.7	170	54.8	52
Elbow(s)	690	44.2	100	6.4	100	6.4	320	20.5	9
Forearm(s)	40	8.3	30	6.2	60	12.5	60	12.5	4
Multiple arm locations	40	20.0	—	—	—	—	—	—	3
Multiple arm locations, unspecified	—	—	—	—	—	—	—	—	3
Elbow(s) and arm(s)	—	—	—	—	—	—	—	—	3
Multiple arm locations, n.e.c.	30	30.0	—	—	—	—	—	—	3
Arm(s), n.e.c.	—	—	—	—	—	—	—	—	13
Wrist(s)	320	14.9	180	8.4	160	7.4	840	39.1	16
Hand(s)	610	11.2	530	9.7	330	6.1	1,350	24.8	6
Hand(s), unspecified	190	10.8	100	5.7	130	7.4	600	34.1	10
Hand(s), except finger(s)	50	14.7	—	—	—	—	50	14.7	4
Finger(s), fingernail(s)	360	12.0	370	12.3	170	5.7	600	20.0	6
Finger(s), fingernail(s), unspecified	270	12.1	320	14.3	90	4.0	450	20.1	6
Fingernail(s), nailbed(s)	—	—	—	—	—	—	—	—	3
Fingertip(s)	—	—	20	33.3	—	—	—	—	16
Finger(s), fingernail(s), n.e.c.	90	14.3	30	4.8	60	9.5	130	20.6	6
Hand(s) and finger(s)	—	—	30	11.1	—	—	70	25.9	5
Hand(s), n.e.c.	—	—	20	28.6	—	—	30	42.9	11
Multiple upper extremities locations	230	7.5	320	10.4	120	3.9	1,930	62.9	52
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	—	—	5
Hand(s) and arms(s)	30	13.0	80	34.8	—	—	30	13.0	10
Hand(s) and arm(s), unspecified	—	—	—	—	—	—	—	—	6
Hand(s) and arm(s), n.e.c.	—	—	80	44.4	—	—	20	11.1	12
Hand(s) and wrist(s)	50	13.9	40	11.1	30	8.3	130	36.1	13
Wrist(s) and arm(s)	—	—	30	4.0	—	—	660	88.0	52
Wrist(s) and arm(s), unspecified	—	—	—	—	—	—	—	—	4
Wrist(s) and elbow(s)	—	—	—	—	—	—	640	98.5	52
Wrist(s) and arm(s), n.e.c.	—	—	20	40.0	—	—	—	—	13
Shoulder(s) and arm(s)	100	15.4	90	13.8	70	10.8	340	52.3	32
Multiple upper extremities locations, n.e.c.	30	2.9	70	6.7	20	1.9	770	74.0	125
Lower extremities	2,080	13.1	1,940	12.2	1,170	7.3	6,090	38.3	16
Lower extremities, unspecified	—	—	—	—	—	—	20	40.0	9
Leg(s)	1,160	11.6	1,060	10.6	720	7.2	4,390	44.1	22

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Leg(s), unspecified	510	750	90	12.0	60	8.0	80	10.7
Thigh(s)	511	260	30	11.5	—	—	30	11.5
Knee(s)	512	8,060	530	6.6	430	5.3	1,070	13.3
Lower leg(s)	513	650	20	3.1	120	18.5	80	12.3
Multiple leg locations	518	230	20	8.7	—	—	30	13.0
Multiple leg locations, unspecified	5180	40	—	—	—	—	—	—
Knee(s) and leg(s)	5181	150	20	13.3	—	—	—	—
Multiple leg locations, n.e.c.	5189	30	—	—	—	—	—	—
Leg(s), n.e.c.	519	20	—	—	—	—	—	—
Ankle(s)	52	3,080	280	9.1	180	5.8	620	20.1
Foot (feet)	53	2,120	170	8.0	210	9.9	300	14.2
Foot (feet), unspecified	530	1,480	120	8.1	120	8.1	220	14.9
Sole(s)	531	90	—	—	—	—	20	22.2
Arch(es), instep(s)	5312	20	—	—	—	—	—	—
Heel(s)	5313	60	—	—	—	—	—	—
Toes(s), toenail(s)	532	430	20	4.7	70	16.3	50	11.6
Multiple foot (feet) locations	538	20	—	—	—	—	—	—
Foot (feet), n.e.c.	539	90	20	22.2	—	—	—	—
Multiple lower extremities locations	58	700	60	8.6	70	10.0	120	17.1
Foot (feet) and leg(s)	581	100	30	30.0	—	—	30	30.0
Foot(feet) and knee(s)	5811	30	—	—	—	—	—	—
Foot(feet) and leg(s), n.e.c.	5819	60	—	—	—	—	—	—
Foot (feet) and ankle(s)	582	170	—	—	—	—	30	17.6
Ankle(s) and leg(s)	583	300	20	6.7	50	16.7	40	13.3
Ankle(s) and knee(s)	5831	230	20	8.7	20	8.7	30	13.0
Ankle(s) and leg(s), n.e.c.	5839	70	—	—	30	42.9	—	—
Multiple lower extremities locations, n.e.c.	589	130	—	—	—	—	—	—
Body systems	6	2,950	330	11.2	230	7.8	1,030	34.9
Multiple body parts	8	13,200	1,140	8.6	790	6.0	2,300	17.4
Multiple body parts, unspecified	80	590	70	11.9	40	6.8	80	13.6
Head and neck	81	340	50	14.7	60	17.6	90	26.5
Head, neck, and trunk	82	190	40	21.1	—	—	30	15.8
Head and trunk	83	80	—	—	—	—	—	—
Neck and back	84	700	60	8.6	80	11.4	170	24.3
Shoulder(s) and back	85	390	30	7.7	—	—	50	12.8
Hip(s) and leg(s)	86	150	—	—	—	—	50	33.3
Upper and lower limb(s)	87	1,510	120	7.9	100	6.6	170	11.3
Other multiple body parts	89	9,250	740	8.0	470	5.1	1,660	17.9
Whole body	891	60	—	—	—	—	—	—
Multiple body parts, n.e.c.	899	9,190	740	8.1	470	5.1	1,660	18.1

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2011² — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Leg(s), unspecified	70	9.3	80	10.7	60	8.0	310	41.3	18
Thigh(s)	50	19.2	50	19.2	—	—	90	34.6	12
Knee(s)	850	10.5	810	10.0	590	7.3	3,770	46.8	27
Lower leg(s)	180	27.7	50	7.7	70	10.8	120	18.5	6
Multiple leg locations	—	—	60	26.1	—	—	100	43.5	18
Multiple leg locations, unspecified	—	—	—	—	—	—	—	—	11
Knee(s) and leg(s)	—	—	40	26.7	—	—	70	46.7	18
Multiple leg locations, n.e.c.	—	—	—	—	—	—	—	—	18
Leg(s), n.e.c.	—	—	—	—	—	—	—	—	5
Ankle(s)	430	14.0	410	13.3	240	7.8	930	30.2	12
Foot (feet)	350	16.5	370	17.5	170	8.0	550	25.9	11
Foot (feet), unspecified	220	14.9	260	17.6	120	8.1	430	29.1	11
Sole(s)	—	—	20	22.2	—	—	20	22.2	11
Arch(es), instep(s)	—	—	—	—	—	—	—	—	4
Heel(s)	—	—	20	33.3	—	—	—	—	11
Toes(s), toenail(s)	110	25.6	60	14.0	50	11.6	70	16.3	7
Multiple foot (feet) locations	—	—	—	—	—	—	—	—	11
Foot (feet), n.e.c.	—	—	20	22.2	—	—	20	22.2	16
Multiple lower extremities locations	120	17.1	110	15.7	30	4.3	190	27.1	9
Foot (feet) and leg(s)	—	—	—	—	—	—	—	—	4
Foot(feet) and knee(s)	—	—	—	—	—	—	—	—	14
Foot(feet) and leg(s), n.e.c.	—	—	—	—	—	—	—	—	4
Foot (feet) and ankle(s)	40	23.5	20	11.8	—	—	60	35.3	9
Ankle(s) and leg(s)	60	20.0	30	10.0	—	—	80	26.7	6
Ankle(s) and knee(s)	60	26.1	20	8.7	—	—	60	26.1	6
Ankle(s) and leg(s), n.e.c.	—	—	—	—	—	—	20	28.6	3
Multiple lower extremities locations, n.e.c.	—	—	50	38.5	—	—	40	30.8	16
Body systems	290	9.8	300	10.2	220	7.5	540	18.3	5
Multiple body parts	1,580	12.0	1,560	11.8	820	6.2	5,010	38.0	15
Multiple body parts, unspecified	80	13.6	80	13.6	30	5.1	210	35.6	12
Head and neck	40	11.8	—	—	—	—	90	26.5	4
Head, neck, and trunk	—	—	20	10.5	—	—	60	31.6	13
Head and trunk	20	25.0	—	—	—	—	30	37.5	14
Neck and back	70	10.0	90	12.9	30	4.3	190	27.1	7
Shoulder(s) and back	80	20.5	60	15.4	50	12.8	100	25.6	13
Hip(s) and leg(s)	30	20.0	—	—	—	—	50	33.3	9
Upper and lower limb(s)	110	7.3	90	6.0	50	3.3	870	57.6	71
Other multiple body parts	1,150	12.4	1,200	13.0	630	6.8	3,410	36.9	15
Whole body	30	50.0	—	—	—	—	—	—	8
Multiple body parts, n.e.c.	1,110	12.1	1,190	12.9	630	6.9	3,400	37.0	15

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Nonclassifiable	9999	670	140	20.9	100	14.9	70	10.4

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2011² — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Nonclassifiable	60	9.0	60	9.0	—	—	250	37.3	8

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.