

TABLE S106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, state government, 2011³

| Part of body | Part of body code ⁴ | State government ⁵ | Summary occupational groups ⁶ | | | | | |
|--|--------------------------------|-------------------------------|---|--|--|--|---------------------|-------------------------------|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Total | | 186.4 | 49.2 | 40.2 | 52.1 | 191.1 | 594.2 | 395.9 |
| Head | 1 | 12.6 | 3.9 | 1.5 | 3.4 | 17.9 | 42.1 | 31.5 |
| Head, unspecified | 10 | 3.1 | 1.9 | — | .7 | 3.1 | 8.7 | 31.5 |
| Cranial region, including skull | 11 | 1.6 | .7 | .5 | .9 | 3.5 | 4.0 | — |
| Cranial region, unspecified | 110 | .1 | — | — | — | — | — | — |
| Brain | 111 | 1.2 | .5 | .5 | .5 | 2.6 | 2.9 | — |
| Scalp | 112 | .3 | — | — | .1 | .8 | .6 | — |
| Skull | 113 | .1 | — | — | — | — | .3 | — |
| Ear(s) | 12 | .2 | — | — | .2 | — | .5 | — |
| Face | 13 | 7.3 | 1.3 | .9 | 1.5 | 11.1 | 27.3 | — |
| Face, unspecified | 130 | 1.2 | — | — | .4 | 4.6 | 3.3 | — |
| Forehead | 131 | 1.7 | — | — | — | — | 9.6 | — |
| Eye(s) | 132 | 2.6 | .9 | — | .6 | 4.4 | 7.7 | — |
| Nose, nasal cavity | 133 | .3 | — | — | — | .8 | .8 | — |
| Nose, except internal location of diseases or disorders | 1330 | .3 | — | — | — | .8 | .8 | — |
| Cheek(s) | 134 | .1 | — | — | — | — | .4 | — |
| Jaw, chin | 135 | .1 | — | — | — | — | .4 | — |
| Mouth | 136 | .3 | — | — | — | — | 1.6 | — |
| Lip(s) | 1361 | .2 | — | — | — | — | 1.0 | — |
| Tooth (teeth) | 1363 | .1 | — | — | — | — | .3 | — |
| Multiple mouth locations | 1368 | .1 | — | — | — | — | .4 | — |
| Multiple face locations | 138 | .7 | — | — | .2 | — | 2.7 | — |
| Face, n.e.c. | 139 | .2 | — | — | — | — | .6 | — |
| Multiple head locations | 18 | .3 | — | — | — | — | 1.5 | — |
| Head, n.e.c. | 19 | .1 | — | — | — | — | — | — |
| Neck, including throat | 2 | 4.9 | .8 | — | 1.8 | 3.4 | 19.1 | — |
| Neck, except internal location of diseases or disorders | 20 | 4.9 | .8 | — | 1.7 | 3.4 | 19.1 | — |
| Trunk | 3 | 37.8 | 6.9 | 12.4 | 8.7 | 46.3 | 111.6 | 33.6 |
| Trunk, unspecified | 30 | .2 | — | — | — | — | .7 | — |
| Chest, including ribs, internal organs | 31 | 3.4 | .4 | 6.5 | .9 | 3.0 | 8.9 | — |
| Chest, except internal location of diseases or disorders | 310 | 3.1 | — | 6.2 | .9 | 2.7 | 8.5 | — |
| Internal chest location, unspecified | 311 | .1 | — | — | — | — | — | — |
| Heart | 313 | .1 | — | — | — | — | .3 | — |
| Lung(s), pleura | 315 | .1 | — | — | — | — | — | — |
| Back, including spine, spinal cord .. | 32 | 30.0 | 5.7 | 4.8 | 7.0 | 38.5 | 91.5 | 21.3 |

See footnotes at end of table.

TABLE S106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, state government, 2011³ — Continued

| Part of body | Summary occupational groups ⁶ | | | | | |
|--|---|--|---|---|------------------------|--|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Total | 63.0 | 256.8 | 404.7 | 446.9 | 205.9 | 719.9 |
| Head | 2.5 | — | 21.1 | 28.2 | 25.2 | 33.3 |
| Head, unspecified | .9 | — | 7.5 | 4.2 | — | 20.7 |
| Cranial region, including skull | .5 | — | 3.8 | 2.4 | — | — |
| Cranial region, unspecified | — | — | — | — | — | — |
| Brain | .3 | — | 2.8 | — | — | — |
| Scalp | — | — | — | — | — | — |
| Skull | — | — | — | — | — | — |
| Ear(s) | — | — | — | — | — | — |
| Face | 1.0 | — | 8.6 | 20.4 | 18.0 | 10.1 |
| Face, unspecified | .3 | — | — | — | — | 5.0 |
| Forehead | — | — | — | — | — | — |
| Eye(s) | .4 | — | 6.9 | 11.6 | 14.8 | 4.3 |
| Nose, nasal cavity | — | — | — | — | — | — |
| Nose, except internal location of diseases or disorders | — | — | — | — | — | — |
| Cheek(s) | — | — | — | — | — | — |
| Jaw, chin | — | — | — | — | — | — |
| Mouth | — | — | — | — | — | — |
| Lip(s) | — | — | — | — | — | — |
| Tooth (teeth) | — | — | — | — | — | — |
| Multiple mouth locations | — | — | — | — | — | — |
| Multiple face locations | — | — | — | 3.7 | — | — |
| Face, n.e.c. | — | — | — | — | — | — |
| Multiple head locations | — | — | — | — | — | — |
| Head, n.e.c. | — | — | — | — | — | — |
| Neck, including throat | .7 | — | 10.2 | 3.4 | — | 23.1 |
| Neck, except internal location of diseases or disorders | .7 | — | 10.2 | 3.4 | — | 23.1 |
| Trunk | 13.1 | 14.8 | 116.8 | 137.1 | 51.0 | 130.9 |
| Trunk, unspecified | — | — | — | — | — | — |
| Chest, including ribs, internal organs | .6 | — | 16.4 | 4.0 | — | 6.9 |
| Chest, except internal location of diseases or disorders | — | — | 16.4 | 2.9 | — | 6.3 |
| Internal chest location, unspecified | .2 | — | — | — | — | — |
| Heart | — | — | — | — | — | — |
| Lung(s), pleura | — | — | — | — | — | — |
| Back, including spine, spinal cord .. | 9.1 | 11.1 | 86.8 | 104.0 | 46.8 | 113.1 |

See footnotes at end of table.

TABLE S106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, state government, 2011³ — Continued

| Part of body | Part of body code ⁴ | State government ⁵ | Summary occupational groups ⁶ | | | | | |
|--|--------------------------------|-------------------------------|---|--|--|--|---------------------|-------------------------------|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Back, including spine, spinal cord, unspecified | 320 | 12.7 | 2.4 | 0.5 | 3.2 | 17.5 | 37.0 | — |
| Thoracic region | 321 | .7 | — | — | .4 | 1.1 | 1.2 | — |
| Lumbar region | 322 | 15.7 | 3.0 | 4.3 | 3.4 | 15.1 | 51.2 | 13.0 |
| Sacral region | 323 | .1 | — | — | — | .8 | .3 | — |
| Coccygeal region | 324 | .2 | — | — | — | 1.1 | .3 | — |
| Multiple back regions | 328 | .6 | — | — | — | 2.5 | 1.2 | — |
| Back, including spine, spinal cord, n.e.c. | 329 | .1 | — | — | — | — | — | — |
| Abdomen | 33 | 1.3 | — | — | — | 1.0 | 3.8 | — |
| Abdomen, except internal location of diseases or disorders | 330 | 1.2 | — | — | — | .7 | 3.7 | — |
| Pelvic region | 34 | 1.8 | .7 | — | .5 | 1.2 | 3.7 | — |
| Pelvic region, unspecified | 340 | .1 | — | — | — | — | — | — |
| Hip(s) | 341 | .7 | .3 | — | — | .9 | 1.5 | — |
| Buttock(s) | 343 | .5 | — | — | — | — | .7 | — |
| Groin | 344 | .5 | — | — | .2 | — | 1.3 | — |
| Multiple trunk locations | 38 | 1.2 | — | .6 | .2 | 2.5 | 2.9 | — |
| Upper extremities | 4 | 48.4 | 13.3 | 13.8 | 15.4 | 40.7 | 150.7 | 109.1 |
| Upper extremities, unspecified | 40 | .3 | .4 | — | — | — | .4 | — |
| Shoulder(s), including clavicle(s), scapula(e) | 41 | 12.3 | 3.2 | 1.9 | 2.5 | 12.1 | 35.4 | 19.6 |
| Arm(s) | 42 | 8.9 | 3.0 | 1.5 | 8.0 | 4.7 | 25.5 | 10.2 |
| Arm(s), unspecified | 420 | 2.3 | 1.5 | — | 1.1 | 1.5 | 7.4 | — |
| Upper arm(s) | 421 | .8 | — | — | — | — | 3.1 | — |
| Elbow(s) | 422 | 3.9 | 1.0 | 1.0 | 6.4 | 2.4 | 7.8 | — |
| Forearm(s) | 423 | 1.2 | — | — | .3 | .6 | 5.0 | — |
| Multiple arm locations | 428 | .5 | — | — | — | — | 1.7 | — |
| Multiple arm locations, unspecified | 4280 | .2 | — | — | — | — | .8 | — |
| Elbow(s) and arm(s) | 4281 | .1 | — | — | — | — | .4 | — |
| Multiple arm locations, n.e.c. | 4289 | .3 | — | — | — | — | .4 | — |
| Arm(s), n.e.c. | 429 | .1 | — | — | — | — | .5 | — |
| Wrist(s) | 43 | 5.4 | 3.0 | .7 | 1.8 | 7.6 | 13.2 | 37.1 |
| Hand(s) | 44 | 13.7 | 3.0 | 8.3 | 2.2 | 10.9 | 44.7 | 35.0 |
| Hand(s), unspecified | 440 | 4.5 | .9 | .5 | .6 | 3.1 | 14.3 | 28.3 |
| Hand(s), except finger(s) | 441 | .9 | — | — | — | .6 | 3.9 | — |
| Finger(s), fingernail(s) | 442 | 7.6 | 1.9 | 7.7 | 1.2 | 6.3 | 23.0 | — |
| Finger(s), fingernail(s), unspecified | 4420 | 5.7 | 1.5 | 7.5 | .9 | 3.3 | 17.1 | — |
| Fingernail(s), nailbed(s) | 4421 | .1 | — | — | — | 1.2 | — | — |
| Fingertip(s) | 4422 | .2 | — | — | — | — | .3 | — |

See footnotes at end of table.

TABLE S106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, state government, 2011³ — Continued

| Part of body | Summary occupational groups ⁶ | | | | | |
|--|---|--|---|---|------------------------|--|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Back, including spine, spinal cord, unspecified | 4.1 | — | 33.6 | 52.6 | 20.9 | 44.0 |
| Thoracic region | .4 | — | — | 5.0 | — | 6.0 |
| Lumbar region | 4.4 | — | 49.9 | 44.5 | 25.2 | 60.2 |
| Sacral region | — | — | — | — | — | — |
| Coccygeal region | — | — | — | — | — | — |
| Multiple back regions | — | — | 1.7 | — | — | — |
| Back, including spine, spinal cord, n.e.c. | — | — | — | — | — | — |
| Abdomen | — | — | 6.0 | 11.2 | — | 3.5 |
| Abdomen, except internal location of diseases or disorders | — | — | 6.0 | 10.7 | — | 3.5 |
| Pelvic region | 2.6 | — | 6.9 | 5.7 | — | 7.4 |
| Pelvic region, unspecified | — | — | — | — | — | — |
| Hip(s) | .5 | — | 2.1 | 3.7 | — | 6.8 |
| Buttock(s) | 1.9 | — | — | — | — | — |
| Groin | — | — | 4.6 | — | — | — |
| Multiple trunk locations | .5 | — | — | 12.2 | — | — |
| Upper extremities | 15.3 | 194.6 | 112.1 | 124.6 | 46.1 | 187.7 |
| Upper extremities, unspecified | .7 | — | — | — | — | — |
| Shoulder(s), including clavicle(s), scapula(e) | 4.2 | 177.5 | 46.3 | 24.5 | 9.0 | 56.3 |
| Arm(s) | 1.8 | — | 18.1 | 14.0 | 16.4 | 22.2 |
| Arm(s), unspecified | .8 | — | 4.3 | 3.3 | — | 6.2 |
| Upper arm(s) | — | — | 1.7 | 3.0 | — | — |
| Elbow(s) | .5 | — | 6.7 | 4.8 | — | 6.2 |
| Forearm(s) | — | — | — | — | — | 6.8 |
| Multiple arm locations | — | — | — | — | 10.1 | — |
| Multiple arm locations, unspecified | — | — | — | — | — | — |
| Elbow(s) and arm(s) | — | — | — | — | — | — |
| Multiple arm locations, n.e.c. | — | — | — | — | 10.1 | — |
| Arm(s), n.e.c. | — | — | — | — | — | — |
| Wrist(s) | 4.4 | 9.8 | 6.8 | 16.4 | — | 9.4 |
| Hand(s) | 1.8 | — | 31.8 | 52.8 | 14.9 | 75.1 |
| Hand(s), unspecified | .5 | — | 8.3 | 21.6 | — | 43.7 |
| Hand(s), except finger(s) | — | — | — | — | — | 3.4 |
| Finger(s), fingernail(s) | 1.1 | — | 21.7 | 30.7 | 9.6 | 27.7 |
| Finger(s), fingernail(s), unspecified | .9 | — | 17.4 | 24.7 | 9.6 | 11.0 |
| Fingernail(s), nailbed(s) | — | — | — | — | — | — |
| Fingertip(s) | — | — | — | 2.8 | — | — |

See footnotes at end of table.

TABLE S106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, state government, 2011³ — Continued

| Part of body | Part of body code ⁴ | State government ⁵ | Summary occupational groups ⁶ | | | | | |
|---|--------------------------------|-------------------------------|---|--|--|--|---------------------|-------------------------------|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Finger(s), fingernail(s), n.e.c. | 4429 | 1.6 | 0.3 | — | 0.2 | 1.7 | 5.6 | — |
| Hand(s) and finger(s) | 448 | .7 | — | — | .3 | .8 | 2.7 | — |
| Hand(s), n.e.c. | 449 | .2 | — | — | — | — | .7 | — |
| Multiple upper extremities locations | 48 | 7.8 | .7 | 1.3 | .8 | 5.5 | 31.5 | — |
| Multiple upper extremities locations, unspecified | 480 | .1 | — | — | — | — | — | — |
| Hand(s) and arms(s) | 481 | .6 | — | — | — | — | 1.4 | — |
| Hand(s) and arm(s), unspecified | 4810 | .1 | — | — | — | — | .3 | — |
| Hand(s) and arm(s), n.e.c. | 4819 | .4 | — | — | — | — | 1.1 | — |
| Hand(s) and wrist(s) | 482 | .9 | — | — | — | 2.1 | 1.9 | — |
| Wrist(s) and arm(s) | 483 | 1.9 | — | — | — | — | 10.3 | — |
| Wrist(s) and arm(s), unspecified | 4830 | .1 | — | — | — | — | .3 | — |
| Wrist(s) and elbow(s) | 4831 | 1.6 | — | — | — | — | 9.4 | — |
| Wrist(s) and arm(s), n.e.c. | 4839 | .1 | — | — | — | — | .6 | — |
| Shoulder(s) and arm(s) | 484 | 1.6 | — | .7 | — | 2.1 | 5.1 | — |
| Multiple upper extremities locations, n.e.c. | 489 | 2.6 | — | — | .3 | .9 | 12.7 | — |
| Lower extremities | 5 | 40.2 | 11.4 | 7.7 | 10.3 | 37.2 | 136.2 | 83.6 |
| Lower extremities, unspecified | 50 | .1 | — | — | — | — | .4 | — |
| Leg(s) | 51 | 25.2 | 4.6 | 5.1 | 5.7 | 22.8 | 90.6 | 49.6 |
| Leg(s), unspecified | 510 | 1.9 | .5 | — | .6 | .9 | 6.4 | — |
| Thigh(s) | 511 | .7 | .4 | — | .3 | .8 | 2.0 | — |
| Knee(s) | 512 | 20.4 | 3.4 | 2.2 | 4.4 | 19.1 | 75.0 | 49.0 |
| Lower leg(s) | 513 | 1.6 | — | 2.3 | .3 | 2.2 | 5.3 | — |
| Multiple leg locations | 518 | .6 | — | — | — | — | 1.9 | — |
| Multiple leg locations, unspecified | 5180 | .1 | — | — | — | — | .5 | — |
| Knee(s) and leg(s) | 5181 | .4 | — | — | — | — | 1.3 | — |
| Multiple leg locations, n.e.c. | 5189 | .1 | — | — | — | — | — | — |
| Leg(s), n.e.c. | 519 | (⁷) | — | — | — | — | — | — |
| Ankle(s) | 52 | 7.8 | 3.5 | 1.4 | 2.4 | 9.3 | 22.7 | 33.3 |
| Foot (feet) | 53 | 5.3 | 2.0 | 1.2 | 1.2 | 4.7 | 16.4 | — |
| Foot (feet), unspecified | 530 | 3.7 | .6 | 1.0 | 1.1 | 4.1 | 11.0 | — |
| Sole(s) | 531 | .2 | — | — | — | — | .6 | — |
| Arch(es), instep(s) | 5312 | .1 | — | — | — | — | — | — |
| Heel(s) | 5313 | .1 | — | — | — | — | .4 | — |
| Toes(s), toenail(s) | 532 | 1.1 | 1.1 | — | — | — | 4.0 | — |
| Multiple foot (feet) locations | 538 | (⁷) | — | — | — | — | — | — |
| Foot (feet), n.e.c. | 539 | .2 | — | — | — | — | .6 | — |
| Multiple lower extremities locations | 58 | 1.8 | 1.2 | — | .8 | — | 6.0 | — |
| Foot (feet) and leg(s) | 581 | .3 | — | — | .2 | — | .6 | — |

See footnotes at end of table.

TABLE S106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, state government, 2011³ — Continued

| Part of body | Summary occupational groups ⁶ | | | | | |
|---|---|--|---|---|------------------------|--|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Finger(s), fingernail(s), n.e.c. | 0.3 | — | 3.1 | 2.9 | — | 15.6 |
| Hand(s) and finger(s) | — | — | — | — | — | — |
| Hand(s), n.e.c. | — | — | — | — | — | — |
| Multiple upper extremities locations | 2.3 | — | 9.0 | 16.4 | — | 24.7 |
| Multiple upper extremities locations, unspecified | — | — | — | — | — | — |
| Hand(s) and arms(s) | .2 | — | — | — | — | — |
| Hand(s) and arm(s), unspecified | — | — | — | — | — | — |
| Hand(s) and arm(s), n.e.c. | — | — | — | — | — | — |
| Hand(s) and wrist(s) | 1.1 | — | — | 7.9 | — | — |
| Wrist(s) and arm(s) | — | — | — | — | — | — |
| Wrist(s) and arm(s), unspecified | — | — | — | — | — | — |
| Wrist(s) and elbow(s) | — | — | — | — | — | — |
| Wrist(s) and arm(s), n.e.c. | — | — | — | — | — | — |
| Shoulder(s) and arm(s) | .4 | — | 6.4 | 7.2 | — | 5.0 |
| Multiple upper extremities locations, n.e.c. | .6 | — | 1.7 | — | — | — |
| Lower extremities | 13.5 | 25.0 | 86.1 | 97.6 | 29.4 | 124.1 |
| Lower extremities, unspecified | — | — | — | — | — | — |
| Leg(s) | 6.7 | — | 50.7 | 65.3 | 22.3 | 71.2 |
| Leg(s), unspecified | 1.0 | — | 8.2 | — | — | 4.6 |
| Thigh(s) | — | — | — | 2.0 | — | 4.0 |
| Knee(s) | 4.9 | — | 39.8 | 56.3 | 14.9 | 55.8 |
| Lower leg(s) | .4 | — | 1.8 | — | — | 4.4 |
| Multiple leg locations | — | — | — | 4.9 | — | — |
| Multiple leg locations, unspecified | — | — | — | — | — | — |
| Knee(s) and leg(s) | — | — | — | 4.9 | — | — |
| Multiple leg locations, n.e.c. | — | — | — | — | — | — |
| Leg(s), n.e.c. | — | — | — | — | — | — |
| Ankle(s) | 3.6 | 14.7 | 17.4 | 17.7 | — | 17.4 |
| Foot (feet) | 2.2 | — | 16.3 | 12.2 | — | 31.7 |
| Foot (feet), unspecified | 1.5 | — | 13.2 | 4.2 | — | 29.0 |
| Sole(s) | — | — | — | 2.5 | — | — |
| Arch(es), instep(s) | — | — | — | — | — | — |
| Heel(s) | — | — | — | 2.1 | — | — |
| Toes(s), toenail(s) | — | — | — | 4.6 | — | — |
| Multiple foot (feet) locations | — | — | — | — | — | — |
| Foot (feet), n.e.c. | .4 | — | — | — | — | — |
| Multiple lower extremities locations | .9 | — | — | 2.5 | — | 3.8 |
| Foot (feet) and leg(s) | — | — | — | — | — | — |

See footnotes at end of table.

TABLE S106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, state government, 2011³ — Continued

| Part of body | Part of body code ⁴ | State government ⁵ | Summary occupational groups ⁶ | | | | | |
|---|--------------------------------|-------------------------------|---|--|--|--|---------------------|-------------------------------|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Foot(feet) and knee(s) | 5811 | 0.1 | — | — | — | — | 0.2 | — |
| Foot(feet) and leg(s), n.e.c. ... | 5819 | .1 | — | — | — | — | — | — |
| Foot (feet) and ankle(s) | 582 | .4 | — | — | 0.2 | — | 1.4 | — |
| Ankle(s) and leg(s) | 583 | .8 | 0.6 | — | .2 | — | 2.7 | — |
| Ankle(s) and knee(s) | 5831 | .6 | — | — | .2 | — | 2.0 | — |
| Ankle(s) and leg(s), n.e.c. | 5839 | .2 | .5 | — | — | — | .6 | — |
| Multiple lower extremities locations, n.e.c. | 589 | .3 | — | — | .2 | — | 1.3 | — |
| Body systems | 6 | 7.4 | 3.7 | — | 1.0 | 7.2 | 24.2 | 38.4 |
| Multiple body parts | 8 | 33.3 | 9.2 | 4.2 | 11.3 | 35.4 | 105.3 | 99.7 |
| Multiple body parts, unspecified | 80 | 1.5 | .7 | .9 | .5 | 2.4 | 3.4 | — |
| Head and neck | 81 | .9 | — | — | .2 | 4.2 | 1.9 | — |
| Head, neck, and trunk | 82 | .5 | .6 | — | — | — | 1.4 | — |
| Head and trunk | 83 | .2 | — | — | — | — | .4 | — |
| Neck and back | 84 | 1.8 | .8 | — | .4 | 1.9 | 5.2 | — |
| Shoulder(s) and back | 85 | 1.0 | — | — | .6 | .6 | 3.1 | — |
| Hip(s) and leg(s) | 86 | .4 | — | — | .2 | — | 1.5 | — |
| Upper and lower limb(s) | 87 | 3.8 | .7 | — | .9 | 2.5 | 15.8 | — |
| Other multiple body parts | 89 | 23.4 | 6.3 | 2.8 | 8.6 | 23.4 | 72.7 | 90.8 |
| Whole body | 891 | .2 | — | — | — | .9 | .3 | — |
| Multiple body parts, n.e.c. | 899 | 23.2 | 6.3 | 2.8 | 8.5 | 22.5 | 72.4 | 90.8 |

See footnotes at end of table.

TABLE S106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, state government, 2011³ — Continued

| Part of body | Summary occupational groups ⁶ | | | | | |
|---|---|--|---|---|------------------------|--|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Foot(feet) and knee(s) | — | — | — | — | — | — |
| Foot(feet) and leg(s), n.e.c. ... | — | — | — | — | — | — |
| Foot (feet) and ankle(s) | 0.3 | — | — | — | — | — |
| Ankle(s) and leg(s) | .5 | — | — | — | — | — |
| Ankle(s) and knee(s) | .5 | — | — | — | — | — |
| Ankle(s) and leg(s), n.e.c. | — | — | — | — | — | — |
| Multiple lower extremities locations, n.e.c. | — | — | — | — | — | — |
| Body systems | 5.1 | — | 9.1 | 15.9 | 8.7 | 17.5 |
| Multiple body parts | 12.2 | 9.8 | 40.2 | 38.5 | 43.7 | 195.5 |
| Multiple body parts, unspecified | 1.2 | — | 2.7 | — | — | 4.4 |
| Head and neck | .5 | — | — | — | — | 3.4 |
| Head, neck, and trunk | .4 | — | — | — | — | — |
| Head and trunk | — | — | — | — | — | — |
| Neck and back | .8 | — | 3.5 | — | 10.8 | 10.5 |
| Shoulder(s) and back | .4 | — | — | 5.9 | — | 4.8 |
| Hip(s) and leg(s) | — | — | — | — | — | — |
| Upper and lower limb(s) | 1.6 | — | — | 6.7 | — | 6.2 |
| Other multiple body parts | 7.3 | — | 30.9 | 20.5 | 23.8 | 159.1 |
| Whole body | — | — | — | — | — | — |
| Multiple body parts, n.e.c. | 7.3 | — | 30.9 | 19.6 | 23.8 | 159.1 |

See footnotes at end of table.

TABLE S106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, state government, 2011³ — Continued

| Part of body | Part of body code ⁴ | State government ⁵ | Summary occupational groups ⁶ | | | | | |
|------------------------------|--------------------------------|-------------------------------|---|--|--|--|---------------------|-------------------------------|
| | | | Management, business, and financial occupations | Computer, engineering, and science occupations | Education, legal, community service, arts, and media occupations | Healthcare practitioners and technical occupations | Service occupations | Sales and related occupations |
| Nonclassifiable | 9999 | 1.7 | – | – | 0.3 | 3.1 | 4.9 | – |

See footnotes at end of table.

TABLE S106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, state government, 2011³ — Continued

| Part of body | Summary occupational groups ⁶ | | | | | |
|------------------------------|---|--|---|---|------------------------|--|
| | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Nonclassifiable | 0.6 | — | 9.3 | — | — | 7.8 |

¹ The incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000, where

N = number of injuries and illnesses
 EH = total hours worked by all employees during the calendar year
 20,000,000 = base for 10,000 equivalent full-time workers
 (working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

³ Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

⁴ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁵ Excludes farms with fewer than 11 employees.

⁶ *Standard Occupational Classification Manual*, 2010, Office of Management and Budget.

⁷ Data too small to be displayed.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.