

TABLE S46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, state government, 2012²

Nature	Nature code ³	State government ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Total		66,930	18,590	8,480	3,540	550	240	160	—	70	35,310
Traumatic injuries and disorders	1	62,570	17,660	8,000	3,410	520	230	150	—	70	32,510
Traumatic injuries and disorders, unspecified	10	1,150	270	120	20	—	—	—	—	—	730
Traumatic injuries to bones, nerves, spinal cord	11	3,260	1,400	310	100	20	—	—	—	—	1,400
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	70	—	—	—	—	—	—	—	—	60
Fractures	111	3,090	1,360	290	100	20	—	—	—	—	1,310
Traumatic injuries to nerves, except the spinal cord	113	80	30	30	—	—	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	30	—	—	—	—	—	—	—	—	—
Pinched nerve	1131	30	20	—	—	—	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	20	—	—	—	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	27,880	7,700	3,330	1,420	260	160	70	—	70	14,880
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	110	30	—	—	—	—	—	—	—	60
Dislocations	121	410	110	20	40	—	—	—	—	—	230
Dislocations, unspecified	1210	70	—	—	—	—	—	—	—	—	70
Herniated discs	1211	120	40	—	—	—	—	—	—	—	80
Dislocation of joints	1212	190	60	20	20	—	—	—	—	—	70
Dislocations, n.e.c.	1219	40	—	—	—	—	—	—	—	—	—
Cartilage fractures and tears	122	140	40	20	—	—	—	—	—	—	70
Meniscus tears	1221	110	40	20	—	—	—	—	—	—	50
Cartilage fractures and tears, n.e.c.	1229	30	—	—	—	—	—	—	—	—	20
Sprains, strains, tears	123	26,770	7,400	3,250	1,360	250	160	40	—	70	14,230
Sprains, strains, tears, unspecified	1230	3,370	750	170	90	—	—	—	—	—	2,290
Major tears to muscles, tendons, ligaments	1231	790	370	90	50	—	—	—	—	—	270
Sprains	1232	7,760	2,020	1,700	230	60	130	20	—	—	3,610
Strains	1233	14,300	4,140	1,270	930	190	30	20	—	—	7,710
Multiple sprains, strains, tears	1238	550	130	30	50	—	—	—	—	—	350
Hernias due to traumatic incidents	124	250	90	—	—	—	—	—	—	—	140
Whiplash	125	100	20	—	—	—	—	—	—	—	50
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	100	—	—	—	—	—	—	—	—	90
Open wounds	13	2,910	1,070	250	160	—	—	—	—	—	1,410
Open wounds, unspecified	130	20	—	—	—	—	—	—	—	—	—
Amputations, avulsions, enucleations	131	90	20	20	—	—	—	—	—	—	50
Amputations	1311	30	—	—	—	—	—	—	—	—	20
Avulsions, enucleations	1312	50	—	20	—	—	—	—	—	—	20
Cuts, lacerations	132	2,110	720	130	120	—	—	—	—	—	1,130
Puncture wounds, except gunshot wounds	133	680	320	100	40	—	—	—	—	—	220
Surface wounds and bruises	14	7,870	2,010	1,320	600	50	—	20	—	—	3,870
Surface wounds and bruises, unspecified	140	210	50	—	—	—	—	—	—	—	140
Abrasions, scratches	141	460	230	30	—	—	—	—	—	—	200

See footnotes at end of table.

TABLE S46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Bruises, contusions	143	6,910	1,640	1,260	580	30	—	20	—	—	3,370
Multiple surface wounds and bruises	148	260	90	—	—	—	—	—	—	—	140
Surface wounds and bruises, n.e.c.	149	30	—	—	—	—	—	—	—	—	—
Burns and corrosions	15	370	90	20	—	—	—	—	—	—	260
Chemical burns and corrosions	151	70	20	—	—	—	—	—	—	—	30
Chemical burns and corrosions, unspecified	1510	70	20	—	—	—	—	—	—	—	30
Heat (thermal) burns	152	280	50	—	—	—	—	—	—	—	210
Heat (thermal) burns, unspecified	1520	260	50	—	—	—	—	—	—	—	200
Second degree heat (thermal) burns	1522	20	—	—	—	—	—	—	—	—	20
Intracranial injuries	16	540	150	80	50	—	—	—	—	—	260
Intracranial injuries, unspecified	160	60	—	—	30	—	—	—	—	—	20
Concussions	162	470	140	70	20	—	—	—	—	—	230
Effects of environmental conditions	17	130	40	—	—	—	—	—	—	—	80
Effects of heat and light	172	130	40	—	—	—	—	—	—	—	80
Heat exhaustion, prostration	1725	90	40	—	—	—	—	—	—	—	50
Multiple traumatic injuries and disorders	18	3,250	890	680	180	—	—	20	—	—	1,470
Multiple traumatic injuries and disorders, unspecified	180	120	60	—	—	—	—	—	—	—	60
Cuts and abrasions or bruises	181	460	160	70	60	—	—	—	—	—	170
Sprains and other injuries	182	1,610	360	500	100	—	—	—	—	—	640
Sprains and other injuries, unspecified	1820	40	—	—	—	—	—	—	—	—	30
Sprains and bruises	1821	1,350	290	440	80	—	—	—	—	—	540
Sprains and cuts	1822	80	40	20	—	—	—	—	—	—	—
Sprains and other injuries, n.e.c.	1829	150	40	40	—	—	—	—	—	—	70
Fractures and other injuries	183	380	200	20	—	—	—	—	—	—	150
Fractures and other injuries, n.e.c.	1839	360	190	—	—	—	—	—	—	—	150
Multiple traumatic injuries and disorders, n.e.c.	189	690	120	90	20	—	—	—	—	—	440
Other traumatic injuries and disorders	19	15,210	4,020	1,910	870	180	60	20	—	—	8,140
Other traumatic injuries and disorders, unspecified ...	190	40	—	—	—	—	—	—	—	—	—
Asphyxiations, strangulations, suffocations	191	40	30	—	—	—	—	—	—	—	—
Electrocutions, electric shocks	193	60	—	—	—	—	—	—	—	—	50
Dermatitis and reactions affecting the skin—acute	195	220	30	90	—	—	—	—	—	—	80
Dermatitis and reactions affecting the skin—acute, unspecified	1950	50	20	—	—	—	—	—	—	—	30
Allergic dermatitis—acute	1951	40	—	—	—	—	—	—	—	—	30
Irritant dermatitis—acute	1952	60	—	20	—	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	60	—	60	—	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	730	270	110	20	—	—	—	—	—	320
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	320	50	70	—	—	—	—	—	—	200
Poisoning, including poisoning-related asphyxia	1961	40	—	—	—	—	—	—	—	—	20
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	170	100	—	—	—	—	—	—	—	50
Coughing and throat irritation—toxic, noxious, or allergenic effect	1964	20	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	20	—	—	—	—	—	—	—	—	20
Other or unspecified allergic reactions	1966	80	50	—	—	—	—	—	—	—	—
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	60	50	—	—	—	—	—	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	20	—	—	—	—	—	—	—	—	—
Nonspecified injuries and disorders	197	14,100	3,670	1,680	830	170	50	20	—	—	7,670
Crushing injuries	1971	370	140	20	50	—	—	—	—	—	160
Soreness, pain, hurt—nonspecified injury	1972	11,920	3,070	1,360	590	140	40	20	—	—	6,690
Swelling, inflammation, irritation—nonspecified injury	1973	1,030	240	190	140	—	—	—	—	—	440
Numbness—nonspecified injury	1974	60	30	—	—	—	—	—	—	—	30
Multiple nonspecified injuries and disorders	1978	290	20	20	20	—	—	—	—	—	210
Nonspecified injuries and disorders, n.e.c.	1979	430	170	90	30	—	—	—	—	—	140
Other traumatic injuries and disorders, n.e.c.	199	20	—	—	—	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	1999	20	—	—	—	—	—	—	—	—	—
Diseases and disorders of body systems	2	1,220	370	150	70	—	—	—	—	—	610
Nervous system and sense organs diseases	22	470	160	60	—	—	—	—	—	—	230
Disorders of the peripheral nervous system	224	410	130	60	—	—	—	—	—	—	200
Carpal tunnel syndrome	2241	340	120	20	—	—	—	—	—	—	180
Disorders of the peripheral nervous system, n.e.c.	2249	50	—	—	—	—	—	—	—	—	—
Disorders of the eye, adnexa, vision	225	20	—	—	—	—	—	—	—	—	20
Conjunctivitis—non-viral	2251	20	—	—	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	226	20	—	—	—	—	—	—	—	—	—
Circulatory system diseases	23	120	30	20	—	—	—	—	—	—	70
Hypertensive disease	232	30	—	20	—	—	—	—	—	—	20
Ischemic heart disease, including heart attack	233	70	20	—	—	—	—	—	—	—	50
Myocardial infarction (heart attack)	2331	70	20	—	—	—	—	—	—	—	50
Respiratory system diseases	24	100	—	30	—	—	—	—	—	—	70
Pneumonia, influenza	243	30	—	—	—	—	—	—	—	—	20
Pneumonia, influenza, unspecified	2430	20	—	—	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	244	20	—	20	—	—	—	—	—	—	—
Digestive system diseases and disorders	25	100	30	30	—	—	—	—	—	—	20
Hernia—nontraumatic	253	60	30	—	—	—	—	—	—	—	20
Musculoskeletal system and connective tissue diseases and disorders	27	360	130	—	20	—	—	—	—	—	190
Soft tissue disorders, except the back	273	330	110	—	20	—	—	—	—	—	190
Soft tissue disorder, except the back, unspecified	2730	20	20	—	—	—	—	—	—	—	—
Bursitis	2731	30	—	—	—	—	—	—	—	—	—
Epicondylitis	2734	120	30	—	—	—	—	—	—	—	80
Other or unspecified tendonitis (tendinitis)	2735	90	40	—	—	—	—	—	—	—	30
Soft tissue disorder, except the back, n.e.c.	2739	50	—	—	—	—	—	—	—	—	50
Disorders of the skin and subcutaneous tissue	28	60	20	—	—	—	—	—	—	—	20

See footnotes at end of table.

TABLE S46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Infections of the skin and subcutaneous tissue	281	30	20	—	—	—	—	—	—	—	20
Cellulitis and abscess	2811	20	—	—	—	—	—	—	—	—	—
Infectious and parasitic diseases	3	280	90	20	—	—	—	—	—	—	160
Bacterial diseases	31	30	20	—	—	—	—	—	—	—	—
Other bacterial diseases	319	30	20	—	—	—	—	—	—	—	—
Diphtheria, whooping cough	3192	30	20	—	—	—	—	—	—	—	—
Mycoses (fungal infections)	34	50	—	—	—	—	—	—	—	—	50
Coccidioidomycosis	342	50	—	—	—	—	—	—	—	—	50
Infectious diseases peculiar to the intestines	36	60	—	—	—	—	—	—	—	—	50
Other salmonella infections	363	40	—	—	—	—	—	—	—	—	40
Other infectious and parasitic diseases	39	140	50	20	—	—	—	—	—	—	60
Scabies and other acariases	392	120	40	20	—	—	—	—	—	—	50
Symptoms, signs, and ill-defined conditions	5	540	190	50	—	—	—	—	—	—	290
Symptoms	51	500	190	50	—	—	—	—	—	—	260
General symptoms	511	240	80	—	—	—	—	—	—	—	140
Loss of consciousness—not heat related	5111	100	70	—	—	—	—	—	—	—	30
Dizziness—general	5114	70	—	—	—	—	—	—	—	—	60
Inflammation, swelling—general	5115	20	—	—	—	—	—	—	—	—	20
Symptoms involving skin and other integumentary tissue	513	30	20	—	—	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue, unspecified	5130	30	—	—	—	—	—	—	—	—	—
Symptoms involving head and neck	514	20	—	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system	515	20	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	180	60	40	—	—	—	—	—	—	70
Symptoms involving respiratory system and chest, unspecified	5160	40	40	—	—	—	—	—	—	—	—
Chest pain	5164	50	20	—	—	—	—	—	—	—	20
Multiple symptoms involving respiratory system and chest	5168	40	—	—	—	—	—	—	—	—	—
Abnormal findings	52	20	—	—	—	—	—	—	—	—	20
Other abnormal findings	529	20	—	—	—	—	—	—	—	—	20
Other diseases, conditions, and disorders	6	860	190	200	30	20	—	—	—	—	400
Mental disorders and syndromes	62	850	190	200	30	20	—	—	—	—	400
Mental disorders and syndromes, unspecified	620	30	—	—	—	—	—	—	—	—	20
Anxiety, stress	621	820	190	200	30	20	—	—	—	—	380
Anxiety, stress, unspecified	6210	350	130	30	30	—	—	—	—	—	160
Post-traumatic stress disorder	6211	140	30	30	—	—	—	—	—	—	70
Anxiety or panic disorder	6213	70	—	30	—	—	—	—	—	—	40
Anxiety, stress, n.e.c.	6219	260	20	120	—	—	—	—	—	—	110
Exposures to disease—no illness incurred	7	220	50	20	—	—	—	—	—	—	150

See footnotes at end of table.

TABLE S46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Nonclassifiable	9999	1,230	20	20	—	—	—	—	—	—	1,200

1. Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

2. Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

3. Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

4. Excludes farms with fewer than 11 employees.

5. Race and ethnicity data do not add to total. Some cases may be counted as both Multi-race and Hispanic and other race.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.