

TABLE S71. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker characteristics and number of days away from work, and median number of days away from work, state government, 2012²

Characteristic	State government ³	Days-away-from-work cases involving:							
		1 day		2 days		3 - 5 days		6 - 10 days	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total	66,930	7,550	11.3	5,460	8.2	12,820	19.2	7,930	11.8
Gender:									
Male	36,120	3,790	10.5	2,810	7.8	7,250	20.1	4,220	11.7
Female	29,510	3,750	12.7	2,640	8.9	5,540	18.8	3,700	12.5
Age:⁴									
16 - 19	250	70	28.0	40	16.0	90	36.0	—	—
20 - 24	2,140	400	18.7	210	9.8	390	18.2	290	13.6
25 - 34	12,140	1,650	13.6	1,130	9.3	2,410	19.9	1,550	12.8
35 - 44	15,660	1,680	10.7	1,370	8.7	3,160	20.2	1,590	10.2
45 - 54	20,850	1,990	9.5	1,520	7.3	4,170	20.0	2,890	13.9
55 - 64	11,450	1,340	11.7	900	7.9	2,060	18.0	1,300	11.4
65 and over	1,600	180	11.2	170	10.6	280	17.5	150	9.4
Occupation:⁵									
Management occupations	1,080	160	14.8	90	8.3	190	17.6	200	18.5
Business and financial operations occupations	1,320	180	13.6	260	19.7	210	15.9	170	12.9
Computer and mathematical occupations	260	50	19.2	40	15.4	70	26.9	30	11.5
Architecture and engineering occupations	260	20	7.7	—	—	90	34.6	—	—
Life, physical, and social science occupations	690	60	8.7	40	5.8	350	50.7	90	13.0
Community and social services occupations	4,150	550	13.3	290	7.0	1,080	26.0	540	13.0
Legal occupations	460	60	13.0	70	15.2	140	30.4	20	4.3
Education, training, and library occupations	1,060	200	18.9	110	10.4	180	17.0	130	12.3
Arts, design, entertainment, sports, and media occupations	130	20	15.4	20	15.4	20	15.4	40	30.8
Healthcare practitioners and technical occupations	6,640	780	11.7	560	8.4	1,260	19.0	900	13.6
Healthcare support occupations	7,610	750	9.9	680	8.9	1,450	19.1	960	12.6
Protective service occupations	17,530	1,680	9.6	1,280	7.3	2,940	16.8	1,850	10.6
Food preparation and serving related occupations	1,580	190	12.0	220	13.9	230	14.6	170	10.8
Building and grounds cleaning and maintenance occupations	4,330	640	14.8	400	9.2	700	16.2	560	12.9
Personal care and service occupations	1,800	150	8.3	120	6.7	560	31.1	200	11.1
Sales and related occupations	360	40	11.1	—	—	140	38.9	80	22.2
Office and administrative support occupations	4,100	740	18.0	510	12.4	820	20.0	360	8.8
Farming, fishing, and forestry occupations	410	70	17.1	40	9.8	40	9.8	80	19.5
Construction and extraction occupations	4,880	370	7.6	250	5.1	1,190	24.4	600	12.3
Installation, maintenance, and repair occupations	2,930	380	13.0	200	6.8	530	18.1	400	13.7
Production occupations	570	100	17.5	60	10.5	80	14.0	80	14.0
Transportation and material moving occupations	3,400	320	9.4	200	5.9	520	15.3	400	11.8
Length of service with employer:									
Less than 3 months	1,570	330	21.0	150	9.6	250	15.9	210	13.4
3 - 11 months	4,200	590	14.0	500	11.9	890	21.2	430	10.2
1 - 5 years	16,070	1,940	12.1	1,500	9.3	3,210	20.0	1,920	11.9
More than 5 years	41,890	4,390	10.5	3,240	7.7	8,220	19.6	5,190	12.4
Race or ethnic origin:⁶									
White only	18,590	2,360	12.7	1,740	9.4	3,460	18.6	2,290	12.3

See footnotes at end of table.

TABLE S71. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker characteristics and number of days away from work, and median number of days away from work, state government, 2012² — Continued

Characteristic	Days-away-from-work cases involving:						Median days away from work
	11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	
Total	8,180	12.2	4,340	6.5	20,650	30.9	10
Gender:							
Male	4,480	12.4	2,210	6.1	11,360	31.5	10
Female	3,690	12.5	1,820	6.2	8,360	28.3	9
Age:⁴							
16 - 19	—	—	30	12.0	—	—	3
20 - 24	340	15.9	80	3.7	420	19.6	7
25 - 34	1,770	14.6	670	5.5	2,960	24.4	8
35 - 44	1,670	10.7	930	5.9	5,260	33.6	11
45 - 54	2,390	11.5	1,360	6.5	6,530	31.3	10
55 - 64	1,590	13.9	730	6.4	3,520	30.7	11
65 and over	180	11.2	120	7.5	520	32.5	11
Occupation:⁵							
Management occupations	90	8.3	120	11.1	230	21.3	9
Business and financial operations occupations	120	9.1	70	5.3	310	23.5	6
Computer and mathematical occupations	30	11.5	30	11.5	20	7.7	3
Architecture and engineering occupations	50	19.2	20	7.7	70	26.9	11
Life, physical, and social science occupations	60	8.7	20	2.9	60	8.7	5
Community and social services occupations	490	11.8	160	3.9	1,040	25.1	6
Legal occupations	150	32.6	—	—	20	4.3	5
Education, training, and library occupations	90	8.5	50	4.7	300	28.3	8
Arts, design, entertainment, sports, and media occupations	—	—	—	—	—	—	8
Healthcare practitioners and technical occupations	860	13.0	540	8.1	1,730	26.1	9
Healthcare support occupations	900	11.8	470	6.2	2,400	31.5	10
Protective service occupations	2,120	12.1	940	5.4	6,710	38.3	15
Food preparation and serving related occupations	210	13.3	90	5.7	470	29.7	10
Building and grounds cleaning and maintenance occupations	510	11.8	240	5.5	1,280	29.6	9
Personal care and service occupations	490	27.2	70	3.9	200	11.1	7
Sales and related occupations	50	13.9	—	—	40	11.1	5
Office and administrative support occupations	380	9.3	280	6.8	1,000	24.4	5
Farming, fishing, and forestry occupations	90	22.0	50	12.2	40	9.8	9
Construction and extraction occupations	510	10.5	200	4.1	1,760	36.1	11
Installation, maintenance, and repair occupations	350	11.9	300	10.2	760	25.9	8
Production occupations	120	21.1	20	3.5	120	21.1	6
Transportation and material moving occupations	460	13.5	360	10.6	1,140	33.5	16
Length of service with employer:							
Less than 3 months	210	13.4	50	3.2	360	22.9	7
3 - 11 months	630	15.0	220	5.2	920	21.9	7
1 - 5 years	2,070	12.9	980	6.1	4,470	27.8	9
More than 5 years	4,870	11.6	2,620	6.3	13,360	31.9	10
Race or ethnic origin:⁶							
White only	2,270	12.2	950	5.1	5,510	29.6	9

See footnotes at end of table.

TABLE S71. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker characteristics and number of days away from work, and median number of days away from work, state government, 2012² — Continued

Characteristic	State government ³	Days-away-from-work cases involving:							
		1 day		2 days		3 - 5 days		6 - 10 days	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
Race or ethnic origin:⁶									
Hispanic or Latino only	3,540	570	16.1	240	6.8	560	15.8	420	11.9
Black only	8,480	1,050	12.4	610	7.2	1,990	23.5	900	10.6
Asian only	550	130	23.6	40	7.3	170	30.9	60	10.9
American Indian or Alaskan Native only	160	—	—	—	—	50	31.2	20	12.5
Native Hawaiian or Pacific Islander only	240	—	—	—	—	—	—	20	8.3
Multi-race	70	—	—	—	—	60	85.7	—	—
Not reported	35,310	3,420	9.7	2,820	8.0	6,510	18.4	4,210	11.9

See footnotes at end of table.

TABLE S71. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker characteristics and number of days away from work, and median number of days away from work, state government, 2012² — Continued

Characteristic	Days-away-from-work cases involving:						Median days away from work
	11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	
Race or ethnic origin:⁶							
Hispanic or Latino only	430	12.1	340	9.6	980	27.7	10
Black only	1,030	12.1	590	7.0	2,300	27.1	9
Asian only	60	10.9	30	5.5	60	10.9	3
American Indian or Alaskan Native only	20	12.5	—	—	60	37.5	11
Native Hawaiian or Pacific Islander only	—	—	120	50.0	60	25.0	22
Multi-race	—	—	—	—	—	—	4
Not reported	4,350	12.3	2,300	6.5	11,690	33.1	12

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Excludes farms with fewer than 11 employees.

⁴ Information is not shown separately for injured workers under age 14; they accounted for less than or equal to 50 cases.

⁵ *Standard Occupational Classification Manual*, 2010, Office of Management and Budget.

⁶ Race and ethnicity data do not add to total. Some cases may be counted as both Multi-race and Hispanic and other race.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.