

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, state government, 2013

Part of body	Part of body code ²	State government ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Total		64,990	8,690	4,410	2,290	1,090	15,790	2,330	10,790	2,400
Head	1	4,700	1,320	690	410	–	650	50	590	–
Head, unspecified	10	870	390	200	190	–	180	–	170	–
Cranial region, including skull	11	880	210	50	140	–	240	20	220	–
Cranial region, unspecified	110	50	–	–	–	–	30	–	30	–
Brain	111	660	130	40	100	–	170	–	150	–
Scalp	112	150	50	–	30	–	40	–	30	–
Skull	113	20	–	–	–	–	–	–	–	–
Ear(s)	12	130	20	20	–	–	–	–	–	–
Face	13	2,530	690	420	70	–	210	–	190	–
Face, unspecified	130	550	30	30	–	–	80	–	80	–
Forehead	131	120	60	50	–	–	20	–	–	–
Eye(s)	132	1,010	410	160	50	–	40	–	30	–
Nose, nasal cavity	133	340	110	110	–	–	30	–	30	–
Nose, except internal location of diseases or disorders	1330	340	110	110	–	–	30	–	30	–
Cheek(s)	134	70	–	–	–	–	–	–	–	–
Jaw, chin	135	50	–	–	–	–	–	–	–	–
Mouth	136	80	20	–	–	–	–	–	–	–
Mouth, unspecified	1360	30	–	–	–	–	–	–	–	–
Lip(s)	1361	20	–	–	–	–	–	–	–	–
Tooth (teeth)	1363	20	–	–	–	–	–	–	–	–
Multiple face locations	138	270	40	40	–	–	20	–	20	–
Face, n.e.c.	139	30	–	–	–	–	–	–	–	–
Multiple head locations	18	290	–	–	–	–	20	–	–	–
Neck, including throat	2	970	50	40	–	–	80	20	40	30
Neck, except internal location of diseases or disorders ...	20	970	50	40	–	–	80	20	40	30
Trunk	3	13,470	720	230	190	60	1,790	240	1,220	310
Trunk, unspecified	30	50	–	–	–	–	20	–	–	–
Chest, including ribs, internal organs	31	1,120	130	60	40	–	110	–	100	–
Chest, except internal location of diseases or disorders	310	820	130	60	40	–	110	–	100	–
Internal chest location, unspecified	311	130	–	–	–	–	–	–	–	–
Heart	313	50	–	–	–	–	–	–	–	–
Lung(s), pleura	315	110	–	–	–	–	–	–	–	–
Back, including spine, spinal cord	32	10,070	430	100	80	50	1,230	200	760	270
Back, including spine, spinal cord, unspecified	320	4,160	250	70	30	–	500	80	270	150
Thoracic region	321	570	–	–	–	–	60	20	40	–
Lumbar region	322	4,800	160	–	50	40	480	80	300	100
Coccygeal region	324	50	–	–	–	–	40	–	30	–
Multiple back regions	328	470	–	–	–	–	140	–	100	20

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, state government, 2013 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Total	19,500	4,630	1,200	2,380	4,000	3,390	40	14,330	7,370	5,990	740	250
Head	30	—	—	480	240	160	—	1,980	1,640	220	30	—
Head, unspecified	—	—	—	—	50	40	—	220	180	40	—	—
Cranial region, including skull	—	—	—	—	180	100	—	240	170	60	—	—
Cranial region, unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Brain	—	—	—	—	170	100	—	180	140	40	—	—
Scalp	—	—	—	—	—	—	—	50	30	—	—	—
Skull	—	—	—	—	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	80	—	—	—	30	30	—	—	—
Face	—	—	—	390	—	—	—	1,230	1,000	120	30	—
Face, unspecified	—	—	—	60	—	—	—	360	230	50	—	—
Forehead	—	—	—	—	—	—	—	40	40	—	—	—
Eye(s)	—	—	—	310	—	—	—	250	190	30	30	—
Nose, nasal cavity	—	—	—	—	—	—	—	190	190	—	—	—
Nose, except internal location of diseases or disorders	—	—	—	—	—	—	—	190	190	—	—	—
Cheek(s)	—	—	—	—	—	—	—	70	70	—	—	—
Jaw, chin	—	—	—	—	—	—	—	40	30	—	—	—
Mouth	—	—	—	—	—	—	—	50	50	—	—	—
Mouth, unspecified	—	—	—	—	—	—	—	20	20	—	—	—
Lip(s)	—	—	—	—	—	—	—	—	—	—	—	—
Tooth (teeth)	—	—	—	—	—	—	—	—	—	—	—	—
Multiple face locations	—	—	—	—	—	—	—	210	180	30	—	—
Face, n.e.c.	—	—	—	—	—	—	—	20	20	—	—	—
Multiple head locations	—	—	—	—	—	—	—	250	250	—	—	—
Neck, including throat	270	100	—	—	290	270	—	280	240	40	—	—
Neck, except internal location of diseases or disorders ...	270	100	—	—	290	270	—	280	240	40	—	—
Trunk	7,900	2,520	100	150	850	750	—	2,000	810	1,060	120	60
Trunk, unspecified	20	—	—	—	—	—	—	—	—	—	—	—
Chest, including ribs, internal organs	410	40	—	140	120	100	—	210	120	90	—	—
Chest, except internal location of diseases or disorders	230	40	—	30	120	100	—	210	120	90	—	—
Internal chest location, unspecified	130	—	—	—	—	—	—	—	—	—	—	—
Heart	50	—	—	—	—	—	—	—	—	—	—	—
Lung(s), pleura	—	—	—	110	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	6,260	2,060	90	—	690	600	—	1,430	510	870	40	40
Back, including spine, spinal cord, unspecified	2,470	870	—	—	370	320	—	560	230	320	—	—
Thoracic region	370	150	—	—	40	40	—	90	20	80	—	—
Lumbar region	3,210	970	70	—	260	230	—	670	190	430	40	20
Coccygeal region	—	—	—	—	—	—	—	—	—	—	—	—
Multiple back regions	210	70	—	—	—	—	—	100	70	40	—	—

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, state government, 2013 — Continued

Part of body	Part of body code ²	State government ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Abdomen	33	890	40	30	—	—	—	—	—	—
Abdomen, except internal location of diseases or disorders	330	890	40	30	—	—	—	—	—	—
Pelvic region	34	960	90	—	60	—	270	20	190	40
Hip(s)	341	420	50	—	20	—	160	—	120	30
Buttock(s)	343	90	—	—	—	—	60	—	60	—
Groin	344	420	—	—	—	—	30	—	—	—
Multiple trunk locations	38	360	30	20	—	—	140	—	130	—
Upper extremities	4	16,240	4,020	2,070	950	810	2,490	340	1,930	130
Shoulder(s), including clavicle(s), scapula(e)	41	4,810	260	150	60	40	1,030	150	770	110
Arm(s)	42	2,280	320	100	160	40	470	80	370	—
Arm(s), unspecified	420	780	70	30	20	—	180	30	150	—
Upper arm(s)	421	340	—	—	—	—	30	20	—	—
Elbow(s)	422	780	170	30	130	—	160	20	140	—
Forearm(s)	423	270	60	30	—	—	40	20	20	—
Multiple arm locations	428	100	—	—	—	—	50	—	50	—
Elbow(s) and arm(s)	4281	70	—	—	—	—	40	—	40	—
Multiple arm locations, n.e.c.	4289	30	—	—	—	—	—	—	—	—
Wrist(s)	43	2,070	380	90	150	100	300	20	270	—
Hand(s)	44	5,210	2,970	1,680	530	630	330	50	280	—
Hand(s), unspecified	440	1,340	540	350	90	70	130	50	80	—
Hand(s), except finger(s)	441	410	170	100	20	50	50	—	50	—
Finger(s), fingernail(s)	442	3,090	2,160	1,150	420	500	100	—	90	—
Finger(s), fingernail(s), unspecified	4420	2,390	1,740	930	350	390	80	—	80	—
Fingernail(s), nailbed(s)	4421	50	20	—	—	—	—	—	—	—
Fingertip(s)	4422	180	140	50	—	80	—	—	—	—
Finger(s), fingernail(s), n.e.c.	4429	470	250	160	50	30	20	—	—	—
Hand(s) and finger(s)	448	320	100	80	—	—	30	—	30	—
Hand(s), n.e.c.	449	50	—	—	—	—	30	—	—	—
Multiple upper extremities locations	48	1,860	100	40	40	—	350	30	240	—
Multiple upper extremities locations, unspecified	480	50	—	—	—	—	—	—	—	—
Hand(s) and arms(s)	481	310	—	—	—	—	—	—	—	—
Hand(s) and arm(s), unspecified	4810	30	—	—	—	—	—	—	—	—
Hand(s) and elbow(s)	4811	130	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	160	—	—	—	—	—	—	—	—
Hand(s) and wrist(s)	482	390	30	20	20	—	140	—	60	—
Wrist(s) and arm(s)	483	140	—	—	—	—	70	—	70	—
Wrist(s) and elbow(s)	4831	30	—	—	—	—	20	—	20	—
Wrist(s) and arm(s), n.e.c.	4839	100	—	—	—	—	50	—	50	—
Shoulder(s) and arm(s)	484	440	30	—	—	—	50	—	40	—
Multiple upper extremities locations, n.e.c.	489	540	30	—	—	—	80	—	70	—
Lower extremities	5	15,250	2,040	1,070	630	200	6,630	930	3,890	1,690

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, state government, 2013 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Abdomen	630	310	—	—	—	—	—	200	120	—	60	—
Abdomen, except internal location of diseases or disorders	630	310	—	—	—	—	—	200	120	—	60	—
Pelvic region	480	90	—	—	—	—	—	90	30	50	—	—
Hip(s)	150	20	—	—	—	—	—	40	—	20	—	—
Buttock(s)	—	—	—	—	—	—	—	—	—	—	—	—
Groin	300	60	—	—	—	—	—	30	20	20	—	—
Multiple trunk locations	100	20	—	—	30	20	—	70	30	30	—	—
Upper extremities	5,430	1,460	920	200	210	130	—	3,840	1,590	2,100	110	40
Shoulder(s), including clavicle(s), scapula(e)	2,560	740	100	—	50	30	—	890	260	620	—	—
Arm(s)	920	350	60	60	50	20	—	450	220	200	20	—
Arm(s), unspecified	270	90	20	30	20	—	—	200	100	100	—	—
Upper arm(s)	250	130	—	—	—	—	—	30	—	—	—	—
Elbow(s)	310	120	30	—	20	—	—	110	60	60	—	—
Forearm(s)	70	20	—	20	—	—	—	60	20	30	—	—
Multiple arm locations	—	—	—	—	—	—	—	30	30	—	—	—
Elbow(s) and arm(s)	—	—	—	—	—	—	—	20	20	—	—	—
Multiple arm locations, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Wrist(s)	870	80	460	—	40	20	—	470	260	200	20	—
Hand(s)	400	60	150	130	20	20	—	1,340	580	660	60	—
Hand(s), unspecified	170	—	100	50	20	—	—	430	220	180	20	—
Hand(s), except finger(s)	60	—	20	—	—	—	—	120	40	70	—	—
Finger(s), fingernail(s)	150	30	30	60	—	—	—	610	250	300	30	—
Finger(s), fingernail(s), unspecified	80	30	20	50	—	—	—	420	170	210	20	—
Fingernail(s), nailbed(s)	—	—	—	—	—	—	—	—	—	—	—	—
Fingertip(s)	—	—	—	—	—	—	—	40	—	20	—	—
Finger(s), fingernail(s), n.e.c.	70	—	20	—	—	—	—	120	60	60	—	—
Hand(s) and finger(s)	—	—	—	—	—	—	—	170	60	110	—	—
Hand(s), n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Multiple upper extremities locations	680	230	150	—	40	30	—	690	270	420	—	—
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	—	20	20	—	—	—
Hand(s) and arms(s)	120	90	30	—	—	—	—	160	40	120	—	—
Hand(s) and arm(s), unspecified	20	—	20	—	—	—	—	—	—	—	—	—
Hand(s) and elbow(s)	90	80	—	—	—	—	—	30	—	30	—	—
Hand(s) and arm(s), n.e.c.	—	—	—	—	—	—	—	130	30	100	—	—
Hand(s) and wrist(s)	80	20	50	—	—	—	—	120	80	40	—	—
Wrist(s) and arm(s)	30	—	—	—	—	—	—	30	—	20	—	—
Wrist(s) and elbow(s)	—	—	—	—	—	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	—	—	—	—	—	—	—	30	—	20	—	—
Shoulder(s) and arm(s)	230	80	—	—	—	—	—	120	40	80	—	—
Multiple upper extremities locations, n.e.c.	200	40	60	—	—	—	—	230	70	150	—	—
Lower extremities	3,860	150	110	70	200	90	—	2,440	860	1,360	220	20

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, state government, 2013 — Continued

Part of body	Part of body code ²	State government ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Leg(s)	51	9,360	970	380	340	150	3,490	260	2,350	780
Leg(s), unspecified	510	990	230	60	60	90	260	20	190	50
Thigh(s)	511	350	30	30	—	—	100	—	70	30
Knee(s)	512	6,870	580	190	260	50	2,730	190	1,780	660
Lower leg(s)	513	890	120	100	20	—	230	40	170	20
Multiple leg locations	518	240	—	—	—	—	160	—	140	—
Multiple leg locations, unspecified	5180	20	—	—	—	—	—	—	—	—
Knee(s) and leg(s)	5181	110	—	—	—	—	60	—	40	—
Multiple leg locations, n.e.c.	5189	110	—	—	—	—	100	—	100	—
Leg(s), n.e.c.	519	20	—	—	—	—	—	—	—	—
Ankle(s)	52	3,310	180	60	110	20	2,210	510	1,030	650
Foot (feet)	53	1,780	810	590	170	—	440	90	180	160
Foot (feet), unspecified	530	1,170	410	310	70	—	360	60	150	140
Sole(s)	531	120	50	—	30	—	20	—	—	—
Sole(s), unspecified	5310	30	20	—	20	—	—	—	—	—
Heel(s)	5313	90	20	—	—	—	20	—	—	—
Toes(s), toenail(s)	532	360	270	190	70	—	40	20	20	—
Multiple foot (feet) locations	538	60	50	30	—	—	—	—	—	—
Foot (feet), n.e.c.	539	80	40	40	—	—	20	—	—	—
Multiple lower extremities locations	58	790	80	50	20	—	480	70	320	90
Foot (feet) and leg(s)	581	160	—	—	—	—	60	—	50	—
Foot(feet) and leg(s), unspecified	5810	30	—	—	—	—	20	—	20	—
Foot(feet) and knee(s)	5811	120	—	—	—	—	40	—	30	—
Foot(feet) and leg(s), n.e.c.	5819	20	—	—	—	—	—	—	—	—
Foot (feet) and ankle(s)	582	190	30	30	—	—	120	—	90	30
Ankle(s) and leg(s)	583	300	30	—	—	—	200	40	130	40
Ankle(s) and leg(s), unspecified	5830	70	—	—	—	—	40	—	40	—
Ankle(s) and knee(s)	5831	170	20	—	—	—	120	30	70	—
Ankle(s) and leg(s), n.e.c.	5839	60	—	—	—	—	40	—	—	20
Multiple lower extremities locations, n.e.c.	589	140	20	—	—	—	90	—	60	30
Body systems	6	1,740	—	—	—	—	—	—	—	—
Multiple body parts	8	11,930	470	290	100	20	3,950	730	2,950	240
Multiple body parts, unspecified	80	1,060	80	50	—	—	280	20	180	80
Head and neck	81	190	—	—	—	—	—	—	—	—
Head, neck, and trunk	82	170	—	—	—	—	40	—	40	—
Head and trunk	83	70	—	—	—	—	20	—	—	—
Neck and back	84	920	40	—	20	—	80	—	70	—
Shoulder(s) and back	85	460	—	—	—	—	80	—	60	—
Hip(s) and leg(s)	86	280	20	20	—	—	80	—	70	—
Upper and lower limb(s)	87	900	30	—	—	—	670	170	500	—
Other multiple body parts	89	7,900	270	180	70	—	2,690	510	2,020	140
Whole body	891	30	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, state government, 2013 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Leg(s)	2,860	130	100	50	100	60	—	1,890	560	1,150	190	—
Leg(s), unspecified	170	—	—	—	20	—	—	310	40	120	140	—
Thigh(s)	100	—	—	30	—	—	—	90	40	30	20	—
Knee(s)	2,070	110	100	—	70	50	—	1,410	450	960	—	—
Lower leg(s)	460	—	—	—	—	—	—	50	—	30	20	—
Multiple leg locations	40	—	—	—	—	—	—	30	20	—	—	—
Multiple leg locations, unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Knee(s) and leg(s)	30	—	—	—	—	—	—	20	20	—	—	—
Multiple leg locations, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Leg(s), n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Ankle(s)	620	—	—	—	30	20	—	270	140	110	20	—
Foot (feet)	310	—	—	20	40	—	—	150	70	70	—	—
Foot (feet), unspecified	240	—	—	20	40	—	—	100	40	50	—	—
Sole(s)	50	—	—	—	—	—	—	—	—	—	—	—
Sole(s), unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Heel(s)	50	—	—	—	—	—	—	—	—	—	—	—
Toes(s), toenail(s)	—	—	—	—	—	—	—	50	30	20	—	—
Multiple foot (feet) locations	—	—	—	—	—	—	—	—	—	—	—	—
Foot (feet), n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Multiple lower extremities locations	70	—	—	—	30	—	—	130	90	30	—	—
Foot (feet) and leg(s)	—	—	—	—	—	—	—	80	80	—	—	—
Foot(feet) and leg(s), unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Foot(feet) and knee(s)	—	—	—	—	—	—	—	80	80	—	—	—
Foot(feet) and leg(s), n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Foot (feet) and ankle(s)	—	—	—	—	—	—	—	30	—	30	—	—
Ankle(s) and leg(s)	50	—	—	—	—	—	—	—	—	—	—	—
Ankle(s) and leg(s), unspecified	20	—	—	—	—	—	—	—	—	—	—	—
Ankle(s) and knee(s)	20	—	—	—	—	—	—	—	—	—	—	—
Ankle(s) and leg(s), n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	—	—	—	—	20	—	—	—	—	—	—	—
Body systems	270	—	20	1,220	—	—	—	200	120	20	60	—
Multiple body parts	1,680	380	40	180	2,170	1,940	20	3,430	2,060	1,160	120	30
Multiple body parts, unspecified	240	30	—	60	250	180	—	150	70	70	—	—
Head and neck	—	—	—	—	—	—	—	150	130	20	—	—
Head, neck, and trunk	—	—	—	—	20	20	—	110	100	—	—	—
Head and trunk	—	—	—	—	—	—	—	20	20	—	—	—
Neck and back	90	30	—	—	460	440	—	260	140	120	—	—
Shoulder(s) and back	230	70	—	—	40	40	—	100	40	70	—	—
Hip(s) and leg(s)	130	—	—	—	—	—	—	30	—	—	—	—
Upper and lower limb(s)	—	—	—	—	40	40	—	140	40	90	—	—
Other multiple body parts	980	250	30	110	1,330	1,200	20	2,470	1,510	770	100	30
Whole body	—	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, state government, 2013 — Continued

Part of body	Part of body code ²	State government ³	Event or exposure leading to injury or illness ⁴								
			Contact with objects				Falls, slips, trips				
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall	
Multiple body parts, n.e.c.	899	7,870	270	180	70	—	—	2,690	510	2,020	140
Nonclassifiable	9999	670	60	20	—	—	—	190	30	160	—

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, state government, 2013 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Multiple body parts, n.e.c.	980	250	30	100	1,320	1,200	20	2,460	1,510	760	100	30
Nonclassifiable	70	20	—	80	40	40	—	160	50	40	70	80

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 6; Struck by object = 62; Struck against object = 63; Caught in or compressed or crushed = 64; Falls, slips, trips, Total = 4; Fall to lower level = 43; Fall on same level = 42; Slips or trips without fall = 41; Overexertion and bodily reaction, Total = 7; In lifting = 711; Repetitive motion = 72; Exposure to harmful substance or environment = 5; Transportation accidents, Total = 2; Roadway accident = 26; Fires and explosions = 3; Violence and other injuries by persons or animals, Total = 1; Intentional injury by other person = 111; Injury by person-unintentional or intent unknown = 12; Animal and other insect related = 13; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.