

TABLE S45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, state government, 2013

Nature	Nature code ²	State government ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		64,990	-	-	270	2,080	11,620	15,880	20,270	11,530	1,920	1,420
Traumatic injuries and disorders	1	62,210	-	-	260	1,980	11,020	15,260	19,580	10,920	1,830	1,350
Traumatic injuries and disorders, unspecified	10	50	-	-	-	-	-	-	20	30	-	-
Traumatic injuries to bones, nerves, spinal cord	11	3,880	-	-	20	90	540	870	1,070	930	210	140
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	600	-	-	-	-	60	200	140	80	-	90
Fractures	111	3,160	-	-	20	80	470	670	860	850	170	50
Traumatic injuries to nerves, except the spinal cord ..	113	100	-	-	-	-	-	-	60	-	30	-
Pinched nerve	1131	90	-	-	-	-	-	-	50	-	30	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	27,280	-	-	130	850	4,780	6,700	9,160	4,560	500	600
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	160	-	-	-	-	-	30	50	70	-	-
Dislocations	121	530	-	-	-	-	110	220	120	50	20	-
Dislocations, unspecified	1210	40	-	-	-	-	-	30	-	-	-	-
Herniated discs	1211	100	-	-	-	-	20	30	40	-	-	-
Dislocation of joints	1212	370	-	-	-	-	90	140	70	40	20	-
Cartilage fractures and tears	122	150	-	-	-	-	20	60	50	-	-	-
Meniscus tears	1221	140	-	-	-	-	20	50	50	-	-	-
Sprains, strains, tears	123	25,960	-	-	120	840	4,610	6,240	8,810	4,280	470	590
Sprains, strains, tears, unspecified	1230	2,270	-	-	-	60	370	610	770	420	-	20
Major tears to muscles, tendons, ligaments	1231	660	-	-	-	-	30	190	320	110	-	-
Sprains	1232	7,810	-	-	-	230	1,590	2,010	2,520	1,320	90	40
Strains	1233	14,460	-	-	110	510	2,520	3,340	4,970	2,330	340	350
Multiple sprains, strains, tears	1238	750	-	-	-	40	90	90	240	100	-	180
Hernias due to traumatic incidents	124	390	-	-	-	-	20	130	120	110	-	-
Whiplash	125	40	-	-	-	-	-	20	-	20	-	-
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	30	-	-	-	-	-	-	-	20	-	-
Open wounds	13	2,840	-	-	40	130	500	920	830	350	40	30
Open wounds, unspecified	130	90	-	-	-	-	20	40	20	-	-	-
Amputations, avulsions, enucleations	131	70	-	-	-	-	-	-	30	-	-	-
Amputations	1311	40	-	-	-	-	-	-	-	-	-	-
Avulsions, enucleations	1312	30	-	-	-	-	-	-	-	-	-	-
Cuts, lacerations	132	1,820	-	-	40	60	350	480	600	230	30	20
Puncture wounds, except gunshot wounds	133	720	-	-	-	50	120	310	150	90	-	-
Gunshot wounds	134	100	-	-	-	-	-	80	-	-	-	-
Surface wounds and bruises	14	7,730	-	-	-	430	1,370	1,760	2,050	1,490	440	170
Surface wounds and bruises, unspecified	140	250	-	-	-	-	50	80	70	40	-	-
Abrasions, scratches	141	600	-	-	-	50	60	140	150	200	-	-
Bruises, contusions	143	6,610	-	-	-	340	1,220	1,450	1,790	1,220	410	160
Multiple surface wounds and bruises	148	230	-	-	-	30	20	90	30	30	-	-
Surface wounds and bruises, n.e.c.	149	30	-	-	-	-	-	-	-	-	-	-
Burns and corrosions	15	430	-	-	-	50	130	70	70	100	-	-
Chemical burns and corrosions	151	70	-	-	-	-	-	20	-	20	-	-
Chemical burns and corrosions, unspecified	1510	70	-	-	-	-	-	20	-	20	-	-
Heat (thermal) burns	152	340	-	-	-	40	110	40	60	80	-	-
Heat (thermal) burns, unspecified	1520	260	-	-	-	30	90	40	40	60	-	-
First degree heat (thermal) burns	1521	20	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE S45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, state government, 2013 — Continued

Nature	Nature code ²	State government ³	Age										
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported	
Second degree heat (thermal) burns	1522	50	-	-	-	-	-	-	-	-	20	-	-
Intracranial injuries	16	630	-	-	-	-	-	220	140	110	90	40	-
Intracranial injuries, unspecified	160	160	-	-	-	-	-	60	60	-	20	-	-
Concussions	162	470	-	-	-	-	-	150	80	90	70	40	-
Effects of environmental conditions	17	60	-	-	-	-	-	-	20	-	-	-	-
Effects of heat and light	172	60	-	-	-	-	-	-	20	-	-	-	-
Heat fatigue	1723	30	-	-	-	-	-	-	-	-	-	-	-
Heat exhaustion, prostration	1725	20	-	-	-	-	-	-	-	-	-	-	-
Multiple traumatic injuries and disorders	18	2,680	-	-	-	80	510	730	700	430	180	30	30
Multiple traumatic injuries and disorders, unspecified	180	110	-	-	-	-	-	-	-	60	-	-	20
Cuts and abrasions or bruises	181	490	-	-	-	30	90	120	100	120	30	-	-
Sprains and other injuries	182	1,350	-	-	-	30	330	300	490	170	20	-	-
Sprains and bruises	1821	920	-	-	-	30	240	160	330	140	20	-	-
Sprains and cuts	1822	170	-	-	-	-	-	40	100	20	-	-	-
Sprains and other injuries, n.e.c.	1829	250	-	-	-	-	80	90	60	-	-	-	-
Fractures and other injuries	183	250	-	-	-	-	-	130	30	60	20	-	-
Fractures and other injuries, n.e.c.	1839	230	-	-	-	-	-	130	20	50	20	-	-
Multiple traumatic injuries and disorders, n.e.c.	189	470	-	-	-	-	80	180	70	30	110	-	-
Other traumatic injuries and disorders	19	16,640	-	-	50	340	2,960	4,040	5,560	2,930	390	370	-
Other traumatic injuries and disorders, unspecified ...	190	40	-	-	-	-	-	-	-	-	-	-	-
Electrocutions, electric shocks	193	50	-	-	-	-	20	-	-	-	-	-	-
Dermatitis and reactions affecting the skin—acute	195	210	-	-	-	50	30	30	70	-	-	-	-
Dermatitis and reactions affecting the skin—acute, unspecified	1950	140	-	-	-	30	-	20	60	-	-	-	-
Allergic dermatitis—acute	1951	50	-	-	-	-	20	-	-	-	-	-	-
Other poisoning, toxic, noxious, or allergenic effects	196	800	-	-	-	40	130	180	180	240	30	-	-
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	310	-	-	-	20	80	100	60	40	-	-	-
Poisoning, including poisoning-related asphyxia ...	1961	70	-	-	-	-	-	20	30	-	-	-	-
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	270	-	-	-	-	20	40	20	170	-	-	-
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	20	-	-	-	-	-	-	-	-	-	-	-
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	20	-	-	-	-	-	-	-	-	-	-	-
Other or unspecified allergic reactions	1966	50	-	-	-	-	-	-	40	-	-	-	-
Multiple poisoning, toxic, noxious, or allergenic effects	1968	30	-	-	-	-	-	-	30	-	-	-	-
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	20	-	-	-	-	-	-	-	-	-	-	-
Nonspecified injuries and disorders	197	15,520	-	-	50	240	2,760	3,800	5,300	2,660	350	360	-
Crushing injuries	1971	400	-	-	-	-	20	100	130	130	-	-	-
Soreness, pain, hurt—nonspecified injury	1972	13,370	-	-	30	220	2,300	3,360	4,510	2,310	320	320	-
Swelling, inflammation, irritation—nonspecified injury	1973	1,220	-	-	-	20	320	280	400	160	20	20	-
Numbness—nonspecified injury	1974	70	-	-	-	-	-	-	60	-	-	-	-
Multiple nonspecified injuries and disorders	1978	370	-	-	-	-	110	40	160	30	-	20	-
Nonspecified injuries and disorders, n.e.c.	1979	80	-	-	-	-	-	-	30	20	-	-	-
Diseases and disorders of body systems	2	1,270	-	-	-	60	280	260	330	280	40	40	-

See footnotes at end of table.

TABLE S45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, state government, 2013 — Continued

Nature	Nature code ²	State government ³	Age											
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported		
Systemic diseases and disorders, unspecified	20	20	-	-	-	-	-	-	-	-	-	-	-	-
Nervous system and sense organs diseases	22	560	-	-	-	-	-	90	120	130	180	20	-	-
Other disorders of the central nervous system	223	20	-	-	-	-	-	-	-	-	-	-	-	-
Migraine	2232	20	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of the peripheral nervous system	224	390	-	-	-	-	-	20	90	110	150	-	-	-
Disorders of the peripheral nervous system, unspecified	2240	20	-	-	-	-	-	-	-	-	-	-	-	-
Carpal tunnel syndrome	2241	370	-	-	-	-	-	20	80	110	140	-	-	-
Disorders of the eye, adnexa, vision	225	50	-	-	-	-	-	-	-	-	30	-	-	-
Conjunctivitis—non-viral	2251	40	-	-	-	-	-	-	-	-	30	-	-	-
Disorders of the ear, mastoid process, hearing	226	100	-	-	-	-	-	-	-	-	-	-	-	-
Deafness, hearing loss and impairment	2261	100	-	-	-	-	-	-	-	-	-	-	-	-
Circulatory system diseases	23	70	-	-	-	-	-	-	-	30	-	-	-	-
Ischemic heart disease, including heart attack	233	30	-	-	-	-	-	-	-	-	-	-	-	-
Myocardial infarction (heart attack)	2331	30	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory system diseases	24	60	-	-	-	-	-	50	-	-	-	-	-	-
Respiratory system diseases, unspecified	240	40	-	-	-	-	-	-	-	-	-	-	-	-
Musculoskeletal system and connective tissue diseases and disorders	27	510	-	-	-	30	140	110	130	70	-	-	-	-
Dorsopathies	272	60	-	-	-	-	-	-	-	40	-	-	-	-
Sciatica	2721	50	-	-	-	-	-	-	-	30	-	-	-	-
Soft tissue disorders, except the back	273	440	-	-	-	-	120	100	130	40	-	-	-	-
Soft tissue disorder, except the back, unspecified	2730	50	-	-	-	-	-	-	20	-	-	-	-	-
Stenosing tenosynovitis	2732	30	-	-	-	-	-	-	20	-	-	-	-	-
Other tenosynovitis, synovitis	2733	20	-	-	-	-	-	-	-	-	-	-	-	-
Epicondylitis	2734	20	-	-	-	-	-	-	-	-	-	-	-	-
Other or unspecified tendonitis (tendinitis)	2735	270	-	-	-	-	110	80	40	20	-	-	-	-
Soft tissue disorder, except the back, n.e.c.	2739	20	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of the skin and subcutaneous tissue	28	40	-	-	-	-	-	30	-	-	-	-	-	-
Infections of the skin and subcutaneous tissue	281	30	-	-	-	-	-	-	-	-	-	-	-	-
Infectious and parasitic diseases	3	100	-	-	-	-	-	40	20	-	-	-	-	-
Bacterial diseases	31	20	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis	311	20	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases	39	30	-	-	-	-	-	-	-	-	-	-	-	-
Scabies and other acariases	392	20	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions	5	500	-	-	-	-	80	130	100	120	40	-	-	-
Symptoms	51	480	-	-	-	-	70	130	90	120	40	-	-	-
General symptoms	511	200	-	-	-	-	-	30	70	50	30	-	-	-
Loss of consciousness—not heat related	5111	70	-	-	-	-	-	20	-	20	-	-	-	-
Convulsions, seizures	5112	30	-	-	-	-	-	-	-	-	-	-	-	-
Dizziness—general	5114	50	-	-	-	-	-	-	20	-	20	-	-	-
General symptoms, n.e.c.	5119	20	-	-	-	-	-	-	20	-	-	-	-	-
Symptoms involving head and neck	514	40	-	-	-	-	40	-	-	-	-	-	-	-
Headache, except migraine	5141	40	-	-	-	-	30	-	-	-	-	-	-	-
Symptoms involving respiratory system and chest	516	180	-	-	-	-	20	70	20	70	-	-	-	-
Chest pain	5164	160	-	-	-	-	-	70	-	-	-	-	-	-
Other diseases, conditions, and disorders	6	710	-	-	-	-	180	130	210	180	-	-	-	-

See footnotes at end of table.

TABLE S45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, state government, 2013 — Continued

Nature	Nature code ²	State government ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Mental disorders and syndromes	62	700	—	—	—	—	180	120	200	180	—	—
Anxiety, stress	621	690	—	—	—	—	180	120	200	180	—	—
Anxiety, stress, unspecified	6210	480	—	—	—	—	160	50	110	160	—	—
Post-traumatic stress disorder	6211	60	—	—	—	—	—	20	30	—	—	—
Anxiety or panic disorder	6213	70	—	—	—	—	—	—	30	—	—	—
Anxiety, stress, n.e.c.	6219	80	—	—	—	—	—	30	30	—	—	—
Exposures to disease—no illness incurred	7	110	—	—	—	20	40	30	—	—	—	—

See footnotes at end of table.

TABLE S45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, state government, 2013 — Continued

Nature	Nature code ²	State government ³	Age										
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported	
Nonclassifiable	9999	90	-	-	-	-	-	-	20	20	-	-	30

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.