

TABLE S46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, state government, 2013

Nature	Nature code ²	State government ³	Race or ethnic origin ⁴								Multi-race	Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race			
Total		64,990	18,580	7,990	2,710	480	110	110	-	40	34,950	
Traumatic injuries and disorders	1	62,210	17,840	7,690	2,590	440	100	110	-	40	33,390	
Traumatic injuries and disorders, unspecified	10	50	30	-	-	-	-	-	-	-	20	
Traumatic injuries to bones, nerves, spinal cord	11	3,880	1,340	300	170	40	-	-	-	-	2,020	
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	600	70	-	20	-	-	-	-	-	500	
Fractures	111	3,160	1,230	260	140	30	-	-	-	-	1,490	
Traumatic injuries to nerves, except the spinal cord ..	113	100	40	30	-	-	-	-	-	-	30	
Pinched nerve	1131	90	30	30	-	-	-	-	-	-	30	
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	27,280	8,320	3,210	1,150	150	40	60	-	30	14,330	
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	160	60	-	-	-	-	-	-	-	90	
Dislocations	121	530	180	60	30	-	-	-	-	-	250	
Dislocations, unspecified	1210	40	-	-	-	-	-	-	-	-	30	
Herniated discs	1211	100	40	20	-	-	-	-	-	-	40	
Dislocation of joints	1212	370	110	40	30	-	-	-	-	-	180	
Cartilage fractures and tears	122	150	110	-	-	-	-	-	-	-	30	
Meniscus tears	1221	140	100	-	-	-	-	-	-	-	20	
Sprains, strains, tears	123	25,960	7,770	3,130	1,110	140	30	60	-	30	13,690	
Sprains, strains, tears, unspecified	1230	2,270	810	160	40	-	-	-	-	-	1,220	
Major tears to muscles, tendons, ligaments	1231	660	310	50	20	-	-	-	-	-	280	
Sprains	1232	7,810	2,290	1,530	370	-	-	20	-	-	3,580	
Strains	1233	14,460	4,230	1,330	650	110	20	40	-	-	8,060	
Multiple sprains, strains, tears	1238	750	120	50	30	-	-	-	-	-	550	
Hernias due to traumatic incidents	124	390	170	-	-	-	-	-	-	-	210	
Whiplash	125	40	-	-	-	-	-	-	-	-	40	
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	30	20	-	-	-	-	-	-	-	-	
Open wounds	13	2,840	920	300	110	30	20	-	-	-	1,460	
Open wounds, unspecified	130	90	-	-	30	-	-	-	-	-	50	
Amputations, avulsions, enucleations	131	70	20	-	-	-	-	-	-	-	40	
Amputations	1311	40	-	-	-	-	-	-	-	-	20	
Avulsions, enucleations	1312	30	-	-	-	-	-	-	-	-	-	
Cuts, lacerations	132	1,820	720	250	40	30	-	-	-	-	780	
Puncture wounds, except gunshot wounds	133	720	160	40	20	-	-	-	-	-	490	
Gunshot wounds	134	100	20	-	-	-	-	-	-	-	70	
Surface wounds and bruises	14	7,730	1,590	1,430	310	40	-	-	-	-	4,340	
Surface wounds and bruises, unspecified	140	250	60	50	20	-	-	-	-	-	120	
Abrasions, scratches	141	600	170	100	-	-	-	-	-	-	310	
Bruises, contusions	143	6,610	1,320	1,200	270	20	-	-	-	-	3,780	
Multiple surface wounds and bruises	148	230	20	70	-	20	-	-	-	-	110	
Surface wounds and bruises, n.e.c.	149	30	-	-	-	-	-	-	-	-	-	
Burns and corrosions	15	430	90	40	20	-	-	-	-	-	270	
Chemical burns and corrosions	151	70	-	-	-	-	-	-	-	-	40	

See footnotes at end of table.

TABLE S46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, state government, 2013 — Continued

Nature	Nature code ²	State government ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Chemical burns and corrosions, unspecified	1510	70	—	—	—	—	—	—	—	—	40
Heat (thermal) burns	152	340	90	30	—	—	—	—	—	—	220
Heat (thermal) burns, unspecified	1520	260	80	—	—	—	—	—	—	—	170
First degree heat (thermal) burns	1521	20	—	—	—	—	—	—	—	—	20
Second degree heat (thermal) burns	1522	50	—	—	—	—	—	—	—	—	30
Intracranial injuries	16	630	160	40	—	20	—	—	—	—	390
Intracranial injuries, unspecified	160	160	—	—	—	—	—	—	—	—	140
Concussions	162	470	150	40	—	20	—	—	—	—	250
Effects of environmental conditions	17	60	20	—	—	—	—	—	—	—	30
Effects of heat and light	172	60	20	—	—	—	—	—	—	—	30
Heat fatigue	1723	30	—	—	—	—	—	—	—	—	20
Heat exhaustion, prostration	1725	20	—	—	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	2,680	610	460	160	90	—	—	—	—	1,340
Multiple traumatic injuries and disorders, unspecified	180	110	—	—	—	—	—	—	—	—	100
Cuts and abrasions or bruises	181	490	90	50	20	—	—	—	—	—	330
Sprains and other injuries	182	1,350	240	370	80	90	—	—	—	—	560
Sprains and bruises	1821	920	210	190	30	—	—	—	—	—	470
Sprains and cuts	1822	170	20	90	—	—	—	—	—	—	20
Sprains and other injuries, n.e.c.	1829	250	20	80	—	70	—	—	—	—	60
Fractures and other injuries	183	250	90	—	40	—	—	—	—	—	120
Fractures and other injuries, n.e.c.	1839	230	80	—	40	—	—	—	—	—	110
Multiple traumatic injuries and disorders, n.e.c.	189	470	180	30	20	—	—	—	—	—	240
Other traumatic injuries and disorders	19	16,640	4,740	1,910	670	70	20	30	—	—	9,190
Other traumatic injuries and disorders, unspecified ...	190	40	—	—	—	—	—	—	—	—	30
Electrocutions, electric shocks	193	50	20	—	—	—	—	—	—	—	20
Dermatitis and reactions affecting the skin—acute	195	210	80	40	30	—	—	—	—	—	60
Dermatitis and reactions affecting the skin—acute, unspecified	1950	140	60	40	20	—	—	—	—	—	20
Allergic dermatitis—acute	1951	50	20	—	—	—	—	—	—	—	30
Other poisoning, toxic, noxious, or allergenic effects	196	800	160	210	—	—	—	—	—	—	420
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	310	70	120	—	—	—	—	—	—	120
Poisoning, including poisoning-related asphyxia ...	1961	70	20	—	—	—	—	—	—	—	40
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	270	50	30	—	—	—	—	—	—	190
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	20	—	—	—	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	20	—	—	—	—	—	—	—	—	20
Other or unspecified allergic reactions	1966	50	—	—	—	—	—	—	—	—	20
Multiple poisoning, toxic, noxious, or allergenic effects	1968	30	—	—	—	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	20	—	—	—	—	—	—	—	—	—
Nonspecified injuries and disorders	197	15,520	4,450	1,650	630	70	20	30	—	—	8,670
Crushing injuries	1971	400	70	30	—	—	—	—	—	—	290

See footnotes at end of table.

TABLE S46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, state government, 2013 — Continued

Nature	Nature code ²	State government ³	Race or ethnic origin ⁴								Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	
Soreness, pain, hurt—nonspecified injury	1972	13,370	3,990	1,480	550	40	—	20	—	—	7,290
Swelling, inflammation, irritation—nonspecified injury	1973	1,220	280	120	50	20	—	—	—	—	740
Numbness—nonspecified injury	1974	70	—	—	—	—	—	—	—	—	60
Multiple nonspecified injuries and disorders	1978	370	90	—	—	—	—	—	—	—	240
Nonspecified injuries and disorders, n.e.c.	1979	80	20	—	—	—	—	—	—	—	40
Diseases and disorders of body systems	2	1,270	430	90	30	—	—	—	—	—	700
Systemic diseases and disorders, unspecified	20	20	20	—	—	—	—	—	—	—	—
Nervous system and sense organs diseases	22	560	240	30	—	—	—	—	—	—	270
Other disorders of the central nervous system	223	20	—	—	—	—	—	—	—	—	—
Migraine	2232	20	—	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system	224	390	210	30	—	—	—	—	—	—	140
Disorders of the peripheral nervous system, unspecified	2240	20	—	—	—	—	—	—	—	—	—
Carpal tunnel syndrome	2241	370	200	30	—	—	—	—	—	—	140
Disorders of the eye, adnexa, vision	225	50	—	—	—	—	—	—	—	—	30
Conjunctivitis—non-viral	2251	40	—	—	—	—	—	—	—	—	30
Disorders of the ear, mastoid process, hearing	226	100	—	—	—	—	—	—	—	—	80
Deafness, hearing loss and impairment	2261	100	—	—	—	—	—	—	—	—	80
Circulatory system diseases	23	70	—	—	—	—	—	—	—	—	50
Ischemic heart disease, including heart attack	233	30	—	—	—	—	—	—	—	—	20
Myocardial infarction (heart attack)	2331	30	—	—	—	—	—	—	—	—	20
Respiratory system diseases	24	60	—	—	—	—	—	—	—	—	50
Respiratory system diseases, unspecified	240	40	—	—	—	—	—	—	—	—	40
Musculoskeletal system and connective tissue diseases and disorders	27	510	150	50	20	—	—	—	—	—	290
Dorsopathies	272	60	—	—	—	—	—	—	—	—	50
Sciatica	2721	50	—	—	—	—	—	—	—	—	50
Soft tissue disorders, except the back	273	440	140	40	—	—	—	—	—	—	240
Soft tissue disorder, except the back, unspecified	2730	50	—	—	—	—	—	—	—	—	30
Stenosing tenosynovitis	2732	30	—	—	—	—	—	—	—	—	20
Other tenosynovitis, synovitis	2733	20	—	—	—	—	—	—	—	—	—
Epicondylitis	2734	20	—	—	—	—	—	—	—	—	20
Other or unspecified tendonitis (tendinitis)	2735	270	120	—	—	—	—	—	—	—	140
Soft tissue disorder, except the back, n.e.c.	2739	20	—	—	—	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	28	40	—	—	—	—	—	—	—	—	30
Infections of the skin and subcutaneous tissue	281	30	—	—	—	—	—	—	—	—	20
Infectious and parasitic diseases	3	100	20	—	—	—	—	—	—	—	40
Bacterial diseases	31	20	20	—	—	—	—	—	—	—	—
Tuberculosis	311	20	20	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	39	30	—	—	—	—	—	—	—	—	20
Scabies and other acariases	392	20	—	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	500	120	20	40	—	—	—	—	—	330

See footnotes at end of table.

TABLE S46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, state government, 2013 — Continued

Nature	Nature code ²	State government ³	Race or ethnic origin ⁴								Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	
Symptoms	51	480	120	20	40	—	—	—	—	—	310
General symptoms	511	200	60	—	—	—	—	—	—	—	130
Loss of consciousness—not heat related	5111	70	30	—	—	—	—	—	—	—	40
Convulsions, seizures	5112	30	—	—	—	—	—	—	—	—	30
Dizziness—general	5114	50	20	—	—	—	—	—	—	—	20
General symptoms, n.e.c.	5119	20	—	—	—	—	—	—	—	—	20
Symptoms involving head and neck	514	40	30	—	—	—	—	—	—	—	—
Headache, except migraine	5141	40	30	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	180	—	—	—	—	—	—	—	—	170
Chest pain	5164	160	—	—	—	—	—	—	—	—	160
Other diseases, conditions, and disorders	6	710	110	160	50	—	—	—	—	—	370
Mental disorders and syndromes	62	700	110	160	50	—	—	—	—	—	370
Anxiety, stress	621	690	110	160	50	—	—	—	—	—	360
Anxiety, stress, unspecified	6210	480	90	150	—	—	—	—	—	—	230
Post-traumatic stress disorder	6211	60	—	—	—	—	—	—	—	—	50
Anxiety or panic disorder	6213	70	—	—	30	—	—	—	—	—	—
Anxiety, stress, n.e.c.	6219	80	—	—	—	—	—	—	—	—	70
Exposures to disease—no illness incurred	7	110	40	—	—	—	—	—	—	—	70
Nonclassifiable	9999	90	—	20	—	—	—	—	—	—	50

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Race and ethnicity data do not add to total. Some cases may be counted as both Multi-race and Hispanic and other race.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.