

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2013

Nature	Nature code ²	State government ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Total		64,990	2,310	970	6,160	6,230	33,290	300
Traumatic injuries and disorders	1	62,210	2,220	890	5,970	5,980	31,930	240
Traumatic injuries and disorders, unspecified	10	50	–	–	–	–	20	–
Traumatic injuries to bones, nerves, spinal cord	11	3,880	230	120	380	300	1,960	–
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	600	20	–	20	100	320	–
Fractures	111	3,160	200	110	360	180	1,600	–
Traumatic injuries to nerves, except the spinal cord	113	100	–	–	–	–	30	–
Pinched nerve	1131	90	–	–	–	–	20	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc. ...	12	27,280	920	230	2,350	2,400	13,860	110
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	160	–	–	30	–	90	–
Dislocations	121	530	–	–	120	30	260	–
Dislocations, unspecified	1210	40	–	–	–	–	–	–
Herniated discs	1211	100	–	–	–	–	40	–
Dislocation of joints	1212	370	–	–	120	–	210	–
Cartilage fractures and tears ...	122	150	–	–	30	–	100	–
Meniscus tears	1221	140	–	–	30	–	90	–
Sprains, strains, tears	123	25,960	890	220	2,130	2,360	13,240	110
Sprains, strains, tears, unspecified	1230	2,270	40	20	180	190	1,260	–
Major tears to muscles, tendons, ligaments	1231	660	50	–	120	20	290	–
Sprains	1232	7,810	250	90	780	600	3,650	–
Strains	1233	14,460	540	100	1,020	1,380	7,570	100
Multiple sprains, strains, tears	1238	750	–	–	30	160	460	–
Hernias due to traumatic incidents	124	390	–	–	20	–	120	–
Whiplash	125	40	–	–	–	–	20	–
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	30	–	–	–	–	30	–
Open wounds	13	2,840	80	50	200	170	1,290	–
Open wounds, unspecified	130	90	–	–	–	40	30	–
Amputations, avulsions, enucleations	131	70	–	–	–	–	40	–
Amputations	1311	40	–	–	–	–	20	–

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2013 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Total	3,860	350	4,430	3,050	710	3,070
Traumatic injuries and disorders	3,560	350	4,270	2,980	680	2,910
Traumatic injuries and disorders, unspecified	20	—	—	—	—	—
Traumatic injuries to bones, nerves, spinal cord	330	70	160	130	50	130
Traumatic injuries to bones, nerves, spinal cord, unspecified	40	—	30	—	30	20
Fractures	290	40	130	120	20	100
Traumatic injuries to nerves, except the spinal cord	—	30	—	—	—	—
Pinched nerve	—	30	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc. ...	1,430	170	2,270	1,370	390	1,670
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	—	—	20	—	—	—
Dislocations	20	—	60	—	—	20
Dislocations, unspecified	—	—	—	—	—	—
Herniated discs	—	—	30	—	—	20
Dislocation of joints	20	—	—	—	—	—
Cartilage fractures and tears ...	—	—	—	—	—	—
Meniscus tears	—	—	—	—	—	—
Sprains, strains, tears	1,390	170	2,050	1,320	380	1,600
Sprains, strains, tears, unspecified	100	—	280	80	40	90
Major tears to muscles, tendons, ligaments	40	—	30	30	—	50
Sprains	450	—	430	420	70	970
Strains	780	160	1,310	770	240	480
Multiple sprains, strains, tears	20	—	—	—	30	20
Hernias due to traumatic incidents	—	—	130	30	—	40
Whiplash	—	—	—	—	—	—
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	—	—	—	—	—	—
Open wounds	70	—	240	460	40	220
Open wounds, unspecified	—	—	—	—	—	—
Amputations, avulsions, enucleations	—	—	—	—	—	—
Amputations	—	—	—	—	—	—

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2013 — Continued

Nature	Nature code ²	State government ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Avulsions, enucleations	1312	30	—	—	—	—	—	—
Cuts, lacerations	132	1,820	60	40	40	60	760	—
Puncture wounds, except gunshot wounds	133	720	—	—	140	70	330	—
Gunshot wounds	134	100	—	—	—	—	100	—
Surface wounds and bruises	14	7,730	260	180	890	1,140	3,900	20
Surface wounds and bruises, unspecified	140	250	30	—	—	20	150	—
Abrasions, scratches	141	600	—	—	100	50	300	—
Bruises, contusions	143	6,610	210	170	730	990	3,360	—
Multiple surface wounds and bruises	148	230	20	—	30	70	70	—
Surface wounds and bruises, n.e.c.	149	30	—	—	—	—	—	—
Burns and corrosions	15	430	—	—	—	—	300	—
Chemical burns and corrosions	151	70	—	—	—	—	30	—
Chemical burns and corrosions, unspecified	1510	70	—	—	—	—	30	—
Heat (thermal) burns	152	340	—	—	—	—	250	—
Heat (thermal) burns, unspecified	1520	260	—	—	—	—	190	—
First degree heat (thermal) burns	1521	20	—	—	—	—	20	—
Second degree heat (thermal) burns	1522	50	—	—	—	—	30	—
Intracranial injuries	16	630	30	—	60	80	240	—
Intracranial injuries, unspecified	160	160	—	—	—	—	—	—
Concussions	162	470	30	—	60	70	230	—
Effects of environmental conditions	17	60	—	—	—	—	30	—
Effects of heat and light	172	60	—	—	—	—	30	—
Heat fatigue	1723	30	—	—	—	—	—	—
Heat exhaustion, prostration	1725	20	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	2,680	90	60	260	510	1,310	—
Multiple traumatic injuries and disorders, unspecified	180	110	—	—	—	—	90	—
Cuts and abrasions or bruises	181	490	30	—	50	100	220	—
Sprains and other injuries	182	1,350	40	30	120	250	660	—
Sprains and bruises	1821	920	20	20	110	90	580	—
Sprains and cuts	1822	170	—	—	—	—	50	—
Sprains and other injuries, n.e.c.	1829	250	—	—	—	160	30	—
Fractures and other injuries	183	250	—	20	30	—	140	—

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2013 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Avulsions, enucleations	—	—	—	—	—	—
Cuts, lacerations	60	—	160	410	40	160
Puncture wounds, except gunshot wounds	—	—	70	30	—	50
Gunshot wounds	—	—	—	—	—	—
Surface wounds and bruises	500	30	230	270	20	220
Surface wounds and bruises, unspecified	20	—	—	—	—	—
Abrasions, scratches	90	—	—	20	—	—
Bruises, contusions	380	20	210	240	20	200
Multiple surface wounds and bruises	—	—	—	—	—	—
Surface wounds and bruises, n.e.c.	—	—	—	—	—	—
Burns and corruptions	—	—	30	30	—	—
Chemical burns and corruptions	—	—	—	20	—	—
Chemical burns and corruptions, unspecified	—	—	—	20	—	—
Heat (thermal) burns	—	—	30	—	—	—
Heat (thermal) burns, unspecified	—	—	20	—	—	—
First degree heat (thermal) burns	—	—	—	—	—	—
Second degree heat (thermal) burns	—	—	—	—	—	—
Intracranial injuries	30	—	130	20	—	30
Intracranial injuries, unspecified	—	—	110	—	—	—
Concussions	20	—	20	20	—	20
Effects of environmental conditions	—	—	20	—	—	—
Effects of heat and light	—	—	20	—	—	—
Heat fatigue	—	—	20	—	—	—
Heat exhaustion, prostration	—	—	—	—	—	—
Multiple traumatic injuries and disorders	130	—	110	50	—	130
Multiple traumatic injuries and disorders, unspecified	—	—	—	—	—	—
Cuts and abrasions or bruises	30	—	—	20	—	20
Sprains and other injuries	60	—	80	—	—	110
Sprains and bruises	60	—	20	—	—	—
Sprains and cuts	—	—	—	—	—	100
Sprains and other injuries, n.e.c.	—	—	40	—	—	—
Fractures and other injuries	20	—	—	20	—	—

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2013 — Continued

Nature	Nature code ²	State government ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Fractures and other injuries, n.e.c.	1839	230	—	—	30	—	130	—
Multiple traumatic injuries and disorders, n.e.c.	189	470	20	—	50	140	200	—
Other traumatic injuries and disorders	19	16,640	610	230	1,810	1,370	9,030	80
Other traumatic injuries and disorders, unspecified	190	40	—	—	—	—	—	—
Electrocutions, electric shocks	193	50	—	—	—	—	30	—
Dermatitis and reactions affecting the skin—acute	195	210	—	—	—	—	130	—
Dermatitis and reactions affecting the skin—acute, unspecified	1950	140	—	—	—	—	90	—
Allergic dermatitis—acute	1951	50	—	—	—	—	20	—
Other poisoning, toxic, noxious, or allergenic effects	196	800	30	—	70	30	330	50
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	310	—	—	20	—	130	—
Poisoning, including poisoning-related asphyxia	1961	70	—	—	—	—	50	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	270	30	—	—	—	80	40
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	20	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	20	—	—	—	—	20	—
Other or unspecified allergic reactions	1966	50	—	—	—	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	30	—	—	—	—	20	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	20	—	—	—	—	—	—
Nonspecified injuries and disorders	197	15,520	560	200	1,730	1,320	8,520	30
Crushing injuries	1971	400	—	—	—	20	140	—
Soreness, pain, hurt—nonspecified injury	1972	13,370	500	190	1,600	1,170	7,520	30

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2013 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Fractures and other injuries, n.e.c.	20	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	20	—	20	—	—	—
Other traumatic injuries and disorders	1,030	70	1,070	630	160	510
Other traumatic injuries and disorders, unspecified	—	—	—	—	—	—
Electrocutions, electric shocks	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute	—	—	20	—	—	—
Dermatitis and reactions affecting the skin—acute, unspecified	—	—	—	—	—	—
Allergic dermatitis—acute	—	—	20	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	150	—	—	20	—	100
Poisoning, toxic, noxious, or allergenic effect, unspecified	30	—	—	—	—	—
Poisoning, including poisoning-related asphyxia	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	90	—	—	—	—	—
Coughing and throat irritation— toxic, noxious, or allergenic effect	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	—	—	—	—	—	—
Other or unspecified allergic reactions	—	—	—	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	—	—	—	—	—	—
Nonspecified injuries and disorders	880	50	1,030	600	150	400
Crushing injuries	—	—	140	60	—	40
Soreness, pain, hurt—nonspecified injury	700	40	790	430	60	310

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2013 — Continued

Nature	Nature code ²	State government ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Swelling, inflammation, irritation—nonspecified injury	1973	1,220	30	—	90	120	570	—
Numbness—nonspecified injury	1974	70	—	—	—	—	—	—
Multiple nonspecified injuries and disorders	1978	370	—	—	—	—	250	—
Nonspecified injuries and disorders, n.e.c.	1979	80	—	—	30	—	40	—
Diseases and disorders of body systems	2	1,270	60	30	50	110	670	—
Systemic diseases and disorders, unspecified	20	20	—	—	—	—	—	—
Nervous system and sense organs diseases	22	560	50	20	40	20	240	—
Other disorders of the central nervous system	223	20	—	—	—	—	20	—
Migraine	2232	20	—	—	—	—	20	—
Disorders of the peripheral nervous system	224	390	50	20	20	—	110	—
Disorders of the peripheral nervous system, unspecified	2240	20	—	—	—	—	—	—
Carpal tunnel syndrome	2241	370	50	20	20	—	100	—
Disorders of the eye, adnexa, vision	225	50	—	—	—	—	20	—
Conjunctivitis—non-viral	2251	40	—	—	—	—	20	—
Disorders of the ear, mastoid process, hearing	226	100	—	—	—	—	90	—
Deafness, hearing loss and impairment	2261	100	—	—	—	—	90	—
Circulatory system diseases	23	70	—	—	—	—	40	—
Ischemic heart disease, including heart attack	233	30	—	—	—	—	—	—
Myocardial infarction (heart attack)	2331	30	—	—	—	—	—	—
Respiratory system diseases	24	60	—	—	—	—	50	—
Respiratory system diseases, unspecified	240	40	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	510	—	—	—	80	280	—
Dorsopathies	272	60	—	—	—	50	—	—
Sciatica	2721	50	—	—	—	50	—	—

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2013 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Swelling, inflammation, irritation—nonspecified injury	140	—	60	60	90	60
Numbness—nonspecified injury	—	—	—	—	—	—
Multiple nonspecified injuries and disorders	30	—	50	—	—	—
Nonspecified injuries and disorders, n.e.c.	—	—	—	—	—	—
Diseases and disorders of body systems	180	—	70	60	—	30
Systemic diseases and disorders, unspecified	—	—	—	—	—	—
Nervous system and sense organs diseases	140	—	—	30	—	20
Other disorders of the central nervous system	—	—	—	—	—	—
Migraine	—	—	—	—	—	—
Disorders of the peripheral nervous system	140	—	—	20	—	20
Disorders of the peripheral nervous system, unspecified	—	—	—	—	—	—
Carpal tunnel syndrome	130	—	—	20	—	—
Disorders of the eye, adnexa, vision	—	—	—	—	—	—
Conjunctivitis—non-viral	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	—	—	—	—	—	—
Deafness, hearing loss and impairment	—	—	—	—	—	—
Circulatory system diseases	—	—	—	—	—	—
Ischemic heart disease, including heart attack	—	—	—	—	—	—
Myocardial infarction (heart attack)	—	—	—	—	—	—
Respiratory system diseases	—	—	—	—	—	—
Respiratory system diseases, unspecified	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	30	—	70	30	—	—
Dorsopathies	—	—	—	—	—	—
Sciatica	—	—	—	—	—	—

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2013 — Continued

Nature	Nature code ²	State government ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Soft tissue disorders, except the back	273	440	—	—	—	30	250	—
Soft tissue disorder, except the back, unspecified	2730	50	—	—	—	—	30	—
Stenosing tenosynovitis	2732	30	—	—	—	—	—	—
Other tenosynovitis, synovitis	2733	20	—	—	—	—	—	—
Epicondylitis	2734	20	—	—	—	—	20	—
Other or unspecified tendonitis (tendinitis)	2735	270	—	—	—	—	160	—
Soft tissue disorder, except the back, n.e.c.	2739	20	—	—	—	—	20	—
Disorders of the skin and subcutaneous tissue	28	40	—	—	—	—	40	—
Infections of the skin and subcutaneous tissue	281	30	—	—	—	—	20	—
Infectious and parasitic diseases	3	100	—	—	—	30	30	—
Bacterial diseases	31	20	—	—	—	—	—	—
Tuberculosis	311	20	—	—	—	—	—	—
Other infectious and parasitic diseases	39	30	—	—	—	—	—	—
Scabies and other acariases ..	392	20	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	500	—	20	30	30	310	—
Symptoms	51	480	—	20	20	30	310	—
General symptoms	511	200	—	20	—	20	70	—
Loss of consciousness—not heat related	5111	70	—	—	—	—	30	—
Convulsions, seizures	5112	30	—	—	—	—	—	—
Dizziness—general	5114	50	—	—	—	—	—	—
General symptoms, n.e.c.	5119	20	—	—	—	—	20	—
Symptoms involving head and neck	514	40	—	—	—	—	30	—
Headache, except migraine	5141	40	—	—	—	—	30	—
Symptoms involving respiratory system and chest	516	180	—	—	—	—	150	—
Chest pain	5164	160	—	—	—	—	140	—
Other diseases, conditions, and disorders	6	710	—	—	90	60	220	—
Mental disorders and syndromes	62	700	—	—	90	60	210	—
Anxiety, stress	621	690	—	—	90	60	210	—
Anxiety, stress, unspecified	6210	480	—	—	50	40	90	—

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2013 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Soft tissue disorders, except the back	30	—	70	30	—	—
Soft tissue disorder, except the back, unspecified	—	—	—	—	—	—
Stenosing tenosynovitis	—	—	—	—	—	—
Other tenosynovitis, synovitis	—	—	—	—	—	—
Epicondylitis	—	—	—	—	—	—
Other or unspecified tendonitis (tendinitis)	20	—	60	—	—	—
Soft tissue disorder, except the back, n.e.c.	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	—	—	—	—	—	—
Infectious and parasitic diseases	—	—	—	—	—	—
Bacterial diseases	—	—	—	—	—	—
Tuberculosis	—	—	—	—	—	—
Other infectious and parasitic diseases	—	—	—	—	—	—
Scabies and other acariases ..	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	50	—	20	—	—	—
Symptoms	50	—	20	—	—	—
General symptoms	40	—	20	—	—	—
Loss of consciousness—not heat related	—	—	—	—	—	—
Convulsions, seizures	—	—	—	—	—	—
Dizziness—general	20	—	—	—	—	—
General symptoms, n.e.c.	—	—	—	—	—	—
Symptoms involving head and neck	—	—	—	—	—	—
Headache, except migraine	—	—	—	—	—	—
Symptoms involving respiratory system and chest	—	—	—	—	—	—
Chest pain	—	—	—	—	—	—
Other diseases, conditions, and disorders	60	—	50	—	—	120
Mental disorders and syndromes	60	—	50	—	—	120
Anxiety, stress	60	—	50	—	—	120
Anxiety, stress, unspecified	40	—	50	—	—	110

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2013 — Continued

Nature	Nature code ²	State government ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Post-traumatic stress disorder	6211	60	—	—	30	—	20	—
Anxiety or panic disorder	6213	70	—	—	—	—	50	—
Anxiety, stress, n.e.c.	6219	80	—	—	—	—	40	—
Exposures to disease—no illness incurred	7	110	—	—	—	—	90	—

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2013 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Post-traumatic stress disorder	—	—	—	—	—	—
Anxiety or panic disorder	—	—	—	—	—	—
Anxiety, stress, n.e.c.	—	—	—	—	—	—
Exposures to disease—no illness incurred	—	—	—	—	—	—

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2013 — Continued

Nature	Nature code ²	State government ³	Summary occupational groups ⁴					Sales and related occupations
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	
Nonclassifiable	9999	90	—	—	—	—	40	—

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, state government, 2013 — Continued

Nature	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Nonclassifiable	—	—	—	—	—	—

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ *Standard Occupational Classification Manual*, 2010, Office of Management and Budget.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.