

TABLE S50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, state government, 2013

Part of body	Part of body code ²	State government ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		64,990	-	-	270	2,080	11,620	15,880	20,270	11,530	1,920	1,420
Head	1	4,700	-	-	20	320	990	1,230	970	850	260	60
Head, unspecified	10	870	-	-	-	40	150	220	200	190	50	20
Cranial region, including skull	11	880	-	-	-	30	270	200	160	120	80	-
Cranial region, unspecified	110	50	-	-	-	-	30	-	-	-	-	-
Brain	111	660	-	-	-	-	230	150	110	90	50	-
Scalp	112	150	-	-	-	-	-	40	40	30	30	-
Skull	113	20	-	-	-	-	-	-	-	-	-	-
Ear(s)	12	130	-	-	-	-	80	20	-	-	-	-
Face	13	2,530	-	-	-	240	470	760	500	490	50	30
Face, unspecified	130	550	-	-	-	20	90	130	100	180	20	-
Forehead	131	120	-	-	-	-	-	30	30	30	-	-
Eye(s)	132	1,010	-	-	-	70	260	300	220	140	-	20
Nose, nasal cavity	133	340	-	-	-	110	40	120	30	30	-	-
Nose, except internal location of diseases or disorders	1330	340	-	-	-	110	40	120	30	30	-	-
Cheek(s)	134	70	-	-	-	-	-	-	-	60	-	-
Jaw, chin	135	50	-	-	-	-	-	20	-	-	-	-
Mouth	136	80	-	-	-	-	30	20	-	-	-	-
Mouth, unspecified	1360	30	-	-	-	-	20	-	-	-	-	-
Lip(s)	1361	20	-	-	-	-	-	-	-	-	-	-
Tooth (teeth)	1363	20	-	-	-	-	-	-	-	-	-	-
Multiple face locations	138	270	-	-	-	20	20	100	80	30	-	-
Face, n.e.c.	139	30	-	-	-	-	-	20	-	-	-	-
Multiple head locations	18	290	-	-	-	-	30	40	100	40	70	-
Neck, including throat	2	970	-	-	-	-	250	200	340	160	-	-
Neck, except internal location of diseases or disorders ...	20	970	-	-	-	-	250	200	340	160	-	-
Trunk	3	13,470	-	-	60	410	2,440	3,520	4,150	2,160	350	370
Trunk, unspecified	30	50	-	-	-	-	-	-	-	-	-	-
Chest, including ribs, internal organs	31	1,120	-	-	-	30	230	290	310	200	30	20
Chest, except internal location of diseases or disorders	310	820	-	-	-	30	190	190	260	120	20	-
Internal chest location, unspecified	311	130	-	-	-	-	-	-	-	-	-	-
Heart	313	50	-	-	-	-	-	-	20	-	-	-
Lung(s), pleura	315	110	-	-	-	-	-	-	40	-	-	-
Back, including spine, spinal cord	32	10,070	-	-	50	370	1,910	2,590	3,080	1,550	230	300
Back, including spine, spinal cord, unspecified	320	4,160	-	-	20	130	910	800	1,370	650	90	200
Thoracic region	321	570	-	-	-	80	70	160	150	80	-	-
Lumbar region	322	4,800	-	-	-	140	760	1,570	1,340	740	130	100
Coccygeal region	324	50	-	-	-	-	-	-	-	20	-	-
Multiple back regions	328	470	-	-	-	20	150	50	200	50	-	-
Abdomen	33	890	-	-	-	-	100	360	260	150	-	-
Abdomen, except internal location of diseases or disorders	330	890	-	-	-	-	100	360	260	150	-	-
Pelvic region	34	960	-	-	-	-	120	180	380	170	70	30
Hip(s)	341	420	-	-	-	-	40	50	180	120	20	-
Buttock(s)	343	90	-	-	-	-	20	20	30	-	-	-

See footnotes at end of table.

TABLE S50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, state government, 2013 — Continued

Part of body	Part of body code ²	State government ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Groin	344	420	—	—	—	—	50	100	150	40	40	20
Multiple trunk locations	38	360	—	—	—	—	60	90	110	80	20	—
Upper extremities	4	16,240	—	—	100	380	3,020	3,940	4,970	3,130	280	420
Shoulder(s), including clavicle(s), scapula(e)	41	4,810	—	—	60	90	780	930	1,680	1,080	80	110
Arm(s)	42	2,280	—	—	—	60	270	590	690	550	50	60
Arm(s), unspecified	420	780	—	—	—	30	80	200	170	240	30	30
Upper arm(s)	421	340	—	—	—	—	20	50	110	150	—	—
Elbow(s)	422	780	—	—	—	—	70	270	280	130	—	20
Forearm(s)	423	270	—	—	—	—	80	60	80	20	—	—
Multiple arm locations	428	100	—	—	—	—	20	—	60	—	—	—
Elbow(s) and arm(s)	4281	70	—	—	—	—	—	—	40	—	—	—
Multiple arm locations, n.e.c.	4289	30	—	—	—	—	—	—	—	—	—	—
Wrist(s)	43	2,070	—	—	—	70	250	490	630	500	60	70
Hand(s)	44	5,210	—	—	40	130	1,230	1,470	1,350	780	60	150
Hand(s), unspecified	440	1,340	—	—	20	40	350	250	330	260	40	60
Hand(s), except finger(s)	441	410	—	—	—	20	120	140	80	20	—	—
Finger(s), fingernail(s)	442	3,090	—	—	20	60	700	990	780	440	20	70
Finger(s), fingernail(s), unspecified	4420	2,390	—	—	20	50	580	750	580	340	—	60
Fingernail(s), nailbed(s)	4421	50	—	—	—	—	—	—	—	30	—	—
Fingertip(s)	4422	180	—	—	—	—	30	40	110	—	—	—
Finger(s), fingernail(s), n.e.c.	4429	470	—	—	—	20	90	190	90	60	—	—
Hand(s) and finger(s)	448	320	—	—	—	—	60	80	130	50	—	—
Hand(s), n.e.c.	449	50	—	—	—	—	—	—	40	—	—	—
Multiple upper extremities locations	48	1,860	—	—	—	20	490	450	620	220	20	40
Multiple upper extremities locations, unspecified	480	50	—	—	—	—	—	—	20	—	—	—
Hand(s) and arms(s)	481	310	—	—	—	—	130	50	110	20	—	—
Hand(s) and arm(s), unspecified	4810	30	—	—	—	—	—	—	—	—	—	—
Hand(s) and elbow(s)	4811	130	—	—	—	—	20	20	80	—	—	—
Hand(s) and arm(s), n.e.c.	4819	160	—	—	—	—	100	20	20	—	—	—
Hand(s) and wrist(s)	482	390	—	—	—	—	120	100	120	30	—	—
Wrist(s) and arm(s)	483	140	—	—	—	—	40	30	40	—	—	—
Wrist(s) and elbow(s)	4831	30	—	—	—	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	100	—	—	—	—	40	20	30	—	—	—
Shoulder(s) and arm(s)	484	440	—	—	—	—	50	100	170	80	—	20
Multiple upper extremities locations, n.e.c.	489	540	—	—	—	—	140	150	150	80	—	—
Lower extremities	5	15,250	—	—	40	570	2,730	3,820	5,010	2,550	340	190
Leg(s)	51	9,360	—	—	—	340	1,690	2,310	3,100	1,620	180	110
Leg(s), unspecified	510	990	—	—	—	20	90	340	310	200	—	20
Thigh(s)	511	350	—	—	—	40	80	40	110	70	20	—
Knee(s)	512	6,870	—	—	—	280	1,420	1,600	2,170	1,160	140	70
Lower leg(s)	513	890	—	—	—	—	80	280	380	130	—	—
Multiple leg locations	518	240	—	—	—	—	20	20	130	60	—	—
Multiple leg locations, unspecified	5180	20	—	—	—	—	—	20	—	—	—	—
Knee(s) and leg(s)	5181	110	—	—	—	—	—	—	40	50	—	—
Multiple leg locations, n.e.c.	5189	110	—	—	—	—	—	—	90	—	—	—
Leg(s), n.e.c.	519	20	—	—	—	—	—	—	—	—	—	—
Ankle(s)	52	3,310	—	—	—	120	470	1,010	1,110	450	70	60
Foot (feet)	53	1,780	—	—	20	100	450	370	450	310	80	20

See footnotes at end of table.

TABLE S50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, state government, 2013 — Continued

Part of body	Part of body code ²	State government ³	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Foot (feet), unspecified	530	1,170	—	—	20	60	300	210	310	190	50	—	
Sole(s)	531	120	—	—	—	—	—	30	40	30	—	—	
Sole(s), unspecified	5310	30	—	—	—	—	—	—	—	20	—	—	
Heel(s)	5313	90	—	—	—	—	—	30	30	20	—	—	
Toes(s), toenail(s)	532	360	—	—	—	30	100	80	70	50	20	—	
Multiple foot (feet) locations	538	60	—	—	—	—	20	20	—	—	—	—	
Foot (feet), n.e.c.	539	80	—	—	—	—	20	20	20	—	—	—	
Multiple lower extremities locations	58	790	—	—	—	—	120	130	340	160	—	—	
Foot (feet) and leg(s)	581	160	—	—	—	—	—	20	120	—	—	—	
Foot(feet) and leg(s), unspecified	5810	30	—	—	—	—	—	—	20	—	—	—	
Foot(feet) and knee(s)	5811	120	—	—	—	—	—	—	90	—	—	—	
Foot(feet) and leg(s), n.e.c.	5819	20	—	—	—	—	—	—	—	—	—	—	
Foot (feet) and ankle(s)	582	190	—	—	—	—	50	30	30	80	—	—	
Ankle(s) and leg(s)	583	300	—	—	—	—	40	50	130	60	—	—	
Ankle(s) and leg(s), unspecified	5830	70	—	—	—	—	—	20	50	—	—	—	
Ankle(s) and knee(s)	5831	170	—	—	—	—	30	20	50	50	—	—	
Ankle(s) and leg(s), n.e.c.	5839	60	—	—	—	—	—	—	40	—	—	—	
Multiple lower extremities locations, n.e.c.	589	140	—	—	—	—	30	20	70	—	—	—	
Body systems	6	1,740	—	—	—	60	290	340	470	490	70	20	
Multiple body parts	8	11,930	—	—	30	300	1,870	2,670	4,070	2,090	570	330	
Multiple body parts, unspecified	80	1,060	—	—	—	40	180	290	280	160	30	80	
Head and neck	81	190	—	—	—	20	60	20	20	60	—	—	
Head, neck, and trunk	82	170	—	—	—	—	100	—	20	40	—	—	
Head and trunk	83	70	—	—	—	—	20	20	20	—	—	—	
Neck and back	84	920	—	—	—	—	170	220	390	110	—	—	
Shoulder(s) and back	85	460	—	—	—	30	40	90	140	50	30	50	
Hip(s) and leg(s)	86	280	—	—	—	—	90	50	100	40	—	—	
Upper and lower limb(s)	87	900	—	—	—	20	60	140	380	260	20	30	
Other multiple body parts	89	7,900	—	—	—	180	1,160	1,830	2,720	1,360	490	160	
Whole body	891	30	—	—	—	—	—	20	—	—	—	—	
Multiple body parts, n.e.c.	899	7,870	—	—	—	180	1,150	1,810	2,710	1,360	490	160	
Nonclassifiable	9999	670	—	—	—	20	40	160	280	110	40	30	

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.