

TABLE S79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, state government, 2013

Part of body	Part of body code <sup>2</sup>	State government <sup>3</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Total .....		64,990	1,210	6,340	7,570	14,250	10,780	9,430	3,940	1,690	730	80	8,980
<b>Head</b> .....	1	4,700	20	330	460	1,170	760	770	410	130	60	—	580
Head, unspecified .....	10	870	—	40	130	310	90	100	30	30	—	—	130
Cranial region, including skull .....	11	880	20	60	70	190	200	100	110	—	20	—	100
Cranial region, unspecified .....	110	50	—	—	—	—	30	—	—	—	—	—	—
Brain .....	111	660	20	60	40	150	130	80	100	—	—	—	70
Scalp .....	112	150	—	—	30	40	40	—	—	—	—	—	20
Skull .....	113	20	—	—	—	—	—	20	—	—	—	—	—
Ear(s) .....	12	130	—	—	—	—	—	—	20	—	—	—	—
Face .....	13	2,530	—	220	180	530	440	550	250	—	40	—	310
Face, unspecified .....	130	550	—	40	30	90	70	130	110	—	—	—	80
Forehead .....	131	120	—	20	—	30	20	—	—	—	—	—	—
Eye(s) .....	132	1,010	—	90	120	220	180	150	50	—	30	—	160
Nose, nasal cavity .....	133	340	—	—	—	70	40	200	—	—	—	—	—
Nose, except internal location of diseases or disorders .....	1330	340	—	—	—	70	40	200	—	—	—	—	—
Cheek(s) .....	134	70	—	—	—	—	—	—	20	—	—	—	—
Jaw, chin .....	135	50	—	—	—	—	—	—	—	—	—	—	—
Mouth .....	136	80	—	20	20	30	—	—	—	—	—	—	—
Mouth, unspecified .....	1360	30	—	—	—	—	—	—	—	—	—	—	—
Lip(s) .....	1361	20	—	—	—	—	—	—	—	—	—	—	—
Tooth (teeth) .....	1363	20	—	—	—	—	—	—	—	—	—	—	—
Multiple face locations .....	138	270	—	—	—	70	80	20	40	—	—	—	—
Face, n.e.c. .....	139	30	—	—	—	—	—	—	—	—	—	—	—
Multiple head locations .....	18	290	—	—	80	110	20	20	—	20	—	—	30
<b>Neck, including throat</b> .....	2	970	—	80	220	170	200	180	40	—	—	—	60
Neck, except internal location of diseases or disorders .....	20	970	—	80	220	170	200	180	40	—	—	—	60
<b>Trunk</b> .....	3	13,470	180	1,440	1,690	2,660	2,240	2,090	770	230	90	—	2,070
Trunk, unspecified .....	30	50	—	—	—	—	—	—	—	—	—	—	20
Chest, including ribs, internal organs .....	31	1,120	30	190	100	100	170	140	140	20	—	—	210
Chest, except internal location of diseases or disorders .....	310	820	20	50	90	100	160	110	140	20	—	—	130
Internal chest location, unspecified .....	311	130	—	—	—	—	—	—	—	—	—	—	—
Heart .....	313	50	—	—	—	—	—	—	—	—	—	—	—
Lung(s), pleura .....	315	110	—	70	—	—	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	32	10,070	130	1,040	1,320	2,080	1,480	1,600	560	170	60	—	1,620
Back, including spine, spinal cord, unspecified .....	320	4,160	30	570	350	750	690	790	270	70	—	—	630
Thoracic region .....	321	570	—	70	80	140	90	60	30	20	—	—	70
Lumbar region .....	322	4,800	90	320	860	1,040	640	690	220	70	30	—	830
Coccygeal region .....	324	50	—	—	—	—	—	20	—	—	—	—	—
Multiple back regions .....	328	470	—	80	30	150	40	40	30	—	—	—	90
Abdomen .....	33	890	—	80	100	250	280	60	—	—	—	—	110

See footnotes at end of table.

TABLE S79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, state government, 2013 — Continued

Part of body	Part of body code <sup>2</sup>	State government <sup>3</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Abdomen, except internal location of diseases or disorders .....	330	890	—	80	100	250	280	60	—	—	—	—	110
Pelvic region .....	34	960	—	60	100	160	240	210	60	20	—	—	100
Hip(s) .....	341	420	—	40	30	100	50	110	—	20	—	—	60
Buttock(s) .....	343	90	—	—	—	—	—	30	—	—	—	—	—
Groin .....	344	420	—	20	40	30	170	60	60	—	—	—	30
Multiple trunk locations .....	38	360	—	50	60	60	60	80	—	—	—	—	20
<b>Upper extremities</b> .....	<b>4</b>	<b>16,240</b>	<b>270</b>	<b>1,670</b>	<b>1,960</b>	<b>3,560</b>	<b>2,880</b>	<b>2,110</b>	<b>950</b>	<b>310</b>	<b>200</b>	<b>—</b>	<b>2,340</b>
Shoulder(s), including clavicle(s), scapula(e) .....	41	4,810	100	390	610	1,020	830	650	300	210	40	—	650
Arm(s) .....	42	2,280	80	170	280	580	330	330	90	—	30	—	380
Arm(s), unspecified .....	420	780	20	70	100	280	90	80	40	—	—	—	90
Upper arm(s) .....	421	340	—	—	60	60	40	100	—	—	—	—	60
Elbow(s) .....	422	780	60	60	80	150	120	120	20	—	—	—	170
Forearm(s) .....	423	270	—	20	—	80	50	20	20	—	—	—	60
Multiple arm locations .....	428	100	—	—	20	20	30	—	—	—	—	—	—
Elbow(s) and arm(s) .....	4281	70	—	—	—	—	30	—	—	—	—	—	—
Multiple arm locations, n.e.c. ....	4289	30	—	—	—	—	—	—	—	—	—	—	—
Wrist(s) .....	43	2,070	—	310	220	370	320	150	70	40	—	—	550
Hand(s) .....	44	5,210	70	580	720	1,030	980	750	380	60	110	—	510
Hand(s), unspecified .....	440	1,340	40	130	260	170	160	270	100	—	—	—	190
Hand(s), except finger(s) .....	441	410	—	40	50	130	80	40	20	—	—	—	30
Finger(s), fingernail(s) .....	442	3,090	—	360	400	660	730	420	160	50	30	—	260
Finger(s), fingernail(s), unspecified ..	4420	2,390	—	260	320	440	630	350	130	50	—	—	180
Fingernail(s), nailbed(s) .....	4421	50	—	—	—	—	—	—	—	—	—	—	—
Fingertip(s) .....	4422	180	—	—	—	70	20	—	—	—	—	—	40
Finger(s), fingernail(s), n.e.c. ....	4429	470	—	40	70	150	80	70	20	—	—	—	30
Hand(s) and finger(s) .....	448	320	—	20	—	70	—	20	90	—	80	—	20
Hand(s), n.e.c. ....	449	50	—	30	—	—	—	—	—	—	—	—	—
Multiple upper extremities locations .....	48	1,860	—	210	130	550	420	210	100	—	—	—	230
Multiple upper extremities locations, unspecified .....	480	50	—	—	—	40	—	—	—	—	—	—	—
Hand(s) and arms(s) .....	481	310	—	90	—	110	60	—	—	—	—	—	30
Hand(s) and arm(s), unspecified .....	4810	30	—	—	—	—	—	—	—	—	—	—	20
Hand(s) and elbow(s) .....	4811	130	—	—	—	—	30	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c. ....	4819	160	—	—	—	100	30	—	—	—	—	—	—
Hand(s) and wrist(s) .....	482	390	—	—	20	90	70	70	80	—	—	—	40
Wrist(s) and arm(s) .....	483	140	—	—	—	30	60	—	—	—	—	—	20
Wrist(s) and elbow(s) .....	4831	30	—	—	—	—	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c. ....	4839	100	—	—	—	20	50	—	—	—	—	—	—
Shoulder(s) and arm(s) .....	484	440	—	40	60	120	90	30	—	—	—	—	80
Multiple upper extremities locations, n.e.c. ....	489	540	—	70	40	150	130	90	—	—	—	—	50
<b>Lower extremities</b> .....	<b>5</b>	<b>15,250</b>	<b>420</b>	<b>1,410</b>	<b>1,760</b>	<b>3,350</b>	<b>2,350</b>	<b>2,350</b>	<b>980</b>	<b>570</b>	<b>160</b>	<b>—</b>	<b>1,900</b>
Leg(s) .....	51	9,360	310	780	1,090	1,970	1,360	1,590	650	330	100	—	1,160
Leg(s), unspecified .....	510	990	—	90	120	180	80	280	100	—	—	—	130

See footnotes at end of table.

TABLE S79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, state government, 2013 — Continued

Part of body	Part of body code <sup>2</sup>	State government <sup>3</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Thigh(s) .....	511	350	—	20	60	70	100	30	—	—	—	—	60
Knee(s) .....	512	6,870	290	570	810	1,490	1,020	1,120	300	290	80	—	890
Lower leg(s) .....	513	890	—	70	110	220	120	40	230	20	20	—	60
Multiple leg locations .....	518	240	—	20	—	20	20	130	—	—	—	—	30
Multiple leg locations, unspecified .....	5180	20	—	—	—	—	—	—	—	—	—	—	—
Knee(s) and leg(s) .....	5181	110	—	—	—	—	20	30	—	—	—	—	30
Multiple leg locations, n.e.c. ....	5189	110	—	—	—	—	—	90	—	—	—	—	—
Leg(s), n.e.c. ....	519	20	—	—	—	—	—	—	—	—	—	—	—
Ankle(s) .....	52	3,310	60	370	400	670	610	430	230	130	20	—	380
Foot (feet) .....	53	1,780	40	190	230	410	270	200	60	100	20	—	260
Foot (feet), unspecified .....	530	1,170	30	120	120	270	190	180	50	50	—	—	150
Sole(s) .....	531	120	—	—	20	—	20	—	—	—	—	—	50
Sole(s), unspecified .....	5310	30	—	—	—	—	—	—	—	—	—	—	20
Heel(s) .....	5313	90	—	—	20	—	—	—	—	—	—	—	30
Toes(s), toenail(s) .....	532	360	—	50	60	100	40	20	—	30	—	—	40
Multiple foot (feet) locations .....	538	60	—	—	20	—	—	—	—	—	—	—	20
Foot (feet), n.e.c. ....	539	80	—	—	—	40	20	—	—	—	—	—	—
Multiple lower extremities locations .....	58	790	—	70	40	280	110	120	30	—	—	—	100
Foot (feet) and leg(s) .....	581	160	—	—	—	90	30	—	—	—	—	—	20
Foot(feet) and leg(s), unspecified ....	5810	30	—	—	—	—	—	—	—	—	—	—	—
Foot(feet) and knee(s) .....	5811	120	—	—	—	80	20	—	—	—	—	—	—
Foot(feet) and leg(s), n.e.c. ....	5819	20	—	—	—	—	—	—	—	—	—	—	—
Foot (feet) and ankle(s) .....	582	190	—	—	—	20	30	60	—	—	—	—	60
Ankle(s) and leg(s) .....	583	300	—	40	30	100	40	30	20	—	—	—	30
Ankle(s) and leg(s), unspecified .....	5830	70	—	20	—	—	—	—	—	—	—	—	—
Ankle(s) and knee(s) .....	5831	170	—	—	20	40	30	20	20	—	—	—	—
Ankle(s) and leg(s), n.e.c. ....	5839	60	—	—	—	40	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c. ....	589	140	—	20	—	70	—	20	—	—	—	—	—
<b>Body systems</b> .....	<b>6</b>	<b>1,740</b>	<b>—</b>	<b>120</b>	<b>200</b>	<b>370</b>	<b>300</b>	<b>120</b>	<b>130</b>	<b>—</b>	<b>30</b>	<b>—</b>	<b>430</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>11,930</b>	<b>330</b>	<b>1,210</b>	<b>1,210</b>	<b>2,860</b>	<b>1,990</b>	<b>1,720</b>	<b>590</b>	<b>410</b>	<b>180</b>	<b>40</b>	<b>1,400</b>
Multiple body parts, unspecified .....	80	1,060	—	60	100	280	180	100	50	40	—	—	240
Head and neck .....	81	190	—	—	50	50	40	30	—	—	—	—	—
Head, neck, and trunk .....	82	170	—	80	—	20	40	20	—	—	—	—	—
Head and trunk .....	83	70	—	—	—	—	—	20	—	—	—	—	—
Neck and back .....	84	920	—	80	60	150	230	80	50	30	—	—	230
Shoulder(s) and back .....	85	460	—	20	50	90	90	90	20	—	—	—	80
Hip(s) and leg(s) .....	86	280	—	30	—	140	—	20	20	—	—	—	20
Upper and lower limb(s) .....	87	900	110	80	40	170	120	100	30	120	—	—	120
Other multiple body parts .....	89	7,900	180	870	890	1,960	1,280	1,260	410	220	120	30	680
Whole body .....	891	30	—	—	—	—	—	—	—	—	—	—	—
Multiple body parts, n.e.c. ....	899	7,870	180	870	890	1,960	1,270	1,260	410	220	120	30	670

See footnotes at end of table.

TABLE S79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, state government, 2013 — Continued

Part of body	Part of body code <sup>2</sup>	State government <sup>3</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
<b>Nonclassifiable .....</b>	9999	670	–	60	60	110	60	90	70	–	–	–	200

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.