

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, state government, 2014

Nature	Nature code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		67,400	660	2,830	2,360	1,320	1,750
Traumatic injuries and disorders	1	60,400	590	2,810	2,360	1,310	1,740
Traumatic injuries and disorders, unspecified	10	40	—	—	—	—	—
Traumatic injuries to bones, nerves, spinal cord	11	4,360	—	60	220	120	180
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	730	—	30	30	50	—
Fractures	111	3,520	—	20	180	70	180
Traumatic injuries to nerves, except the spinal cord ..	113	90	—	—	20	—	—
Pinched nerve	1131	90	—	—	20	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	25,280	—	1,680	860	440	800
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	220	—	—	—	—	—
Dislocations	121	410	—	—	—	—	20
Dislocations, unspecified	1210	20	—	—	—	—	—
Herniated discs	1211	130	—	—	—	—	20
Dislocation of joints	1212	260	—	—	—	—	—
Cartilage fractures and tears	122	160	—	—	—	—	—
Meniscus tears	1221	140	—	—	—	—	—
Sprains, strains, tears	123	24,080	—	1,650	820	390	760
Sprains, strains, tears, unspecified	1230	2,840	—	140	50	20	110
Major tears to muscles, tendons, ligaments	1231	750	—	—	30	20	—
Sprains	1232	7,390	—	260	180	70	80
Strains	1233	12,510	—	1,240	550	270	560
Multiple sprains, strains, tears	1238	600	—	—	—	—	—
Hernias due to traumatic incidents	124	250	—	30	30	40	20
Whiplash	125	80	—	—	—	—	—
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	20	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	50	—	—	—	—	—
Open wounds	13	2,530	—	100	110	220	150
Amputations, avulsions, enucleations	131	190	—	—	—	100	—
Amputations	1311	140	—	—	—	100	—
Avulsions, enucleations	1312	40	—	—	—	—	—
Cuts, lacerations	132	1,800	—	100	100	120	130
Puncture wounds, except gunshot wounds	133	470	—	—	—	—	20
Gunshot wounds	134	40	—	—	—	—	—
Surface wounds and bruises	14	6,780	—	180	410	170	170
Surface wounds and bruises, unspecified	140	130	—	—	—	—	—
Abrasions, scratches	141	570	—	—	50	—	—
Bruises, contusions	143	5,880	—	180	350	160	150
Multiple surface wounds and bruises	148	160	—	—	—	—	—
Surface wounds and bruises, n.e.c.	149	30	—	—	—	—	—
Burns and corrosions	15	370	110	—	—	40	20
Chemical burns and corrosions	151	110	110	—	—	—	—

See footnotes at end of table.

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, state government, 2014 — Continued

Nature	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Total	12,390	1,250	6,190	10,590	9,950	15,790	8,220	12,010
Traumatic injuries and disorders	12,360	1,240	6,120	9,230	9,120	15,400	8,100	6,980
Traumatic injuries and disorders, unspecified	—	—	20	—	—	—	—	—
Traumatic injuries to bones, nerves, spinal cord	1,710	50	340	500	490	640	110	500
Traumatic injuries to bones, nerves, spinal cord, unspecified	70	—	30	310	310	180	—	40
Fractures	1,620	40	300	150	150	460	110	460
Traumatic injuries to nerves, except the spinal cord ..	20	—	—	30	30	—	—	—
Pinched nerve	20	—	—	30	30	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	4,200	570	2,950	6,160	6,140	5,590	3,040	1,920
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	30	—	—	—	—	—	—	150
Dislocations	170	—	60	20	20	100	50	—
Dislocations, unspecified	—	—	—	—	—	—	—	—
Herniated discs	—	—	60	—	—	30	—	—
Dislocation of joints	140	—	—	20	20	70	40	—
Cartilage fractures and tears	70	—	—	70	70	—	—	—
Meniscus tears	50	—	—	70	70	—	—	—
Sprains, strains, tears	3,920	550	2,790	5,980	5,970	5,420	2,970	1,720
Sprains, strains, tears, unspecified	490	40	190	500	500	1,070	300	210
Major tears to muscles, tendons, ligaments	220	—	30	160	150	220	60	40
Sprains	1,670	80	1,050	2,280	2,280	1,200	660	490
Strains	1,430	420	1,460	2,750	2,740	2,870	1,910	910
Multiple sprains, strains, tears	100	—	60	290	290	50	50	70
Hernias due to traumatic incidents	—	—	—	70	70	20	—	30
Whiplash	—	—	80	—	—	—	—	—
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	—	—	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	—	—	—	—	—	—	—	—
Open wounds	230	270	130	20	—	490	230	830
Amputations, avulsions, enucleations	—	—	—	—	—	—	—	50
Amputations	—	—	—	—	—	—	—	40
Avulsions, enucleations	—	—	—	—	—	—	—	—
Cuts, lacerations	220	220	120	—	—	230	90	560
Puncture wounds, except gunshot wounds	—	20	—	—	—	200	110	220
Gunshot wounds	—	—	—	—	—	30	—	—
Surface wounds and bruises	1,990	100	620	90	90	2,120	1,080	900
Surface wounds and bruises, unspecified	30	—	—	—	—	90	—	—
Abrasions, scratches	170	—	—	—	—	190	120	110
Bruises, contusions	1,720	80	590	80	80	1,780	920	760
Multiple surface wounds and bruises	70	—	20	—	—	50	40	—
Surface wounds and bruises, n.e.c.	—	—	—	—	—	—	—	20
Burns and corrosions	—	—	—	—	—	20	—	180
Chemical burns and corrosions	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Chemical burns and corrosions, unspecified	1510	100	100	—	—	—	—
Heat (thermal) burns	152	220	—	—	—	40	—
Heat (thermal) burns, unspecified	1520	160	—	—	—	30	—
First degree heat (thermal) burns	1521	40	—	—	—	—	—
Other burns	159	40	—	—	—	—	—
Intracranial injuries	16	950	—	20	40	—	—
Intracranial injuries, unspecified	160	100	—	—	—	—	—
Concussions	162	840	—	—	30	—	—
Effects of environmental conditions	17	230	—	—	—	—	—
Effects of reduced temperature	171	20	—	—	—	—	—
Frostbite	1711	20	—	—	—	—	—
Effects of heat and light	172	210	—	—	—	—	—
Heat exhaustion, prostration	1725	180	—	—	—	—	—
Effects of heat and light, n.e.c.	1729	20	—	—	—	—	—
Multiple traumatic injuries and disorders	18	2,720	—	30	80	50	20
Multiple traumatic injuries and disorders, unspecified	180	120	—	—	—	—	—
Cuts and abrasions or bruises	181	530	—	—	60	—	—
Sprains and other injuries	182	1,270	—	20	20	—	—
Sprains and other injuries, unspecified	1820	40	—	—	—	—	—
Sprains and bruises	1821	990	—	20	—	—	—
Sprains and cuts	1822	80	—	—	—	—	—
Sprains and other injuries, n.e.c.	1829	160	—	—	—	—	—
Fractures and other injuries	183	230	—	—	—	—	—
Fractures (except skull fractures) and concussions	1831	30	—	—	—	—	—
Fractures and other injuries, n.e.c.	1839	170	—	—	—	—	—
Burns and other injuries, except fractures	184	40	—	—	—	—	—
Burns and other injuries, n.e.c.	1849	40	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	530	—	—	—	20	—
Other traumatic injuries and disorders	19	17,120	470	730	630	250	400
Dermatitis and reactions affecting the skin—acute	195	390	150	—	—	—	—
Dermatitis and reactions affecting the skin—acute, unspecified	1950	140	120	—	—	—	—
Allergic dermatitis—acute	1951	190	—	—	—	—	—
Irritant dermatitis—acute	1952	50	30	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	680	220	—	—	—	—
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	280	50	—	—	—	—
Poisoning, including poisoning-related asphyxia ...	1961	60	40	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	110	50	—	—	—	—
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	20	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	40	20	—	—	—	—
Other or unspecified allergic reactions	1966	130	40	—	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	30	30	—	—	—	—

See footnotes at end of table.

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, state government, 2014 — Continued

Nature	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Chemical burns and corrosions, unspecified	—	—	—	—	—	—	—	—
Heat (thermal) burns	—	—	—	—	—	20	—	140
Heat (thermal) burns, unspecified	—	—	—	—	—	—	—	100
First degree heat (thermal) burns	—	—	—	—	—	—	—	20
Other burns	—	—	—	—	—	—	—	40
Intracranial injuries	280	—	150	—	—	240	160	80
Intracranial injuries, unspecified	30	—	—	—	—	40	—	—
Concussions	240	—	140	—	—	200	150	80
Effects of environmental conditions	—	—	—	—	—	—	—	230
Effects of reduced temperature	—	—	—	—	—	—	—	20
Frostbite	—	—	—	—	—	—	—	20
Effects of heat and light	—	—	—	—	—	—	—	210
Heat exhaustion, prostration	—	—	—	—	—	—	—	180
Effects of heat and light, n.e.c.	—	—	—	—	—	—	—	20
Multiple traumatic injuries and disorders	990	—	450	—	—	940	410	150
Multiple traumatic injuries and disorders, unspecified	—	—	80	—	—	20	—	—
Cuts and abrasions or bruises	120	—	90	—	—	220	70	20
Sprains and other injuries	580	—	160	—	—	400	210	70
Sprains and other injuries, unspecified	20	—	—	—	—	20	—	—
Sprains and bruises	470	—	80	—	—	330	170	60
Sprains and cuts	20	—	40	—	—	—	—	—
Sprains and other injuries, n.e.c.	70	—	40	—	—	50	30	—
Fractures and other injuries	90	—	50	—	—	70	—	—
Fractures (except skull fractures) and concussions	—	—	—	—	—	—	—	—
Fractures and other injuries, n.e.c.	80	—	30	—	—	50	—	—
Burns and other injuries, except fractures	—	—	—	—	—	—	—	—
Burns and other injuries, n.e.c.	—	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	180	—	40	—	—	230	120	40
Other traumatic injuries and disorders	2,960	250	1,460	2,380	2,320	5,350	3,050	2,200
Dermatitis and reactions affecting the skin—acute	—	—	—	—	—	—	—	230
Dermatitis and reactions affecting the skin—acute, unspecified	—	—	—	—	—	—	—	20
Allergic dermatitis—acute	—	—	—	—	—	—	—	190
Irritant dermatitis—acute	—	—	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	—	—	—	20	—	50	—	390
Poisoning, toxic, noxious, or allergenic effect, unspecified	—	—	—	—	—	50	—	180
Poisoning, including poisoning-related asphyxia	—	—	—	—	—	—	—	20
Other respiratory system symptoms—toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	60
Coughing and throat irritation— toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	20
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	—	—	—	20	—	—	—	—
Other or unspecified allergic reactions	—	—	—	—	—	—	—	90
Multiple poisoning, toxic, noxious, or allergenic effects	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Nonspecified injuries and disorders	197	15,940	100	730	630	250	390
Crushing injuries	1971	420	—	—	30	—	—
Soreness, pain, hurt—nonspecified injury	1972	13,740	—	710	570	230	350
Swelling, inflammation, irritation—nonspecified injury	1973	1,040	20	—	20	—	30
Numbness—nonspecified injury	1974	100	—	—	—	—	—
Multiple nonspecified injuries and disorders	1978	350	70	—	—	—	—
Nonspecified injuries and disorders, n.e.c.	1979	290	—	—	—	—	—
Other traumatic injuries and disorders, n.e.c.	199	100	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	1999	100	—	—	—	—	—
Diseases and disorders of body systems	2	1,220	40	20	—	—	—
Nervous system and sense organs diseases	22	440	—	—	—	—	—
Disorders of the peripheral nervous system	224	320	—	—	—	—	—
Disorders of the peripheral nervous system, unspecified	2240	60	—	—	—	—	—
Carpal tunnel syndrome	2241	260	—	—	—	—	—
Disorders of the eye, adnexa, vision	225	90	—	—	—	—	—
Conjunctivitis—non-viral	2251	70	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	226	30	—	—	—	—	—
Circulatory system diseases	23	150	—	—	—	—	—
Ischemic heart disease, including heart attack	233	60	—	—	—	—	—
Myocardial infarction (heart attack)	2331	40	—	—	—	—	—
Other forms of heart disease	235	30	—	—	—	—	—
Cerebrovascular disease	236	40	—	—	—	—	—
Stroke	2361	40	—	—	—	—	—
Respiratory system diseases	24	90	30	—	—	—	—
Other diseases of upper respiratory tract	242	30	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	244	30	—	—	—	—	—
Asthma, except intrinsic	2443	30	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	490	—	20	—	—	—
Dorsopathies	272	20	—	—	—	—	—
Soft tissue disorders, except the back	273	460	—	—	—	—	—
Stenosing tenosynovitis	2732	110	—	—	—	—	—
Epicondylitis	2734	130	—	—	—	—	—
Other or unspecified tendonitis (tendinitis)	2735	140	—	—	—	—	—
Soft tissue disorder, except the back, n.e.c.	2739	50	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	28	40	—	—	—	—	—
Infections of the skin and subcutaneous tissue	281	40	—	—	—	—	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	20	—	—	—	—	—
Infectious and parasitic diseases	3	60	—	—	—	—	—
Other infectious and parasitic diseases	39	20	—	—	—	—	—

See footnotes at end of table.

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, state government, 2014 — Continued

Nature	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Nonspecified injuries and disorders	2,940	250	1,440	2,340	2,300	5,250	3,010	1,570
Crushing injuries	—	—	30	—	—	—	—	290
Soreness, pain, hurt—nonspecified injury	2,660	180	1,220	2,090	2,070	4,690	2,670	980
Swelling, inflammation, irritation—nonspecified injury	170	—	90	110	110	370	210	220
Numbness—nonspecified injury	—	—	—	40	30	—	—	20
Multiple nonspecified injuries and disorders	30	20	70	60	60	60	50	40
Nonspecified injuries and disorders, n.e.c.	70	—	20	40	40	130	80	20
Other traumatic injuries and disorders, n.e.c.	20	—	20	—	—	40	30	—
Traumatic injuries and disorders, n.e.c.	20	—	20	—	—	40	30	—
Diseases and disorders of body systems	—	—	—	900	760	50	20	170
Nervous system and sense organs diseases	—	—	—	320	300	20	—	100
Disorders of the peripheral nervous system	—	—	—	310	300	—	—	—
Disorders of the peripheral nervous system, unspecified	—	—	—	50	40	—	—	—
Carpal tunnel syndrome	—	—	—	260	260	—	—	—
Disorders of the eye, adnexa, vision	—	—	—	—	—	—	—	70
Conjunctivitis—non-viral	—	—	—	—	—	—	—	70
Disorders of the ear, mastoid process, hearing	—	—	—	—	—	—	—	—
Circulatory system diseases	—	—	—	150	30	—	—	—
Ischemic heart disease, including heart attack	—	—	—	60	—	—	—	—
Myocardial infarction (heart attack)	—	—	—	40	—	—	—	—
Other forms of heart disease	—	—	—	30	—	—	—	—
Cerebrovascular disease	—	—	—	40	20	—	—	—
Stroke	—	—	—	40	20	—	—	—
Respiratory system diseases	—	—	—	—	—	—	—	40
Other diseases of upper respiratory tract	—	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	—	—	—	—	—	—	—	—
Asthma, except intrinsic	—	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	—	—	—	430	420	—	—	—
Dorsopathies	—	—	—	—	—	—	—	—
Soft tissue disorders, except the back	—	—	—	410	400	—	—	—
Stenosing tenosynovitis	—	—	—	100	100	—	—	—
Epicondylitis	—	—	—	120	120	—	—	—
Other or unspecified tendonitis (tendinitis)	—	—	—	120	120	—	—	—
Soft tissue disorder, except the back, n.e.c.	—	—	—	50	50	—	—	—
Disorders of the skin and subcutaneous tissue	—	—	—	—	—	—	—	20
Infections of the skin and subcutaneous tissue	—	—	—	—	—	—	—	20
Methicillin-resistant staphylococcus aureus (MRSA) infection	—	—	—	—	—	—	—	20
Infectious and parasitic diseases	—	—	—	—	—	—	—	60
Other infectious and parasitic diseases	—	—	—	—	—	—	—	20

See footnotes at end of table.

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Symptoms, signs, and ill-defined conditions	5	370	20	—	—	—	—
Symptoms	51	340	20	—	—	—	—
General symptoms	511	230	—	—	—	—	—
Loss of consciousness—not heat related	5111	110	—	—	—	—	—
Convulsions, seizures	5112	20	—	—	—	—	—
Dizziness—general	5114	50	—	—	—	—	—
Multiple general symptoms	5118	30	—	—	—	—	—
Symptoms involving respiratory system and chest	516	60	—	—	—	—	—
Symptoms involving respiratory system and chest, unspecified	5160	20	—	—	—	—	—
Chest pain	5164	20	—	—	—	—	—
Multiple symptoms	518	20	—	—	—	—	—
Other diseases, conditions, and disorders	6	520	—	—	—	—	—
Mental disorders and syndromes	62	510	—	—	—	—	—
Anxiety, stress	621	510	—	—	—	—	—
Anxiety, stress, unspecified	6210	340	—	—	—	—	—
Post-traumatic stress disorder	6211	90	—	—	—	—	—
Anxiety or panic disorder	6213	40	—	—	—	—	—
Anxiety, stress, n.e.c.	6219	40	—	—	—	—	—
Exposures to disease—no illness incurred	7	80	—	—	—	—	—

See footnotes at end of table.

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, state government, 2014 — Continued

Nature	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Symptoms, signs, and ill-defined conditions	—	—	30	160	40	50	—	100
Symptoms	—	—	30	150	30	30	—	100
General symptoms	—	—	—	90	20	20	—	80
Loss of consciousness—not heat related	—	—	—	40	—	—	—	40
Convulsions, seizures	—	—	—	20	—	—	—	—
Dizziness—general	—	—	—	—	—	—	—	—
Multiple general symptoms	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	—	—	—	30	—	—	—	20
Symptoms involving respiratory system and chest, unspecified	—	—	—	—	—	—	—	—
Chest pain	—	—	—	—	—	—	—	—
Multiple symptoms	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	—	—	—	290	—	210	80	—
Mental disorders and syndromes	—	—	—	290	—	210	80	—
Anxiety, stress	—	—	—	290	—	210	80	—
Anxiety, stress, unspecified	—	—	—	220	—	110	—	—
Post-traumatic stress disorder	—	—	—	30	—	70	60	—
Anxiety or panic disorder	—	—	—	40	—	—	—	—
Anxiety, stress, n.e.c.	—	—	—	—	—	30	—	—
Exposures to disease—no illness incurred	—	—	—	—	—	80	—	—

See footnotes at end of table.

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Nonclassifiable	9999	4,730	—	—	—	—	—

See footnotes at end of table.

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, state government, 2014 — Continued

Nature	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Nonclassifiable	—	—	20	—	—	—	—	4,690

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 1; Containers = 21; Furniture and fixtures = 22; Machinery = 3; Parts and materials = 4; Floors, walkways, or ground surfaces = 66; Handtools = 71-73; Vehicles = 8; Person--injured or ill worker = 56; Worker motion or position = 562; Person--other than injured or ill worker = 57; Health care patient = 574; All other sources = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
 Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.