

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected sources of injury or illness, state government, 2014

Part of body	Part of body code <sup>2</sup>	State government <sup>3</sup>	Source of injury or illness <sup>4</sup>				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total .....		67,400	660	2,830	2,360	1,320	1,750
<b>Head</b> .....	1	4,620	100	40	350	150	110
Head, unspecified .....	10	1,060	—	—	180	120	40
Cranial region, including skull .....	11	1,130	—	20	80	—	—
Brain .....	111	1,000	—	20	40	—	—
Scalp .....	112	110	—	—	40	—	—
Ear(s) .....	12	80	—	—	—	—	—
Face .....	13	2,230	90	—	100	—	60
Face, unspecified .....	130	360	—	—	—	—	—
Forehead .....	131	160	—	—	60	—	—
Eye(s) .....	132	930	80	—	—	—	40
Nose, nasal cavity .....	133	120	—	—	—	—	—
Nose, except internal location of diseases or disorders .....	1330	120	—	—	—	—	—
Cheek(s) .....	134	50	—	—	—	—	—
Jaw, chin .....	135	120	—	—	—	—	—
Mouth .....	136	170	—	—	—	—	—
Mouth, unspecified .....	1360	20	—	—	—	—	—
Lip(s) .....	1361	60	—	—	—	—	—
Tooth (teeth) .....	1363	90	—	—	—	—	—
Multiple face locations .....	138	240	—	—	—	—	—
Face, n.e.c. .....	139	70	—	—	—	—	—
Multiple head locations .....	18	120	—	—	—	—	—
<b>Neck, including throat</b> .....	2	1,390	—	50	—	—	50
Neck, except internal location of diseases or disorders ...	20	1,380	—	50	—	—	50
<b>Trunk</b> .....	3	12,670	40	1,330	620	350	460
Trunk, unspecified .....	30	170	—	—	—	—	—
Chest, including ribs, internal organs .....	31	1,040	—	50	40	30	—
Chest, except internal location of diseases or disorders .....	310	880	—	50	40	30	—
Internal chest location, unspecified .....	311	30	—	—	—	—	—
Heart .....	313	100	—	—	—	—	—
Lung(s), pleura .....	315	40	—	—	—	—	—
Back, including spine, spinal cord .....	32	9,440	—	1,180	510	260	340
Back, including spine, spinal cord, unspecified .....	320	4,160	—	470	230	50	160
Thoracic region .....	321	310	—	50	60	—	20
Lumbar region .....	322	4,470	—	650	200	190	160
Sacral region .....	323	90	—	—	—	—	—
Coccygeal region .....	324	130	—	—	—	—	—
Multiple back regions .....	328	250	—	—	—	—	—
Back, including spine, spinal cord, n.e.c. ....	329	20	—	—	—	—	—
Abdomen .....	33	630	—	60	30	40	80
Abdomen, except internal location of diseases or disorders .....	330	610	—	60	30	40	80

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected sources of injury or illness, state government, 2014 — Continued

Part of body	Source of injury or illness <sup>4</sup>							All other sources <sup>5</sup>
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Total .....	12,390	1,250	6,190	10,590	9,950	15,790	8,220	12,010
<b>Head</b> .....	640	30	390	130	100	1,890	1,120	760
Head, unspecified .....	150	—	170	—	—	280	190	80
Cranial region, including skull .....	330	—	180	100	—	270	170	90
Brain .....	280	—	170	100	—	250	160	80
Scalp .....	40	—	—	—	—	20	—	—
Ear(s) .....	—	—	—	—	—	30	—	40
Face .....	140	—	30	—	—	1,220	730	540
Face, unspecified .....	20	—	—	—	—	280	220	30
Forehead .....	20	—	—	—	—	20	—	30
Eye(s) .....	30	—	—	—	—	320	230	410
Nose, nasal cavity .....	20	—	—	—	—	90	20	—
Nose, except internal location of diseases or disorders .....	20	—	—	—	—	90	20	—
Cheek(s) .....	—	—	—	—	—	40	30	—
Jaw, chin .....	—	—	—	—	—	110	70	—
Mouth .....	20	—	—	—	—	100	50	40
Mouth, unspecified .....	—	—	—	—	—	—	—	—
Lip(s) .....	—	—	—	—	—	30	30	20
Tooth (teeth) .....	20	—	—	—	—	50	—	—
Multiple face locations .....	30	—	—	—	—	190	70	—
Face, n.e.c. ....	—	—	—	—	—	70	30	—
Multiple head locations .....	20	—	—	—	—	90	40	—
<b>Neck, including throat</b> .....	30	—	430	190	190	470	260	130
Neck, except internal location of diseases or disorders ...	30	—	430	190	190	470	260	130
<b>Trunk</b> .....	1,920	300	980	2,190	2,060	3,290	2,110	1,140
Trunk, unspecified .....	40	—	—	—	—	110	80	—
Chest, including ribs, internal organs .....	170	—	70	200	90	350	230	100
Chest, except internal location of diseases or disorders .....	170	—	70	110	90	350	230	60
Internal chest location, unspecified .....	—	—	—	—	—	—	—	—
Heart .....	—	—	—	100	—	—	—	—
Lung(s), pleura .....	—	—	—	—	—	—	—	40
Back, including spine, spinal cord .....	1,040	240	820	1,700	1,690	2,430	1,500	880
Back, including spine, spinal cord, unspecified .....	550	130	370	800	800	1,140	800	230
Thoracic region .....	—	20	—	40	40	60	30	40
Lumbar region .....	360	100	360	790	790	1,130	630	530
Sacral region .....	—	—	—	—	—	—	—	—
Coccygeal region .....	100	—	—	—	—	—	—	—
Multiple back regions .....	20	—	—	60	60	80	50	60
Back, including spine, spinal cord, n.e.c. ....	—	—	—	—	—	—	—	—
Abdomen .....	—	20	20	140	120	130	100	100
Abdomen, except internal location of diseases or disorders .....	—	20	20	130	110	130	100	80

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected sources of injury or illness, state government, 2014 — Continued

Part of body	Part of body code <sup>2</sup>	State government <sup>3</sup>	Source of injury or illness <sup>4</sup>				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Intestines, peritoneum .....	335	20	—	—	—	—	—
Pelvic region .....	34	1,040	—	30	—	—	40
Hip(s) .....	341	690	—	—	—	—	—
Pelvis .....	342	40	—	—	—	—	—
Buttock(s) .....	343	20	—	—	—	—	—
Groin .....	344	260	—	30	—	—	30
External reproductive tract structures .....	345	20	—	—	—	—	—
Multiple trunk locations .....	38	350	—	—	30	—	—
<b>Upper extremities</b> .....	<b>4</b>	<b>15,360</b>	<b>60</b>	<b>800</b>	<b>480</b>	<b>540</b>	<b>790</b>
Upper extremities, unspecified .....	40	60	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e) .....	41	4,500	—	400	110	100	220
Arm(s) .....	42	2,480	—	110	80	70	150
Arm(s), unspecified .....	420	780	—	20	30	40	110
Upper arm(s) .....	421	260	—	20	—	—	—
Elbow(s) .....	422	960	—	40	40	—	30
Forearm(s) .....	423	260	—	20	—	—	—
Multiple arm locations .....	428	190	—	—	—	—	—
Multiple arm locations, unspecified .....	4280	30	—	—	—	—	—
Elbow(s) and arm(s) .....	4281	60	—	—	—	—	—
Multiple arm locations, n.e.c. ....	4289	100	—	—	—	—	—
Arm(s), n.e.c. ....	429	30	—	—	—	—	—
Wrist(s) .....	43	1,590	—	60	50	30	30
Hand(s) .....	44	5,050	30	190	170	330	320
Hand(s), unspecified .....	440	1,420	20	50	80	50	50
Hand(s), except finger(s) .....	441	130	—	—	—	—	—
Finger(s), fingernail(s) .....	442	3,220	—	130	90	260	250
Finger(s), fingernail(s), unspecified .....	4420	2,280	—	120	50	120	210
Fingertip(s) .....	4422	220	—	—	—	90	—
Finger(s), fingernail(s), n.e.c. ....	4429	710	—	—	30	50	30
Hand(s) and finger(s) .....	448	200	—	—	—	—	—
Hand(s), n.e.c. ....	449	70	—	—	—	—	—
Multiple upper extremities locations .....	48	1,670	—	30	60	—	70
Multiple upper extremities locations, unspecified .....	480	40	—	—	—	—	—
Hand(s) and arms(s) .....	481	250	—	—	—	—	—
Hand(s) and arm(s), unspecified .....	4810	80	—	—	—	—	—
Hand(s) and elbow(s) .....	4811	40	—	—	—	—	—
Hand(s) and arm(s), n.e.c. ....	4819	130	—	—	—	—	—
Hand(s) and wrist(s) .....	482	380	—	—	—	—	30
Wrist(s) and arm(s) .....	483	100	—	—	—	—	—
Wrist(s) and arm(s), unspecified .....	4830	50	—	—	—	—	—
Wrist(s) and elbow(s) .....	4831	20	—	—	—	—	—
Wrist(s) and arm(s), n.e.c. ....	4839	30	—	—	—	—	—
Shoulder(s) and arm(s) .....	484	560	—	20	40	—	30
Multiple upper extremities locations, n.e.c. ....	489	340	—	—	—	—	—
<b>Lower extremities</b> .....	<b>5</b>	<b>14,290</b>	<b>—</b>	<b>170</b>	<b>570</b>	<b>210</b>	<b>250</b>

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected sources of injury or illness, state government, 2014 — Continued

Part of body	Source of injury or illness <sup>4</sup>							All other sources <sup>5</sup>
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Intestines, peritoneum .....	—	—	—	—	—	—	—	—
Pelvic region .....	450	20	40	140	140	230	160	50
Hip(s) .....	420	—	—	40	40	140	110	30
Pelvis .....	—	—	20	—	—	—	—	—
Buttock(s) .....	—	—	—	—	—	—	—	—
Groin .....	—	—	—	90	90	50	30	20
External reproductive tract structures .....	—	—	—	—	—	20	—	—
Multiple trunk locations .....	210	—	30	20	20	50	30	—
<b>Upper extremities</b> .....	<b>2,070</b>	<b>820</b>	<b>1,130</b>	<b>1,870</b>	<b>1,860</b>	<b>4,110</b>	<b>1,900</b>	<b>2,670</b>
Upper extremities, unspecified .....	—	—	—	20	20	—	—	—
Shoulder(s), including clavicle(s), scapula(e) .....	790	100	400	660	660	1,330	640	370
Arm(s) .....	470	160	130	310	310	580	260	420
Arm(s), unspecified .....	170	70	40	60	60	130	50	120
Upper arm(s) .....	20	—	—	—	—	80	—	80
Elbow(s) .....	190	50	60	230	230	220	130	100
Forearm(s) .....	20	—	20	—	—	80	30	70
Multiple arm locations .....	60	—	—	—	—	50	30	50
Multiple arm locations, unspecified .....	—	—	—	—	—	30	—	—
Elbow(s) and arm(s) .....	—	—	—	—	—	—	—	—
Multiple arm locations, n.e.c. ....	50	—	—	—	—	—	—	40
Arm(s), n.e.c. ....	—	—	—	—	—	20	—	—
Wrist(s) .....	410	20	50	330	330	340	210	270
Hand(s) .....	190	440	430	310	310	1,190	520	1,450
Hand(s), unspecified .....	60	70	150	190	180	410	190	290
Hand(s), except finger(s) .....	—	30	—	—	—	20	—	50
Finger(s), fingernail(s) .....	110	310	270	90	90	680	280	1,020
Finger(s), fingernail(s), unspecified .....	100	260	150	60	60	510	230	690
Fingertip(s) .....	—	—	—	—	—	—	—	20
Finger(s), fingernail(s), n.e.c. ....	—	40	20	30	30	170	50	320
Hand(s) and finger(s) .....	—	—	—	20	20	60	30	80
Hand(s), n.e.c. ....	—	—	—	—	—	—	—	—
Multiple upper extremities locations .....	210	100	120	230	230	670	270	150
Multiple upper extremities locations, unspecified .....	—	—	—	—	—	—	—	—
Hand(s) and arms(s) .....	30	40	20	50	50	100	20	—
Hand(s) and arm(s), unspecified .....	—	40	20	—	—	—	—	—
Hand(s) and elbow(s) .....	—	—	—	—	—	40	—	—
Hand(s) and arm(s), n.e.c. ....	30	—	—	40	40	40	—	—
Hand(s) and wrist(s) .....	40	—	30	30	30	130	30	50
Wrist(s) and arm(s) .....	—	—	—	—	—	40	20	20
Wrist(s) and arm(s), unspecified .....	—	—	—	—	—	—	—	20
Wrist(s) and elbow(s) .....	—	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c. ....	—	—	—	—	—	30	—	—
Shoulder(s) and arm(s) .....	70	—	30	100	100	210	140	50
Multiple upper extremities locations, n.e.c. ....	50	20	—	20	20	190	50	30
<b>Lower extremities</b> .....	<b>4,180</b>	<b>70</b>	<b>510</b>	<b>5,040</b>	<b>4,990</b>	<b>1,820</b>	<b>740</b>	<b>1,370</b>

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected sources of injury or illness, state government, 2014 — Continued

Part of body	Part of body code <sup>2</sup>	State government <sup>3</sup>	Source of injury or illness <sup>4</sup>				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Lower extremities, unspecified .....	50	20	—	—	—	—	—
Leg(s) .....	51	8,010	—	90	340	110	70
Leg(s), unspecified .....	510	680	—	—	60	—	—
Thigh(s) .....	511	260	—	—	—	—	—
Knee(s) .....	512	6,170	—	60	240	90	20
Lower leg(s) .....	513	600	—	—	20	—	20
Multiple leg locations .....	518	240	—	—	—	—	—
Multiple leg locations, unspecified .....	5180	20	—	—	—	—	—
Knee(s) and leg(s) .....	5181	200	—	—	—	—	—
Multiple leg locations, n.e.c. ....	5189	30	—	—	—	—	—
Leg(s), n.e.c. ....	519	50	—	—	—	—	—
Ankle(s) .....	52	3,050	—	—	20	30	20
Foot (feet) .....	53	2,580	—	60	180	70	170
Foot (feet), unspecified .....	530	1,480	—	30	90	30	110
Sole(s) .....	531	260	—	—	—	—	—
Heel(s) .....	5313	230	—	—	—	—	—
Toes(s), toenail(s) .....	532	560	—	30	80	20	50
Multiple foot (feet) locations .....	538	30	—	—	—	—	—
Foot (feet), n.e.c. ....	539	250	—	—	—	—	—
Multiple lower extremities locations .....	58	630	—	—	30	—	—
Foot (feet) and leg(s) .....	581	120	—	—	—	—	—
Foot(feet) and leg(s), unspecified .....	5810	30	—	—	—	—	—
Foot(feet) and knee(s) .....	5811	80	—	—	—	—	—
Foot (feet) and ankle(s) .....	582	120	—	—	—	—	—
Ankle(s) and leg(s) .....	583	280	—	—	—	—	—
Ankle(s) and leg(s), unspecified .....	5830	90	—	—	—	—	—
Ankle(s) and knee(s) .....	5831	170	—	—	—	—	—
Ankle(s) and leg(s), n.e.c. ....	5839	30	—	—	—	—	—
Multiple lower extremities locations, n.e.c. ....	589	110	—	—	—	—	—
<b>Body systems</b> .....	<b>6</b>	<b>1,760</b>	<b>330</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>12,300</b>	<b>120</b>	<b>430</b>	<b>320</b>	<b>70</b>	<b>90</b>
Multiple body parts, unspecified .....	80	770	—	30	—	—	—
Head and neck .....	81	420	—	20	—	—	—
Head, neck, and trunk .....	82	200	—	—	—	—	—
Head and trunk .....	83	140	—	—	—	—	—
Neck and back .....	84	930	—	70	60	—	—
Shoulder(s) and back .....	85	560	—	80	—	—	—
Hip(s) and leg(s) .....	86	170	—	—	—	—	—
Upper and lower limb(s) .....	87	1,030	—	—	70	—	—
Other multiple body parts .....	89	8,070	120	160	150	40	80
Whole body .....	891	30	—	—	—	—	—
Multiple body parts, n.e.c. ....	899	8,040	120	160	150	40	80

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected sources of injury or illness, state government, 2014 — Continued

Part of body	Source of injury or illness <sup>4</sup>							
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		All other sources <sup>5</sup>
				Total	Worker motion or position	Total	Patient	
Lower extremities, unspecified .....	—	—	—	—	—	—	—	—
Leg(s) .....	2,340	40	270	2,780	2,750	1,430	610	500
Leg(s), unspecified .....	200	—	50	170	150	120	60	40
Thigh(s) .....	40	—	—	100	100	60	30	20
Knee(s) .....	1,920	30	150	2,210	2,210	1,110	450	310
Lower leg(s) .....	110	—	40	250	250	30	—	100
Multiple leg locations .....	60	—	20	40	30	80	60	—
Multiple leg locations, unspecified .....	—	—	—	—	—	—	—	—
Knee(s) and leg(s) .....	60	—	20	—	—	70	60	—
Multiple leg locations, n.e.c. ....	—	—	—	—	—	—	—	—
Leg(s), n.e.c. ....	—	—	—	—	—	20	—	20
Ankle(s) .....	960	—	110	1,530	1,520	210	40	150
Foot (feet) .....	550	20	120	570	560	110	50	700
Foot (feet), unspecified .....	450	20	70	410	400	50	20	190
Sole(s) .....	70	—	30	120	120	—	—	20
Heel(s) .....	60	—	30	120	110	—	—	20
Toes(s), toenail(s) .....	—	—	—	—	—	40	30	320
Multiple foot (feet) locations .....	—	—	—	—	—	—	—	20
Foot (feet), n.e.c. ....	20	—	—	30	30	20	—	160
Multiple lower extremities locations .....	320	—	—	150	150	70	40	30
Foot (feet) and leg(s) .....	80	—	—	—	—	30	—	—
Foot(feet) and leg(s), unspecified .....	—	—	—	—	—	—	—	—
Foot(feet) and knee(s) .....	70	—	—	—	—	—	—	—
Foot (feet) and ankle(s) .....	40	—	—	50	50	20	—	—
Ankle(s) and leg(s) .....	120	—	—	100	100	20	—	—
Ankle(s) and leg(s), unspecified .....	—	—	—	50	50	—	—	—
Ankle(s) and knee(s) .....	100	—	—	40	40	20	—	—
Ankle(s) and leg(s), n.e.c. ....	—	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c. ....	90	—	—	—	—	—	—	—
<b>Body systems</b> .....	—	—	—	490	90	340	100	570
<b>Multiple body parts</b> .....	3,430	30	2,680	670	660	3,800	1,950	610
Multiple body parts, unspecified .....	160	—	210	60	50	230	40	70
Head and neck .....	20	—	40	50	50	220	130	50
Head, neck, and trunk .....	—	—	80	—	—	70	—	40
Head and trunk .....	30	—	20	—	—	60	40	—
Neck and back .....	20	—	560	60	60	110	100	20
Shoulder(s) and back .....	40	—	130	—	—	240	100	40
Hip(s) and leg(s) .....	40	—	—	50	50	—	—	—
Upper and lower limb(s) .....	480	—	170	50	50	210	80	30
Other multiple body parts .....	2,610	—	1,460	390	390	2,650	1,450	370
Whole body .....	—	—	—	—	—	—	—	—
Multiple body parts, n.e.c. ....	2,600	—	1,460	390	390	2,650	1,450	360

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected sources of injury or illness, state government, 2014 — Continued

Part of body	Part of body code <sup>2</sup>	State government <sup>3</sup>	Source of injury or illness <sup>4</sup>				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
<b>Nonclassifiable</b> .....	9999	5,010	—	—	—	—	—

See footnotes at end of table.

TABLE S20. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected sources of injury or illness, state government, 2014 — Continued

Part of body	Source of injury or illness <sup>4</sup>							All other sources <sup>5</sup>
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
<b>Nonclassifiable</b> .....	110	—	50	—	—	70	50	4,750

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

<sup>4</sup> Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 1; Containers = 21; Furniture and fixtures = 22; Machinery = 3; Parts and materials = 4; Floors, walkways, or ground surfaces = 66; Handtools = 71-73; Vehicles = 8; Person--injured or ill worker = 56; Worker motion or position = 562; Person--other than injured or ill worker = 57; Health care patient = 574; All other sources = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>5</sup> Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.