

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, state government, 2014

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴									
			Head		Neck	Trunk		Upper extremities				
			Total	Eyes		Total	Back	Total	Shoulder	Arm	Hand	Wrist
Total		67,400	4,620	930	1,390	12,670	9,440	15,360	4,500	2,480	5,050	1,590
Violence and other injuries by persons or animals	1	12,720	1,900	340	510	1,540	880	3,490	990	500	1,180	210
Violence and other injuries by persons or animals, unspecified	10	70	30	—	—	—	—	—	—	—	—	—
Intentional injury by person	11	6,350	1,550	240	250	800	450	1,200	270	100	540	90
Intentional injury by person, unspecified	110	80	—	—	—	—	—	30	—	—	—	—
Intentional injury by other person	111	6,270	1,550	240	250	800	450	1,170	260	90	540	80
Intentional injury by other person, unspecified	1110	240	20	—	—	40	40	70	—	—	20	—
Stabbing, cutting, slashing, piercing	1112	50	—	—	—	—	—	30	—	—	—	—
Hitting, kicking, beating, shoving	1113	5,340	1,500	220	190	700	380	910	190	70	420	80
Strangulation by other person	1114	40	—	—	40	—	—	—	—	—	—	—
Rape, sexual assault	1116	30	—	—	—	—	—	—	—	—	—	—
Threat, verbal assault	1117	60	—	—	—	—	—	—	—	—	—	—
Multiple violent acts by other person	1118	60	—	—	—	—	—	—	—	—	—	—
Intentional injury by other person, n.e.c.	1119	430	40	20	—	50	20	150	30	—	90	—
Injury by person—unintentional or intent unknown	12	5,860	270	80	200	690	430	2,120	720	330	560	120
Injury by person—unintentional or intent unknown, unspecified	120	320	30	30	—	70	—	50	—	—	40	—
Injury by other person—unintentional or intent unknown	121	5,480	240	50	200	610	400	2,060	710	330	520	120
Injury by other person—unintentional or intent unknown, unspecified	1210	240	50	20	30	—	—	60	30	—	20	—
Shooting by other person—unintentional	1211	20	—	—	—	—	—	—	—	—	—	—
Injured by physical contact with other person in sporting event or physical training	1212	420	80	—	—	40	30	170	60	80	—	—
Injured by physical contact with person while restraining, subduing—unintentional	1214	3,990	100	20	100	480	310	1,500	470	220	430	70
Injured by physical contact with person while moving that person—unintentional ..	1215	370	—	—	—	—	—	190	140	—	—	30
Injury by other person—unintentional or intent unknown, n.e.c.	1219	420	—	—	40	80	50	130	—	20	60	—
Self-inflicted injury—unintentional or intent unknown	122	20	—	—	—	—	—	—	—	—	—	—
Injury by person—unintentional or intent unknown, n.e.c.	129	50	—	—	—	—	—	—	—	—	—	—
Animal and insect related incidents	13	440	50	20	—	50	—	160	—	70	60	—
Bites and stings	131	410	40	20	—	40	—	140	—	70	60	—
Bites and stings, unspecified	1310	70	—	—	—	—	—	20	—	—	20	—
Stings and venomous bites	1311	130	20	—	—	—	—	20	—	—	20	—
Nonvenomous insect bites	1312	70	20	20	—	20	—	20	—	—	—	—
Other animal bites, nonvenomous	1313	130	—	—	—	—	—	80	—	50	20	—
Struck by animal	132	20	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, state government, 2014 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot			
Total	14,290	6,170	3,050	2,580	1,760	12,300	5,010
Violence and other injuries by persons or animals	1,690	1,010	170	110	180	3,330	70
Violence and other injuries by persons or animals, unspecified	20	20	—	—	—	—	—
Intentional injury by person	510	340	—	20	130	1,860	40
Intentional injury by person, unspecified	—	—	—	—	—	30	—
Intentional injury by other person	500	320	—	20	130	1,830	40
Intentional injury by other person, unspecified	20	20	—	—	—	70	—
Stabbing, cutting, slashing, piercing	—	—	—	—	—	—	—
Hitting, kicking, beating, shoving	380	240	—	—	—	1,640	20
Strangulation by other person	—	—	—	—	—	—	—
Rape, sexual assault	—	—	—	—	30	—	—
Threat, verbal assault	—	—	—	—	60	—	—
Multiple violent acts by other person	—	—	—	—	—	50	—
Intentional injury by other person, n.e.c.	90	70	—	—	30	70	—
Injury by person—unintentional or intent unknown	1,110	650	160	90	—	1,440	—
Injury by person—unintentional or intent unknown, unspecified	—	—	—	—	—	140	—
Injury by other person—unintentional or intent unknown	1,070	650	160	90	—	1,270	—
Injury by other person—unintentional or intent unknown, unspecified	—	—	—	—	—	80	—
Shooting by other person—unintentional ...	—	—	—	—	—	—	—
Injured by physical contact with other person in sporting event or physical training	90	50	—	20	—	40	—
Injured by physical contact with person while restraining, subduing—unintentional	830	540	150	60	—	970	—
Injured by physical contact with person while moving that person—unintentional ..	70	20	—	—	—	80	—
Injury by other person—unintentional or intent unknown, n.e.c.	50	20	—	—	—	90	—
Self-inflicted injury—unintentional or intent unknown	—	—	—	—	—	—	—
Injury by person—unintentional or intent unknown, n.e.c.	—	—	—	—	—	—	—
Animal and insect related incidents	50	—	—	—	40	30	—
Bites and stings	50	—	—	—	40	20	—
Bites and stings, unspecified	20	—	—	—	—	—	—
Stings and venomous bites	—	—	—	—	—	—	—
Nonvenomous insect bites	—	—	—	—	—	—	—
Other animal bites, nonvenomous	—	—	—	—	—	—	—
Struck by animal	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, state government, 2014 — Continued

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴									
			Head		Neck	Trunk		Upper extremities				
			Total	Eyes		Total	Back	Total	Shoulder	Arm	Hand	Wrist
Transportation incidents	2	4,440	240	—	370	690	560	470	330	30	50	40
Transportation incident, unspecified	20	80	—	—	—	—	—	—	—	—	—	—
Animal and other non-motorized vehicle transportation incidents	23	30	—	—	—	—	—	—	—	—	—	—
Animal transportation incident	231	20	—	—	—	—	—	—	—	—	—	—
Thrown, fell, or jumped from animal being ridden	2313	20	—	—	—	—	—	—	—	—	—	—
Pedestrian vehicular incidents	24	280	20	—	—	—	—	—	—	—	—	—
Pedestrian vehicular incident, unspecified	240	50	—	—	—	—	—	—	—	—	—	—
Pedestrian struck by vehicle in work zone	241	60	—	—	—	—	—	—	—	—	—	—
Pedestrian struck by forward-moving vehicle in work zone	2412	20	—	—	—	—	—	—	—	—	—	—
Pedestrian struck by vehicle in roadway	242	90	—	—	—	—	—	—	—	—	—	—
Pedestrian struck by forward-moving vehicle in roadway	2422	50	—	—	—	—	—	—	—	—	—	—
Pedestrian struck by vehicle in nonroadway area	244	60	—	—	—	—	—	—	—	—	—	—
Pedestrian struck by forward-moving vehicle in nonroadway area	2442	20	—	—	—	—	—	—	—	—	—	—
Pedestrian struck by vehicle backing up in nonroadway area	2443	20	—	—	—	—	—	—	—	—	—	—
Water vehicle incidents	25	40	—	—	—	—	—	—	—	—	—	—
Water vehicle incident, n.e.c.	259	30	—	—	—	—	—	—	—	—	—	—
Roadway incidents involving motorized land vehicle	26	3,710	170	—	370	620	540	290	190	20	40	20
Roadway incident involving motorized land vehicle, unspecified	260	710	—	—	40	160	150	40	20	—	—	—
Roadway collision with other vehicle	261	2,440	130	—	220	320	270	190	150	—	—	—
Roadway collision with other vehicle, unspecified	2610	810	40	—	60	110	100	—	—	—	—	—
Roadway collision—moving in same direction	2611	550	—	—	50	90	50	—	—	—	—	—
Roadway collision—moving in opposite directions, oncoming	2612	120	—	—	—	—	—	—	—	—	—	—
Roadway collision—moving perpendicularly	2613	240	60	—	20	—	—	70	60	—	—	—
Roadway collision—moving and standing vehicle in roadway	2614	550	20	—	80	80	70	80	80	—	—	—
Roadway collision—moving and standing vehicle on side of roadway	2615	110	—	—	—	—	—	20	—	—	—	—
Roadway collision with other vehicle, n.e.c.	2619	80	—	—	—	30	30	—	—	—	—	—
Roadway collision with object other than vehicle	262	230	—	—	—	70	60	—	—	—	—	—
Vehicle struck object or animal on side of roadway	2622	80	—	—	—	—	—	—	—	—	—	—
Roadway collision with object other than vehicle, n.e.c.	2629	130	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, state government, 2014 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot			
Transportation incidents	170	60	30	40	—	2,430	60
Transportation incident, unspecified	—	—	—	—	—	50	—
Animal and other non-motorized vehicle transportation incidents	—	—	—	—	—	—	—
Animal transportation incident	—	—	—	—	—	—	—
Thrown, fell, or jumped from animal being ridden	—	—	—	—	—	—	—
Pedestrian vehicular incidents	70	—	—	20	—	160	—
Pedestrian vehicular incident, unspecified	—	—	—	—	—	50	—
Pedestrian struck by vehicle in work zone	30	—	—	—	—	30	—
Pedestrian struck by forward-moving vehicle in work zone	20	—	—	—	—	—	—
Pedestrian struck by vehicle in roadway	—	—	—	—	—	60	—
Pedestrian struck by forward-moving vehicle in roadway	—	—	—	—	—	40	—
Pedestrian struck by vehicle in nonroadway area	30	—	—	—	—	—	—
Pedestrian struck by forward-moving vehicle in nonroadway area	—	—	—	—	—	—	—
Pedestrian struck by vehicle backing up in nonroadway area	—	—	—	—	—	—	—
Water vehicle incidents	—	—	—	—	—	—	—
Water vehicle incident, n.e.c.	—	—	—	—	—	—	—
Roadway incidents involving motorized land vehicle	50	30	—	—	—	2,170	30
Roadway incident involving motorized land vehicle, unspecified	—	—	—	—	—	450	—
Roadway collision with other vehicle	20	—	—	—	—	1,540	20
Roadway collision with other vehicle, unspecified	—	—	—	—	—	590	—
Roadway collision—moving in same direction	—	—	—	—	—	380	—
Roadway collision—moving in opposite directions, oncoming	—	—	—	—	—	110	—
Roadway collision—moving perpendicularly	—	—	—	—	—	80	—
Roadway collision—moving and standing vehicle in roadway	—	—	—	—	—	270	—
Roadway collision—moving and standing vehicle on side of roadway	—	—	—	—	—	80	—
Roadway collision with other vehicle, n.e.c.	—	—	—	—	—	40	—
Roadway collision with object other than vehicle	—	—	—	—	—	140	—
Vehicle struck object or animal on side of roadway	—	—	—	—	—	60	—
Roadway collision with object other than vehicle, n.e.c.	—	—	—	—	—	70	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, state government, 2014 — Continued

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴									
			Head		Neck	Trunk		Upper extremities				
			Total	Eyes		Total	Back	Total	Shoulder	Arm	Hand	Wrist
Roadway noncollision incident	263	320	30	—	90	70	60	50	30	—	20	—
Jack-knifed or overturned, roadway	2631	40	—	—	—	—	—	—	—	—	—	—
Ran off roadway	2632	60	20	—	—	—	—	—	—	—	—	—
Sudden start or stop, roadway	2637	20	—	—	—	—	—	—	—	—	—	—
Struck bump, hole, or rough terrain in road surface	2638	170	—	—	90	50	50	20	—	—	—	—
Roadway noncollision incident, n.e.c.	2639	20	—	—	—	—	—	—	—	—	—	—
Nonroadway incidents involving motorized land vehicles	27	300	—	—	—	50	20	150	130	—	—	—
Nonroadway collision with other vehicle	271	30	—	—	—	—	—	—	—	—	—	—
Nonroadway collisions with object other than vehicle	272	40	—	—	—	—	—	—	—	—	—	—
Nonroadway collision with object other than vehicle, n.e.c.	2729	40	—	—	—	—	—	—	—	—	—	—
Nonroadway noncollision incident	273	230	—	—	—	30	—	140	120	—	—	—
Jack-knifed or overturned, nonroadway	2731	40	—	—	—	—	—	—	—	—	—	—
Fall or jump from and struck by same vehicle in normal operation, nonroadway	2734	20	—	—	—	—	—	—	—	—	—	—
Fall or jump from vehicle in normal operation, nonroadway	2736	20	—	—	—	—	—	—	—	—	—	—
Struck bump, hole, rough terrain on driving surface, nonroadway	2738	130	—	—	—	20	—	—	—	—	—	—
Nonroadway noncollision incident, n.e.c.	2739	20	—	—	—	—	—	—	—	—	—	—
Fires and explosions	3	80	—	—	—	—	—	—	—	—	—	—
Fires	31	70	—	—	—	—	—	—	—	—	—	—
Fire, unspecified	310	70	—	—	—	—	—	—	—	—	—	—
Falls, slips, trips	4	16,650	950	40	60	2,670	1,580	2,430	970	530	230	440
Fall, slip, trip, unspecified	40	270	—	—	—	40	40	—	—	—	—	—
Slip or trip without fall	41	2,760	100	—	—	360	290	170	120	20	—	—
Slip or trip without fall, unspecified	410	80	—	—	—	—	—	—	—	—	—	—
Slip without fall	411	1,310	—	—	—	270	210	130	100	—	—	—
Slip without fall, unspecified	4110	230	—	—	—	30	30	20	—	—	—	—
Slip on substance without fall	4111	840	—	—	—	190	150	70	70	—	—	—
Slip on vehicle without fall—nontransport ..	4112	80	—	—	—	20	20	—	—	—	—	—
Slip without fall, n.e.c.	4119	160	—	—	—	30	—	20	—	—	—	—
Trip without fall	412	1,340	—	—	—	90	70	40	—	—	—	—
Trip without fall, unspecified	4120	240	—	—	—	30	20	—	—	—	—	—
Trip from stepping into a hole without fall ...	4121	190	—	—	—	—	—	—	—	—	—	—
Trip on uneven surface without fall	4122	210	—	—	—	20	20	—	—	—	—	—
Trip over an object without fall	4123	510	—	—	—	40	30	20	—	—	—	—
Trip over self without fall	4125	90	—	—	—	—	—	—	—	—	—	—
Trip without fall, n.e.c.	4129	90	—	—	—	—	—	—	—	—	—	—
Slip or trip without fall, n.e.c.	419	30	—	—	—	—	—	—	—	—	—	—
Falls on same level	42	11,390	640	40	40	1,700	1,060	2,090	790	490	180	400
Fall on same level, unspecified	420	830	50	—	—	140	80	220	100	30	60	20
Fall on same level due to tripping	421	3,740	130	—	—	290	130	650	190	170	60	150

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, state government, 2014 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot			
Roadway noncollision incident	20	—	—	—	—	50	—
Jack-knifed or overturned, roadway	—	—	—	—	—	30	—
Ran off roadway	—	—	—	—	—	—	—
Sudden start or stop, roadway	—	—	—	—	—	—	—
Struck bump, hole, or rough terrain in road surface	—	—	—	—	—	—	—
Roadway noncollision incident, n.e.c.	—	—	—	—	—	—	—
Nonroadway incidents involving motorized land vehicles	40	—	—	20	—	50	—
Nonroadway collision with other vehicle	—	—	—	—	—	—	—
Nonroadway collisions with object other than vehicle	—	—	—	—	—	—	—
Nonroadway collision with object other than vehicle, n.e.c.	—	—	—	—	—	—	—
Nonroadway noncollision incident	30	—	—	20	—	20	—
Jack-knifed or overturned, nonroadway	—	—	—	—	—	—	—
Fall or jump from and struck by same vehicle in normal operation, nonroadway	—	—	—	—	—	—	—
Fall or jump from vehicle in normal operation, nonroadway	—	—	—	—	—	—	—
Struck bump, hole, rough terrain on driving surface, nonroadway	—	—	—	—	—	—	—
Nonroadway noncollision incident, n.e.c.	—	—	—	—	—	—	—
Fires and explosions	—	—	—	—	70	—	—
Fires	—	—	—	—	70	—	—
Fire, unspecified	—	—	—	—	70	—	—
Falls, slips, trips	6,190	2,660	1,760	700	—	4,230	110
Fall, slip, trip, unspecified	220	90	60	60	—	—	—
Slip or trip without fall	1,900	680	800	240	—	230	—
Slip or trip without fall, unspecified	70	—	20	—	—	—	—
Slip without fall	670	360	110	120	—	150	—
Slip without fall, unspecified	150	40	—	90	—	30	—
Slip on substance without fall	410	270	70	20	—	80	—
Slip on vehicle without fall—nontransport ..	20	—	—	—	—	30	—
Slip without fall, n.e.c.	90	50	20	—	—	—	—
Trip without fall	1,120	300	650	110	—	70	—
Trip without fall, unspecified	210	40	170	—	—	—	—
Trip from stepping into a hole without fall ...	190	80	80	20	—	—	—
Trip on uneven surface without fall	170	60	100	—	—	20	—
Trip over an object without fall	390	70	220	80	—	50	—
Trip over self without fall	80	20	50	—	—	—	—
Trip without fall, n.e.c.	80	40	30	—	—	—	—
Slip or trip without fall, n.e.c.	30	—	20	—	—	—	—
Falls on same level	3,470	1,740	700	360	—	3,340	110
Fall on same level, unspecified	200	70	70	30	—	210	—
Fall on same level due to tripping	1,380	590	320	260	—	1,250	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, state government, 2014 — Continued

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴									
			Head		Neck	Trunk		Upper extremities				
			Total	Eyes		Total	Back	Total	Shoulder	Arm	Hand	Wrist
Fall on same level due to tripping, unspecified	4210	320	—	—	—	30	—	90	20	—	20	—
Fall on same level while climbing stairs, steps, or curbs	4211	580	20	—	—	80	40	50	20	—	—	—
Fall on same level due to tripping on uneven surface	4212	660	20	—	—	—	—	80	40	—	—	20
Fall on same level due to tripping over an object	4213	1,540	50	—	—	130	40	230	100	80	20	—
Fall on same level due to tripping over self	4214	270	20	—	—	40	30	50	—	20	—	—
Fall on same level due to tripping, n.e.c.	4219	370	—	—	—	—	—	140	—	40	—	90
Fall on same level due to slipping	422	5,200	280	30	30	970	630	990	410	240	40	200
Fall while sitting	423	490	60	—	—	130	120	50	40	—	—	—
Fall onto or against object on same level, n.e.c.	424	280	40	—	—	70	40	40	—	20	—	—
Fall on same level, n.e.c.	429	850	80	—	—	100	60	130	40	30	—	30
Falls to lower level	43	2,180	220	—	—	560	190	160	60	20	40	20
Fall to lower level, unspecified	430	140	40	—	—	—	—	20	—	—	—	—
Fall from collapsing structure or equipment	431	60	—	—	—	20	20	—	—	—	—	—
Fall from collapsing structure or equipment, unspecified	4310	30	—	—	—	—	—	—	—	—	—	—
Fall from collapsing structure or equipment less than 6 feet	4311	20	—	—	—	—	—	—	—	—	—	—
Fall through surface	432	40	—	—	—	20	20	—	—	—	—	—
Fall through surface, unspecified	4320	20	—	—	—	20	20	—	—	—	—	—
Fall through surface less than 6 feet	4321	20	—	—	—	—	—	—	—	—	—	—
Other fall to lower level	433	1,930	180	—	—	520	160	130	50	20	40	20
Other fall to lower level, unspecified	4330	930	50	—	—	170	100	100	30	—	30	20
Other fall to lower level less than 6 feet	4331	930	120	—	—	310	50	30	20	—	—	—
Other fall to lower level 6 to 10 feet	4332	70	—	—	—	40	—	—	—	—	—	—
Jumps to lower level	44	40	—	—	—	—	—	—	—	—	—	—
Other jump to lower level	442	20	—	—	—	—	—	—	—	—	—	—
Exposure to harmful substances or environments	5	2,320	270	150	—	110	—	220	—	60	120	—
Exposure to harmful substances or environments, unspecified	50	100	20	—	—	—	—	20	—	—	—	—
Exposure to electricity	51	20	—	—	—	—	—	—	—	—	—	—
Exposure to radiation and noise	52	40	30	—	—	—	—	—	—	—	—	—
Exposure to temperature extremes	53	510	30	—	—	—	—	120	—	30	80	—
Exposure to environmental heat	531	250	—	—	—	—	—	—	—	—	—	—
Exposure to environmental cold	532	20	—	—	—	—	—	20	—	—	—	—
Contact with hot objects or substances	533	230	30	—	—	—	—	100	—	30	60	—
Exposure to other harmful substances	55	1,290	180	130	—	80	—	80	—	20	30	—
Exposure to other harmful substances, unspecified	550	220	50	—	—	—	—	—	—	—	—	—
Inhalation of harmful substance	552	430	—	—	—	30	—	—	—	—	—	—
Inhalation of harmful substance, unspecified	5520	70	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, state government, 2014 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot			
Fall on same level due to tripping, unspecified	100	70	—	—	—	100	—
Fall on same level while climbing stairs, steps, or curbs	260	170	60	—	—	180	—
Fall on same level due to tripping on uneven surface	230	40	110	—	—	320	—
Fall on same level due to tripping over an object	590	240	60	210	—	510	—
Fall on same level due to tripping over self	90	40	40	—	—	70	—
Fall on same level due to tripping, n.e.c.	120	30	30	—	—	90	—
Fall on same level due to slipping	1,430	850	260	60	—	1,420	70
Fall while sitting	90	40	—	—	—	170	—
Fall onto or against object on same level, n.e.c.	20	—	—	—	—	120	—
Fall on same level, n.e.c.	350	190	60	20	—	160	—
Falls to lower level	580	140	190	40	—	660	—
Fall to lower level, unspecified	40	—	20	—	—	50	—
Fall from collapsing structure or equipment ..	—	—	—	—	—	—	—
Fall from collapsing structure or equipment, unspecified	—	—	—	—	—	—	—
Fall from collapsing structure or equipment less than 6 feet	—	—	—	—	—	—	—
Fall through surface	—	—	—	—	—	—	—
Fall through surface, unspecified	—	—	—	—	—	—	—
Fall through surface less than 6 feet	—	—	—	—	—	—	—
Other fall to lower level	520	120	170	30	—	580	—
Other fall to lower level, unspecified	250	50	90	—	—	370	—
Other fall to lower level less than 6 feet	270	70	80	20	—	190	—
Other fall to lower level 6 to 10 feet	—	—	—	—	—	20	—
Jumps to lower level	20	—	—	—	—	—	—
Other jump to lower level	—	—	—	—	—	—	—
Exposure to harmful substances or environments	220	—	—	190	1,220	260	—
Exposure to harmful substances or environments, unspecified	20	—	—	—	20	—	—
Exposure to electricity	—	—	—	—	—	—	—
Exposure to radiation and noise	—	—	—	—	—	—	—
Exposure to temperature extremes	50	—	—	50	210	80	—
Exposure to environmental heat	—	—	—	—	210	—	—
Exposure to environmental cold	—	—	—	—	—	—	—
Contact with hot objects or substances	50	—	—	40	—	50	—
Exposure to other harmful substances	150	—	—	150	630	170	—
Exposure to other harmful substances, unspecified	—	—	—	—	60	120	—
Inhalation of harmful substance	—	—	—	—	400	—	—
Inhalation of harmful substance, unspecified	—	—	—	—	70	—	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, state government, 2014 — Continued

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk		Upper extremities					
			Total	Eyes		Total	Back	Total	Shoulder	Arm	Hand	Wrist	
Inhalation of harmful substance—single episode	5521	320	—	—	—	30	—	—	—	—	—	—	—
Inhalation of harmful substance—multiple episodes	5522	40	—	—	—	—	—	—	—	—	—	—	—
Exposure to harmful substance through skin, eyes, or other exposed tissue	554	590	120	90	—	40	—	80	—	20	30	—	—
Exposure to harmful substance through skin, eyes, or other exposed tissue, unspecified	5540	60	—	—	—	—	—	—	—	—	—	—	—
Exposure through medical injection	5542	20	—	—	—	—	—	—	—	—	—	—	—
Exposure through intact skin, eyes, or other exposed tissue	5544	320	100	70	—	40	—	50	—	20	30	—	—
Exposure through skin, eyes, or other exposed tissue, n.e.c.	5549	190	—	—	—	—	—	—	—	—	—	—	—
Exposure to other harmful substances, n.e.c.	559	30	—	—	—	—	—	—	—	—	—	—	—
Exposure to traumatic or stressful event, n.e.c.	57	360	—	—	—	—	—	—	—	—	—	—	—
Contact with objects and equipment	6	8,190	1,200	390	120	320	200	3,850	160	390	2,870	200	—
Contact with objects and equipment, unspecified	60	140	—	—	—	—	—	50	—	—	50	—	—
Needlestick without exposure to harmful substance	61	30	—	—	—	—	—	30	—	—	30	—	—
Struck by object or equipment	62	3,870	540	210	20	200	150	1,970	90	170	1,470	130	—
Struck by object or equipment, unspecified	620	260	20	20	—	—	—	180	—	—	180	—	—
Struck by powered vehicle—nontransport	621	220	20	—	—	—	—	140	—	50	70	—	—
Caught between rolling powered vehicle and other object	6211	20	—	—	—	—	—	—	—	—	—	—	—
Struck or run over by rolling powered vehicle	6212	40	—	—	—	—	—	—	—	—	—	—	—
Struck by swinging part of powered vehicle	6213	140	—	—	—	—	—	120	—	40	70	—	—
Struck by rolling object or equipment—other than powered vehicle	622	240	—	—	—	30	30	20	—	—	—	—	—
Struck by rolling object or equipment being pushed by injured worker	6221	100	—	—	—	—	—	—	—	—	—	—	—
Struck by rolling object or equipment being pushed by another person	6222	70	—	—	—	30	30	—	—	—	—	—	—
Struck by rolling object or equipment—other than powered vehicle, n.e.c.	6229	50	—	—	—	—	—	—	—	—	—	—	—
Struck by falling object or equipment—other than powered vehicle	623	920	160	—	20	30	20	180	20	20	100	30	—
Struck by falling object or equipment, unspecified	6230	80	20	—	—	—	—	—	—	—	—	—	—
Struck by object or equipment dropped by injured worker	6231	230	20	—	—	—	—	50	—	—	50	—	—
Struck by object or equipment dropped by other person	6232	40	—	—	—	—	—	30	—	—	—	—	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, state government, 2014 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot			
Inhalation of harmful substance—single episode	—	—	—	—	290	—	—
Inhalation of harmful substance—multiple episodes	—	—	—	—	40	—	—
Exposure to harmful substance through skin, eyes, or other exposed tissue	150	—	—	150	150	40	—
Exposure to harmful substance through skin, eyes, or other exposed tissue, unspecified	—	—	—	—	40	—	—
Exposure through medical injection	—	—	—	—	20	—	—
Exposure through intact skin, eyes, or other exposed tissue	—	—	—	—	80	40	—
Exposure through skin, eyes, or other exposed tissue, n.e.c.	—	—	—	—	—	—	—
Exposure to other harmful substances, n.e.c.	—	—	—	—	20	—	—
Exposure to traumatic or stressful event, n.e.c.	—	—	—	—	340	—	—
Contact with objects and equipment	2,280	550	310	1,140	—	410	—
Contact with objects and equipment, unspecified	60	30	—	30	—	20	—
Needlestick without exposure to harmful substance	—	—	—	—	—	—	—
Struck by object or equipment	860	110	50	580	—	270	—
Struck by object or equipment, unspecified	40	—	—	—	—	—	—
Struck by powered vehicle—nontransport	20	—	—	—	—	20	—
Caught between rolling powered vehicle and other object	—	—	—	—	—	—	—
Struck or run over by rolling powered vehicle	—	—	—	—	—	—	—
Struck by swinging part of powered vehicle	—	—	—	—	—	—	—
Struck by rolling object or equipment—other than powered vehicle	180	—	30	130	—	—	—
Struck by rolling object or equipment being pushed by injured worker	90	—	—	70	—	—	—
Struck by rolling object or equipment being pushed by another person	40	—	—	20	—	—	—
Struck by rolling object or equipment—other than powered vehicle, n.e.c.	40	—	—	40	—	—	—
Struck by falling object or equipment—other than powered vehicle	400	30	—	320	—	130	—
Struck by falling object or equipment, unspecified	50	20	—	20	—	—	—
Struck by object or equipment dropped by injured worker	140	—	—	110	—	—	—
Struck by object or equipment dropped by other person	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, state government, 2014 — Continued

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk		Upper extremities					
			Total	Eyes		Total	Back	Total	Shoulder	Arm	Hand	Wrist	
Struck by object falling from vehicle or machinery—other than vehicle part	6233	80	—	—	—	—	—	—	—	—	—	—	—
Struck by falling object or equipment, n.e.c.	6239	490	110	—	20	20	20	80	—	20	40	—	—
Struck by discharged or flying object	624	290	160	120	—	50	50	50	—	—	50	—	—
Struck by discharged or flying object, unspecified	6240	30	30	30	—	—	—	—	—	—	—	—	—
Struck by dislodged flying object, particle ..	6241	170	100	90	—	40	—	—	—	—	—	—	—
Struck by discharged object or substance ..	6242	30	—	—	—	—	—	—	—	—	—	—	—
Struck by thrown object—unintentional injury	6243	30	—	—	—	—	—	—	—	—	—	—	—
Struck by discharged or flying object, n.e.c.	6249	40	—	—	—	—	—	20	—	—	20	—	—
Injured by handheld object or equipment	625	560	60	30	—	—	—	450	—	—	380	40	—
Injured by handheld object or equipment, unspecified	6250	30	—	—	—	—	—	30	—	—	30	—	—
Injured by slipping or swinging object held by injured worker	6252	440	40	20	—	—	—	350	—	—	300	40	—
Injured by handheld object or equipment, n.e.c.	6259	60	—	—	—	—	—	50	—	—	50	—	—
Struck by swinging or slipping object, other than handheld	626	1,110	70	—	—	30	30	840	40	70	600	60	—
Struck by or caught in swinging door or gate	6261	1,050	50	—	—	30	30	810	40	60	580	50	—
Struck by swinging or slipping object, other than handheld, n.e.c.	6269	50	20	—	—	—	—	30	—	—	20	—	—
Struck by object or equipment, n.e.c.	629	270	60	—	—	50	—	90	—	20	70	—	—
Struck against object or equipment	63	2,640	490	20	30	80	40	710	20	210	380	30	—
Struck against object or equipment, unspecified	630	180	20	—	—	—	—	50	—	—	30	—	—
Struck against moving object or equipment ...	631	180	—	—	—	—	—	110	—	30	70	—	—
Struck against moving part of machinery or equipment	6311	40	—	—	—	—	—	30	—	—	30	—	—
Struck against object or equipment while moving it	6312	80	—	—	—	—	—	40	—	—	40	—	—
Struck against moving object or equipment, n.e.c.	6319	50	—	—	—	—	—	40	—	30	—	—	—
Struck against stationary object or equipment	632	1,970	420	—	30	40	—	390	—	150	170	20	—
Struck against stationary object or equipment, unspecified	6320	110	—	—	—	—	—	60	—	40	—	—	—
Stepped on object	6321	640	—	—	—	—	—	—	—	—	—	—	—
Struck against stationary object or equipment while rising	6322	290	240	—	—	—	—	—	—	—	—	—	—
Struck against stationary object or equipment, n.e.c.	6329	920	180	—	20	20	—	330	—	110	160	20	—
Struck against object or equipment, n.e.c.	639	320	40	—	—	30	30	150	—	20	110	—	—
Caught in or compressed by equipment or objects	64	1,160	—	—	—	20	—	1,020	60	—	900	30	—
Caught in or compressed by equipment or objects, unspecified	640	70	—	—	—	—	—	70	—	—	60	—	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, state government, 2014 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot			
Struck by object falling from vehicle or machinery—other than vehicle part	40	—	—	30	—	20	—
Struck by falling object or equipment, n.e.c.	170	—	—	150	—	100	—
Struck by discharged or flying object	—	—	—	—	—	—	—
Struck by discharged or flying object, unspecified	—	—	—	—	—	—	—
Struck by dislodged flying object, particle ..	—	—	—	—	—	—	—
Struck by discharged object or substance ..	—	—	—	—	—	—	—
Struck by thrown object—unintentional injury	—	—	—	—	—	—	—
Struck by discharged or flying object, n.e.c.	—	—	—	—	—	—	—
Injured by handheld object or equipment	50	—	—	20	—	—	—
Injured by handheld object or equipment, unspecified	—	—	—	—	—	—	—
Injured by slipping or swinging object held by injured worker	40	—	—	20	—	—	—
Injured by handheld object or equipment, n.e.c.	—	—	—	—	—	—	—
Struck by swinging or slipping object, other than handheld	100	30	—	70	—	70	—
Struck by or caught in swinging door or gate	100	20	—	70	—	70	—
Struck by swinging or slipping object, other than handheld, n.e.c.	—	—	—	—	—	—	—
Struck by object or equipment, n.e.c.	60	30	—	20	—	—	—
Struck against object or equipment	1,260	390	210	490	—	80	—
Struck against object or equipment, unspecified	100	40	—	60	—	—	—
Struck against moving object or equipment ...	50	—	—	—	—	—	—
Struck against moving part of machinery or equipment	—	—	—	—	—	—	—
Struck against object or equipment while moving it	40	—	—	—	—	—	—
Struck against moving object or equipment, n.e.c.	—	—	—	—	—	—	—
Struck against stationary object or equipment	1,020	330	200	400	—	70	—
Struck against stationary object or equipment, unspecified	20	—	—	—	—	—	—
Stepped on object	630	130	170	330	—	—	—
Struck against stationary object or equipment while rising	50	30	—	—	—	—	—
Struck against stationary object or equipment, n.e.c.	310	160	—	70	—	60	—
Struck against object or equipment, n.e.c.	90	20	—	30	—	—	—
Caught in or compressed by equipment or objects	60	—	30	20	—	30	—
Caught in or compressed by equipment or objects, unspecified	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, state government, 2014 — Continued

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴									
			Head		Neck	Trunk		Upper extremities				
			Total	Eyes		Total	Back	Total	Shoulder	Arm	Hand	Wrist
Caught in running equipment or machinery ...	641	190	—	—	—	—	—	180	—	—	160	—
Caught in running equipment or machinery during maintenance, cleaning	6411	110	—	—	—	—	—	110	—	—	110	—
Caught in running equipment or machinery during regular operation	6412	70	—	—	—	—	—	60	—	—	40	—
Compressed or pinched by shifting objects or equipment	642	270	—	—	—	—	—	220	—	—	210	—
Compressed or pinched between two stationary objects	643	110	—	—	—	—	—	90	—	—	80	—
Entangled in other object or equipment	644	40	—	—	—	—	—	40	—	—	30	—
Caught in or compressed by equipment or objects, n.e.c.	649	490	—	—	—	—	—	430	—	—	350	20
Struck, caught, or crushed in collapsing structure, equipment, or material	65	40	—	—	—	—	—	—	—	—	—	—
Rubbed or abraded by friction or pressure	66	170	150	150	—	—	—	—	—	—	—	—
Rubbed or abraded by foreign matter in eye ..	663	150	150	150	—	—	—	—	—	—	—	—
Rubbed, abraded, or jarred by vibration	67	50	—	—	—	—	—	—	—	—	—	—
Rubbed, abraded, or jarred by vehicle vibration	671	30	—	—	—	—	—	—	—	—	—	—
Contact with objects and equipment, n.e.c.	69	80	—	—	—	—	—	30	—	—	30	—
Overexertion and bodily reaction	7	17,960	50	—	320	7,330	6,200	4,810	2,020	960	560	710
Overexertion and bodily reaction, unspecified ...	70	860	—	—	—	220	110	260	80	60	70	30
Overexertion involving outside sources	71	10,130	20	—	130	5,470	4,750	2,990	1,440	660	200	370
Overexertion involving outside sources, unspecified	710	1,440	—	—	30	800	660	370	160	130	30	20
Overexertion in lifting, lowering	711	4,090	—	—	70	2,600	2,330	910	430	190	70	120
Overexertion in lifting, lowering, unspecified	7110	450	—	—	—	320	310	80	50	20	—	—
Overexertion in lifting—single episode	7111	2,910	—	—	60	1,870	1,620	700	330	160	30	110
Overexertion in lifting—multiple episodes ..	7112	630	—	—	—	340	320	110	40	—	—	—
Overexertion in lowering—single episode ..	7113	50	—	—	—	40	40	—	—	—	—	—
Overexertion in lowering—multiple episodes	7114	50	—	—	—	30	30	—	—	—	—	—
Overexertion in pushing, pulling, or turning	712	2,140	—	—	—	740	560	990	430	240	70	150
Overexertion in pushing, pulling, or turning, unspecified	7120	30	—	—	—	—	—	—	—	—	—	—
Overexertion in pushing, pulling, or turning—single episode	7121	1,980	—	—	—	720	540	900	380	220	70	140
Overexertion in pushing, pulling, or turning—multiple episodes	7122	130	—	—	—	—	—	80	40	20	—	—
Overexertion in holding, carrying, or wielding	713	700	—	—	—	340	320	220	130	40	20	30
Overexertion in holding, carrying, or wielding, unspecified	7130	50	—	—	—	20	—	—	—	—	—	—
Overexertion in holding, carrying, or wielding—single episode	7131	560	—	—	—	260	250	180	100	40	—	30
Overexertion in holding, carrying, or wielding—multiple episodes	7132	100	—	—	—	60	50	30	20	—	—	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, state government, 2014 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot			
Caught in running equipment or machinery ...	—	—	—	—	—	—	—
Caught in running equipment or machinery during maintenance, cleaning	—	—	—	—	—	—	—
Caught in running equipment or machinery during regular operation	—	—	—	—	—	—	—
Compressed or pinched by shifting objects or equipment	20	—	—	—	—	—	—
Compressed or pinched between two stationary objects	—	—	—	—	—	20	—
Entangled in other object or equipment	—	—	—	—	—	—	—
Caught in or compressed by equipment or objects, n.e.c.	40	—	30	—	—	—	—
Struck, caught, or crushed in collapsing structure, equipment, or material	—	—	—	—	—	—	—
Rubbed or abraded by friction or pressure	—	—	—	—	—	—	—
Rubbed or abraded by foreign matter in eye ..	—	—	—	—	—	—	—
Rubbed, abraded, or jarred by vibration	—	—	—	—	—	—	—
Rubbed, abraded, or jarred by vehicle vibration	—	—	—	—	—	—	—
Contact with objects and equipment, n.e.c.	30	—	20	—	—	—	—
Overexertion and bodily reaction	3,670	1,850	770	390	210	1,530	60
Overexertion and bodily reaction, unspecified ...	260	160	60	30	20	100	—
Overexertion involving outside sources	480	260	50	40	—	990	50
Overexertion involving outside sources, unspecified	70	30	—	—	—	170	—
Overexertion in lifting, lowering	110	50	20	20	—	350	30
Overexertion in lifting, lowering, unspecified	20	—	—	—	—	30	—
Overexertion in lifting—single episode	50	20	—	—	—	190	30
Overexertion in lifting—multiple episodes ..	40	30	—	—	—	140	—
Overexertion in lowering—single episode ..	—	—	—	—	—	—	—
Overexertion in lowering—multiple episodes	—	—	—	—	—	—	—
Overexertion in pushing, pulling, or turning	170	100	20	—	—	200	—
Overexertion in pushing, pulling, or turning, unspecified	—	—	—	—	—	—	—
Overexertion in pushing, pulling, or turning—single episode	150	90	20	—	—	170	—
Overexertion in pushing, pulling, or turning—multiple episodes	—	—	—	—	—	30	—
Overexertion in holding, carrying, or wielding	50	20	—	—	—	70	—
Overexertion in holding, carrying, or wielding, unspecified	—	—	—	—	—	20	—
Overexertion in holding, carrying, or wielding—single episode	40	20	—	—	—	50	—
Overexertion in holding, carrying, or wielding—multiple episodes	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, state government, 2014 — Continued

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴									
			Head		Neck	Trunk		Upper extremities				
			Total	Eyes		Total	Back	Total	Shoulder	Arm	Hand	Wrist
Overexertion in throwing, catching	714	600	—	—	—	330	320	200	120	30	—	—
Overexertion in throwing—single episode ..	7141	50	—	—	—	—	—	40	—	—	—	—
Overexertion in catching—single episode ..	7143	530	—	—	—	310	300	150	90	20	—	—
Multiple types of overexertion involving outside sources	718	1,030	—	—	—	600	540	230	150	30	—	20
Overexertion involving outside sources, n.e.c.	719	120	—	—	—	50	30	60	20	—	—	—
Repetitive motions involving microtasks	72	1,310	—	—	—	130	120	1,010	80	210	270	300
Repetitive motions involving microtasks, unspecified	720	360	—	—	—	80	70	240	—	40	140	40
Typing, key entry, texting, or mousing	721	480	—	—	—	—	—	450	—	120	40	180
Repetitive use of tools, instruments	722	150	—	—	—	—	—	60	—	—	20	20
Repetitive grasping, placing, or moving objects, except tools	723	140	—	—	—	—	—	120	50	—	30	30
Repetitive use of hands, not involving tools ...	724	50	—	—	—	—	—	40	—	—	—	—
Multiple types of repetitive motions	728	100	—	—	—	20	20	70	—	40	20	—
Repetitive motions involving microtasks, n.e.c.	729	20	—	—	—	—	—	20	—	—	—	—
Other exertions or bodily reactions	73	5,310	—	—	180	1,420	1,180	530	400	40	—	—
Other exertions or bodily reactions, unspecified	730	380	—	—	—	60	60	160	140	—	—	—
Bending, crawling, reaching, twisting, climbing, stepping	731	2,500	—	—	170	910	760	260	180	—	—	—
Bending, crawling, reaching, twisting, climbing, stepping, unspecified	7310	50	—	—	—	—	—	20	20	—	—	—
Bending, crawling, reaching, twisting—single episode	7311	1,280	—	—	170	620	570	190	110	—	—	—
Bending, crawling, reaching, twisting—repetitive or prolonged	7312	300	—	—	—	220	160	50	50	—	—	—
Climbing or stepping up or down—single episode	7313	730	—	—	—	50	20	—	—	—	—	—
Climbing or stepping up or down—repetitive or prolonged	7314	160	—	—	—	—	—	—	—	—	—	—
Kneeling, kneeling down	732	60	—	—	—	—	—	—	—	—	—	—
Kneeling, kneeling down—single episode ..	7321	30	—	—	—	—	—	—	—	—	—	—
Kneeling, kneeling down—repetitive or prolonged	7322	20	—	—	—	—	—	—	—	—	—	—
Sitting, sitting down	733	250	—	—	—	140	130	—	—	—	—	—
Sitting, sitting down, unspecified	7330	60	—	—	—	—	—	—	—	—	—	—
Sitting, sitting down—single episode	7331	50	—	—	—	40	20	—	—	—	—	—
Sitting, sitting down—repetitive or prolonged	7332	140	—	—	—	90	90	—	—	—	—	—
Standing, standing up	734	140	—	—	—	20	—	—	—	—	—	—
Standing, standing up—single episode	7341	130	—	—	—	20	—	—	—	—	—	—
Walking, without other incident	735	660	—	—	—	60	40	50	—	—	—	—
Walking, without other incident, unspecified	7350	70	—	—	—	—	—	—	—	—	—	—
Walking, without other incident—single episode	7351	560	—	—	—	60	40	—	—	—	—	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, state government, 2014 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot			
Overexertion in throwing, catching	—	—	—	—	—	70	—
Overexertion in throwing—single episode ..	—	—	—	—	—	—	—
Overexertion in catching—single episode ..	—	—	—	—	—	60	—
Multiple types of overexertion involving outside sources	70	40	—	—	—	120	—
Overexertion involving outside sources, n.e.c.	—	—	—	—	—	—	—
Repetitive motions involving microtasks	—	—	—	—	—	160	—
Repetitive motions involving microtasks, unspecified	—	—	—	—	—	30	—
Typing, key entry, texting, or mousing	—	—	—	—	—	30	—
Repetitive use of tools, instruments	—	—	—	—	—	70	—
Repetitive grasping, placing, or moving objects, except tools	—	—	—	—	—	—	—
Repetitive use of hands, not involving tools ...	—	—	—	—	—	—	—
Multiple types of repetitive motions	—	—	—	—	—	—	—
Repetitive motions involving microtasks, n.e.c.	—	—	—	—	—	—	—
Other exertions or bodily reactions	2,880	1,420	660	320	80	220	—
Other exertions or bodily reactions, unspecified	100	60	—	—	20	30	—
Bending, crawling, reaching, twisting, climbing, stepping	1,080	550	240	160	—	80	—
Bending, crawling, reaching, twisting, climbing, stepping, unspecified	20	—	—	—	—	—	—
Bending, crawling, reaching, twisting—single episode	270	170	20	50	—	30	—
Bending, crawling, reaching, twisting—repetitive or prolonged	30	20	—	—	—	—	—
Climbing or stepping up or down—single episode	660	310	190	70	—	—	—
Climbing or stepping up or down—repetitive or prolonged	110	40	30	40	—	40	—
Kneeling, kneeling down	50	50	—	—	—	—	—
Kneeling, kneeling down—single episode ..	30	30	—	—	—	—	—
Kneeling, kneeling down—repetitive or prolonged	20	20	—	—	—	—	—
Sitting, sitting down	50	—	—	—	—	60	—
Sitting, sitting down, unspecified	—	—	—	—	—	—	—
Sitting, sitting down—single episode	—	—	—	—	—	—	—
Sitting, sitting down—repetitive or prolonged	50	—	—	—	—	—	—
Standing, standing up	110	80	—	—	—	—	—
Standing, standing up—single episode	100	80	—	—	—	—	—
Walking, without other incident	530	220	160	90	—	—	—
Walking, without other incident, unspecified	20	20	—	—	—	—	—
Walking, without other incident—single episode	480	200	160	70	—	—	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, state government, 2014 — Continued

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk		Upper extremities					
			Total	Eyes		Total	Back	Total	Shoul-der	Arm	Hand	Wrist	
Walking, without other incident—repetitive or prolonged	7352	30	—	—	—	—	—	—	—	—	—	—	—
Running, without other incident	736	660	—	—	—	90	70	—	—	—	—	—	—
Running, without other incident, unspecified	7360	50	—	—	—	—	—	—	—	—	—	—	—
Running, without other incident—single episode	7361	560	—	—	—	90	70	—	—	—	—	—	—
Running, without other incident—repetitive or prolonged	7362	50	—	—	—	—	—	—	—	—	—	—	—
Boarding, alighting—excluding slip, trip, fall ...	737	200	—	—	—	30	20	—	—	—	—	—	—
Boarding, alighting—excluding slip, trip, fall—single episode	7371	150	—	—	—	—	—	—	—	—	—	—	—
Boarding, alighting—excluding slip, trip, fall—repetitive or prolonged	7372	40	—	—	—	20	—	—	—	—	—	—	—
Multiple types of exertions and bodily reactions	738	50	—	—	—	30	20	—	—	—	—	—	—
Other exertions or bodily reactions	739	410	—	—	—	90	70	50	30	—	—	—	—
Other exertions or bodily reactions, n.e.c. ...	7399	410	—	—	—	90	70	50	30	—	—	—	—
Bodily conditions, n.e.c.	74	210	20	—	—	60	—	—	—	—	—	—	—
Multiple types of overexertions and bodily reactions	78	40	—	—	—	—	—	—	—	—	—	—	—
Overexertion and bodily reaction and exertion, n.e.c.	79	110	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, state government, 2014 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot			
Walking, without other incident—repetitive or prolonged	30	—	—	20	—	—	—
Running, without other incident	560	260	130	20	—	—	—
Running, without other incident, unspecified	50	30	—	—	—	—	—
Running, without other incident—single episode	460	220	90	20	—	—	—
Running, without other incident—repetitive or prolonged	40	—	—	—	—	—	—
Boarding, alighting—excluding slip, trip, fall ...	160	60	70	20	—	—	—
Boarding, alighting—excluding slip, trip, fall—single episode	130	60	60	—	—	—	—
Boarding, alighting—excluding slip, trip, fall—repetitive or prolonged	20	—	—	20	—	—	—
Multiple types of exertions and bodily reactions	—	—	—	—	—	—	—
Other exertions or bodily reactions	230	110	40	—	40	—	—
Other exertions or bodily reactions, n.e.c. ...	220	110	40	—	40	—	—
Bodily conditions, n.e.c.	20	—	—	—	110	—	—
Multiple types of overexertions and bodily reactions	—	—	—	—	—	—	—
Overexertion and bodily reaction and exertion, n.e.c.	20	20	—	—	—	60	—

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, state government, 2014 — Continued

Event or exposure	Event code ²	State government ³	Part of body affected by the injury or illness ⁴									
			Head		Neck	Trunk		Upper extremities				
			Total	Eyes		Total	Back	Total	Shoul-der	Arm	Hand	Wrist
Nonclassifiable	9999	5,020	-	-	-	20	-	70	30	-	30	-

See footnotes at end of table.

TABLE S32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, state government, 2014 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot			
Nonclassifiable	70	20	—	—	50	110	4,700

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Part of body codes: Head, Total = 1; Eyes = 132; Neck = 2; Trunk, Total = 3; Back = 32; Upper extremities, Total = 4; Shoulder = 41; Arm = 42; Hand = 44; Wrist = 43; Lower extremities, Total = 5; Knee = 512; Ankle = 52; Foot = 53; Body systems = 6; Multiple body parts = 8; All other body parts = remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.