

TABLE S45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, state government, 2014

Nature	Nature code ²	State government ³	Age							65 and over	Not reported
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64			
Total		67,400	540	2,250	11,470	14,590	18,240	12,400	1,930	5,960	
Traumatic injuries and disorders	1	60,400	510	2,130	11,070	14,120	17,520	11,890	1,830	1,340	
Traumatic injuries and disorders, unspecified	10	40	-	-	-	-	30	-	-	-	
Traumatic injuries to bones, nerves, spinal cord	11	4,360	20	260	420	820	1,270	1,020	280	260	
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	730	-	160	30	230	100	170	30	-	
Fractures	111	3,520	20	100	380	550	1,120	840	250	260	
Traumatic injuries to nerves, except the spinal cord ..	113	90	-	-	-	30	40	-	-	-	
Pinched nerve	1131	90	-	-	-	30	40	-	-	-	
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	25,280	160	810	5,150	5,720	7,180	5,260	550	460	
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	220	-	-	160	-	20	30	-	-	
Dislocations	121	410	-	-	60	100	100	110	40	-	
Dislocations, unspecified	1210	20	-	-	-	-	-	-	-	-	
Herniated discs	1211	130	-	-	-	30	30	60	-	-	
Dislocation of joints	1212	260	-	-	50	70	60	40	30	-	
Cartilage fractures and tears	122	160	-	-	20	20	60	40	-	-	
Meniscus tears	1221	140	-	-	-	20	60	40	-	-	
Sprains, strains, tears	123	24,080	140	770	4,880	5,430	6,890	5,020	490	460	
Sprains, strains, tears, unspecified	1230	2,840	-	100	520	600	890	680	40	-	
Major tears to muscles, tendons, ligaments	1231	750	-	-	40	150	340	160	-	40	
Sprains	1232	7,390	80	220	1,970	1,670	1,620	1,500	140	190	
Strains	1233	12,510	60	430	2,130	2,890	3,900	2,580	290	220	
Multiple sprains, strains, tears	1238	600	-	-	220	130	140	100	-	-	
Hernias due to traumatic incidents	124	250	-	-	-	90	80	50	-	-	
Whiplash	125	80	-	20	-	20	20	-	-	-	
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	20	-	-	-	-	-	-	-	-	
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	50	-	-	-	40	-	-	-	-	
Open wounds	13	2,530	30	200	620	680	560	310	80	60	
Amputations, avulsions, enucleations	131	190	-	40	80	20	40	-	-	-	
Amputations	1311	140	-	-	80	20	40	-	-	-	
Avulsions, enucleations	1312	40	-	40	-	-	-	-	-	-	
Cuts, lacerations	132	1,800	-	120	350	540	450	210	70	50	
Puncture wounds, except gunshot wounds	133	470	-	30	180	110	50	80	-	-	
Gunshot wounds	134	40	-	-	-	-	-	-	-	-	
Surface wounds and bruises	14	6,780	60	230	1,210	1,510	2,020	1,460	260	40	
Surface wounds and bruises, unspecified	140	130	-	-	40	50	40	-	-	-	
Abrasions, scratches	141	570	-	-	80	170	220	90	-	-	
Bruises, contusions	143	5,880	60	210	1,050	1,250	1,690	1,340	250	40	
Multiple surface wounds and bruises	148	160	-	-	40	30	50	30	-	-	
Surface wounds and bruises, n.e.c.	149	30	-	-	-	-	20	-	-	-	
Burns and corrosions	15	370	-	40	80	90	130	30	-	-	
Chemical burns and corrosions	151	110	-	-	20	-	60	-	-	-	
Chemical burns and corrosions, unspecified	1510	100	-	-	20	-	60	-	-	-	
Heat (thermal) burns	152	220	-	30	50	50	60	20	-	-	
Heat (thermal) burns, unspecified	1520	160	-	30	50	40	20	-	-	-	

See footnotes at end of table.

TABLE S45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Age							65 and over	Not reported
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64			
First degree heat (thermal) burns	1521	40	-	-	-	-	30	30	-	-	-
Other burns	159	40	-	-	-	30	-	-	-	-	-
Intracranial injuries	16	950	60	20	100	260	230	190	60	-	
Intracranial injuries, unspecified	160	100	-	-	-	-	30	30	20	-	
Concussions	162	840	60	20	100	250	190	160	40	-	
Effects of environmental conditions	17	230	-	20	130	20	40	30	-	-	
Effects of reduced temperature	171	20	-	-	-	-	-	-	-	-	
Frostbite	1711	20	-	-	-	-	-	-	-	-	
Effects of heat and light	172	210	-	20	130	20	30	20	-	-	
Heat exhaustion, prostration	1725	180	-	-	120	-	30	-	-	-	
Effects of heat and light, n.e.c.	1729	20	-	-	-	-	-	-	-	-	
Multiple traumatic injuries and disorders	18	2,720	-	80	500	710	620	630	180	-	
Multiple traumatic injuries and disorders, unspecified	180	120	-	-	60	-	-	50	-	-	
Cuts and abrasions or bruises	181	530	-	40	60	190	90	120	30	-	
Sprains and other injuries	182	1,270	-	30	220	320	350	300	50	-	
Sprains and other injuries, unspecified	1820	40	-	-	-	-	20	-	-	-	
Sprains and bruises	1821	990	-	20	160	240	280	240	40	-	
Sprains and cuts	1822	80	-	-	-	-	20	40	-	-	
Sprains and other injuries, n.e.c.	1829	160	-	-	40	60	30	-	-	-	
Fractures and other injuries	183	230	-	-	30	40	70	60	30	-	
Fractures (except skull fractures) and concussions	1831	30	-	-	-	-	-	-	-	-	
Fractures and other injuries, n.e.c.	1839	170	-	-	20	30	50	50	20	-	
Burns and other injuries, except fractures	184	40	-	-	-	-	-	-	-	-	
Burns and other injuries, n.e.c.	1849	40	-	-	-	-	-	-	-	-	
Multiple traumatic injuries and disorders, n.e.c.	189	530	-	-	100	150	100	100	70	-	
Other traumatic injuries and disorders	19	17,120	190	470	2,850	4,320	5,450	2,940	410	490	
Dermatitis and reactions affecting the skin—acute	195	390	-	150	140	20	50	20	-	-	
Dermatitis and reactions affecting the skin—acute, unspecified	1950	140	-	-	120	-	-	-	-	-	
Allergic dermatitis—acute	1951	190	-	150	20	-	-	-	-	-	
Irritant dermatitis—acute	1952	50	-	-	-	-	-	20	-	-	
Other poisoning, toxic, noxious, or allergenic effects	196	680	-	-	170	140	190	90	-	70	
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	280	-	-	50	50	70	50	-	70	
Poisoning, including poisoning-related asphyxia ...	1961	60	-	-	-	40	-	-	-	-	
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	110	-	-	50	20	30	20	-	-	
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	20	-	-	-	-	-	-	-	-	
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	40	-	-	-	-	30	-	-	-	
Other or unspecified allergic reactions	1966	130	-	-	70	-	30	20	-	-	
Multiple poisoning, toxic, noxious, or allergenic effects	1968	30	-	-	-	-	20	-	-	-	
Nonspecified injuries and disorders	197	15,940	170	300	2,540	4,150	5,170	2,780	400	420	
Crushing injuries	1971	420	-	50	30	90	150	70	-	-	
Soreness, pain, hurt—nonspecified injury	1972	13,740	170	230	2,210	3,560	4,470	2,400	310	390	
Swelling, inflammation, irritation—nonspecified injury	1973	1,040	-	20	210	230	280	210	70	20	
Numbness—nonspecified injury	1974	100	-	-	-	40	20	40	-	-	

See footnotes at end of table.

TABLE S45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Age							65 and over	Not reported
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64			
Multiple nonspecified injuries and disorders	1978	350	—	—	30	140	120	50	—	—	
Nonspecified injuries and disorders, n.e.c.	1979	290	—	—	50	80	120	20	—	—	
Other traumatic injuries and disorders, n.e.c.	199	100	—	—	—	—	40	40	—	—	
Traumatic injuries and disorders, n.e.c.	1999	100	—	—	—	—	40	40	—	—	
Diseases and disorders of body systems	2	1,220	—	90	180	180	330	340	60	20	
Nervous system and sense organs diseases	22	440	—	70	20	50	130	110	50	20	
Disorders of the peripheral nervous system	224	320	—	—	—	50	110	80	50	20	
Disorders of the peripheral nervous system, unspecified	2240	60	—	—	—	20	—	—	—	—	
Carpal tunnel syndrome	2241	260	—	—	—	30	100	70	—	—	
Disorders of the eye, adnexa, vision	225	90	—	—	—	—	20	—	—	—	
Conjunctivitis—non-viral	2251	70	—	—	—	—	—	—	—	—	
Disorders of the ear, mastoid process, hearing	226	30	—	—	—	—	—	—	—	—	
Circulatory system diseases	23	150	—	—	—	50	40	60	—	—	
Ischemic heart disease, including heart attack	233	60	—	—	—	40	—	—	—	—	
Myocardial infarction (heart attack)	2331	40	—	—	—	30	—	—	—	—	
Other forms of heart disease	235	30	—	—	—	—	—	—	—	—	
Cerebrovascular disease	236	40	—	—	—	—	20	20	—	—	
Stroke	2361	40	—	—	—	—	20	20	—	—	
Respiratory system diseases	24	90	—	—	—	—	20	—	—	—	
Other diseases of upper respiratory tract	242	30	—	—	—	—	—	—	—	—	
Chronic obstructive pulmonary disease and allied conditions	244	30	—	—	—	—	—	—	—	—	
Asthma, except intrinsic	2443	30	—	—	—	—	—	—	—	—	
Musculoskeletal system and connective tissue diseases and disorders	27	490	—	—	150	70	120	150	—	—	
Dorsopathies	272	20	—	—	—	—	—	—	—	—	
Soft tissue disorders, except the back	273	460	—	—	150	50	110	140	—	—	
Stenosing tenosynovitis	2732	110	—	—	100	—	—	—	—	—	
Epicondylitis	2734	130	—	—	—	20	20	—	—	—	
Other or unspecified tendonitis (tendinitis)	2735	140	—	—	30	20	80	—	—	—	
Soft tissue disorder, except the back, n.e.c.	2739	50	—	—	—	—	—	20	—	—	
Disorders of the skin and subcutaneous tissue	28	40	—	—	20	—	—	—	—	—	
Infections of the skin and subcutaneous tissue	281	40	—	—	20	—	—	—	—	—	
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	20	—	—	—	—	—	—	—	—	
Infectious and parasitic diseases	3	60	—	—	—	—	30	—	—	—	
Other infectious and parasitic diseases	39	20	—	—	—	—	20	—	—	—	
Symptoms, signs, and ill-defined conditions	5	370	—	—	60	100	110	80	—	—	
Symptoms	51	340	—	—	50	100	100	80	—	—	
General symptoms	511	230	—	—	20	70	60	60	—	—	
Loss of consciousness—not heat related	5111	110	—	—	—	20	20	50	—	—	
Convulsions, seizures	5112	20	—	—	—	—	—	—	—	—	
Dizziness—general	5114	50	—	—	—	20	20	—	—	—	
Multiple general symptoms	5118	30	—	—	—	30	—	—	—	—	
Symptoms involving respiratory system and chest	516	60	—	—	20	—	—	—	—	—	

See footnotes at end of table.

TABLE S45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Symptoms involving respiratory system and chest, unspecified	5160	20	—	—	—	—	—	—	—	—
Chest pain	5164	20	—	—	—	—	—	—	—	—
Multiple symptoms	518	20	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	520	—	—	70	160	210	60	20	—
Mental disorders and syndromes	62	510	—	—	70	160	210	50	20	—
Anxiety, stress	621	510	—	—	70	160	210	50	20	—
Anxiety, stress, unspecified	6210	340	—	—	40	60	170	50	20	—
Post-traumatic stress disorder	6211	90	—	—	—	60	—	—	—	—
Anxiety or panic disorder	6213	40	—	—	—	30	—	—	—	—
Anxiety, stress, n.e.c.	6219	40	—	—	20	—	—	—	—	—
Exposures to disease—no illness incurred	7	80	—	20	50	—	—	—	—	—

See footnotes at end of table.

TABLE S45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Age							Not reported
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	
Nonclassifiable	9999	4,730	—	—	30	20	30	30	—	4,600

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
 Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.