

TABLE S51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, state government, 2014

Part of body	Part of body code ²	State government ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Total		67,400	18,270	6,470	2,490	530	120	450	–	50	39,010
Head	1	4,620	1,320	350	220	–	–	30	–	–	2,670
Head, unspecified	10	1,060	350	40	–	–	–	–	–	–	660
Cranial region, including skull	11	1,130	440	40	70	–	–	20	–	–	550
Brain	111	1,000	380	30	70	–	–	20	–	–	500
Scalp	112	110	60	–	–	–	–	–	–	–	40
Ear(s)	12	80	–	60	–	–	–	–	–	–	–
Face	13	2,230	470	200	140	–	–	20	–	–	1,390
Face, unspecified	130	360	30	40	20	–	–	–	–	–	270
Forehead	131	160	20	–	–	–	–	–	–	–	130
Eye(s)	132	930	210	90	80	–	–	–	–	–	550
Nose, nasal cavity	133	120	30	–	–	–	–	–	–	–	80
Nose, except internal location of diseases or disorders	1330	120	30	–	–	–	–	–	–	–	80
Cheek(s)	134	50	–	–	–	–	–	–	–	–	40
Jaw, chin	135	120	20	–	–	–	–	–	–	–	100
Mouth	136	170	20	30	–	–	–	–	–	–	120
Mouth, unspecified	1360	20	–	–	–	–	–	–	–	–	–
Lip(s)	1361	60	–	–	–	–	–	–	–	–	40
Tooth (teeth)	1363	90	–	20	–	–	–	–	–	–	60
Multiple face locations	138	240	90	–	20	–	–	–	–	–	90
Face, n.e.c.	139	70	40	20	–	–	–	–	–	–	–
Multiple head locations	18	120	40	–	–	–	–	–	–	–	60
Neck, including throat	2	1,390	420	230	–	–	–	–	–	–	710
Neck, except internal location of diseases or disorders ...	20	1,380	420	230	–	–	–	–	–	–	690
Trunk	3	12,670	3,890	940	510	50	–	110	–	–	7,160
Trunk, unspecified	30	170	50	–	20	–	–	–	–	–	100
Chest, including ribs, internal organs	31	1,040	270	40	30	–	–	30	–	–	660
Chest, except internal location of diseases or disorders	310	880	240	40	30	–	–	–	–	–	560
Internal chest location, unspecified	311	30	–	–	–	–	–	–	–	–	30
Heart	313	100	30	–	–	–	–	–	–	–	60
Lung(s), pleura	315	40	–	–	–	–	–	–	–	–	–
Back, including spine, spinal cord	32	9,440	2,670	780	380	50	–	80	–	–	5,470
Back, including spine, spinal cord, unspecified	320	4,160	1,070	370	130	20	–	40	–	–	2,520
Thoracic region	321	310	100	40	20	–	–	–	–	–	140
Lumbar region	322	4,470	1,280	310	170	30	–	40	–	–	2,640
Sacral region	323	90	70	–	–	–	–	–	–	–	20
Coccygeal region	324	130	70	–	30	–	–	–	–	–	30
Multiple back regions	328	250	70	50	–	–	–	–	–	–	110
Back, including spine, spinal cord, n.e.c.	329	20	–	–	20	–	–	–	–	–	–
Abdomen	33	630	190	30	50	–	–	–	–	–	370

See footnotes at end of table.

TABLE S51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, state government, 2014 — Continued

Part of body	Part of body code ²	State government ³	Race or ethnic origin ⁴								Not reported	
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race		
Abdomen, except internal location of diseases or disorders	330	610	180	20	50	—	—	—	—	—	—	360
Intestines, peritoneum	335	20	—	—	—	—	—	—	—	—	—	—
Pelvic region	34	1,040	540	50	—	—	—	—	—	—	—	440
Hip(s)	341	690	410	20	—	—	—	—	—	—	—	250
Pelvis	342	40	30	—	—	—	—	—	—	—	—	—
Buttock(s)	343	20	—	—	—	—	—	—	—	—	—	—
Groin	344	260	100	30	—	—	—	—	—	—	—	130
External reproductive tract structures	345	20	—	—	—	—	—	—	—	—	—	20
Multiple trunk locations	38	350	160	40	20	—	—	—	—	—	—	130
Upper extremities	4	15,360	4,480	1,650	460	60	40	150	—	20	—	8,500
Upper extremities, unspecified	40	60	—	—	—	—	—	—	—	—	—	60
Shoulder(s), including clavicle(s), scapula(e)	41	4,500	1,410	590	100	—	—	30	—	—	—	2,360
Arm(s)	42	2,480	810	230	50	—	—	—	—	—	—	1,370
Arm(s), unspecified	420	780	270	130	20	—	—	—	—	—	—	350
Upper arm(s)	421	260	80	—	—	—	—	—	—	—	—	170
Elbow(s)	422	960	230	30	20	—	—	—	—	—	—	670
Forearm(s)	423	260	90	40	—	—	—	—	—	—	—	120
Multiple arm locations	428	190	120	—	—	—	—	—	—	—	—	60
Multiple arm locations, unspecified	4280	30	—	—	—	—	—	—	—	—	—	—
Elbow(s) and arm(s)	4281	60	30	—	—	—	—	—	—	—	—	20
Multiple arm locations, n.e.c.	4289	100	70	—	—	—	—	—	—	—	—	30
Arm(s), n.e.c.	429	30	—	—	—	—	—	—	—	—	—	—
Wrist(s)	43	1,590	500	190	70	—	—	90	—	—	—	720
Hand(s)	44	5,050	1,390	510	190	20	—	—	—	—	—	2,930
Hand(s), unspecified	440	1,420	310	110	100	—	—	—	—	—	—	890
Hand(s), except finger(s)	441	130	40	40	—	—	—	—	—	—	—	50
Finger(s), fingernail(s)	442	3,220	990	350	80	—	—	—	—	—	—	1,780
Finger(s), fingernail(s), unspecified	4420	2,280	630	290	50	—	—	—	—	—	—	1,300
Fingertip(s)	4422	220	210	—	—	—	—	—	—	—	—	—
Finger(s), fingernail(s), n.e.c.	4429	710	150	50	40	—	—	—	—	—	—	470
Hand(s) and finger(s)	448	200	40	—	—	—	—	—	—	—	—	150
Hand(s), n.e.c.	449	70	—	—	—	—	—	—	—	—	—	60
Multiple upper extremities locations	48	1,670	370	140	50	—	20	—	—	—	—	1,050
Multiple upper extremities locations, unspecified	480	40	—	—	—	—	—	—	—	—	—	30
Hand(s) and arms(s)	481	250	30	20	20	—	—	—	—	—	—	180
Hand(s) and arm(s), unspecified	4810	80	—	—	—	—	—	—	—	—	—	70
Hand(s) and elbow(s)	4811	40	—	—	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	130	20	—	—	—	—	—	—	—	—	70
Hand(s) and wrist(s)	482	380	60	40	—	—	—	—	—	—	—	270
Wrist(s) and arm(s)	483	100	40	—	—	—	—	—	—	—	—	50
Wrist(s) and arm(s), unspecified	4830	50	—	—	—	—	—	—	—	—	—	40
Wrist(s) and elbow(s)	4831	20	—	—	—	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	30	20	—	—	—	—	—	—	—	—	—
Shoulder(s) and arm(s)	484	560	130	30	20	—	—	—	—	—	—	360

See footnotes at end of table.

TABLE S51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, state government, 2014 — Continued

Part of body	Part of body code ²	State government ³	Race or ethnic origin ⁴								Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	
Multiple upper extremities locations, n.e.c.	489	340	100	50	—	—	—	—	—	—	170
Lower extremities	5	14,290	4,350	1,340	640	120	—	60	—	—	7,740
Lower extremities, unspecified	50	20	—	—	—	—	—	—	—	—	20
Leg(s)	51	8,010	2,380	900	400	30	—	30	—	—	4,240
Leg(s), unspecified	510	680	180	70	60	—	—	—	—	—	370
Thigh(s)	511	260	50	—	—	—	—	—	—	—	190
Knee(s)	512	6,170	1,960	710	310	20	—	30	—	—	3,140
Lower leg(s)	513	600	150	40	—	—	—	—	—	—	410
Multiple leg locations	518	240	40	70	20	—	—	—	—	—	110
Multiple leg locations, unspecified	5180	20	—	—	—	—	—	—	—	—	—
Knee(s) and leg(s)	5181	200	40	60	20	—	—	—	—	—	80
Multiple leg locations, n.e.c.	5189	30	—	—	—	—	—	—	—	—	—
Leg(s), n.e.c.	519	50	—	—	—	—	—	—	—	—	30
Ankle(s)	52	3,050	840	200	160	50	—	—	—	—	1,790
Foot (feet)	53	2,580	900	170	70	40	—	—	—	—	1,400
Foot (feet), unspecified	530	1,480	670	80	30	20	—	—	—	—	680
Sole(s)	531	260	150	—	20	—	—	—	—	—	80
Heel(s)	5313	230	130	—	—	—	—	—	—	—	70
Toes(s), toenail(s)	532	560	50	60	20	20	—	—	—	—	420
Multiple foot (feet) locations	538	30	—	20	—	—	—	—	—	—	—
Foot (feet), n.e.c.	539	250	30	—	—	—	—	—	—	—	220
Multiple lower extremities locations	58	630	230	70	—	—	—	30	—	—	290
Foot (feet) and leg(s)	581	120	20	30	—	—	—	—	—	—	70
Foot(feet) and leg(s), unspecified	5810	30	—	—	—	—	—	—	—	—	—
Foot(feet) and knee(s)	5811	80	—	30	—	—	—	—	—	—	40
Foot (feet) and ankle(s)	582	120	50	—	—	—	—	—	—	—	70
Ankle(s) and leg(s)	583	280	100	20	—	—	—	—	—	—	130
Ankle(s) and leg(s), unspecified	5830	90	30	—	—	—	—	—	—	—	30
Ankle(s) and knee(s)	5831	170	50	20	—	—	—	—	—	—	90
Ankle(s) and leg(s), n.e.c.	5839	30	—	—	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	589	110	70	20	—	—	—	—	—	—	30
Body systems	6	1,760	550	80	60	—	—	—	—	—	1,040
Multiple body parts	8	12,300	3,180	1,850	560	270	50	70	—	—	6,320
Multiple body parts, unspecified	80	770	210	30	60	—	—	—	—	—	480
Head and neck	81	420	80	70	—	—	—	—	—	—	230
Head, neck, and trunk	82	200	40	20	—	—	—	20	—	—	130
Head and trunk	83	140	80	—	—	—	—	—	—	—	50
Neck and back	84	930	210	80	—	90	—	—	—	—	510
Shoulder(s) and back	85	560	90	190	50	—	—	—	—	—	220
Hip(s) and leg(s)	86	170	40	—	—	—	—	—	—	—	130
Upper and lower limb(s)	87	1,030	310	140	40	—	—	—	—	—	530
Other multiple body parts	89	8,070	2,120	1,300	380	170	30	40	—	—	4,040
Whole body	891	30	—	—	—	—	—	—	—	—	20

See footnotes at end of table.

TABLE S51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, state government, 2014 — Continued

Part of body	Part of body code ²	State government ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Multiple body parts, n.e.c.	899	8,040	2,100	1,300	380	170	30	40	—	—	4,020
Nonclassifiable	9999	5,010	90	30	20	—	—	—	—	—	4,870

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Race and ethnicity data do not add to total. Some cases may be counted as both multi-race and Hispanic and other race.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.