

TABLE S60. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and age of worker, state government, 2014

Event or exposure	Event code ²	State government ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		67,400	540	2,250	11,470	14,590	18,240	12,400	1,930	5,960
Violence and other injuries by persons or animals	1	12,720	30	500	2,920	3,600	3,850	1,460	160	200
Violence and other injuries by persons or animals, unspecified	10	70	—	—	—	—	—	—	—	60
Intentional injury by person	11	6,350	20	250	1,490	1,780	1,850	760	60	130
Intentional injury by person, unspecified	110	80	—	—	—	—	20	40	—	—
Intentional injury by other person	111	6,270	20	250	1,480	1,780	1,830	720	60	130
Intentional injury by other person, unspecified	1110	240	—	—	30	110	50	20	—	30
Stabbing, cutting, slashing, piercing	1112	50	—	—	30	—	—	—	—	—
Hitting, kicking, beating, shoving	1113	5,340	20	200	1,220	1,500	1,630	640	50	80
Strangulation by other person	1114	40	—	—	—	—	—	—	—	—
Rape, sexual assault	1116	30	—	—	—	30	—	—	—	—
Threat, verbal assault	1117	60	—	—	20	30	—	—	—	—
Multiple violent acts by other person	1118	60	—	—	—	40	—	—	—	—
Intentional injury by other person, n.e.c.	1119	430	—	40	150	70	110	50	—	—
Injury by person—unintentional or intent unknown	12	5,860	—	210	1,260	1,750	1,890	650	90	20
Injury by person—unintentional or intent unspecified	120	320	—	—	60	120	90	—	—	—
Injury by other person—unintentional or intent unknown	121	5,480	—	210	1,170	1,620	1,780	600	80	20
Injury by other person—unintentional or intent unknown, unspecified	1210	240	—	—	70	100	—	60	—	—
Shooting by other person—unintentional	1211	20	—	—	—	—	—	—	—	—
Injured by physical contact with other person in sporting event or physical training	1212	420	—	—	190	40	120	30	30	—
Injured by physical contact with person while restraining, subduing—unintentional	1214	3,990	—	160	780	1,210	1,520	290	—	—
Injured by physical contact with person while moving that person—unintentional	1215	370	—	—	60	130	90	70	—	—
Injury by other person—unintentional or intent unknown, n.e.c.	1219	420	—	30	70	140	40	130	—	—
Self-inflicted injury—unintentional or intent unknown ..	122	20	—	—	—	—	—	—	—	—
Injury by person—unintentional or intent unknown, n.e.c.	129	50	—	—	30	—	—	—	—	—
Animal and insect related incidents	13	440	—	30	170	60	110	60	—	—
Bites and stings	131	410	—	30	160	60	100	50	—	—
Bites and stings, unspecified	1310	70	—	—	—	30	30	—	—	—
Stings and venomous bites	1311	130	—	—	80	—	20	—	—	—
Nonvenomous insect bites	1312	70	—	20	—	—	40	—	—	—
Other animal bites, nonvenomous	1313	130	—	—	80	—	—	30	—	—
Struck by animal	132	20	—	—	—	—	—	—	—	—
Transportation incidents	2	4,440	—	120	1,340	1,140	900	750	100	70
Transportation incident, unspecified	20	80	—	—	20	20	30	—	—	—
Animal and other non-motorized vehicle transportation incidents	23	30	—	—	—	20	—	—	—	—
Animal transportation incident	231	20	—	—	—	20	—	—	—	—
Thrown, fell, or jumped from animal being ridden ...	2313	20	—	—	—	20	—	—	—	—
Pedestrian vehicular incidents	24	280	—	—	40	40	70	110	—	—

See footnotes at end of table.

TABLE S60. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and age of worker, state government, 2014 — Continued

Event or exposure	Event code ²	State government ³	Age								
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported	
Pedestrian vehicular incident, unspecified	240	50	-	-	-	-	-	-	50	-	-
Pedestrian struck by vehicle in work zone	241	60	-	-	-	-	-	-	20	-	-
Pedestrian struck by forward-moving vehicle in work zone	2412	20	-	-	-	-	-	-	-	-	-
Pedestrian struck by vehicle in roadway	242	90	-	-	30	-	40	-	-	-	-
Pedestrian struck by forward-moving vehicle in roadway	2422	50	-	-	20	-	20	-	-	-	-
Pedestrian struck by vehicle in nonroadway area	244	60	-	-	-	-	20	20	-	-	-
Pedestrian struck by forward-moving vehicle in nonroadway area	2442	20	-	-	-	-	-	-	-	-	-
Pedestrian struck by vehicle backing up in nonroadway area	2443	20	-	-	-	-	-	-	-	-	-
Water vehicle incidents	25	40	-	-	-	-	-	-	-	-	-
Water vehicle incident, n.e.c.	259	30	-	-	-	-	-	-	-	-	-
Roadway incidents involving motorized land vehicle	26	3,710	-	110	1,150	1,010	720	580	80	50	-
Roadway incident involving motorized land vehicle, unspecified	260	710	-	-	370	90	90	140	-	-	-
Roadway collision with other vehicle	261	2,440	-	100	640	780	440	370	70	50	-
Roadway collision with other vehicle, unspecified ..	2610	810	-	40	260	280	90	100	-	-	-
Roadway collision—moving in same direction	2611	550	-	20	100	160	110	120	40	-	-
Roadway collision—moving in opposite directions, oncoming	2612	120	-	-	-	40	40	20	-	-	-
Roadway collision—moving perpendicularly	2613	240	-	-	20	130	30	50	-	-	-
Roadway collision—moving and standing vehicle in roadway	2614	550	-	40	170	140	100	80	-	-	-
Roadway collision—moving and standing vehicle on side of roadway	2615	110	-	-	50	20	20	-	-	-	-
Roadway collision with other vehicle, n.e.c.	2619	80	-	-	20	-	50	-	-	-	-
Roadway collision with object other than vehicle	262	230	-	-	70	30	100	20	-	-	-
Vehicle struck object or animal on side of roadway	2622	80	-	-	60	-	-	-	-	-	-
Roadway collision with object other than vehicle, n.e.c.	2629	130	-	-	-	20	90	20	-	-	-
Roadway noncollision incident	263	320	-	-	70	110	80	50	-	-	-
Jack-knifed or overturned, roadway	2631	40	-	-	-	-	20	-	-	-	-
Ran off roadway	2632	60	-	-	30	20	-	-	-	-	-
Sudden start or stop, roadway	2637	20	-	-	-	-	-	-	-	-	-
Struck bump, hole, or rough terrain in road surface	2638	170	-	-	20	70	40	40	-	-	-
Roadway noncollision incident, n.e.c.	2639	20	-	-	-	-	-	-	-	-	-
Nonroadway incidents involving motorized land vehicles	27	300	-	-	130	40	50	60	20	-	-
Nonroadway collision with other vehicle	271	30	-	-	-	-	-	-	-	-	-
Nonroadway collisions with object other than vehicle	272	40	-	-	-	20	-	-	-	-	-
Nonroadway collision with object other than vehicle, n.e.c.	2729	40	-	-	-	20	-	-	-	-	-
Nonroadway noncollision incident	273	230	-	-	130	-	30	50	-	-	-
Jack-knifed or overturned, nonroadway	2731	40	-	-	-	-	-	-	-	-	-
Fall or jump from and struck by same vehicle in normal operation, nonroadway	2734	20	-	-	-	-	-	-	-	-	-
Fall or jump from vehicle in normal operation, nonroadway	2736	20	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE S60. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and age of worker, state government, 2014 — Continued

Event or exposure	Event code ²	State government ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Struck bump, hole, rough terrain on driving surface, nonroadway	2738	130	—	—	—	—	20	—	—	—
Nonroadway noncollision incident, n.e.c.	2739	20	—	—	—	—	—	—	—	—
Fires and explosions	3	80	—	—	—	30	50	—	—	—
Fires	31	70	—	—	—	—	40	—	—	—
Fire, unspecified	310	70	—	—	—	—	40	—	—	—
Falls, slips, trips	4	16,650	190	430	1,800	3,400	4,730	4,710	1,010	390
Fall, slip, trip, unspecified	40	270	—	—	30	80	30	20	—	110
Slip or trip without fall	41	2,760	20	180	490	600	790	610	70	—
Slip or trip without fall, unspecified	410	80	—	—	—	—	50	—	—	—
Slip without fall	411	1,310	—	20	210	350	390	280	50	—
Slip without fall, unspecified	4110	230	—	—	110	20	70	20	—	—
Slip on substance without fall	4111	840	—	—	60	290	270	170	30	—
Slip on vehicle without fall—nontransport	4112	80	—	—	—	20	30	30	—	—
Slip without fall, n.e.c.	4119	160	—	—	50	20	30	50	—	—
Trip without fall	412	1,340	—	160	250	240	350	310	20	—
Trip without fall, unspecified	4120	240	—	—	40	40	—	20	—	—
Trip from stepping into a hole without fall	4121	190	—	—	30	30	60	70	—	—
Trip on uneven surface without fall	4122	210	—	—	20	—	110	40	—	—
Trip over an object without fall	4123	510	—	—	120	90	140	150	—	—
Trip over self without fall	4125	90	—	—	20	30	30	—	—	—
Trip without fall, n.e.c.	4129	90	—	—	20	40	—	20	—	—
Slip or trip without fall, n.e.c.	419	30	—	—	—	—	—	—	—	—
Falls on same level	42	11,390	140	210	1,010	2,310	3,280	3,340	830	270
Fall on same level, unspecified	420	830	—	30	80	230	170	290	20	—
Fall on same level due to tripping	421	3,740	30	50	240	460	1,100	1,200	440	220
Fall on same level due to tripping, unspecified	4210	320	—	—	20	30	70	170	—	30
Fall on same level while climbing stairs, steps, or curbs	4211	580	—	—	70	80	230	150	50	—
Fall on same level due to tripping on uneven surface	4212	660	—	—	50	110	200	180	100	—
Fall on same level due to tripping over an object	4213	1,540	20	—	40	140	380	550	200	200
Fall on same level due to tripping over self	4214	270	—	—	—	40	100	70	40	—
Fall on same level due to tripping, n.e.c.	4219	370	—	—	50	60	130	80	50	—
Fall on same level due to slipping	422	5,200	40	70	530	1,240	1,610	1,380	300	30
Fall while sitting	423	490	—	—	30	130	170	140	—	—
Fall onto or against object on same level, n.e.c.	424	280	—	20	50	30	60	60	30	—
Fall on same level, n.e.c.	429	850	20	40	90	210	170	270	40	—
Falls to lower level	43	2,180	30	40	260	410	600	730	110	—
Fall to lower level, unspecified	430	140	—	—	70	20	20	30	—	—
Fall from collapsing structure or equipment	431	60	—	—	—	30	—	—	—	—
Fall from collapsing structure or equipment, unspecified	4310	30	—	—	—	20	—	—	—	—
Fall from collapsing structure or equipment less than 6 feet	4311	20	—	—	—	—	—	—	—	—
Fall through surface	432	40	—	—	—	20	—	—	—	—
Fall through surface, unspecified	4320	20	—	—	—	—	—	—	—	—
Fall through surface less than 6 feet	4321	20	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S60. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and age of worker, state government, 2014 — Continued

Event or exposure	Event code ²	State government ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Other fall to lower level	433	1,930	30	30	180	340	560	680	110	—
Other fall to lower level, unspecified	4330	930	30	20	130	170	280	220	90	—
Other fall to lower level less than 6 feet	4331	930	—	20	40	170	230	450	20	—
Other fall to lower level 6 to 10 feet	4332	70	—	—	—	—	60	—	—	—
Jumps to lower level	44	40	—	—	—	—	20	—	—	—
Other jump to lower level	442	20	—	—	—	—	—	—	—	—
Exposure to harmful substances or environments	5	2,320	50	240	580	440	600	280	40	90
Exposure to harmful substances or environments, unspecified	50	100	—	—	20	20	40	—	—	—
Exposure to electricity	51	20	—	—	—	—	—	—	—	—
Exposure to radiation and noise	52	40	—	—	—	—	—	—	—	—
Exposure to temperature extremes	53	510	—	50	180	90	90	60	—	—
Exposure to environmental heat	531	250	—	20	130	20	40	20	—	—
Exposure to environmental cold	532	20	—	—	—	—	—	—	—	—
Contact with hot objects or substances	533	230	—	30	50	80	50	20	—	—
Exposure to other harmful substances	55	1,290	40	180	330	210	320	140	—	50
Exposure to other harmful substances, unspecified	550	220	—	—	120	40	60	—	—	—
Inhalation of harmful substance	552	430	—	—	90	110	120	50	—	—
Inhalation of harmful substance, unspecified	5520	70	—	—	30	30	—	—	—	—
Inhalation of harmful substance—single episode	5521	320	—	—	50	80	100	40	—	—
Inhalation of harmful substance—multiple episodes	5522	40	—	—	—	—	20	—	—	—
Exposure to harmful substance through skin, eyes, or other exposed tissue	554	590	40	170	100	50	130	80	—	—
Exposure to harmful substance through skin, eyes, or other exposed tissue, unspecified	5540	60	—	—	—	20	—	—	—	—
Exposure through medical injection	5542	20	—	—	—	—	—	—	—	—
Exposure through intact skin, eyes, or other exposed tissue	5544	320	40	20	90	30	80	60	—	—
Exposure through skin, eyes, or other exposed tissue, n.e.c.	5549	190	—	—	—	—	30	20	—	—
Exposure to other harmful substances, n.e.c.	559	30	—	—	20	—	—	—	—	—
Exposure to traumatic or stressful event, n.e.c.	57	360	—	—	40	100	150	40	20	—
Contact with objects and equipment	6	8,190	190	450	1,520	1,800	2,440	1,440	210	130
Contact with objects and equipment, unspecified	60	140	—	30	—	50	30	—	—	—
Needlestick without exposure to harmful substance	61	30	—	—	—	—	—	—	—	—
Struck by object or equipment	62	3,870	40	300	590	910	1,110	720	150	50
Struck by object or equipment, unspecified	620	260	—	—	20	150	—	30	—	—
Struck by powered vehicle—nontransport	621	220	—	—	20	70	70	40	—	—
Caught between rolling powered vehicle and other object	6211	20	—	—	—	—	—	—	—	—
Struck or run over by rolling powered vehicle	6212	40	—	—	—	20	20	—	—	—
Struck by swinging part of powered vehicle	6213	140	—	—	—	50	30	40	—	—
Struck by rolling object or equipment—other than powered vehicle	622	240	—	20	60	50	70	40	—	—
Struck by rolling object or equipment being pushed by injured worker	6221	100	—	20	20	—	20	20	—	—
Struck by rolling object or equipment being pushed by another person	6222	70	—	—	—	—	30	20	—	—

See footnotes at end of table.

TABLE S60. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and age of worker, state government, 2014 — Continued

Event or exposure	Event code ²	State government ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Struck by rolling object or equipment—other than powered vehicle, n.e.c.	6229	50	—	—	30	—	20	—	—	—
Struck by falling object or equipment—other than powered vehicle	623	920	40	40	100	130	350	190	70	—
Struck by falling object or equipment, unspecified ..	6230	80	—	—	—	20	—	30	—	—
Struck by object or equipment dropped by injured worker	6231	230	—	20	30	20	120	20	—	—
Struck by object or equipment dropped by other person	6232	40	—	—	—	—	—	—	—	—
Struck by object falling from vehicle or machinery—other than vehicle part	6233	80	—	—	—	—	40	—	—	—
Struck by falling object or equipment, n.e.c.	6239	490	—	—	40	80	190	130	40	—
Struck by discharged or flying object	624	290	—	80	20	50	60	80	—	—
Struck by discharged or flying object, unspecified ..	6240	30	—	—	—	—	—	20	—	—
Struck by dislodged flying object, particle	6241	170	—	80	—	—	20	50	—	—
Struck by discharged object or substance	6242	30	—	—	—	—	—	—	—	—
Struck by thrown object—unintentional injury	6243	30	—	—	—	—	—	—	—	—
Struck by discharged or flying object, n.e.c.	6249	40	—	—	—	30	—	—	—	—
Injured by handheld object or equipment	625	560	—	50	130	80	160	120	—	—
Injured by handheld object or equipment, unspecified	6250	30	—	—	—	—	—	—	—	—
Injured by slipping or swinging object held by injured worker	6252	440	—	50	110	60	120	90	—	—
Injured by handheld object or equipment, n.e.c.	6259	60	—	—	—	—	20	20	—	—
Struck by swinging or slipping object, other than handheld	626	1,110	—	100	120	330	320	180	50	—
Struck by or caught in swinging door or gate	6261	1,050	—	100	120	310	310	170	30	—
Struck by swinging or slipping object, other than handheld, n.e.c.	6269	50	—	—	—	20	—	—	20	—
Struck by object or equipment, n.e.c.	629	270	—	—	120	40	70	40	—	—
Struck against object or equipment	63	2,640	130	70	470	490	960	410	40	80
Struck against object or equipment, unspecified	630	180	—	—	—	40	70	—	—	50
Struck against moving object or equipment	631	180	—	—	30	50	70	20	—	—
Struck against moving part of machinery or equipment	6311	40	—	—	—	—	20	—	—	—
Struck against object or equipment while moving it	6312	80	—	—	—	—	40	—	—	—
Struck against moving object or equipment, n.e.c.	6319	50	—	—	20	30	—	—	—	—
Struck against stationary object or equipment	632	1,970	130	50	370	330	720	310	30	20
Struck against stationary object or equipment, unspecified	6320	110	—	—	—	20	50	20	—	—
Stepped on object	6321	640	—	—	130	70	370	50	—	—
Struck against stationary object or equipment while rising	6322	290	100	—	20	30	60	70	—	—
Struck against stationary object or equipment, n.e.c.	6329	920	—	40	210	220	240	170	20	—
Struck against object or equipment, n.e.c.	639	320	—	—	60	70	100	80	—	—
Caught in or compressed by equipment or objects	64	1,160	—	30	330	250	260	250	20	—
Caught in or compressed by equipment or objects, unspecified	640	70	—	—	—	—	50	—	—	—
Caught in running equipment or machinery	641	190	—	—	100	—	30	30	—	—

See footnotes at end of table.

TABLE S60. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and age of worker, state government, 2014 — Continued

Event or exposure	Event code ²	State government ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Caught in running equipment or machinery during maintenance, cleaning	6411	110	—	—	80	—	—	—	—	—
Caught in running equipment or machinery during regular operation	6412	70	—	—	—	—	30	20	—	—
Compressed or pinched by shifting objects or equipment	642	270	—	—	40	90	70	70	—	—
Compressed or pinched between two stationary objects	643	110	—	—	50	20	—	30	—	—
Entangled in other object or equipment	644	40	—	—	—	30	—	—	—	—
Caught in or compressed by equipment or objects, n.e.c.	649	490	—	20	130	110	100	110	—	—
Struck, caught, or crushed in collapsing structure, equipment, or material	65	40	—	—	—	—	—	—	—	—
Rubbed or abraded by friction or pressure	66	170	—	—	70	50	20	—	—	—
Rubbed or abraded by foreign matter in eye	663	150	—	—	70	40	20	—	—	—
Rubbed, abraded, or jarred by vibration	67	50	—	—	—	40	—	—	—	—
Rubbed, abraded, or jarred by vehicle vibration	671	30	—	—	—	—	—	—	—	—
Contact with objects and equipment, n.e.c.	69	80	—	—	—	—	20	30	—	—
Overexertion and bodily reaction	7	17,960	80	490	3,250	4,080	5,580	3,650	410	420
Overexertion and bodily reaction, unspecified	70	860	—	20	140	130	250	150	—	170
Overexertion involving outside sources	71	10,130	60	280	1,940	2,340	3,330	1,870	220	90
Overexertion involving outside sources, unspecified ..	710	1,440	—	60	280	320	520	230	—	—
Overexertion in lifting, lowering	711	4,090	30	150	730	840	1,480	750	70	40
Overexertion in lifting, lowering, unspecified	7110	450	—	—	190	60	130	40	—	—
Overexertion in lifting—single episode	7111	2,910	30	120	420	620	1,060	590	40	40
Overexertion in lifting—multiple episodes	7112	630	—	—	110	120	270	120	20	—
Overexertion in lowering—single episode	7113	50	—	—	—	20	20	—	—	—
Overexertion in lowering—multiple episodes	7114	50	—	—	—	—	—	—	—	—
Overexertion in pushing, pulling, or turning	712	2,140	—	30	320	530	690	440	110	—
Overexertion in pushing, pulling, or turning, unspecified	7120	30	—	—	—	—	—	20	—	—
Overexertion in pushing, pulling, or turning—single episode	7121	1,980	—	30	310	520	620	380	100	—
Overexertion in pushing, pulling, or turning—multiple episodes	7122	130	—	—	—	—	60	50	—	—
Overexertion in holding, carrying, or welding	713	700	—	—	110	170	230	150	—	30
Overexertion in holding, carrying, or welding, unspecified	7130	50	—	—	—	—	20	—	—	—
Overexertion in holding, carrying, or welding—single episode	7131	560	—	—	110	160	160	100	—	30
Overexertion in holding, carrying, or welding—multiple episodes	7132	100	—	—	—	—	50	40	—	—
Overexertion in throwing, catching	714	600	—	—	130	300	100	50	—	—
Overexertion in throwing—single episode	7141	50	—	—	—	30	20	—	—	—
Overexertion in catching—single episode	7143	530	—	—	130	260	80	40	—	—
Multiple types of overexertion involving outside sources	718	1,030	—	20	350	150	270	240	—	—
Overexertion involving outside sources, n.e.c.	719	120	—	—	20	30	40	—	—	—
Repetitive motions involving microtasks	72	1,310	—	—	190	170	320	440	70	100

See footnotes at end of table.

TABLE S60. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and age of worker, state government, 2014 — Continued

Event or exposure	Event code ²	State government ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Repetitive motions involving microtasks, unspecified	720	360	—	—	130	20	50	60	—	90
Typing, key entry, texting, or mousing	721	480	—	—	—	80	130	200	60	—
Repetitive use of tools, instruments	722	150	—	—	30	—	30	80	—	—
Repetitive grasping, placing, or moving objects, except tools	723	140	—	—	—	—	50	70	—	—
Repetitive use of hands, not involving tools	724	50	—	—	—	—	—	20	—	—
Multiple types of repetitive motions	728	100	—	—	—	40	40	—	—	—
Repetitive motions involving microtasks, n.e.c.	729	20	—	—	—	—	—	—	—	—
Other exertions or bodily reactions	73	5,310	20	170	940	1,380	1,510	1,110	110	60
Other exertions or bodily reactions, unspecified	730	380	—	20	180	50	60	50	—	—
Bending, crawling, reaching, twisting, climbing, stepping	731	2,500	—	30	440	610	650	660	90	20
Bending, crawling, reaching, twisting, climbing, stepping, unspecified	7310	50	—	—	—	20	20	—	—	—
Bending, crawling, reaching, twisting—single episode	7311	1,280	—	20	180	240	370	380	80	—
Bending, crawling, reaching, twisting—repetitive or prolonged	7312	300	—	—	120	80	20	80	—	—
Climbing or stepping up or down—single episode ..	7313	730	—	—	80	200	210	190	—	20
Climbing or stepping up or down—repetitive or prolonged	7314	160	—	—	50	60	40	—	—	—
Kneeling, kneeling down	732	60	—	—	—	—	30	—	—	—
Kneeling, kneeling down—single episode	7321	30	—	—	—	—	—	—	—	—
Kneeling, kneeling down—repetitive or prolonged ..	7322	20	—	—	—	—	20	—	—	—
Sitting, sitting down	733	250	—	—	—	120	110	—	—	—
Sitting, sitting down, unspecified	7330	60	—	—	—	—	—	—	—	—
Sitting, sitting down—single episode	7331	50	—	—	—	—	20	—	—	—
Sitting, sitting down—repetitive or prolonged	7332	140	—	—	—	60	80	—	—	—
Standing, standing up	734	140	—	—	—	50	30	50	—	—
Standing, standing up—single episode	7341	130	—	—	—	40	30	40	—	—
Walking, without other incident	735	660	—	—	110	110	160	210	—	—
Walking, without other incident, unspecified	7350	70	—	—	—	—	20	50	—	—
Walking, without other incident—single episode	7351	560	—	—	90	110	130	150	—	—
Walking, without other incident—repetitive or prolonged	7352	30	—	—	20	—	—	—	—	—
Running, without other incident	736	660	—	30	100	200	250	40	—	—
Running, without other incident, unspecified	7360	50	—	20	20	—	—	—	—	—
Running, without other incident—single episode	7361	560	—	—	80	160	250	20	—	—
Running, without other incident—repetitive or prolonged	7362	50	—	—	—	—	—	—	—	—
Boarding, alighting—excluding slip, trip, fall	737	200	—	—	20	70	40	60	—	—
Boarding, alighting—excluding slip, trip, fall—single episode	7371	150	—	—	—	70	30	50	—	—
Boarding, alighting—excluding slip, trip, fall—repetitive or prolonged	7372	40	—	—	—	—	—	—	—	—
Multiple types of exertions and bodily reactions	738	50	—	—	20	—	—	—	—	—
Other exertions or bodily reactions	739	410	—	30	60	150	150	30	—	—
Other exertions or bodily reactions, n.e.c.	7399	410	—	30	60	150	150	30	—	—
Bodily conditions, n.e.c.	74	210	—	—	—	50	80	70	—	—
Multiple types of overexertions and bodily reactions	78	40	—	—	—	—	30	—	—	—

See footnotes at end of table.

TABLE S60. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and age of worker, state government, 2014 — Continued

Event or exposure	Event code ²	State government ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Overexertion and bodily reaction and exertion, n.e.c.	79	110	-	20	-	-	60	-	-	-
Nonclassifiable	9999	5,020	-	-	60	100	90	100	-	4,660

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.