

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2014

Part of body	Part of body code ²	State government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		67,400	7,030	10.4	5,830	8.6	10,070	14.9
Head	1	4,620	890	19.3	680	14.7	920	19.9
Head, unspecified	10	1,060	250	23.6	170	16.0	260	24.5
Cranial region, including skull	11	1,130	80	7.1	70	6.2	140	12.4
Brain	111	1,000	50	5.0	50	5.0	130	13.0
Scalp	112	110	40	36.4	20	18.2	-	-
Ear(s)	12	80	-	-	-	-	-	-
Face	13	2,230	520	23.3	430	19.3	500	22.4
Face, unspecified	130	360	60	16.7	70	19.4	90	25.0
Forehead	131	160	80	50.0	-	-	20	12.5
Eye(s)	132	930	210	22.6	200	21.5	260	28.0
Nose, nasal cavity	133	120	-	-	-	-	50	41.7
Nose, except internal location of diseases or disorders	1330	120	-	-	-	-	50	41.7
Cheek(s)	134	50	20	40.0	-	-	-	-
Jaw, chin	135	120	-	-	40	33.3	20	16.7
Mouth	136	170	70	41.2	20	11.8	20	11.8
Mouth, unspecified	1360	20	-	-	-	-	-	-
Lip(s)	1361	60	-	-	-	-	20	33.3
Tooth (teeth)	1363	90	70	77.8	-	-	-	-
Multiple face locations	138	240	50	20.8	60	25.0	20	8.3
Face, n.e.c.	139	70	20	28.6	-	-	-	-
Multiple head locations	18	120	30	25.0	-	-	-	-
Neck, including throat	2	1,390	230	16.5	110	7.9	180	12.9
Neck, except internal location of diseases or disorders ...	20	1,380	230	16.7	110	8.0	180	13.0
Trunk	3	12,670	1,480	11.7	1,180	9.3	2,290	18.1
Trunk, unspecified	30	170	70	41.2	20	11.8	-	-
Chest, including ribs, internal organs	31	1,040	70	6.7	120	11.5	220	21.2
Chest, except internal location of diseases or disorders	310	880	70	8.0	100	11.4	220	25.0
Internal chest location, unspecified	311	30	-	-	-	-	-	-
Heart	313	100	-	-	-	-	-	-
Lung(s), pleura	315	40	-	-	-	-	-	-
Back, including spine, spinal cord	32	9,440	1,090	11.5	940	10.0	1,700	18.0
Back, including spine, spinal cord, unspecified	320	4,160	620	14.9	370	8.9	720	17.3
Thoracic region	321	310	40	12.9	70	22.6	60	19.4
Lumbar region	322	4,470	350	7.8	450	10.1	800	17.9
Sacral region	323	90	-	-	-	-	-	-
Coccygeal region	324	130	-	-	30	23.1	20	15.4
Multiple back regions	328	250	30	12.0	30	12.0	90	36.0
Back, including spine, spinal cord, n.e.c.	329	20	-	-	-	-	-	-
Abdomen	33	630	120	19.0	-	-	60	9.5
Abdomen, except internal location of diseases or disorders	330	610	120	19.7	-	-	50	8.2
Intestines, peritoneum	335	20	-	-	-	-	-	-
Pelvic region	34	1,040	60	5.8	20	1.9	250	24.0

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2014 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	9,500	14.1	8,670	12.9	5,070	7.5	21,230	31.5	12
Head	700	15.2	360	7.8	190	4.1	870	18.8	5
Head, unspecified	140	13.2	90	8.5	20	1.9	130	12.3	3
Cranial region, including skull	250	22.1	60	5.3	90	8.0	430	38.1	12
Brain	210	21.0	50	5.0	90	9.0	420	42.0	22
Scalp	40	36.4	—	—	—	—	—	—	3
Ear(s)	—	—	—	—	—	—	30	37.5	17
Face	280	12.6	180	8.1	70	3.1	240	10.8	3
Face, unspecified	40	11.1	50	13.9	—	—	50	13.9	4
Forehead	40	25.0	—	—	—	—	—	—	2
Eye(s)	90	9.7	40	4.3	—	—	130	14.0	3
Nose, nasal cavity	—	—	—	—	—	—	—	—	5
Nose, except internal location of diseases or disorders	—	—	—	—	—	—	—	—	5
Cheek(s)	—	—	30	60.0	—	—	—	—	19
Jaw, chin	20	16.7	—	—	—	—	30	25.0	5
Mouth	30	17.6	—	—	—	—	—	—	2
Mouth, unspecified	—	—	—	—	—	—	—	—	8
Lip(s)	—	—	—	—	—	—	—	—	4
Tooth (teeth)	—	—	—	—	—	—	—	—	1
Multiple face locations	50	20.8	30	12.5	—	—	20	8.3	5
Face, n.e.c.	—	—	—	—	—	—	—	—	5
Multiple head locations	30	25.0	—	—	—	—	30	25.0	8
Neck, including throat	340	24.5	140	10.1	20	1.4	370	26.6	7
Neck, except internal location of diseases or disorders ...	340	24.6	140	10.1	20	1.4	360	26.1	6
Trunk	1,780	14.0	1,620	12.8	750	5.9	3,570	28.2	9
Trunk, unspecified	—	—	20	11.8	—	—	30	17.6	2
Chest, including ribs, internal organs	120	11.5	230	22.1	50	4.8	250	24.0	10
Chest, except internal location of diseases or disorders	110	12.5	190	21.6	40	4.5	160	18.2	9
Internal chest location, unspecified	—	—	—	—	—	—	—	—	2
Heart	—	—	—	—	—	—	80	80.0	53
Lung(s), pleura	—	—	—	—	—	—	—	—	18
Back, including spine, spinal cord	1,310	13.9	1,220	12.9	580	6.1	2,600	27.5	9
Back, including spine, spinal cord, unspecified	590	14.2	430	10.3	260	6.2	1,170	28.1	8
Thoracic region	40	12.9	50	16.1	—	—	60	19.4	5
Lumbar region	650	14.5	710	15.9	280	6.3	1,240	27.7	10
Sacral region	—	—	—	—	—	—	—	—	1
Coccygeal region	—	—	20	15.4	—	—	50	38.5	12
Multiple back regions	20	8.0	—	—	20	8.0	60	24.0	5
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	—	—	6
Abdomen	110	17.5	50	7.9	40	6.3	240	38.1	12
Abdomen, except internal location of diseases or disorders	110	18.0	50	8.2	40	6.6	230	37.7	12
Intestines, peritoneum	—	—	—	—	—	—	—	—	4
Pelvic region	190	18.3	70	6.7	50	4.8	380	36.5	10

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2014 — Continued

Part of body	Part of body code ²	State government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Hip(s)	341	690	30	4.3	—	—	130	18.8
Pelvis	342	40	—	—	—	—	—	—
Buttock(s)	343	20	—	—	—	—	—	—
Groin	344	260	20	7.7	—	—	100	38.5
External reproductive tract structures	345	20	—	—	—	—	—	—
Multiple trunk locations	38	350	60	17.1	60	17.1	50	14.3
Upper extremities	4	15,360	1,730	11.3	1,200	7.8	2,100	13.7
Upper extremities, unspecified	40	60	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	4,500	330	7.3	250	5.6	560	12.4
Arm(s)	42	2,480	420	16.9	210	8.5	300	12.1
Arm(s), unspecified	420	780	60	7.7	60	7.7	50	6.4
Upper arm(s)	421	260	90	34.6	—	—	40	15.4
Elbow(s)	422	960	170	17.7	70	7.3	140	14.6
Forearm(s)	423	260	50	19.2	60	23.1	60	23.1
Multiple arm locations	428	190	60	31.6	20	10.5	—	—
Multiple arm locations, unspecified	4280	30	—	—	—	—	—	—
Elbow(s) and arm(s)	4281	60	—	—	20	33.3	—	—
Multiple arm locations, n.e.c.	4289	100	50	50.0	—	—	—	—
Arm(s), n.e.c.	429	30	—	—	—	—	—	—
Wrist(s)	43	1,590	110	6.9	120	7.5	160	10.1
Hand(s)	44	5,050	720	14.3	520	10.3	840	16.6
Hand(s), unspecified	440	1,420	170	12.0	170	12.0	180	12.7
Hand(s), except finger(s)	441	130	—	—	50	38.5	—	—
Finger(s), fingernail(s)	442	3,220	540	16.8	280	8.7	630	19.6
Finger(s), fingernail(s), unspecified	4420	2,280	490	21.5	230	10.1	480	21.1
Fingertip(s)	4422	220	—	—	—	—	—	—
Finger(s), fingernail(s), n.e.c.	4429	710	30	4.2	50	7.0	140	19.7
Hand(s) and finger(s)	448	200	—	—	—	—	20	10.0
Hand(s), n.e.c.	449	70	—	—	—	—	—	—
Multiple upper extremities locations	48	1,670	140	8.4	90	5.4	230	13.8
Multiple upper extremities locations, unspecified	480	40	—	—	—	—	—	—
Hand(s) and arms(s)	481	250	—	—	60	24.0	40	16.0
Hand(s) and arm(s), unspecified	4810	80	—	—	—	—	—	—
Hand(s) and elbow(s)	4811	40	—	—	40	100.0	—	—
Hand(s) and arm(s), n.e.c.	4819	130	—	—	—	—	40	30.8
Hand(s) and wrist(s)	482	380	60	15.8	—	—	100	26.3
Wrist(s) and arm(s)	483	100	20	20.0	—	—	20	20.0
Wrist(s) and arm(s), unspecified	4830	50	—	—	—	—	—	—
Wrist(s) and elbow(s)	4831	20	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	30	—	—	—	—	—	—
Shoulder(s) and arm(s)	484	560	30	5.4	—	—	60	10.7
Multiple upper extremities locations, n.e.c.	489	340	40	11.8	20	5.9	—	—
Lower extremities	5	14,290	1,200	8.4	1,220	8.5	2,240	15.7
Lower extremities, unspecified	50	20	—	—	—	—	—	—
Leg(s)	51	8,010	650	8.1	570	7.1	1,040	13.0
Leg(s), unspecified	510	680	30	4.4	90	13.2	180	26.5
Thigh(s)	511	260	—	—	—	—	20	7.7

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2014 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Hip(s)	140	20.3	40	5.8	20	2.9	310	44.9	14
Pelvis	—	—	—	—	—	—	—	—	9
Buttock(s)	—	—	—	—	—	—	—	—	6
Groin	30	11.5	30	11.5	20	7.7	50	19.2	7
External reproductive tract structures	—	—	—	—	—	—	—	—	1
Multiple trunk locations	40	11.4	40	11.4	20	5.7	80	22.9	6
Upper extremities	2,110	13.7	2,010	13.1	970	6.3	5,230	34.0	12
Upper extremities, unspecified	—	—	30	50.0	—	—	20	33.3	11
Shoulder(s), including clavicle(s), scapula(e)	420	9.3	440	9.8	330	7.3	2,180	48.4	28
Arm(s)	320	12.9	300	12.1	140	5.6	780	31.5	10
Arm(s), unspecified	160	20.5	140	17.9	40	5.1	270	34.6	12
Upper arm(s)	20	7.7	20	7.7	20	7.7	60	23.1	5
Elbow(s)	70	7.3	50	5.2	50	5.2	400	41.7	16
Forearm(s)	40	15.4	50	19.2	—	—	—	—	4
Multiple arm locations	20	10.5	30	15.8	—	—	50	26.3	8
Multiple arm locations, unspecified	—	—	—	—	—	—	—	—	14
Elbow(s) and arm(s)	20	33.3	—	—	—	—	—	—	8
Multiple arm locations, n.e.c.	—	—	—	—	—	—	30	30.0	1
Arm(s), n.e.c.	—	—	—	—	—	—	—	—	3
Wrist(s)	290	18.2	300	18.9	130	8.2	490	30.8	13
Hand(s)	860	17.0	720	14.3	260	5.1	1,120	22.2	8
Hand(s), unspecified	300	21.1	170	12.0	110	7.7	320	22.5	10
Hand(s), except finger(s)	30	23.1	30	23.1	—	—	—	—	6
Finger(s), fingernail(s)	490	15.2	460	14.3	140	4.3	680	21.1	7
Finger(s), fingernail(s), unspecified	220	9.6	240	10.5	90	3.9	540	23.7	5
Fingertip(s)	190	86.4	—	—	—	—	—	—	8
Finger(s), fingernail(s), n.e.c.	80	11.3	220	31.0	50	7.0	130	18.3	11
Hand(s) and finger(s)	40	20.0	40	20.0	—	—	80	40.0	15
Hand(s), n.e.c.	—	—	—	—	—	—	40	57.1	84
Multiple upper extremities locations	220	13.2	220	13.2	110	6.6	650	38.9	16
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	20	50.0	76
Hand(s) and arms(s)	—	—	40	16.0	—	—	90	36.0	13
Hand(s) and arm(s), unspecified	—	—	30	37.5	—	—	50	62.5	43
Hand(s) and elbow(s)	—	—	—	—	—	—	—	—	2
Hand(s) and arm(s), n.e.c.	—	—	—	—	—	—	40	30.8	7
Hand(s) and wrist(s)	20	5.3	20	5.3	40	10.5	140	36.8	15
Wrist(s) and arm(s)	20	20.0	30	30.0	—	—	—	—	9
Wrist(s) and arm(s), unspecified	—	—	30	60.0	—	—	—	—	12
Wrist(s) and elbow(s)	—	—	—	—	—	—	—	—	4
Wrist(s) and arm(s), n.e.c.	20	66.7	—	—	—	—	—	—	9
Shoulder(s) and arm(s)	80	14.3	80	14.3	—	—	290	51.8	42
Multiple upper extremities locations, n.e.c.	80	23.5	50	14.7	40	11.8	90	26.5	11
Lower extremities	1,760	12.3	1,690	11.8	1,360	9.5	4,830	33.8	15
Lower extremities, unspecified	—	—	—	—	—	—	—	—	4
Leg(s)	980	12.2	1,010	12.6	720	9.0	3,030	37.8	18
Leg(s), unspecified	80	11.8	90	13.2	60	8.8	160	23.5	7
Thigh(s)	60	23.1	70	26.9	20	7.7	70	26.9	14

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2014 — Continued

Part of body	Part of body code ²	State government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Knee(s)	512	6,170	500	8.1	380	6.2	710	11.5
Lower leg(s)	513	600	90	15.0	50	8.3	120	20.0
Multiple leg locations	518	240	20	8.3	30	12.5	20	8.3
Multiple leg locations, unspecified	5180	20	—	—	—	—	—	—
Knee(s) and leg(s)	5181	200	20	10.0	—	—	—	—
Multiple leg locations, n.e.c.	5189	30	—	—	—	—	—	—
Leg(s), n.e.c.	519	50	—	—	—	—	—	—
Ankle(s)	52	3,050	290	9.5	220	7.2	530	17.4
Foot (feet)	53	2,580	190	7.4	390	15.1	580	22.5
Foot (feet), unspecified	530	1,480	80	5.4	150	10.1	230	15.5
Sole(s)	531	260	40	15.4	—	—	90	34.6
Heel(s)	5313	230	40	17.4	—	—	80	34.8
Toes(s), toenail(s)	532	560	70	12.5	230	41.1	70	12.5
Multiple foot (feet) locations	538	30	—	—	—	—	—	—
Foot (feet), n.e.c.	539	250	—	—	—	—	180	72.0
Multiple lower extremities locations	58	630	70	11.1	30	4.8	80	12.7
Foot (feet) and leg(s)	581	120	—	—	—	—	—	—
Foot(feet) and leg(s), unspecified	5810	30	—	—	—	—	—	—
Foot(feet) and knee(s)	5811	80	—	—	—	—	—	—
Foot (feet) and ankle(s)	582	120	—	—	—	—	—	—
Ankle(s) and leg(s)	583	280	—	—	—	—	50	17.9
Ankle(s) and leg(s), unspecified	5830	90	—	—	—	—	—	—
Ankle(s) and knee(s)	5831	170	—	—	—	—	40	23.5
Ankle(s) and leg(s), n.e.c.	5839	30	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	589	110	40	36.4	—	—	—	—
Body systems	6	1,760	300	17.0	230	13.1	200	11.4
Multiple body parts	8	12,300	1,140	9.3	1,180	9.6	2,050	16.7
Multiple body parts, unspecified	80	770	50	6.5	20	2.6	80	10.4
Head and neck	81	420	30	7.1	30	7.1	70	16.7
Head, neck, and trunk	82	200	—	—	—	—	80	40.0
Head and trunk	83	140	20	14.3	—	—	50	35.7
Neck and back	84	930	100	10.8	40	4.3	110	11.8
Shoulder(s) and back	85	560	40	7.1	—	—	90	16.1
Hip(s) and leg(s)	86	170	20	11.8	—	—	20	11.8
Upper and lower limb(s)	87	1,030	110	10.7	170	16.5	190	18.4
Other multiple body parts	89	8,070	760	9.4	880	10.9	1,360	16.9
Whole body	891	30	—	—	20	66.7	—	—
Multiple body parts, n.e.c.	899	8,040	760	9.5	860	10.7	1,360	16.9
Nonclassifiable	9999	5,010	60	1.2	40	.8	90	1.8

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2014 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Knee(s)	710	11.5	800	13.0	580	9.4	2,500	40.5	20
Lower leg(s)	100	16.7	40	6.7	50	8.3	150	25.0	8
Multiple leg locations	20	8.3	20	8.3	—	—	120	50.0	42
Multiple leg locations, unspecified	—	—	—	—	—	—	—	—	15
Knee(s) and leg(s)	20	10.0	—	—	—	—	110	55.0	55
Multiple leg locations, n.e.c.	—	—	—	—	—	—	20	66.7	44
Leg(s), n.e.c.	—	—	—	—	—	—	30	60.0	35
Ankle(s)	440	14.4	400	13.1	190	6.2	970	31.8	11
Foot (feet)	240	9.3	200	7.8	400	15.5	580	22.5	7
Foot (feet), unspecified	180	12.2	80	5.4	360	24.3	410	27.7	21
Sole(s)	20	7.7	30	11.5	—	—	70	26.9	5
Heel(s)	20	8.7	—	—	—	—	50	21.7	5
Toes(s), toenail(s)	30	5.4	80	14.3	30	5.4	60	10.7	2
Multiple foot (feet) locations	—	—	—	—	—	—	—	—	3
Foot (feet), n.e.c.	—	—	—	—	—	—	40	16.0	3
Multiple lower extremities locations	90	14.3	70	11.1	50	7.9	250	39.7	15
Foot (feet) and leg(s)	20	16.7	30	25.0	—	—	60	50.0	24
Foot(feet) and leg(s), unspecified	—	—	—	—	—	—	—	—	15
Foot(feet) and knee(s)	20	25.0	—	—	—	—	50	62.5	31
Foot (feet) and ankle(s)	20	16.7	—	—	20	16.7	40	33.3	16
Ankle(s) and leg(s)	40	14.3	40	14.3	20	7.1	120	42.9	20
Ankle(s) and leg(s), unspecified	—	—	—	—	—	—	70	77.8	33
Ankle(s) and knee(s)	20	11.8	30	17.6	20	11.8	50	29.4	13
Ankle(s) and leg(s), n.e.c.	—	—	—	—	—	—	—	—	6
Multiple lower extremities locations, n.e.c.	—	—	—	—	—	—	30	27.3	3
Body systems	170	9.7	140	8.0	150	8.5	560	31.8	9
Multiple body parts	1,250	10.2	1,370	11.1	930	7.6	4,380	35.6	13
Multiple body parts, unspecified	50	6.5	40	5.2	40	5.2	480	62.3	45
Head and neck	30	7.1	60	14.3	40	9.5	160	38.1	18
Head, neck, and trunk	—	—	20	10.0	—	—	90	45.0	12
Head and trunk	—	—	—	—	—	—	30	21.4	4
Neck and back	190	20.4	140	15.1	90	9.7	270	29.0	12
Shoulder(s) and back	50	8.9	50	8.9	150	26.8	160	28.6	21
Hip(s) and leg(s)	—	—	30	17.6	—	—	80	47.1	16
Upper and lower limb(s)	80	7.8	110	10.7	20	1.9	340	33.0	7
Other multiple body parts	820	10.2	900	11.2	580	7.2	2,770	34.3	12
Whole body	—	—	—	—	—	—	—	—	2
Multiple body parts, n.e.c.	820	10.2	900	11.2	570	7.1	2,770	34.5	12
Nonclassifiable	1,380	27.5	1,330	26.5	690	13.8	1,420	28.3	13

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.