

TABLE S85. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and day of the week event occurred, state government, 2014

Nature	Nature code ²	State government ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Total		67,400	4,570	12,380	12,630	12,300	11,350	8,830	5,330
Traumatic injuries and disorders	1	60,400	4,440	9,880	11,570	10,670	10,900	8,480	4,460
Traumatic injuries and disorders, unspecified	10	40	–	–	–	–	–	–	20
Traumatic injuries to bones, nerves, spinal cord	11	4,360	230	760	950	790	530	730	370
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	730	20	80	60	60	60	300	150
Fractures	111	3,520	210	670	890	710	430	410	210
Traumatic injuries to nerves, except the spinal cord	113	90	–	–	–	–	50	20	–
Pinched nerve	1131	90	–	–	–	–	50	20	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	25,280	1,890	4,230	4,710	4,750	4,360	3,340	2,010
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	220	–	150	20	20	–	–	20
Dislocations	121	410	30	60	50	100	60	80	30
Dislocations, unspecified	1210	20	–	–	–	–	–	–	–
Herniated discs	1211	130	20	30	30	30	–	–	–
Dislocation of joints	1212	260	20	–	20	70	60	70	20
Cartilage fractures and tears	122	160	20	–	70	–	20	40	–
Meniscus tears	1221	140	20	–	40	–	20	40	–
Sprains, strains, tears	123	24,080	1,800	3,920	4,510	4,560	4,220	3,150	1,930
Sprains, strains, tears, unspecified	1230	2,840	320	430	620	350	450	320	350
Major tears to muscles, tendons, ligaments	1231	750	50	130	150	110	110	150	40
Sprains	1232	7,390	630	1,120	1,150	1,310	1,530	1,090	570
Strains	1233	12,510	790	2,090	2,410	2,670	2,080	1,560	910
Multiple sprains, strains, tears	1238	600	20	150	170	110	40	30	70
Hernias due to traumatic incidents	124	250	–	90	50	–	40	40	20
Whiplash	125	80	–	–	–	30	–	20	–
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	20	–	–	–	–	–	–	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	50	–	–	–	–	–	–	–
Open wounds	13	2,530	220	340	430	440	630	390	70
Amputations, avulsions, enucleations	131	190	–	–	20	–	100	50	–
Amputations	1311	140	–	–	–	–	100	20	–
Avulsions, enucleations	1312	40	–	–	–	–	–	–	–
Cuts, lacerations	132	1,800	210	270	310	340	400	220	50
Puncture wounds, except gunshot wounds	133	470	–	60	90	70	110	110	20
Gunshot wounds	134	40	–	–	–	–	–	–	–
Surface wounds and bruises	14	6,780	420	1,290	1,290	1,020	1,280	1,050	450
Surface wounds and bruises, unspecified	140	130	–	–	30	–	–	40	–
Abrasions, scratches	141	570	50	110	170	80	100	20	50
Bruises, contusions	143	5,880	310	1,170	1,050	900	1,120	960	380
Multiple surface wounds and bruises	148	160	30	–	20	40	30	20	–
Surface wounds and bruises, n.e.c.	149	30	–	–	–	–	–	–	–

See footnotes at end of table.

TABLE S85. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and day of the week event occurred, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Burns and corrosions	15	370	40	40	90	40	90	50	20
Chemical burns and corrosions	151	110	—	—	50	20	—	—	—
Chemical burns and corrosions, unspecified	1510	100	—	—	50	—	—	—	—
Heat (thermal) burns	152	220	40	20	30	30	40	40	20
Heat (thermal) burns, unspecified ..	1520	160	40	20	—	20	40	20	—
First degree heat (thermal) burns ..	1521	40	—	—	—	—	—	—	—
Other burns	159	40	—	—	—	—	40	—	—
Intracranial injuries	16	950	70	300	120	120	170	130	40
Intracranial injuries, unspecified	160	100	—	30	—	20	—	20	—
Concussions	162	840	70	260	120	90	160	110	30
Effects of environmental conditions	17	230	—	20	90	—	100	—	—
Effects of reduced temperature	171	20	—	—	—	—	—	—	—
Frostbite	1711	20	—	—	—	—	—	—	—
Effects of heat and light	172	210	—	20	90	—	100	—	—
Heat exhaustion, prostration	1725	180	—	—	70	—	90	—	—
Effects of heat and light, n.e.c.	1729	20	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	2,720	190	410	410	440	430	550	280
Multiple traumatic injuries and disorders, unspecified	180	120	—	—	20	—	—	30	—
Cuts and abrasions or bruises	181	530	50	150	50	80	50	100	50
Sprains and other injuries	182	1,270	130	170	190	190	190	280	130
Sprains and other injuries, unspecified	1820	40	—	—	—	—	—	—	—
Sprains and bruises	1821	990	110	130	130	130	160	250	70
Sprains and cuts	1822	80	—	20	—	40	—	—	—
Sprains and other injuries, n.e.c. ...	1829	160	20	20	40	—	—	20	50
Fractures and other injuries	183	230	20	30	30	50	40	60	—
Fractures (except skull fractures) and concussions	1831	30	—	—	—	—	—	—	—
Fractures and other injuries, n.e.c.	1839	170	—	20	20	30	40	50	—
Burns and other injuries, except fractures	184	40	—	—	—	—	—	—	—
Burns and other injuries, n.e.c.	1849	40	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	530	—	50	90	110	150	80	50
Other traumatic injuries and disorders ...	19	17,120	1,360	2,480	3,470	3,050	3,310	2,250	1,200
Dermatitis and reactions affecting the skin—acute	195	390	—	20	—	170	160	20	20
Dermatitis and reactions affecting the skin—acute, unspecified	1950	140	—	—	—	120	—	—	—
Allergic dermatitis—acute	1951	190	—	—	—	—	150	—	—
Irritant dermatitis—acute	1952	50	—	—	—	40	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	680	50	100	200	40	140	80	80
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	280	—	30	110	—	30	30	60
Poisoning, including poisoning-related asphyxia	1961	60	—	—	—	—	20	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	110	—	40	30	—	—	20	—

See footnotes at end of table.

TABLE S85. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and day of the week event occurred, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	20	—	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	40	—	20	—	—	—	—	—
Other or unspecified allergic reactions	1966	130	—	—	20	20	80	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	30	—	—	—	—	—	20	—
Nonspecified injuries and disorders ...	197	15,940	1,310	2,350	3,230	2,840	2,970	2,150	1,090
Crushing injuries	1971	420	—	50	140	60	30	90	40
Soreness, pain, hurt—nonspecified injury	1972	13,740	1,190	2,020	2,740	2,480	2,550	1,820	940
Swelling, inflammation, irritation—nonspecified injury	1973	1,040	50	200	160	200	190	150	100
Numbness—nonspecified injury	1974	100	—	—	—	30	40	—	—
Multiple nonspecified injuries and disorders	1978	350	30	20	120	30	100	40	—
Nonspecified injuries and disorders, n.e.c.	1979	290	40	50	50	30	60	30	—
Other traumatic injuries and disorders, n.e.c.	199	100	—	—	30	—	50	—	—
Traumatic injuries and disorders, n.e.c.	1999	100	—	—	30	—	50	—	—
Diseases and disorders of body systems	2	1,220	60	390	120	170	190	150	150
Nervous system and sense organs diseases	22	440	30	110	50	90	60	30	80
Disorders of the peripheral nervous system	224	320	—	80	40	80	60	30	—
Disorders of the peripheral nervous system, unspecified	2240	60	—	—	—	—	20	—	—
Carpal tunnel syndrome	2241	260	—	70	40	70	40	30	—
Disorders of the eye, adnexa, vision ..	225	90	—	—	—	—	—	—	—
Conjunctivitis—non-viral	2251	70	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	226	30	—	—	—	—	—	—	—
Circulatory system diseases	23	150	—	30	20	—	30	40	—
Ischemic heart disease, including heart attack	233	60	—	—	—	—	—	30	—
Myocardial infarction (heart attack)	2331	40	—	—	—	—	—	—	—
Other forms of heart disease	235	30	—	—	—	—	—	—	—
Cerebrovascular disease	236	40	—	—	—	—	—	—	—
Stroke	2361	40	—	—	—	—	—	—	—
Respiratory system diseases	24	90	—	—	—	—	30	40	—
Other diseases of upper respiratory tract	242	30	—	—	—	—	30	—	—
Chronic obstructive pulmonary disease and allied conditions	244	30	—	—	—	—	—	—	—
Asthma, except intrinsic	2443	30	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S85. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and day of the week event occurred, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Musculoskeletal system and connective tissue diseases and disorders	27	490	20	250	40	30	60	40	50
Dorsopathies	272	20	—	—	—	—	—	—	—
Soft tissue disorders, except the back	273	460	20	240	40	30	60	40	40
Stenosing tenosynovitis	2732	110	—	100	—	—	—	—	—
Epicondylitis	2734	130	—	100	20	—	—	—	—
Other or unspecified tendonitis (tendinitis)	2735	140	—	30	20	—	—	20	40
Soft tissue disorder, except the back, n.e.c.	2739	50	—	—	—	—	40	—	—
Disorders of the skin and subcutaneous tissue	28	40	—	—	—	30	—	—	—
Infections of the skin and subcutaneous tissue	281	40	—	—	—	30	—	—	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	20	—	—	—	20	—	—	—
Infectious and parasitic diseases	3	60	—	—	—	20	—	20	—
Other infectious and parasitic diseases	39	20	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	370	—	50	100	70	50	70	—
Symptoms	51	340	—	50	100	70	40	70	—
General symptoms	511	230	—	20	70	60	30	30	—
Loss of consciousness—not heat related	5111	110	—	—	—	50	—	20	—
Convulsions, seizures	5112	20	—	—	20	—	—	—	—
Dizziness—general	5114	50	—	—	—	—	30	—	—
Multiple general symptoms	5118	30	—	—	30	—	—	—	—
Symptoms involving respiratory system and chest	516	60	—	—	—	—	—	30	—
Symptoms involving respiratory system and chest, unspecified	5160	20	—	—	—	—	—	—	—
Chest pain	5164	20	—	—	—	—	—	—	—
Multiple symptoms	518	20	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	520	50	60	140	40	80	100	50
Mental disorders and syndromes	62	510	50	60	140	40	80	100	50
Anxiety, stress	621	510	50	60	140	40	80	100	50
Anxiety, stress, unspecified	6210	340	50	30	90	30	40	90	20
Post-traumatic stress disorder	6211	90	—	—	40	—	—	—	30
Anxiety or panic disorder	6213	40	—	—	—	—	30	—	—
Anxiety, stress, n.e.c.	6219	40	—	20	—	—	—	—	—
Exposures to disease—no illness incurred	7	80	—	—	—	—	60	—	—

See footnotes at end of table.

TABLE S85. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and day of the week event occurred, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Nonclassifiable	9999	4,730	–	1,990	670	1,340	50	–	660

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.