

TABLE S92. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and time of day event occurred, state government, 2014

Nature	Nature code ²	State government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Total		67,400	2,170	7,580	17,910	14,990	8,130	4,660	11,970
Traumatic injuries and disorders	1	60,400	2,140	7,130	17,370	14,490	7,990	4,580	6,690
Traumatic injuries and disorders, unspecified	10	40	—	—	20	—	—	—	—
Traumatic injuries to bones, nerves, spinal cord	11	4,360	70	320	1,360	1,400	420	160	640
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	730	—	70	380	180	50	—	50
Fractures	111	3,520	60	240	940	1,210	350	140	580
Traumatic injuries to nerves, except the spinal cord	113	90	—	—	40	—	—	—	—
Pinched nerve	1131	90	—	—	40	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	25,280	880	3,010	7,480	5,960	3,100	1,970	2,880
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	220	—	—	30	—	140	—	—
Dislocations	121	410	30	50	110	100	80	—	30
Dislocations, unspecified	1210	20	—	—	—	—	—	—	—
Herniated discs	1211	130	—	—	40	50	—	—	—
Dislocation of joints	1212	260	—	40	70	50	70	—	—
Cartilage fractures and tears	122	160	—	40	20	20	30	30	20
Meniscus tears	1221	140	—	30	20	20	30	30	20
Sprains, strains, tears	123	24,080	820	2,850	7,210	5,750	2,790	1,900	2,740
Sprains, strains, tears, unspecified	1230	2,840	60	400	960	710	380	220	110
Major tears to muscles, tendons, ligaments	1231	750	—	100	220	170	120	80	60
Sprains	1232	7,390	330	940	1,870	2,110	720	720	690
Strains	1233	12,510	420	1,410	4,000	2,600	1,480	800	1,800
Multiple sprains, strains, tears	1238	600	—	—	170	160	90	80	80
Hernias due to traumatic incidents	124	250	—	40	80	30	—	—	70
Whiplash	125	80	—	—	20	40	—	—	—
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	20	—	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	50	—	—	—	—	—	—	—
Open wounds	13	2,530	70	120	940	730	270	170	230
Amputations, avulsions, enucleations	131	190	—	—	150	—	—	—	—
Amputations	1311	140	—	—	120	—	—	—	—
Avulsions, enucleations	1312	40	—	—	30	—	—	—	—
Cuts, lacerations	132	1,800	50	90	630	560	190	120	160
Puncture wounds, except gunshot wounds	133	470	20	20	130	130	70	40	50
Gunshot wounds	134	40	—	—	—	—	—	—	—
Surface wounds and bruises	14	6,780	310	960	1,910	1,520	980	520	590
Surface wounds and bruises, unspecified	140	130	—	30	50	—	—	—	—
Abrasions, scratches	141	570	—	80	120	170	80	—	110
Bruises, contusions	143	5,880	290	830	1,710	1,250	840	510	470

See footnotes at end of table.

TABLE S92. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and time of day event occurred, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Multiple surface wounds and bruises	148	160	—	30	—	50	60	—	—
Surface wounds and bruises, n.e.c. ...	149	30	—	—	20	—	—	—	—
Burns and corrosions	15	370	—	—	170	40	70	20	50
Chemical burns and corrosions	151	110	—	—	60	—	—	—	20
Chemical burns and corrosions, unspecified	1510	100	—	—	50	—	—	—	20
Heat (thermal) burns	152	220	—	—	100	30	30	20	30
Heat (thermal) burns, unspecified ..	1520	160	—	—	70	20	20	20	30
First degree heat (thermal) burns ..	1521	40	—	—	20	—	—	—	—
Other burns	159	40	—	—	—	—	—	—	—
Intracranial injuries	16	950	80	80	280	140	150	150	60
Intracranial injuries, unspecified	160	100	40	—	—	20	—	—	20
Concussions	162	840	40	80	260	120	140	150	40
Effects of environmental conditions	17	230	—	—	—	100	90	—	20
Effects of reduced temperature	171	20	—	—	—	—	—	—	—
Frostbite	1711	20	—	—	—	—	—	—	—
Effects of heat and light	172	210	—	—	—	90	90	—	—
Heat exhaustion, prostration	1725	180	—	—	—	80	70	—	—
Effects of heat and light, n.e.c.	1729	20	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	2,720	160	340	960	610	370	150	140
Multiple traumatic injuries and disorders, unspecified	180	120	—	—	20	20	—	—	20
Cuts and abrasions or bruises	181	530	—	40	220	130	80	20	30
Sprains and other injuries	182	1,270	100	240	430	220	140	90	70
Sprains and other injuries, unspecified	1820	40	—	—	20	—	—	—	—
Sprains and bruises	1821	990	70	210	310	160	110	80	60
Sprains and cuts	1822	80	—	—	—	40	—	—	—
Sprains and other injuries, n.e.c. ...	1829	160	30	20	80	—	—	—	—
Fractures and other injuries	183	230	—	20	80	80	40	—	—
Fractures (except skull fractures) and concussions	1831	30	—	—	—	—	—	—	—
Fractures and other injuries, n.e.c.	1839	170	—	—	60	50	30	—	—
Burns and other injuries, except fractures	184	40	—	—	—	40	—	—	—
Burns and other injuries, n.e.c.	1849	40	—	—	—	40	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	530	—	30	220	120	100	40	20
Other traumatic injuries and disorders ...	19	17,120	570	2,280	4,250	3,990	2,540	1,430	2,070
Dermatitis and reactions affecting the skin—acute	195	390	—	110	50	200	—	—	—
Dermatitis and reactions affecting the skin—acute, unspecified	1950	140	—	—	—	—	—	—	—
Allergic dermatitis—acute	1951	190	—	—	30	160	—	—	—
Irritant dermatitis—acute	1952	50	—	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	680	—	40	200	110	100	80	140
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	280	—	—	30	30	60	70	90

See footnotes at end of table.

TABLE S92. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and time of day event occurred, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Poisoning, including poisoning-related asphyxia	1961	60	—	—	20	—	—	—	20
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	110	—	—	30	20	20	—	20
Coughing and throat irritation—toxic, noxious, or allergenic effect	1964	20	—	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	40	—	—	20	20	—	—	—
Other or unspecified allergic reactions	1966	130	—	—	90	—	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	30	—	—	—	20	—	—	—
Nonspecified injuries and disorders ...	197	15,940	550	2,060	3,980	3,680	2,430	1,330	1,910
Crushing injuries	1971	420	—	60	100	110	80	30	20
Soreness, pain, hurt—nonspecified injury	1972	13,740	460	1,780	3,440	3,130	2,170	1,020	1,740
Swelling, inflammation, irritation—nonspecified injury	1973	1,040	60	120	260	250	120	150	80
Numbness—nonspecified injury ...	1974	100	—	—	30	30	—	—	20
Multiple nonspecified injuries and disorders	1978	350	30	70	80	50	—	90	30
Nonspecified injuries and disorders, n.e.c.	1979	290	—	20	70	100	50	20	—
Other traumatic injuries and disorders, n.e.c.	199	100	—	50	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	1999	100	—	50	—	—	—	—	—
Diseases and disorders of body systems	2	1,220	—	270	160	350	20	40	370
Nervous system and sense organs diseases	22	440	—	20	70	200	—	—	140
Disorders of the peripheral nervous system	224	320	—	20	70	100	—	—	120
Disorders of the peripheral nervous system, unspecified	2240	60	—	—	—	40	—	—	20
Carpal tunnel syndrome	2241	260	—	20	70	60	—	—	110
Disorders of the eye, adnexa, vision ..	225	90	—	—	—	70	—	—	—
Conjunctivitis—non-viral	2251	70	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	226	30	—	—	—	—	—	—	—
Circulatory system diseases	23	150	—	—	30	20	—	40	40
Ischemic heart disease, including heart attack	233	60	—	—	—	—	—	—	40
Myocardial infarction (heart attack)	2331	40	—	—	—	—	—	—	—
Other forms of heart disease	235	30	—	—	—	—	—	—	—
Cerebrovascular disease	236	40	—	—	20	—	—	—	—
Stroke	2361	40	—	—	20	—	—	—	—

See footnotes at end of table.

TABLE S92. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and time of day event occurred, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Respiratory system diseases	24	90	—	—	—	—	—	—	70
Other diseases of upper respiratory tract	242	30	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	244	30	—	—	—	—	—	—	30
Asthma, except intrinsic	2443	30	—	—	—	—	—	—	30
Musculoskeletal system and connective tissue diseases and disorders	27	490	—	230	30	120	—	—	100
Dorsopathies	272	20	—	—	—	—	—	—	—
Soft tissue disorders, except the back	273	460	—	230	30	120	—	—	80
Stenosing tenosynovitis	2732	110	—	100	—	—	—	—	—
Epicondylitis	2734	130	—	—	—	—	—	—	20
Other or unspecified tendonitis (tendinitis)	2735	140	—	30	—	70	—	—	30
Soft tissue disorder, except the back, n.e.c.	2739	50	—	—	—	20	—	—	20
Disorders of the skin and subcutaneous tissue	28	40	—	—	—	—	—	—	20
Infections of the skin and subcutaneous tissue	281	40	—	—	—	—	—	—	20
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	20	—	—	—	—	—	—	20
Infectious and parasitic diseases	3	60	—	—	—	—	—	—	30
Other infectious and parasitic diseases	39	20	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	370	—	50	200	50	30	—	40
Symptoms	51	340	—	30	190	50	30	—	40
General symptoms	511	230	—	—	160	40	—	—	20
Loss of consciousness—not heat related	5111	110	—	—	80	20	—	—	—
Convulsions, seizures	5112	20	—	—	20	—	—	—	—
Dizziness—general	5114	50	—	—	40	—	—	—	—
Multiple general symptoms	5118	30	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	60	—	—	20	—	—	—	20
Symptoms involving respiratory system and chest, unspecified	5160	20	—	—	—	—	—	—	—
Chest pain	5164	20	—	—	—	—	—	—	—
Multiple symptoms	518	20	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	520	—	90	150	80	—	30	150
Mental disorders and syndromes	62	510	—	90	150	80	—	30	150
Anxiety, stress	621	510	—	90	150	80	—	30	140
Anxiety, stress, unspecified	6210	340	—	70	100	40	—	20	90
Post-traumatic stress disorder	6211	90	—	20	—	40	—	—	20
Anxiety or panic disorder	6213	40	—	—	40	—	—	—	—
Anxiety, stress, n.e.c.	6219	40	—	—	—	—	—	—	30

See footnotes at end of table.

TABLE S92. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and time of day event occurred, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Exposures to disease—no illness incurred	7	80	—	—	—	—	50	—	20
Nonclassifiable	9999	4,730	—	40	20	—	—	—	4,640

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.