

TABLE S101. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and age of worker, state government, 2014

Nature	Nature code ³	State government ⁴	Age						
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over
Total		170.3	249.6	102.2	160.3	179.9	195.0	169.8	111.6
Traumatic injuries and disorders	1	152.6	235.6	96.7	154.7	174.0	187.3	162.7	105.6
Traumatic injuries and disorders, unspecified	10	.1	—	—	—	—	.3	—	—
Traumatic injuries to bones, nerves, spinal cord	11	11.0	7.5	12.0	5.9	10.1	13.6	14.0	16.3
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	1.8	—	7.2	.4	2.9	1.1	2.3	1.6
Fractures	111	8.9	7.1	4.7	5.4	6.8	11.9	11.5	14.7
Traumatic injuries to nerves, except the spinal cord ..	113	.2	—	—	—	.3	.5	—	—
Pinched nerve	1131	.2	—	—	—	.3	.5	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	63.9	72.7	36.7	72.0	70.5	76.7	72.0	31.6
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	.6	—	—	2.2	—	.3	.4	—
Dislocations	121	1.0	—	—	.8	1.2	1.0	1.4	2.0
Dislocations, unspecified	1210	(⁵)	—	—	—	—	—	—	—
Herniated discs	1211	.3	—	—	—	.4	.3	.8	—
Dislocation of joints	1212	.7	—	—	.7	.8	.6	.6	1.8
Cartilage fractures and tears	122	.4	—	—	.3	.2	.6	.5	—
Meniscus tears	1221	.4	—	—	—	.2	.6	.5	—
Sprains, strains, tears	123	60.8	64.2	35.1	68.2	67.0	73.6	68.7	28.3
Sprains, strains, tears, unspecified	1230	7.2	—	4.7	7.2	7.3	9.6	9.4	2.5
Major tears to muscles, tendons, ligaments	1231	1.9	—	—	.5	1.9	3.6	2.2	—
Sprains	1232	18.7	36.4	10.1	27.5	20.6	17.3	20.5	8.3
Strains	1233	31.6	27.2	19.7	29.8	35.6	41.7	35.3	16.7
Multiple sprains, strains, tears	1238	1.5	—	—	3.1	1.6	1.5	1.3	—
Hernias due to traumatic incidents	124	.6	—	—	—	1.1	.9	.7	—
Whiplash	125	.2	—	.7	—	.2	.2	—	—
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	.1	—	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	.1	—	—	—	.5	—	—	—
Open wounds	13	6.4	11.6	8.9	8.6	8.4	6.0	4.2	4.5
Amputations, avulsions, enucleations	131	.5	—	1.7	1.1	.3	.4	—	—
Amputations	1311	.4	—	—	1.1	.3	.4	—	—
Avulsions, enucleations	1312	.1	—	1.6	—	—	—	—	—
Cuts, lacerations	132	4.6	—	5.7	4.9	6.6	4.8	2.9	4.0
Puncture wounds, except gunshot wounds	133	1.2	—	1.5	2.5	1.4	.6	1.1	—
Gunshot wounds	134	.1	—	—	—	—	—	—	—
Surface wounds and bruises	14	17.1	25.9	10.3	16.9	18.6	21.6	20.0	15.0
Surface wounds and bruises, unspecified	140	.3	—	—	.5	.6	.5	—	—
Abrasions, scratches	141	1.4	—	—	1.1	2.1	2.3	1.2	—
Bruises, contusions	143	14.9	25.5	9.6	14.7	15.4	18.0	18.3	14.3
Multiple surface wounds and bruises	148	.4	—	—	.6	.4	.6	.4	—
Surface wounds and bruises, n.e.c.	149	.1	—	—	—	—	.2	—	—
Burns and corrosions	15	.9	—	2.0	1.1	1.1	1.3	.5	—
Chemical burns and corrosions	151	.3	—	—	.3	—	.6	—	—
Chemical burns and corrosions, unspecified	1510	.3	—	—	.2	—	.6	—	—
Heat (thermal) burns	152	.5	—	1.5	.7	.6	.6	.3	—
Heat (thermal) burns, unspecified	1520	.4	—	1.4	.7	.5	.3	—	—

See footnotes at end of table.

TABLE S101. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and age of worker, state government, 2014 — Continued

Nature	Nature code ³	State government ⁴	Age						
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over
First degree heat (thermal) burns	1521	0.1	—	—	—	—	0.3	—	—
Other burns	159	.1	—	—	—	0.4	—	—	—
Intracranial injuries	16	2.4	29.1	0.9	1.5	3.2	2.5	2.7	3.7
Intracranial injuries, unspecified	160	.2	—	—	—	—	.3	.4	1.2
Concussions	162	2.1	29.1	.9	1.4	3.1	2.1	2.2	2.2
Effects of environmental conditions	17	.6	—	.8	1.8	.2	.4	.4	—
Effects of reduced temperature	171	(⁵)	—	—	—	—	—	—	—
Frostbite	1711	(⁵)	—	—	—	—	—	—	—
Effects of heat and light	172	.5	—	.7	1.8	.2	.4	.3	—
Heat exhaustion, prostration	1725	.4	—	—	1.6	—	.4	—	—
Effects of heat and light, n.e.c.	1729	.1	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	6.9	—	3.7	7.0	8.7	6.6	8.7	10.4
Multiple traumatic injuries and disorders, unspecified	180	.3	—	—	.8	—	—	.7	—
Cuts and abrasions or bruises	181	1.3	—	1.8	.8	2.4	1.0	1.6	1.7
Sprains and other injuries	182	3.2	—	1.4	3.1	3.9	3.8	4.1	2.9
Sprains and other injuries, unspecified	1820	.1	—	—	—	—	.2	—	—
Sprains and bruises	1821	2.5	—	.9	2.3	3.0	3.0	3.3	2.1
Sprains and cuts	1822	.2	—	—	—	—	.2	.6	—
Sprains and other injuries, n.e.c.	1829	.4	—	—	.5	.8	.3	—	—
Fractures and other injuries	183	.6	—	—	.5	.5	.7	.8	1.8
Fractures (except skull fractures) and concussions	1831	.1	—	—	—	—	—	—	—
Fractures and other injuries, n.e.c.	1839	.4	—	—	.2	.4	.5	.7	1.3
Burns and other injuries, except fractures	184	.1	—	—	—	—	—	—	—
Burns and other injuries, n.e.c.	1849	.1	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	1.3	—	—	1.4	1.9	1.1	1.4	3.9
Other traumatic injuries and disorders	19	43.3	85.7	21.3	39.9	53.3	58.2	40.3	23.8
Dermatitis and reactions affecting the skin—acute	195	1.0	—	6.9	2.0	.2	.5	.3	—
Dermatitis and reactions affecting the skin—acute, unspecified	1950	.4	—	—	1.6	—	—	—	—
Allergic dermatitis—acute	1951	.5	—	6.7	.3	—	—	—	—
Irritant dermatitis—acute	1952	.1	—	—	—	—	—	.2	—
Other poisoning, toxic, noxious, or allergenic effects	196	1.7	—	—	2.4	1.7	2.1	1.3	—
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	.7	—	—	.6	.6	.8	.7	—
Poisoning, including poisoning-related asphyxia	1961	.2	—	—	—	.5	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	.3	—	—	.7	.3	.3	.2	—
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	(⁵)	—	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	.1	—	—	—	—	.4	—	—
Other or unspecified allergic reactions	1966	.3	—	—	.9	—	.4	.2	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	.1	—	—	—	—	.2	—	—
Nonspecified injuries and disorders	197	40.3	79.7	13.8	35.5	51.1	55.3	38.1	23.4
Crushing injuries	1971	1.1	—	2.4	.4	1.2	1.6	1.0	—
Soreness, pain, hurt—nonspecified injury	1972	34.7	79.3	10.6	30.8	43.8	47.8	32.9	17.9
Swelling, inflammation, irritation—nonspecified injury	1973	2.6	—	.7	3.0	2.9	3.0	2.8	3.9
Numbness—nonspecified injury	1974	.3	—	—	—	.5	.2	.5	—

See footnotes at end of table.

TABLE S101. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and age of worker, state government, 2014 — Continued

Nature	Nature code ³	State government ⁴	Age						
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over
Multiple nonspecified injuries and disorders	1978	0.9	—	—	0.5	1.7	1.3	0.7	—
Nonspecified injuries and disorders, n.e.c.	1979	.7	—	—	.7	1.0	1.3	.2	—
Other traumatic injuries and disorders, n.e.c.	199	.2	—	—	—	—	.4	.6	—
Traumatic injuries and disorders, n.e.c.	1999	.2	—	—	—	—	.4	.6	—
Diseases and disorders of body systems	2	3.1	—	3.9	2.6	2.2	3.5	4.7	3.2
Nervous system and sense organs diseases	22	1.1	—	3.1	.2	.6	1.4	1.5	2.7
Disorders of the peripheral nervous system	224	.8	—	—	—	.6	1.2	1.1	2.7
Disorders of the peripheral nervous system, unspecified	2240	.1	—	—	—	.2	—	—	—
Carpal tunnel syndrome	2241	.7	—	—	—	.4	1.0	.9	—
Disorders of the eye, adnexa, vision	225	.2	—	—	—	—	.2	—	—
Conjunctivitis—non-viral	2251	.2	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	226	.1	—	—	—	—	—	—	—
Circulatory system diseases	23	.4	—	—	—	.6	.5	.8	—
Ischemic heart disease, including heart attack	233	.2	—	—	—	.5	—	—	—
Myocardial infarction (heart attack)	2331	.1	—	—	—	.3	—	—	—
Other forms of heart disease	235	.1	—	—	—	—	—	—	—
Cerebrovascular disease	236	.1	—	—	—	—	.2	.3	—
Stroke	2361	.1	—	—	—	—	.2	.3	—
Respiratory system diseases	24	.2	—	—	—	—	.2	—	—
Other diseases of upper respiratory tract	242	.1	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	244	.1	—	—	—	—	—	—	—
Asthma, except intrinsic	2443	.1	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	1.2	—	—	2.0	.8	1.2	2.0	—
Dorsopathies	272	.1	—	—	—	—	—	—	—
Soft tissue disorders, except the back	273	1.2	—	—	2.0	.6	1.2	1.9	—
Stenosing tenosynovitis	2732	.3	—	—	1.4	—	—	—	—
Epicondylitis	2734	.3	—	—	—	.2	.2	—	—
Other or unspecified tendonitis (tendinitis)	2735	.4	—	—	.4	.2	.9	—	—
Soft tissue disorder, except the back, n.e.c.	2739	.1	—	—	—	—	—	.3	—
Disorders of the skin and subcutaneous tissue	28	.1	—	—	.3	—	—	—	—
Infections of the skin and subcutaneous tissue	281	.1	—	—	.3	—	—	—	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	(⁵)	—	—	—	—	—	—	—
Infectious and parasitic diseases	3	.1	—	—	—	—	.4	—	—
Other infectious and parasitic diseases	39	(⁵)	—	—	—	—	.2	—	—
Symptoms, signs, and ill-defined conditions	5	.9	—	—	.8	1.3	1.2	1.1	—
Symptoms	51	.9	—	—	.7	1.2	1.1	1.0	—
General symptoms	511	.6	—	—	.3	.9	.7	.8	—
Loss of consciousness—not heat related	5111	.3	—	—	—	.3	.2	.7	—
Convulsions, seizures	5112	.1	—	—	—	—	—	—	—
Dizziness—general	5114	.1	—	—	—	.3	.2	—	—
Multiple general symptoms	5118	.1	—	—	—	.3	—	—	—
Symptoms involving respiratory system and chest	516	.2	—	—	.3	—	—	—	—

See footnotes at end of table.

TABLE S101. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and age of worker, state government, 2014 — Continued

Nature	Nature code ³	State government ⁴	Age						
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over
Symptoms involving respiratory system and chest, unspecified	5160	(⁵)	—	—	—	—	—	—	—
Chest pain	5164	(⁵)	—	—	—	—	—	—	—
Multiple symptoms	518	.1	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	1.3	—	—	0.9	2.0	2.2	0.8	1.2
Mental disorders and syndromes	62	1.3	—	—	.9	2.0	2.2	.7	1.2
Anxiety, stress	621	1.3	—	—	.9	2.0	2.2	.7	1.2
Anxiety, stress, unspecified	6210	.9	—	—	.5	.8	1.9	.6	.9
Post-traumatic stress disorder	6211	.2	—	—	—	.7	—	—	—
Anxiety or panic disorder	6213	.1	—	—	—	.4	—	—	—
Anxiety, stress, n.e.c.	6219	.1	—	—	.3	—	—	—	—

See footnotes at end of table.

TABLE S101. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and age of worker, state government, 2014 — Continued

Nature	Nature code ³	State government ⁴	Age						
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over
Exposures to disease—no illness incurred	7	0.2	—	0.7	0.7	—	—	—	—
Nonclassifiable	9999	11.9	—	—	.5	0.2	0.4	0.4	—

¹ The incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as (N/EH) x 20,000,000, where
N = number of injuries and illnesses
EH = total hours worked by all employees during the calendar year
20,000,000 = base for 10,000 equivalent full-time workers
(working 40 hours per week, 50 weeks per year).

² Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data too small to be displayed.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.