

TABLE S103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, state government, 2014

Nature	Nature code ³	State government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Total		170.3	48.2	27.6	58.7	227.3	489.4	169.6
Traumatic injuries and disorders	1	152.6	41.2	26.7	57.8	220.1	470.4	148.7
Traumatic injuries and disorders, unspecified	10	.1	–	–	–	–	–	–
Traumatic injuries to bones, nerves, spinal cord	11	11.0	8.7	2.8	5.3	16.4	24.8	–
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	1.8	–	–	.5	4.1	8.1	–
Fractures	111	8.9	8.4	2.5	4.7	12.3	15.7	–
Traumatic injuries to nerves, except the spinal cord	113	.2	–	–	–	–	.9	–
Pinched nerve	1131	.2	–	–	–	–	.9	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc. ...	12	63.9	13.4	9.1	20.2	84.8	195.1	26.1
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	.6	–	–	–	–	2.8	–
Dislocations	121	1.0	–	–	.6	1.5	3.4	–
Dislocations, unspecified	1210	(⁶)	–	–	–	–	–	–
Herniated discs	1211	.3	–	–	.2	–	1.1	–
Dislocation of joints	1212	.7	–	–	.4	1.1	2.3	–
Cartilage fractures and tears ...	122	.4	–	–	–	–	1.0	–
Meniscus tears	1221	.4	–	–	–	–	.9	–
Sprains, strains, tears	123	60.8	13.0	8.8	19.4	81.8	184.1	26.1
Sprains, strains, tears, unspecified	1230	7.2	1.2	.8	5.1	7.3	23.6	–
Major tears to muscles, tendons, ligaments	1231	1.9	–	1.6	.6	.8	7.1	–
Sprains	1232	18.7	2.5	2.3	4.9	24.2	57.5	–
Strains	1233	31.6	8.7	3.9	8.4	47.7	91.2	17.7
Multiple sprains, strains, tears	1238	1.5	.5	–	.4	1.7	4.7	–
Hernias due to traumatic incidents	124	.6	–	–	–	–	2.3	–
Whiplash	125	.2	–	–	–	.8	.6	–
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	.1	–	–	–	–	–	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	.1	–	–	–	–	.6	–
Open wounds	13	6.4	.5	.8	1.7	5.1	22.9	–

See footnotes at end of table.

TABLE S103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Total	62.5	181.7	503.2	328.8	298.7	—
Traumatic injuries and disorders	58.5	181.7	491.2	323.5	294.4	—
Traumatic injuries and disorders, unspecified	—	—	—	—	—	—
Traumatic injuries to bones, nerves, spinal cord	5.2	29.2	39.1	16.7	—	—
Traumatic injuries to bones, nerves, spinal cord, unspecified	—	—	—	—	—	—
Fractures	5.0	29.2	38.2	14.8	—	—
Traumatic injuries to nerves, except the spinal cord	—	—	—	—	—	—
Pinched nerve	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc. ...	23.5	37.1	258.1	144.6	145.3	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	—	—	—	—	—	—
Dislocations	—	—	4.2	3.0	—	—
Dislocations, unspecified	—	—	—	—	—	—
Herniated discs	—	—	2.0	2.1	—	—
Dislocation of joints	—	—	2.2	—	—	—
Cartilage fractures and tears5	—	2.3	—	—	—
Meniscus tears	—	—	2.3	—	—	—
Sprains, strains, tears	22.7	35.4	241.6	137.9	132.2	—
Sprains, strains, tears, unspecified	2.7	—	17.6	11.5	—	—
Major tears to muscles, tendons, ligaments8	—	2.9	2.5	—	—
Sprains	5.0	24.7	60.3	32.7	68.4	—
Strains	12.9	—	159.1	83.6	48.8	—
Multiple sprains, strains, tears	1.4	—	—	7.5	—	—
Hernias due to traumatic incidents	—	—	7.4	2.0	—	—
Whiplash	—	—	—	—	—	—
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	—	—	—	—	—	—
Open wounds	2.0	13.1	23.8	34.7	12.0	—

See footnotes at end of table.

TABLE S103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Nature code ³	State government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Amputations, avulsions, enucleations	131	0.5	—	—	0.2	—	0.5	—
Amputations	1311	.4	—	—	—	—	—	—
Avulsions, enucleations	1312	.1	—	—	—	—	—	—
Cuts, lacerations	132	4.6	0.4	0.5	1.2	2.5	16.8	—
Puncture wounds, except gunshot wounds	133	1.2	—	—	.3	1.8	4.8	—
Gunshot wounds	134	.1	—	—	—	—	.5	—
Surface wounds and bruises	14	17.1	5.2	1.7	10.0	27.6	45.0	32.6
Surface wounds and bruises, unspecified	140	.3	—	—	—	—	1.0	—
Abrasions, scratches	141	1.4	.8	—	.9	1.3	4.0	—
Bruises, contusions	143	14.9	3.8	1.1	8.4	25.7	39.3	20.2
Multiple surface wounds and bruises	148	.4	.4	—	.4	—	.5	12.4
Surface wounds and bruises, n.e.c.	149	.1	—	—	—	—	—	—
Burns and corruptions	15	.9	—	1.1	—	1.1	3.4	—
Chemical burns and corruptions	151	.3	—	—	—	—	1.1	—
Chemical burns and corruptions, unspecified	1510	.3	—	—	—	—	1.0	—
Heat (thermal) burns	152	.5	—	—	—	.8	2.2	—
Heat (thermal) burns, unspecified	1520	.4	—	—	—	—	1.6	—
First degree heat (thermal) burns	1521	.1	—	—	—	—	.4	—
Other burns	159	.1	—	—	—	—	—	—
Intracranial injuries	16	2.4	.8	.7	.7	4.8	7.6	—
Intracranial injuries, unspecified	160	.2	—	—	—	—	1.2	—
Concussions	162	2.1	.8	.7	.5	4.8	6.2	—
Effects of environmental conditions	17	.6	—	—	—	—	2.7	—
Effects of reduced temperature	171	(⁶)	—	—	—	—	—	—
Frostbite	1711	(⁶)	—	—	—	—	—	—
Effects of heat and light	172	.5	—	—	—	—	2.6	—
Heat exhaustion, prostration	1725	.4	—	—	—	—	2.2	—
Effects of heat and light, n.e.c.	1729	.1	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	6.9	1.8	2.3	3.4	10.1	21.7	24.2
Multiple traumatic injuries and disorders, unspecified	180	.3	—	—	—	—	1.0	—
Cuts and abrasions or bruises	181	1.3	—	.9	.3	.6	5.1	—

See footnotes at end of table.

TABLE S103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Amputations, avulsions, enucleations	—	—	1.9	11.3	—	—
Amputations	—	—	—	11.3	—	—
Avulsions, enucleations	—	—	—	—	—	—
Cuts, lacerations	1.5	—	20.6	21.0	9.3	—
Puncture wounds, except gunshot wounds5	—	—	—	—	—
Gunshot wounds	—	—	—	—	—	—
Surface wounds and bruises	8.4	14.3	56.9	27.7	16.3	—
Surface wounds and bruises, unspecified	—	—	—	—	—	—
Abrasions, scratches9	—	3.1	6.0	—	—
Bruises, contusions	7.2	—	51.9	20.9	14.9	—
Multiple surface wounds and bruises	—	—	—	—	—	—
Surface wounds and bruises, n.e.c.	—	—	—	—	—	—
Burns and corruptions	—	—	2.2	4.6	—	—
Chemical burns and corruptions	—	—	—	—	—	—
Chemical burns and corruptions, unspecified	—	—	—	—	—	—
Heat (thermal) burns	—	—	—	3.7	—	—
Heat (thermal) burns, unspecified	—	—	—	3.1	—	—
First degree heat (thermal) burns	—	—	—	—	—	—
Other burns	—	—	—	—	—	—
Intracranial injuries	1.0	—	7.8	3.2	—	—
Intracranial injuries, unspecified	—	—	—	—	—	—
Concussions9	—	7.8	2.1	—	—
Effects of environmental conditions	—	—	2.7	—	—	—
Effects of reduced temperature	—	—	—	—	—	—
Frostbite	—	—	—	—	—	—
Effects of heat and light	—	—	2.7	—	—	—
Heat exhaustion, prostration	—	—	2.4	—	—	—
Effects of heat and light, n.e.c.	—	—	—	—	—	—
Multiple traumatic injuries and disorders	3.8	—	13.7	10.3	9.3	—
Multiple traumatic injuries and disorders, unspecified	—	—	—	—	—	—
Cuts and abrasions or bruises	1.3	—	4.9	—	—	—

See footnotes at end of table.

TABLE S103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Nature code ³	State government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Sprains and other injuries	182	3.2	1.1	—	1.5	4.4	10.7	—
Sprains and other injuries, unspecified	1820	.1	—	—	—	—	—	—
Sprains and bruises	1821	2.5	1.0	—	1.2	4.0	8.2	—
Sprains and cuts	1822	.2	—	—	—	—	.4	—
Sprains and other injuries, n.e.c.	1829	.4	—	—	—	—	1.9	—
Fractures and other injuries	183	.6	—	—	.4	—	1.4	—
Fractures (except skull fractures) and concussions	1831	.1	—	—	—	—	—	—
Fractures and other injuries, n.e.c.	1839	.4	—	—	.2	—	1.3	—
Burns and other injuries, except fractures	184	.1	—	—	—	—	—	—
Burns and other injuries, n.e.c.	1849	.1	—	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	1.3	.3	0.8	.8	4.8	3.5	—
Other traumatic injuries and disorders	19	43.3	10.6	7.4	16.2	70.2	147.0	36.5
Dermatitis and reactions affecting the skin—acute	195	1.0	—	—	—	1.1	2.9	—
Dermatitis and reactions affecting the skin—acute, unspecified	1950	.4	—	—	—	—	—	—
Allergic dermatitis—acute	1951	.5	—	—	—	—	2.6	—
Irritant dermatitis—acute	1952	.1	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	1.7	.3	2.0	.2	2.5	4.5	—
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	.7	—	2.0	—	2.4	1.5	—
Poisoning, including poisoning-related asphyxia	1961	.2	—	—	—	—	.4	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	.3	—	—	—	—	.9	—
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	(⁶)	—	—	—	—	.3	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	.1	—	—	—	—	.5	—

See footnotes at end of table.

TABLE S103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Sprains and other injuries	1.7	—	6.5	6.9	—	—
Sprains and other injuries, unspecified	—	—	—	—	—	—
Sprains and bruises	1.3	—	1.9	6.2	—	—
Sprains and cuts	—	—	3.4	—	—	—
Sprains and other injuries, n.e.c.	—	—	—	—	—	—
Fractures and other injuries5	—	—	2.2	—	—
Fractures (except skull fractures) and concussions	—	—	—	—	—	—
Fractures and other injuries, n.e.c.5	—	—	2.1	—	—
Burns and other injuries, except fractures	—	—	—	—	—	—
Burns and other injuries, n.e.c.	—	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	—	—	—	—	—	—
Other traumatic injuries and disorders	14.4	84.5	86.9	81.1	107.4	—
Dermatitis and reactions affecting the skin—acute	—	—	2.4	—	—	—
Dermatitis and reactions affecting the skin—acute, unspecified	—	—	—	—	—	—
Allergic dermatitis—acute	—	—	1.8	—	—	—
Irritant dermatitis—acute	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects9	57.1	—	3.3	—	—
Poisoning, toxic, noxious, or allergenic effect, unspecified2	—	—	—	—	—
Poisoning, including poisoning-related asphyxia	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect3	—	—	—	—	—
Coughing and throat irritation— toxic, noxious, or allergenic effect	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	—	—	—	—	—	—

See footnotes at end of table.

TABLE S103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Nature code ³	State government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Other or unspecified allergic reactions	1966	0.3	—	—	—	—	0.6	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	.1	—	—	—	—	.3	—
Nonspecified injuries and disorders	197	40.3	10.3	5.3	16.0	66.0	138.5	35.8
Crushing injuries	1971	1.1	—	—	—	1.0	3.5	—
Soreness, pain, hurt—nonspecified injury	1972	34.7	9.2	4.8	14.2	58.3	119.6	17.1
Swelling, inflammation, irritation—nonspecified injury	1973	2.6	—	—	1.2	4.2	9.0	—
Numbness—nonspecified injury	1974	.3	—	—	—	—	—	—
Multiple nonspecified injuries and disorders	1978	.9	.6	—	.3	—	3.5	—
Nonspecified injuries and disorders, n.e.c.	1979	.7	.3	—	.2	1.9	2.8	—
Other traumatic injuries and disorders, n.e.c.	199	.2	—	—	—	—	.9	—
Traumatic injuries and disorders, n.e.c.	1999	.2	—	—	—	—	.9	—
Diseases and disorders of body systems	2	3.1	5.7	—	.5	1.4	9.5	—
Nervous system and sense organs diseases	22	1.1	1.2	—	.2	.8	3.5	—
Disorders of the peripheral nervous system	224	.8	1.2	—	.2	.8	2.1	—
Disorders of the peripheral nervous system, unspecified	2240	.1	—	—	—	—	.6	—
Carpal tunnel syndrome	2241	.7	1.2	—	.2	—	1.6	—
Disorders of the eye, adnexa, vision	225	.2	—	—	—	—	1.3	—
Conjunctivitis—non-viral	2251	.2	—	—	—	—	1.1	—
Disorders of the ear, mastoid process, hearing	226	.1	—	—	—	—	—	—
Circulatory system diseases	23	.4	.6	—	—	—	1.5	—
Ischemic heart disease, including heart attack	233	.2	—	—	—	—	.8	—
Myocardial infarction (heart attack)	2331	.1	—	—	—	—	.6	—

See footnotes at end of table.

TABLE S103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Other or unspecified allergic reactions	—	—	—	2.5	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	—	—	—	—	—	—
Nonspecified injuries and disorders	13.4	26.1	82.9	77.3	107.4	—
Crushing injuries	1.2	—	1.8	4.3	—	—
Soreness, pain, hurt—nonspecified injury	10.6	18.8	69.8	61.4	99.0	—
Swelling, inflammation, irritation—nonspecified injury4	—	4.4	7.9	—	—
Numbness—nonspecified injury6	—	3.6	—	—	—
Multiple nonspecified injuries and disorders3	—	3.3	—	—	—
Nonspecified injuries and disorders, n.e.c.3	—	—	—	—	—
Other traumatic injuries and disorders, n.e.c.	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	—	—	—	—	—	—
Diseases and disorders of body systems	1.8	—	5.7	—	—	—
Nervous system and sense organs diseases8	—	1.9	—	—	—
Disorders of the peripheral nervous system8	—	1.9	—	—	—
Disorders of the peripheral nervous system, unspecified	—	—	—	—	—	—
Carpal tunnel syndrome6	—	1.9	—	—	—
Disorders of the eye, adnexa, vision	—	—	—	—	—	—
Conjunctivitis—non-viral	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	—	—	—	—	—	—
Circulatory system diseases	—	—	—	—	—	—
Ischemic heart disease, including heart attack	—	—	—	—	—	—
Myocardial infarction (heart attack)	—	—	—	—	—	—

See footnotes at end of table.

TABLE S103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Nature code ³	State government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Other forms of heart disease ...	235	0.1	—	—	—	—	—	—
Cerebrovascular disease	236	.1	—	—	—	—	0.5	—
Stroke	2361	.1	—	—	—	—	.5	—
Respiratory system diseases	24	.2	—	—	—	—	1.0	—
Other diseases of upper respiratory tract	242	.1	—	—	—	—	.5	—
Chronic obstructive pulmonary disease and allied conditions ..	244	.1	—	—	—	—	.5	—
Asthma, except intrinsic	2443	.1	—	—	—	—	.5	—
Musculoskeletal system and connective tissue diseases and disorders	27	1.2	3.8	—	—	0.6	2.7	—
Dorsopathies	272	.1	—	—	—	—	—	—
Soft tissue disorders, except the back	273	1.2	3.8	—	—	—	2.5	—
Stenosing tenosynovitis	2732	.3	—	—	—	—	—	—
Epicondylitis	2734	.3	—	—	—	—	.3	—
Other or unspecified tendonitis (tendinitis)	2735	.4	—	—	—	—	1.3	—
Soft tissue disorder, except the back, n.e.c.	2739	.1	—	—	—	—	.7	—
Disorders of the skin and subcutaneous tissue	28	.1	—	—	—	—	.6	—
Infections of the skin and subcutaneous tissue	281	.1	—	—	—	—	.6	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	(⁶)	—	—	—	—	.3	—
Infectious and parasitic diseases	3	.1	.3	—	—	1.1	—	—
Other infectious and parasitic diseases	39	(⁶)	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	.9	.3	—	0.3	.8	3.3	—
Symptoms	51	.9	.3	—	.3	—	3.1	—
General symptoms	511	.6	—	—	.2	—	2.3	—
Loss of consciousness—not heat related	5111	.3	—	—	—	—	1.2	—
Convulsions, seizures	5112	.1	—	—	—	—	.3	—
Dizziness—general	5114	.1	—	—	—	—	.5	—
Multiple general symptoms ..	5118	.1	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	.2	—	—	—	—	.6	—

See footnotes at end of table.

TABLE S103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Other forms of heart disease ...	—	—	—	—	—	—
Cerebrovascular disease	—	—	—	—	—	—
Stroke	—	—	—	—	—	—
Respiratory system diseases	—	—	—	—	—	—
Other diseases of upper respiratory tract	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions ..	—	—	—	—	—	—
Asthma, except intrinsic	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	1.0	—	2.2	—	—	—
Dorsopathies	—	—	—	—	—	—
Soft tissue disorders, except the back	1.0	—	—	—	—	—
Stenosing tenosynovitis	—	—	—	—	—	—
Epicondylitis	—	—	—	—	—	—
Other or unspecified tendonitis (tendinitis)6	—	—	—	—	—
Soft tissue disorder, except the back, n.e.c.	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	—	—	—	—	—	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	—	—	—	—	—	—
Infectious and parasitic diseases	—	—	—	—	—	—
Other infectious and parasitic diseases	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions7	—	—	—	—	—
Symptoms7	—	—	—	—	—
General symptoms6	—	—	—	—	—
Loss of consciousness—not heat related	—	—	—	—	—	—
Convulsions, seizures	—	—	—	—	—	—
Dizziness—general	—	—	—	—	—	—
Multiple general symptoms ..	.4	—	—	—	—	—
Symptoms involving respiratory system and chest	—	—	—	—	—	—

See footnotes at end of table.

TABLE S103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Nature code ³	State government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Symptoms involving respiratory system and chest, unspecified	5160	(⁶)	—	—	—	—	—	—
Chest pain	5164	(⁶)	—	—	—	—	—	—
Multiple symptoms	518	.1	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	1.3	0.3	—	0.3	3.7	3.6	—
Mental disorders and syndromes	62	1.3	.3	—	.3	3.6	3.6	—
Anxiety, stress	621	1.3	.3	—	.3	3.6	3.6	—
Anxiety, stress, unspecified	6210	.9	—	—	.3	1.6	2.1	—
Post-traumatic stress disorder	6211	.2	—	—	—	1.2	.9	—
Anxiety or panic disorder	6213	.1	—	—	—	—	.6	—
Anxiety, stress, n.e.c.	6219	.1	—	—	—	—	—	—
Exposures to disease—no illness incurred	7	.2	—	—	—	—	1.2	—

See footnotes at end of table.

TABLE S103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Symptoms involving respiratory system and chest, unspecified	—	—	—	—	—	—
Chest pain	—	—	—	—	—	—
Multiple symptoms	—	—	—	—	—	—
Other diseases, conditions, and disorders	1.0	—	2.7	—	—	—
Mental disorders and syndromes	1.0	—	2.7	—	—	—
Anxiety, stress	1.0	—	2.7	—	—	—
Anxiety, stress, unspecified	.9	—	2.7	—	—	—
Post-traumatic stress disorder	—	—	—	—	—	—
Anxiety or panic disorder	—	—	—	—	—	—
Anxiety, stress, n.e.c.	—	—	—	—	—	—
Exposures to disease—no illness incurred	—	—	—	—	—	—

See footnotes at end of table.

TABLE S103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Nature code ³	State government ⁴	Summary occupational groups ⁵					Service occupations	Sales and related occupations
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations			
Nonclassifiable	9999	11.9	—	—	—	—	0.9	—	

See footnotes at end of table.

TABLE S103. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and summary occupational groups, state government, 2014 — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Nonclassifiable	—	—	2.5	2.1	—	—

¹ The incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as (N/EH) x 20,000,000, where

N = number of injuries and illnesses

EH = total hours worked by all employees during the calendar year

20,000,000 = base for 10,000 equivalent full-time workers

(working 40 hours per week, 50 weeks per year).

² Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ *Standard Occupational Classification Manual*, 2010, Office of Management and Budget.

⁶ Data too small to be displayed.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.