

Table R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, 1993

Part of body	Part of body code ³	Total cases	Nature of injury or illness						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Private industry [2,252,591 cases]		285.6	121.6	17.3	25.7	26.8	4.8	2.0	1.4
Head	0	19.7	0.1	0.6	3.0	2.2	0.4	1.2	-
Head, unspecified	00	2.8	-	-	0.5	1.0	-	-	-
Cranial region, including skull	01	1.8	-	-	0.3	0.2	-	-	-
Cranial region, unspecified	010	0.1	-	-	-	-	-	-	-
Brain	011	1.0	-	-	-	-	-	-	-
Scalp	012	0.6	-	-	0.3	0.2	-	-	-
Skull	013	0.1	-	-	-	-	-	-	-
Multiple cranial region locations	018	-	-	-	-	-	-	-	-
Cranial region, n.e.c.	019	-	-	-	-	-	-	-	-
Ear(s)	02	0.4	-	-	0.1	-	-	-	-
Face	03	14.4	-	0.5	2.0	0.9	0.3	1.2	-
Face, unspecified	030	0.6	-	-	0.2	0.1	0.1	-	-
Forehead	031	0.7	-	-	0.4	0.2	-	-	-
Eye(s)	032	11.2	-	-	1.0	0.4	0.2	1.1	-
Nose, nasal cavity	033	0.5	-	0.2	0.1	0.1	-	-	-
Nose, except internal location of diseases or disorders	0330	0.5	-	0.2	0.1	0.1	-	-	-
Internal nasal location, unspecified	0331	-	-	-	-	-	-	-	-
Nasal passages	0333	-	-	-	-	-	-	-	-
Sinuses	0334	-	-	-	-	-	-	-	-
Cheek(s)	034	0.2	-	-	0.1	-	-	-	-
Jaw/chin	035	0.2	-	0.1	0.1	-	-	-	-
Mouth	036	0.5	-	0.2	0.2	-	-	-	-
Mouth, unspecified	0360	0.1	-	-	-	-	-	-	-
Lip(s)	0361	0.2	-	-	0.1	-	-	-	-
Tooth(teeth)	0363	0.2	-	0.2	-	-	-	-	-
Multiple mouth locations	0368	-	-	-	-	-	-	-	-
Mouth, n.e.c.	0369	-	-	-	-	-	-	-	-
Multiple face locations	038	0.4	-	-	0.1	-	-	-	-
Face, n.e.c.	039	0.1	-	-	-	-	-	-	-
Multiple head locations	08	0.3	-	-	-	-	-	-	-
Head, n.e.c.	09	-	-	-	-	-	-	-	-
Neck, including throat	1	5.2	3.8	-	-	0.1	-	-	-
Neck, except internal location of diseases or disorders	10	5.1	3.8	-	-	0.1	-	-	-
Internal neck location, unspecified	11	-	-	-	-	-	-	-	-
Vocal cord(s)	12	-	-	-	-	-	-	-	-
Internal neck location, n.e.c.	19	-	-	-	-	-	-	-	-
Trunk	2	110.2	78.0	2.2	0.3	5.5	0.2	-	-
Trunk, unspecified	20	1.6	0.2	-	-	0.1	-	-	-
Shoulder, including clavicle, scapula	21	13.4	8.7	0.4	-	1.0	-	-	-
Chest, including ribs, internal organs	22	4.9	1.2	0.9	0.1	1.3	-	-	-
Chest, except internal location of diseases or disorders	220	4.2	1.2	0.9	0.1	1.3	-	-	-
Internal chest location, unspecified	221	0.1	-	-	-	-	-	-	-
Esophagus	222	-	-	-	-	-	-	-	-
Heart	223	0.1	-	-	-	-	-	-	-
Bronchus	224	0.1	-	-	-	-	-	-	-
Lung(s), pleura	225	0.3	-	-	-	-	-	-	-
Multiple internal chest locations	228	-	-	-	-	-	-	-	-
Internal chest location, n.e.c.	229	-	-	-	-	-	-	-	-
Back, including spine, spinal cord	23	78.0	62.8	0.4	-	1.8	0.1	-	-
Back, including spine, spinal cord, unspecified	230	39.3	31.7	0.2	-	0.9	0.1	-	-
Lumbar region	231	32.6	26.7	0.1	-	0.6	-	-	-
Thoracic region	232	2.7	2.1	-	-	0.1	-	-	-
Sacral region	233	0.4	0.3	-	-	-	-	-	-
Coccygeal region	234	0.5	-	0.1	-	0.2	-	-	-
Multiple back regions	238	2.1	1.8	-	-	-	-	-	-
Back, including spine, spinal cord, n.e.c.	239	0.2	0.1	-	-	-	-	-	-
Abdomen	24	2.6	1.0	-	0.1	0.1	-	-	-
Abdomen, except internal location of diseases or disorders	240	1.9	1.0	-	0.1	0.1	-	-	-
Internal abdominal location, unspecified	241	0.2	-	-	-	-	-	-	-

See footnotes at end of table.

Table R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, 1993 — Continued

Part of body	Nature of injury or illness							
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		All other natures ⁴
			Total	With fractures and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Private industry [2,252,591 cases]	5.2	3.2	9.3	1.7	3.4	16.2	7.4	52.2
Head	—	—	0.5	0.1	—	0.4	—	11.4
Head, unspecified	—	—	0.1	—	—	0.2	—	1.0
Cranial region, including skull	—	—	—	—	—	—	—	1.1
Cranial region, unspecified	—	—	—	—	—	—	—	—
Brain	—	—	—	—	—	—	—	1.0
Scalp	—	—	—	—	—	—	—	—
Skull	—	—	—	—	—	—	—	—
Multiple cranial region locations	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	—	—	—	—	0.3
Face	—	—	0.3	0.1	—	0.1	—	9.0
Face, unspecified	—	—	—	—	—	—	—	0.2
Forehead	—	—	—	—	—	—	—	0.1
Eye(s)	—	—	0.1	—	—	0.1	—	8.4
Nose, nasal cavity	—	—	—	—	—	—	—	0.1
Nose, except internal location of diseases or disorders	—	—	—	—	—	—	—	0.1
Internal nasal location, unspecified	—	—	—	—	—	—	—	—
Nasal passages	—	—	—	—	—	—	—	—
Sinuses	—	—	—	—	—	—	—	—
Cheek(s)	—	—	—	—	—	—	—	—
Jaw/chin	—	—	—	—	—	—	—	—
Mouth	—	—	—	—	—	—	—	0.1
Mouth, unspecified	—	—	—	—	—	—	—	—
Lip(s)	—	—	—	—	—	—	—	—
Tooth(teeth)	—	—	—	—	—	—	—	—
Multiple mouth locations	—	—	—	—	—	—	—	—
Mouth, n.e.c.	—	—	—	—	—	—	—	—
Multiple face locations	—	—	0.1	—	—	—	—	0.1
Face, n.e.c.	—	—	—	—	—	—	—	—
Multiple head locations	—	—	0.1	—	—	—	—	0.1
Head, n.e.c.	—	—	—	—	—	—	—	—
Neck, including throat	—	—	—	—	—	0.4	—	0.7
Neck, except internal location of diseases or disorders	—	—	—	—	—	0.4	—	0.7
Internal neck location, unspecified	—	—	—	—	—	—	—	—
Vocal cord(s)	—	—	—	—	—	—	—	—
Internal neck location, n.e.c.	—	—	—	—	—	—	—	—
Trunk	—	0.5	0.9	0.1	0.6	9.4	7.4	13.2
Trunk, unspecified	—	—	—	—	—	—	—	1.2
Shoulder, including clavicle, scapula	—	0.5	0.1	—	0.1	1.0	—	1.7
Chest, including ribs, internal organs	—	—	0.1	—	—	0.3	—	1.0
Chest, except internal location of diseases or disorders	—	—	0.1	—	—	0.3	—	0.4
Internal chest location, unspecified	—	—	—	—	—	—	—	0.1
Esophagus	—	—	—	—	—	—	—	—
Heart	—	—	—	—	—	—	—	0.1
Bronchus	—	—	—	—	—	—	—	0.1
Lung(s), pleura	—	—	—	—	—	—	—	0.3
Multiple internal chest locations	—	—	—	—	—	—	—	—
Internal chest location, n.e.c.	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	—	—	0.4	—	0.3	7.4	7.4	5.0
Back, including spine, spinal cord, unspecified	—	—	0.2	—	0.2	3.6	3.6	2.6
Lumbar region	—	—	0.1	—	0.1	3.3	3.3	1.9
Thoracic region	—	—	0.1	—	0.1	0.2	0.2	0.2
Sacral region	—	—	—	—	—	—	—	—
Coccygeal region	—	—	—	—	—	—	—	—
Multiple back regions	—	—	—	—	—	0.1	0.1	0.1
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	—	—
Abdomen	—	—	—	—	—	0.2	—	1.2
Abdomen, except internal location of diseases or disorders	—	—	—	—	—	0.2	—	0.5
Internal abdominal location, unspecified	—	—	—	—	—	—	—	0.2

See footnotes at end of table.

Table R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, 1993 — Continued

Part of body	Part of body code ³	Total cases	Nature of injury or illness							
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations	
Stomach organ	242	0.3	—	—	—	—	—	—	—	—
Urinary organs	244	—	—	—	—	—	—	—	—	—
Kidney(s)	2442	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	0.2	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	2450	0.1	—	—	—	—	—	—	—	—
Large intestine/colon, rectum	2453	0.1	—	—	—	—	—	—	—	—
Other digestive structures	246	—	—	—	—	—	—	—	—	—
Liver	2461	—	—	—	—	—	—	—	—	—
Multiple internal abdominal locations	248	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	—	—	—	—	—	—	—	—	—
Pelvic region	25	7.5	2.9	0.4	0.1	0.9	—	—	—	—
Pelvic region, unspecified	250	0.2	—	—	—	—	—	—	—	—
Hip(s)	251	1.9	0.6	0.3	—	0.5	—	—	—	—
Pelvis	252	0.2	—	0.1	—	—	—	—	—	—
Buttock(s)	253	0.3	—	—	—	0.1	—	—	—	—
Groin	254	4.7	2.0	—	—	0.1	—	—	—	—
External reproductive tract structures	255	0.1	—	—	—	—	—	—	—	—
External reproductive tract structures, unspecified	2550	—	—	—	—	—	—	—	—	—
Scrotum	2551	0.1	—	—	—	—	—	—	—	—
Penis	2552	—	—	—	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	2559	—	—	—	—	—	—	—	—	—
Internal reproductive tract structures	256	—	—	—	—	—	—	—	—	—
Testis(testes)	2562	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	258	0.1	—	—	—	—	—	—	—	—
Pelvic region, n.e.c.	259	0.1	—	—	—	—	—	—	—	—
Multiple trunk locations	28	2.2	1.1	—	—	0.3	—	—	—	—
Trunk, n.e.c.	29	0.1	—	—	—	—	—	—	—	—
Upper extremities	3	65.8	9.3	6.8	18.6	5.8	2.4	0.3	1.4	—
Upper extremities, unspecified	30	0.1	—	—	—	—	—	—	—	—
Arm(s)	31	11.7	2.9	1.4	1.2	1.8	0.6	0.1	—	—
Arm(s), unspecified	310	4.3	1.3	0.5	0.5	0.4	0.4	—	—	—
Upper arm(s)	311	0.5	0.2	—	—	0.1	—	—	—	—
Elbow(s)	312	4.3	0.9	0.6	0.2	1.0	—	—	—	—
Forearm(s)	313	2.0	0.4	0.2	0.5	0.3	0.2	—	—	—
Multiple arm(s) locations	318	0.3	0.1	—	—	—	—	—	—	—
Arm(s), n.e.c.	319	0.2	0.1	—	—	—	—	—	—	—
Wrist(s)	32	14.5	3.8	1.6	0.6	0.5	0.1	—	—	—
Hand(s), except finger(s)	33	11.7	0.8	0.9	4.2	1.6	1.1	0.2	—	—
Finger(s), fingernail(s)	34	24.4	1.2	2.8	12.2	1.6	0.3	—	1.4	—
Multiple upper extremities locations	38	3.3	0.6	0.1	0.4	0.3	0.2	—	—	—
Multiple upper extremities locations, unspecified	380	0.1	—	—	—	—	—	—	—	—
Hand(s) and finger(s)	381	0.9	0.1	—	0.2	0.1	0.1	—	—	—
Hand(s) and wrist(s)	382	0.7	0.2	—	—	—	0.1	—	—	—
Hand(s) and arm(s)	383	0.5	—	—	0.1	—	0.1	—	—	—
Multiple upper extremities locations, n.e.c.	389	1.2	0.2	—	0.1	0.1	—	—	—	—
Upper extremities, n.e.c.	39	—	—	—	—	—	—	—	—	—
Lower extremities	4	55.8	23.0	7.2	3.5	10.0	1.0	0.2	—	—
Lower extremities, unspecified	40	0.1	—	—	—	—	—	—	—	—
Leg(s)	41	25.9	11.5	1.4	1.7	5.0	0.3	0.1	—	—
Leg(s), unspecified	410	4.0	1.0	0.5	0.5	0.8	0.1	—	—	—
Thigh(s)	411	1.2	0.4	—	0.2	0.2	0.1	—	—	—
Knee(s)	412	18.3	9.6	0.5	0.5	3.3	—	—	—	—
Lower leg(s)	413	1.8	0.3	0.3	0.3	0.4	—	—	—	—
Multiple leg(s) locations	418	0.4	0.1	—	—	0.1	—	—	—	—
Leg(s), n.e.c.	419	0.2	0.1	—	—	0.1	—	—	—	—
Ankle(s)	42	13.2	9.1	2.0	0.2	0.7	0.1	—	—	—
Foot(foot), except toe(s)	43	10.8	1.7	2.0	1.4	3.1	0.5	0.1	—	—
Foot(foot), except toe(s), unspecified	430	9.6	1.6	1.8	1.1	2.8	0.5	0.1	—	—
Instep(s)	431	0.1	—	—	—	—	—	—	—	—
Sole	432	0.9	0.1	0.2	0.2	0.2	—	—	—	—
Sole(s), unspecified	4320	0.1	—	—	0.1	—	—	—	—	—
Ball(s)	4321	—	—	—	—	—	—	—	—	—
Arch(es)	4322	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

Table R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, 1993 — Continued

Part of body	Nature of injury or illness							
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		All other natures ⁴
			Total	With fractures and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Stomach organ	-	-	-	-	-	-	-	0.3
Urinary organs	-	-	-	-	-	-	-	-
Kidney(s)	-	-	-	-	-	-	-	-
Intestines, peritoneum	-	-	-	-	-	-	-	0.2
Intestines, peritoneum, unspecified	-	-	-	-	-	-	-	0.1
Large intestine/colon, rectum	-	-	-	-	-	-	-	0.1
Other digestive structures	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-
Multiple internal abdominal locations	-	-	-	-	-	-	-	-
Internal abdominal location, n.e.c.	-	-	-	-	-	-	-	-
Pelvic region	-	-	0.1	-	-	0.4	-	2.7
Pelvic region, unspecified	-	-	-	-	-	-	-	0.1
Hip(s)	-	-	-	-	-	0.1	-	0.2
Pelvis	-	-	-	-	-	-	-	-
Buttock(s)	-	-	-	-	-	-	-	0.1
Groin	-	-	-	-	-	0.2	-	2.3
External reproductive tract structures	-	-	-	-	-	-	-	-
External reproductive tract structures, unspecified	-	-	-	-	-	-	-	-
Scrotum	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-
External reproductive tract structures, n.e.c.	-	-	-	-	-	-	-	-
Internal reproductive tract structures	-	-	-	-	-	-	-	-
Testis(testes)	-	-	-	-	-	-	-	-
Multiple pelvic region locations	-	-	-	-	-	-	-	-
Pelvic region, n.e.c.	-	-	-	-	-	-	-	-
Multiple trunk locations	-	-	0.2	-	0.1	0.1	-	0.4
Trunk, n.e.c.	-	-	-	-	-	-	-	-
Upper extremities	5.2	2.4	1.7	0.5	0.3	2.3	-	9.6
Upper extremities, unspecified	-	-	-	-	-	-	-	-
Arm(s)	-	0.8	0.3	-	0.1	0.7	-	1.8
Arm(s), unspecified	-	0.2	0.1	-	-	0.3	-	0.6
Upper arm(s)	-	-	-	-	-	-	-	-
Elbow(s)	-	0.4	0.1	-	-	0.3	-	0.8
Forearm(s)	-	0.1	-	-	-	0.1	-	0.2
Multiple arm(s) locations	-	-	-	-	-	-	-	0.1
Arm(s), n.e.c.	-	-	-	-	-	-	-	-
Wrist(s)	5.2	0.9	0.1	-	-	0.6	-	1.1
Hand(s), except finger(s)	-	0.2	0.3	-	-	0.4	-	2.1
Finger(s), fingernail(s)	-	0.1	0.8	0.4	0.1	0.3	-	3.7
Multiple upper extremities locations	-	0.2	0.2	0.1	0.1	0.3	-	0.8
Multiple upper extremities locations, unspecified	-	-	-	-	-	-	-	-
Hand(s) and finger(s)	-	-	0.1	-	-	-	-	0.2
Hand(s) and wrist(s)	-	0.1	-	-	-	0.1	-	0.1
Hand(s) and arm(s)	-	-	-	-	-	-	-	0.2
Multiple upper extremities locations, n.e.c.	-	0.1	0.1	-	-	0.2	-	0.3
Upper extremities, n.e.c.	-	-	-	-	-	-	-	-
Lower extremities	-	0.2	1.7	0.3	0.7	2.2	-	6.7
Lower extremities, unspecified	-	-	-	-	-	-	-	-
Leg(s)	-	0.1	0.7	-	0.3	1.4	-	3.8
Leg(s), unspecified	-	-	0.1	-	-	0.2	-	0.6
Thigh(s)	-	-	-	-	-	-	-	0.1
Knee(s)	-	0.1	0.4	-	0.3	1.1	-	2.8
Lower leg(s)	-	-	0.1	-	-	-	-	0.2
Multiple leg(s) locations	-	-	-	-	-	-	-	-
Leg(s), n.e.c.	-	-	-	-	-	-	-	-
Ankle(s)	-	-	0.2	-	0.1	0.2	-	0.8
Foot(foot), except toe(s)	-	-	0.3	0.1	0.1	0.4	-	1.3
Foot(foot), except toe(s), unspecified	-	-	0.2	-	0.1	0.3	-	1.1
Instep(s)	-	-	-	-	-	-	-	-
Sole	-	-	-	-	-	-	-	0.1
Sole(s), unspecified	-	-	-	-	-	-	-	-
Ball(s)	-	-	-	-	-	-	-	-
Arch(es)	-	-	-	-	-	-	-	-

See footnotes at end of table.

Table R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, 1993 — Continued

Part of body	Part of body code ³	Total cases	Nature of injury or illness						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Heel(s)	4323	0.7	0.1	0.2	0.1	0.2	—	—	—
Multiple foot(feet) locations	438	—	—	—	—	—	—	—	—
Foot(feet), n.e.c.	439	0.3	0.1	0.1	—	0.1	—	—	—
Toe(s), toenail(s)	44	3.8	0.1	1.6	0.2	0.9	—	—	—
Multiple lower extremities locations	48	1.9	0.5	0.2	—	0.4	0.1	—	—
Multiple lower extremities locations, unspecified	480	0.1	—	—	—	—	—	—	—
Foot(feet) and leg(s)	481	0.2	—	—	—	—	—	—	—
Foot(feet) and ankle(s)	482	0.6	0.2	—	—	0.1	—	—	—
Foot(feet) and toe(s)	483	0.3	—	—	—	0.1	—	—	—
Multiple lower extremities locations, n.e.c.	489	0.7	0.2	—	—	0.1	—	—	—
Lower extremities, n.e.c.	49	—	—	—	—	—	—	—	—
Body systems	5	4.1	—	—	—	—	—	—	—
Multiple body parts	8	22.5	7.1	0.4	0.2	3.0	0.8	0.2	—
Other body parts	9	—	—	—	—	—	—	—	—
Prosthetic devices	91	—	—	—	—	—	—	—	—
Other body parts, n.e.c.	98	—	—	—	—	—	—	—	—
Nonclassifiable	9999	2.4	0.4	—	0.1	0.1	—	—	—

See footnotes at end of table.

Table R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, 1993 — Continued

Part of body	Nature of injury or illness							
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		All other natures ⁴
			Total	With fractures and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Heel(s)	-	-	-	-	-	-	-	0.1
Multiple foot(feet) locations	-	-	-	-	-	-	-	-
Foot(feet), n.e.c.	-	-	-	-	-	-	-	-
Toe(s), toenail(s)	-	-	0.2	-	-	0.1	-	0.6
Multiple lower extremities locations	-	-	0.3	0.1	0.1	0.1	-	0.3
Multiple lower extremities locations, unspecified	-	-	-	-	-	-	-	-
Foot(feet) and leg(s)	-	-	-	-	-	-	-	-
Foot(feet) and ankle(s)	-	-	0.1	-	-	-	-	0.1
Foot(feet) and toe(s)	-	-	-	-	-	-	-	-
Multiple lower extremities locations, n.e.c.	-	-	0.1	-	0.1	-	-	0.1
Lower extremities, n.e.c.	-	-	-	-	-	-	-	-
Body systems	-	-	-	-	-	-	-	4.1
Multiple body parts	-	0.1	4.4	0.7	1.8	1.5	-	4.8
Other body parts	-	-	-	-	-	-	-	-
Prosthetic devices	-	-	-	-	-	-	-	-
Other body parts, n.e.c.	-	-	-	-	-	-	-	-
Nonclassifiable	-	-	-	-	-	-	-	1.7

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses
 EH = total hours worked by all employees during the calendar year
 20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year).

² Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

³ Based on the 1992 occupational injury and illness classification structure developed by the Bureau of Labor Statistics.

⁴ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available or data that do not meet publication guidelines.
 n.e.c. = not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor