

Table R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 1993

| Part of body | Part of body code ² | Private industry | Age | | | | | | | | | | Not reported |
|--|--------------------------------|------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-------------------|--------|--------------|
| | | | Under 14 years | 14 to 15 years | 16 to 19 years | 20 to 24 years | 25 to 34 years | 35 to 44 years | 45 to 54 years | 55 to 64 years | 65 years and over | | |
| Total | | 2,252,591 | 23 | 889 | 95,790 | 319,708 | 724,354 | 566,429 | 323,503 | 148,249 | 21,604 | 52,041 | |
| Head | 0 | 155,504 | — | 101 | 7,378 | 26,090 | 56,510 | 36,294 | 16,800 | 7,361 | 1,830 | 3,134 | |
| Head, unspecified | 00 | 22,364 | — | — | 1,515 | 3,820 | 6,853 | 4,671 | 2,809 | 1,728 | 344 | 619 | |
| Cranial region, including skull | 01 | 14,037 | — | 75 | 911 | 2,218 | 4,331 | 2,821 | 1,735 | 952 | 746 | 248 | |
| Cranial region, unspecified | 010 | 592 | — | — | 21 | 144 | 144 | 124 | 100 | 34 | — | 18 | |
| Brain | 011 | 7,951 | — | 72 | 638 | 1,296 | 2,373 | 1,456 | 882 | 460 | 651 | 124 | |
| Scalp | 012 | 4,350 | — | — | 225 | 639 | 1,378 | 952 | 623 | 358 | 70 | 101 | |
| Skull | 013 | 803 | — | — | 19 | 99 | 239 | 238 | 114 | 79 | 11 | — | |
| Multiple cranial region locations | 018 | 65 | — | — | — | — | 18 | 17 | — | 10 | — | — | |
| Cranial region, n.e.c. | 019 | 276 | — | — | — | 38 | 178 | 32 | 10 | 12 | — | — | |
| Ear(s) | 02 | 3,184 | — | — | 42 | 437 | 1,440 | 770 | 349 | 92 | 12 | 42 | |
| Face | 03 | 113,580 | — | 21 | 4,799 | 19,306 | 43,191 | 27,613 | 11,416 | 4,329 | 698 | 2,202 | |
| Face, unspecified | 030 | 5,073 | — | — | 203 | 1,002 | 1,588 | 1,026 | 809 | 249 | 81 | 112 | |
| Forehead | 031 | 5,222 | — | — | 295 | 864 | 1,664 | 1,299 | 597 | 359 | 84 | 58 | |
| Eye(s) | 032 | 88,329 | — | 14 | 3,541 | 14,741 | 34,561 | 22,139 | 8,359 | 2,926 | 344 | 1,702 | |
| Nose, nasal cavity | 033 | 4,221 | — | — | 176 | 878 | 1,498 | 947 | 438 | 137 | 41 | 101 | |
| Nose, except internal location of diseases or disorders | 0330 | 3,929 | — | — | 176 | 858 | 1,390 | 851 | 377 | 132 | 41 | 101 | |
| Internal nasal location, unspecified | 0331 | 45 | — | — | — | — | 14 | 8 | 15 | — | — | — | |
| Nasal passages | 0333 | 56 | — | — | — | — | 16 | 8 | 27 | — | — | — | |
| Sinuses | 0334 | 138 | — | — | — | 13 | 70 | 36 | 19 | — | — | — | |
| Multiple internal nasal locations | 0338 | 12 | — | — | — | — | — | — | — | — | — | — | |
| Internal nasal location, n.e.c. | 0339 | 39 | — | — | — | — | — | 36 | — | — | — | — | |
| Cheek(s) | 034 | 1,568 | — | — | 77 | 340 | 424 | 342 | 220 | 116 | 11 | 36 | |
| Jaw/chin | 035 | 1,660 | — | — | 91 | 304 | 602 | 326 | 252 | 65 | — | 17 | |
| Mouth | 036 | 3,787 | — | — | 243 | 689 | 1,587 | 735 | 325 | 110 | 36 | 62 | |
| Mouth, unspecified | 0360 | 649 | — | — | 12 | 114 | 191 | 205 | 94 | 13 | 10 | 10 | |
| Lip(s) | 0361 | 1,309 | — | — | 39 | 175 | 746 | 145 | 121 | 36 | 21 | 25 | |
| Tongue | 0362 | 32 | — | — | 20 | — | — | — | — | — | — | — | |
| Tooth(teeth) | 0363 | 1,282 | — | — | 162 | 254 | 463 | 264 | 76 | 38 | — | 21 | |
| Gum | 0364 | 19 | — | — | — | — | — | — | — | — | — | — | |
| Multiple mouth locations | 0368 | 429 | — | — | — | 126 | 147 | 96 | 26 | 24 | — | — | |
| Mouth, n.e.c. | 0369 | 67 | — | — | — | 8 | 28 | 21 | — | — | — | — | |
| Multiple face locations | 038 | 3,119 | — | — | 154 | 375 | 1,131 | 714 | 347 | 246 | 86 | 65 | |
| Face, n.e.c. | 039 | 601 | — | — | 19 | 113 | 135 | 85 | 69 | 120 | 12 | 49 | |
| Multiple head locations | 08 | 2,026 | — | — | 106 | 252 | 608 | 355 | 434 | 241 | 15 | 13 | |
| Head, n.e.c. | 09 | 314 | — | — | — | 57 | 87 | 64 | 57 | 20 | 15 | 10 | |
| Neck, including throat | 1 | 40,704 | — | 20 | 1,227 | 4,272 | 14,185 | 12,592 | 5,592 | 1,892 | 125 | 800 | |
| Neck, except internal location of diseases or disorders | 10 | 40,260 | — | 20 | 1,218 | 4,220 | 14,022 | 12,431 | 5,543 | 1,887 | 123 | 796 | |
| Internal neck location, unspecified | 11 | 232 | — | — | — | 46 | 103 | 36 | 37 | — | — | — | |
| Vocal cord(s) | 12 | 65 | — | — | — | — | — | 51 | — | — | — | — | |
| Larynx | 13 | 30 | — | — | — | — | 12 | 10 | — | — | — | — | |
| Pharynx | 15 | 14 | — | — | — | — | 13 | — | — | — | — | — | |
| Trachea | 16 | 12 | — | — | — | — | — | — | — | — | — | — | |
| Multiple internal neck locations | 18 | 12 | — | — | — | — | — | — | — | — | — | — | |
| Internal neck location, n.e.c. | 19 | 79 | — | — | — | — | 18 | 56 | — | — | — | — | |
| Trunk | 2 | 869,447 | — | 85 | 26,996 | 115,121 | 288,423 | 229,848 | 125,640 | 55,909 | 7,420 | 19,999 | |
| Trunk, unspecified | 20 | 12,284 | — | — | 245 | 1,362 | 3,455 | 3,085 | 1,957 | 1,481 | 162 | 534 | |
| Shoulder, including clavicle, scapula | 21 | 105,881 | — | 30 | 3,057 | 14,210 | 32,688 | 28,504 | 15,090 | 8,954 | 1,204 | 2,146 | |
| Chest, including ribs, internal organs | 22 | 38,462 | — | — | 1,121 | 3,993 | 10,610 | 9,748 | 7,224 | 4,038 | 746 | 981 | |
| Chest, except internal location of diseases or disorders | 220 | 33,473 | — | — | 996 | 3,550 | 9,259 | 8,690 | 5,983 | 3,516 | 634 | 845 | |
| Internal chest location, unspecified | 221 | 533 | — | — | 47 | 60 | 111 | 133 | 148 | 21 | — | 9 | |
| Esophagus | 222 | 133 | — | — | — | — | 25 | — | 100 | — | — | — | |
| Heart | 223 | 878 | — | — | — | — | 71 | 118 | 328 | 227 | 100 | 26 | |
| Bronchus | 224 | 722 | — | — | 13 | 95 | 188 | 169 | 156 | 84 | — | 19 | |
| Lung(s), pleura | 225 | 2,563 | — | — | 64 | 203 | 917 | 602 | 500 | 185 | 9 | 82 | |
| Breast(s)—internal | 226 | 11 | — | — | — | — | — | — | — | — | — | — | |
| Multiple internal chest locations | 228 | 97 | — | — | — | 65 | 12 | 16 | — | — | — | — | |
| Internal chest location, n.e.c. | 229 | 52 | — | — | — | 12 | 25 | 10 | — | — | — | — | |
| Back, including spine, spinal cord | 23 | 615,010 | — | 44 | 19,586 | 83,464 | 210,842 | 164,297 | 86,833 | 32,918 | 3,361 | 13,657 | |
| Back, including spine, spinal cord, unspecified | 230 | 310,365 | — | 34 | 10,502 | 42,890 | 108,388 | 81,086 | 42,344 | 16,201 | 1,768 | 7,152 | |
| Lumbar region | 231 | 257,309 | — | — | 7,538 | 33,575 | 85,548 | 71,219 | 38,311 | 14,518 | 1,243 | 5,348 | |
| Thoracic region | 232 | 21,131 | — | — | 747 | 3,940 | 7,979 | 5,291 | 2,031 | 718 | 115 | 308 | |
| Sacral region | 233 | 3,386 | — | — | 81 | 466 | 1,084 | 1,098 | 392 | 201 | 41 | 21 | |

See footnotes at end of table.

Table R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 1993 — Continued

| Part of body | Part of body code ² | Private industry | Age | | | | | | | | | | Not reported |
|--|--------------------------------|------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-------------------|--------|--------------|
| | | | Under 14 years | 14 to 15 years | 16 to 19 years | 20 to 24 years | 25 to 34 years | 35 to 44 years | 45 to 54 years | 55 to 64 years | 65 years and over | | |
| Coccygeal region | 234 | 4,031 | — | — | 157 | 491 | 1,069 | 1,191 | 769 | 235 | 27 | 92 | |
| Multiple back regions | 238 | 16,920 | — | — | 524 | 1,903 | 5,959 | 4,004 | 2,749 | 929 | 146 | 700 | |
| Back, including spine, spinal cord, n.e.c. | 239 | 1,869 | — | — | 38 | 198 | 815 | 408 | 238 | 118 | 20 | 35 | |
| Abdomen | 24 | 20,396 | — | — | 611 | 2,809 | 7,185 | 4,348 | 3,102 | 1,321 | 706 | 313 | |
| Abdomen, except internal location of diseases or disorders | 240 | 15,130 | — | — | 557 | 2,473 | 5,211 | 3,260 | 2,334 | 924 | 116 | 254 | |
| Internal abdominal location, unspecified | 241 | 1,213 | — | — | 10 | 144 | 272 | 252 | 330 | 190 | — | 12 | |
| Stomach organ | 242 | 2,140 | — | — | 16 | 42 | 1,231 | 174 | 70 | 41 | 564 | — | |
| Spleen | 243 | 16 | — | — | — | — | — | — | 14 | — | — | — | |
| Urinary organs | 244 | 101 | — | — | — | — | — | 90 | — | — | — | — | |
| Kidney(s) | 2442 | 92 | — | — | — | — | — | 88 | — | — | — | — | |
| Intestines, peritoneum | 245 | 1,446 | — | — | 29 | 118 | 382 | 381 | 321 | 149 | 24 | 43 | |
| Intestines, peritoneum, unspecified ... | 2450 | 780 | — | — | 25 | 60 | 197 | 170 | 189 | 90 | 16 | 33 | |
| Small intestine | 2452 | 27 | — | — | — | — | — | 8 | — | — | — | — | |
| Large intestine/colon, rectum | 2453 | 609 | — | — | — | 57 | 170 | 199 | 108 | 56 | — | 9 | |
| Intestines, n.e.c. | 2459 | 23 | — | — | — | — | — | — | 14 | — | — | — | |
| Other digestive structures | 246 | 138 | — | — | — | — | 40 | 75 | 13 | — | — | — | |
| Liver | 2461 | 138 | — | — | — | — | 40 | 75 | 13 | — | — | — | |
| Multiple internal abdominal locations ... | 248 | 44 | — | — | — | 13 | 15 | 15 | — | — | — | — | |
| Internal abdominal location, n.e.c. | 249 | 166 | — | — | — | 11 | 29 | 98 | 18 | 10 | — | — | |
| Pelvic region | 25 | 59,401 | — | — | 1,896 | 7,507 | 17,936 | 14,545 | 8,690 | 5,889 | 970 | 1,961 | |
| Pelvic region, unspecified | 250 | 1,545 | — | — | 115 | 128 | 409 | 413 | 252 | 155 | 48 | 25 | |
| Hip(s) | 251 | 14,784 | — | — | 318 | 1,312 | 3,576 | 3,484 | 2,651 | 1,731 | 566 | 1,145 | |
| Pelvis | 252 | 1,428 | — | — | 116 | 105 | 470 | 297 | 192 | 189 | 42 | 18 | |
| Buttock(s) | 253 | 2,411 | — | — | 189 | 320 | 746 | 610 | 348 | 156 | 13 | 29 | |
| Groin | 254 | 36,993 | — | — | 1,058 | 5,293 | 11,912 | 9,200 | 4,962 | 3,583 | 270 | 708 | |
| External reproductive tract structures ... | 255 | 1,074 | — | — | 45 | 189 | 424 | 262 | 105 | 35 | — | 14 | |
| External reproductive tract structures, unspecified | 2550 | 110 | — | — | — | 10 | 16 | 54 | 16 | 9 | — | — | |
| Scrotum | 2551 | 724 | — | — | 35 | 150 | 276 | 170 | 67 | 16 | — | 9 | |
| Penis | 2552 | 128 | — | — | — | 21 | 78 | 11 | 12 | — | — | — | |
| External female genital region | 2553 | 24 | — | — | — | — | — | 9 | — | — | — | — | |
| Multiple external reproductive tract structures | 2558 | 14 | — | — | — | — | — | — | — | — | — | — | |
| External reproductive tract structures, n.e.c. | 2559 | 74 | — | — | — | — | 42 | 16 | — | — | — | — | |
| Internal reproductive tract structures ... | 256 | 213 | — | — | 15 | 28 | 108 | 41 | 14 | — | — | — | |
| Internal reproductive tract structures, unspecified | 2560 | 14 | — | — | — | — | — | — | — | — | — | — | |
| Testis(testes) | 2562 | 140 | — | — | — | 23 | 85 | 19 | 9 | — | — | — | |
| Uterus | 2564 | 36 | — | — | 12 | — | 15 | — | — | — | — | — | |
| Female genitals, n.e.c. | 2565 | 13 | — | — | — | — | — | 13 | — | — | — | — | |
| Internal reproductive tract structures, n.e.c. | 2569 | 11 | — | — | — | — | — | — | — | — | — | — | |
| Multiple pelvic region locations | 258 | 519 | — | — | 32 | 82 | 172 | 108 | 68 | 15 | 25 | 17 | |
| Pelvic region, n.e.c. | 259 | 436 | — | — | 9 | 50 | 120 | 129 | 97 | 25 | — | — | |
| Multiple trunk locations | 28 | 17,247 | — | — | 454 | 1,693 | 5,422 | 5,175 | 2,618 | 1,227 | 266 | 392 | |
| Trunk, n.e.c. | 29 | 766 | — | — | 25 | 83 | 285 | 146 | 126 | 80 | — | 15 | |
| Upper extremities | 3 | 518,703 | — | 288 | 30,963 | 82,737 | 165,549 | 119,149 | 72,770 | 32,089 | 4,178 | 10,976 | |
| Upper extremities, unspecified | 30 | 728 | — | — | 12 | 70 | 193 | 286 | 105 | 49 | — | 10 | |
| Arm(s) | 31 | 92,209 | — | 84 | 4,498 | 12,252 | 27,513 | 23,445 | 15,215 | 6,429 | 960 | 1,812 | |
| Arm(s), unspecified | 310 | 33,843 | — | 56 | 2,084 | 4,906 | 9,895 | 7,844 | 5,380 | 2,363 | 486 | 829 | |
| Upper arm(s) | 311 | 4,183 | — | — | 72 | 486 | 1,242 | 1,030 | 713 | 414 | 95 | 130 | |
| Elbow(s) | 312 | 34,131 | — | 8 | 1,206 | 3,413 | 9,976 | 9,747 | 6,548 | 2,436 | 207 | 591 | |
| Forearm(s) | 313 | 15,846 | — | 20 | 924 | 2,886 | 5,157 | 3,681 | 1,874 | 949 | 127 | 226 | |
| Multiple arm(s) locations | 318 | 2,605 | — | — | 145 | 323 | 795 | 693 | 456 | 138 | 30 | 24 | |
| Arm(s), n.e.c. | 319 | 1,601 | — | — | 68 | 239 | 448 | 450 | 243 | 129 | 14 | 10 | |
| Wrist(s) | 32 | 114,540 | — | 30 | 3,985 | 14,110 | 34,037 | 29,754 | 20,846 | 8,580 | 971 | 2,225 | |
| Hand(s), except finger(s) | 33 | 92,405 | — | 53 | 7,053 | 17,561 | 31,020 | 19,133 | 10,199 | 4,417 | 597 | 2,369 | |
| Finger(s), fingernail(s) | 34 | 192,634 | — | 84 | 13,977 | 35,161 | 63,543 | 40,150 | 23,052 | 11,032 | 1,476 | 4,160 | |
| Multiple upper extremities locations | 38 | 25,805 | — | 38 | 1,434 | 3,543 | 9,019 | 6,325 | 3,322 | 1,562 | 168 | 394 | |
| Multiple upper extremities locations, unspecified | 380 | 605 | — | — | 23 | 129 | 192 | 100 | 120 | 39 | — | — | |
| Hand(s) and finger(s) | 381 | 6,907 | — | 28 | 640 | 1,152 | 2,245 | 1,561 | 759 | 372 | 34 | 115 | |
| Hand(s) and wrist(s) | 382 | 5,325 | — | — | 252 | 701 | 1,761 | 1,468 | 714 | 284 | 74 | 72 | |
| Hand(s) and arm(s) | 383 | 3,821 | — | — | 158 | 384 | 1,592 | 774 | 487 | 267 | 32 | 127 | |

See footnotes at end of table.

Table R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 1993 — Continued

| Part of body | Part of body code ² | Private industry | Age | | | | | | | | | |
|---|--------------------------------|------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-------------------|--------------|
| | | | Under 14 years | 14 to 15 years | 16 to 19 years | 20 to 24 years | 25 to 34 years | 35 to 44 years | 45 to 54 years | 55 to 64 years | 65 years and over | Not reported |
| Multiple upper extremities locations, n.e.c. | 389 | 9,146 | — | 8 | 360 | 1,177 | 3,230 | 2,423 | 1,242 | 600 | 28 | 77 |
| Upper extremities, n.e.c. | 39 | 382 | — | — | — | 40 | 224 | 55 | 31 | 19 | — | — |
| Lower extremities | 4 | 440,016 | — | 239 | 21,645 | 66,138 | 133,810 | 107,012 | 64,741 | 32,154 | 4,340 | 9,931 |
| Lower extremities, unspecified | 40 | 629 | — | — | 24 | 43 | 151 | 209 | 132 | 57 | — | 8 |
| Leg(s) | 41 | 204,586 | — | 55 | 8,506 | 27,776 | 60,113 | 50,854 | 33,524 | 16,815 | 2,294 | 4,647 |
| Leg(s), unspecified | 410 | 31,651 | — | 14 | 1,319 | 4,036 | 9,288 | 7,545 | 5,298 | 2,648 | 496 | 1,006 |
| High(s) | 411 | 9,255 | — | — | 348 | 1,924 | 2,715 | 2,122 | 1,246 | 614 | 82 | 204 |
| Knee(s) | 412 | 144,693 | — | 36 | 6,331 | 19,634 | 43,129 | 36,155 | 23,387 | 11,730 | 1,365 | 2,927 |
| Lower leg(s) | 413 | 13,771 | — | — | 413 | 1,620 | 3,600 | 3,609 | 2,621 | 1,332 | 252 | 318 |
| Multiple leg(s) locations | 418 | 3,252 | — | — | 38 | 327 | 898 | 896 | 615 | 262 | 51 | 165 |
| Leg(s), n.e.c. | 419 | 1,964 | — | — | 58 | 235 | 483 | 526 | 356 | 229 | 47 | 27 |
| Ankle(s) | 42 | 104,488 | — | 96 | 4,258 | 17,746 | 34,173 | 25,666 | 13,464 | 5,787 | 958 | 2,338 |
| Foot(feet), except toe(s) | 43 | 85,180 | — | 76 | 6,442 | 13,229 | 25,894 | 19,463 | 11,233 | 6,043 | 666 | 2,130 |
| Foot(feet), except toe(s), unspecified | 430 | 75,373 | — | 69 | 5,888 | 11,761 | 22,954 | 17,121 | 9,770 | 5,290 | 539 | 1,979 |
| Instep(s) | 431 | 567 | — | — | 41 | 80 | 169 | 87 | 147 | 27 | 10 | — |
| Sole | 432 | 6,753 | — | — | 276 | 988 | 1,969 | 1,728 | 1,072 | 529 | 61 | 126 |
| Sole(s), unspecified | 4320 | 1,132 | — | — | 68 | 257 | 420 | 224 | 84 | 34 | — | 39 |
| Ball(s) | 4321 | 152 | — | — | — | 12 | 42 | 75 | 9 | 8 | — | — |
| Arch(es) | 4322 | 179 | — | — | 8 | 24 | 69 | 44 | — | 21 | — | — |
| Heel(s) | 4323 | 5,222 | — | — | 194 | 690 | 1,404 | 1,382 | 954 | 461 | 57 | 79 |
| Multiple sole(s) locations | 4328 | 37 | — | — | — | — | 21 | — | 14 | — | — | — |
| Sole(s), n.e.c. | 4329 | 33 | — | — | — | — | 12 | — | — | — | — | — |
| Multiple foot(feet) locations | 438 | 386 | — | — | — | 64 | 184 | 76 | 45 | 10 | — | — |
| Foot(feet), n.e.c. | 439 | 2,100 | — | — | 233 | 337 | 618 | 451 | 198 | 186 | 53 | 19 |
| Toe(s), toenail(s) | 44 | 29,634 | — | 10 | 1,741 | 5,323 | 9,154 | 6,595 | 3,827 | 2,149 | 235 | 600 |
| Multiple lower extremities locations | 48 | 15,070 | — | — | 670 | 1,993 | 4,223 | 4,029 | 2,521 | 1,252 | 177 | 202 |
| Multiple lower extremities locations, unspecified | 480 | 452 | — | — | — | 48 | 84 | 173 | 114 | 16 | — | — |
| Foot(feet) and leg(s) | 481 | 1,729 | — | — | 92 | 288 | 343 | 544 | 247 | 176 | 13 | 26 |
| Foot(feet) and ankle(s) | 482 | 4,888 | — | — | 166 | 599 | 1,468 | 1,401 | 836 | 265 | 94 | 58 |
| Foot(feet) and toe(s) | 483 | 2,129 | — | — | 186 | 450 | 630 | 415 | 261 | 137 | 14 | 35 |
| Multiple lower extremities locations, n.e.c. | 489 | 5,873 | — | — | 219 | 607 | 1,698 | 1,497 | 1,062 | 659 | 50 | 79 |
| Lower extremities, n.e.c. | 49 | 429 | — | — | — | 27 | 103 | 196 | 41 | 51 | — | — |
| Body systems | 5 | 32,005 | — | 35 | 1,446 | 3,577 | 9,285 | 8,694 | 5,462 | 2,542 | 210 | 754 |
| Multiple body parts | 8 | 177,205 | — | 114 | 5,363 | 19,324 | 51,474 | 49,033 | 30,206 | 15,104 | 3,147 | 3,438 |
| Other body parts | 9 | 153 | — | — | — | 11 | 54 | 38 | 19 | 24 | — | — |
| Prosthetic devices | 91 | 70 | — | — | — | — | 27 | 27 | — | — | — | — |
| Other body parts, n.e.c. | 98 | 83 | — | — | — | — | 28 | 10 | 16 | 21 | — | — |
| Nonclassifiable | 9999 | 18,854 | — | — | 769 | 2,437 | 5,065 | 3,770 | 2,273 | 1,175 | 350 | 3,009 |

¹ Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

² Based on the 1992 occupational injury and illness classification structure developed by the Bureau of Labor Statistics.

classifications may include detailed classifications not shown separately. n.e.c. = not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor

NOTE: Dashes indicate data that are not available or data that do not meet publication guidelines. Because of rounding, data may not sum to the totals. Major