

Table R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 1992

Part of body	Part of body code ²	Total cases	Source of injury or illness				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Private industry		2,331,098	45,751	351,766	96,881	160,969	257,954
Head	0	158,384	15,966	6,983	5,352	6,084	16,712
Head, unspecified	00	20,711	194	1,772	2,231	1,537	2,844
Cranial region, including skull	01	13,075	49	822	1,110	1,026	1,906
Cranial region, unspecified	010	1,271	—	142	132	75	263
Brain	011	6,926	—	385	545	294	826
Scalp	012	3,496	31	254	306	558	602
Skull	013	1,054	—	32	78	87	168
Multiple cranial region locations	018	101	—	—	—	—	24
Cranial region, n.e.c.	019	227	—	—	46	—	23
Ear(s)	02	3,175	94	65	12	147	437
Face	03	118,733	15,345	4,057	1,851	3,168	11,154
Face, unspecified	030	5,269	747	200	305	192	707
Forehead	031	5,628	29	527	498	448	1,173
Eye(s)	032	91,145	13,791	2,407	493	1,442	6,382
Nose, nasal cavity	033	4,876	216	269	165	241	893
Nose, except internal location of diseases or disorders	0330	4,553	47	269	156	237	889
Internal nasal location, unspecified	0331	125	54	—	—	—	—
Nasal passages	0333	56	31	—	—	—	—
Sinuses	0334	68	26	—	—	—	—
Multiple internal nasal locations	0338	41	26	—	—	—	—
Internal nasal location, n.e.c.	0339	32	31	—	—	—	—
Cheek(s)	034	1,634	53	88	101	196	385
Jaw/chin	035	1,473	—	44	46	124	266
Mouth	036	4,931	46	302	145	372	716
Mouth, unspecified	0360	769	17	31	—	178	107
Lip(s)	0361	1,015	15	78	47	22	214
Tongue	0362	27	—	—	—	—	—
Tooth(teeth)	0363	2,712	—	177	64	70	327
Gum	0364	42	—	—	—	—	—
Multiple mouth locations	0368	298	—	—	10	93	48
Mouth, n.e.c.	0369	69	—	—	—	—	17
Multiple face locations	038	2,973	430	102	75	102	510
Face, n.e.c.	039	805	33	118	23	50	123
Multiple head locations	08	2,056	270	207	75	180	303
Head, n.e.c.	09	633	14	60	73	26	67
Neck, including throat	1	40,107	562	6,515	1,503	1,948	3,607
Neck, except internal location of diseases or disorders	10	39,807	385	6,512	1,501	1,939	3,604
Internal neck location, unspecified	11	154	100	—	—	—	—
Vocal cord(s)	12	22	—	—	—	—	—
Larynx	13	35	—	—	—	—	—
Pharynx	15	17	16	—	—	—	—
Trachea	16	12	—	—	—	—	—
Multiple internal neck locations	18	31	30	—	—	—	—
Internal neck location, n.e.c.	19	28	18	—	—	—	—
Trunk	2	910,934	3,792	232,689	45,662	41,480	103,046
Trunk, unspecified	20	7,737	39	1,933	326	379	1,517
Shoulder, including clavicle, scapula	21	105,422	98	23,232	4,761	4,843	11,763
Chest, including ribs, internal organs	22	42,459	2,579	6,431	2,730	2,311	4,146
Chest, except internal location of diseases or disorders	220	37,696	140	6,344	2,698	2,300	4,077
Internal chest location, unspecified	221	914	348	21	24	—	10
Esophagus	222	21	11	—	—	—	9
Heart	223	666	—	38	—	—	—
Bronchus	224	575	476	—	—	—	14
Lung(s), pleura	225	2,454	1,558	13	—	—	28
Breast(s)--internal	226	16	—	12	—	—	—
Multiple internal chest locations	228	45	14	—	—	—	—
Internal chest location, n.e.c.	229	72	29	—	—	—	—
Back, including spine, spinal cord	23	653,385	428	175,614	33,066	27,932	71,498
Back, including spine, spinal cord, unspecified	230	349,732	225	96,055	17,822	15,416	38,314
Lumbar region	231	254,804	178	68,822	12,812	10,555	28,242
Thoracic region	232	19,483	—	4,902	978	871	2,166
Sacral region	233	4,470	—	906	204	391	581

See footnotes at end of table.

Table R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 1992 — Continued

Part of body	Source of injury or illness					
	Worker motion or position	Floors, walkways or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ³
Private industry	312,333	345,865	111,730	156,506	105,604	385,740
Head	272	11,469	9,745	7,963	1,914	75,926
Head, unspecified	42	3,701	601	3,035	255	4,498
Cranial region, including skull	—	2,791	428	1,804	158	2,973
Cranial region, unspecified	—	240	34	97	—	275
Brain	—	1,834	138	1,151	97	1,649
Scalp	—	335	187	435	27	761
Skull	—	334	24	68	20	238
Multiple cranial region locations	—	23	—	19	—	12
Cranial region, n.e.c.	—	24	44	33	—	39
Ear(s)	—	10	29	70	40	2,264
Face	214	4,617	8,508	2,783	1,334	65,704
Face, unspecified	29	430	178	406	165	1,912
Forehead	—	494	532	629	72	1,218
Eye(s)	149	332	6,389	489	470	58,802
Nose, nasal cavity	—	892	392	424	212	1,166
Nose, except internal location of diseases or disorders	—	891	391	421	212	1,035
Internal nasal location, unspecified	—	—	—	—	—	60
Nasal passages	—	—	—	—	—	21
Sinuses	—	—	—	—	—	34
Multiple internal nasal locations	—	—	—	—	—	14
Internal nasal location, n.e.c.	—	—	—	—	—	—
Cheek(s)	16	51	183	61	17	483
Jaw/chin	—	164	172	186	199	270
Mouth	—	1,898	420	198	91	743
Mouth, unspecified	—	139	36	22	14	204
Lip(s)	—	207	159	33	27	212
Tongue	—	—	—	—	—	—
Tooth(teeth)	—	1,512	176	118	26	244
Gum	—	—	—	—	11	21
Multiple mouth locations	—	29	33	16	—	48
Mouth, n.e.c.	—	—	10	—	—	11
Multiple face locations	—	303	188	259	88	914
Face, n.e.c.	—	53	54	131	19	197
Multiple head locations	—	226	52	226	99	418
Head, n.e.c.	—	124	127	46	28	68
Neck, including throat	5,759	3,154	892	7,435	3,114	5,619
Neck, except internal location of diseases or disorders	5,718	3,152	890	7,434	3,113	5,560
Internal neck location, unspecified	—	—	—	—	—	31
Vocal cord(s)	—	—	—	—	—	14
Larynx	18	—	—	—	—	10
Pharynx	—	—	—	—	—	—
Trachea	—	—	—	—	—	—
Multiple internal neck locations	—	—	—	—	—	—
Internal neck location, n.e.c.	—	—	—	—	—	—
Trunk	125,557	106,688	20,800	47,660	77,282	106,279
Trunk, unspecified	573	708	187	398	263	1,414
Shoulder, including clavicle, scapula	14,403	13,690	3,145	6,301	8,610	14,576
Chest, including ribs, internal organs	2,065	6,233	1,902	4,037	2,005	8,020
Chest, except internal location of diseases or disorders	2,028	6,220	1,885	3,997	1,963	6,045
Internal chest location, unspecified	13	—	10	13	27	439
Esophagus	—	—	—	—	—	—
Heart	9	—	—	—	—	604
Bronchus	—	—	—	—	—	84
Lung(s), pleura	—	—	—	10	10	820
Breast(s)—internal	—	—	—	—	—	—
Multiple internal chest locations	—	—	—	—	—	26
Internal chest location, n.e.c.	13	—	—	16	—	—
Back, including spine, spinal cord	100,277	69,990	12,777	31,037	61,604	69,162
Back, including spine, spinal cord, unspecified	54,690	37,398	6,803	17,680	27,439	37,890
Lumbar region	39,003	24,343	5,107	10,402	28,771	26,569
Thoracic region	2,454	1,993	478	1,040	2,430	2,166
Sacral region	578	770	55	150	564	265

See footnotes at end of table.

Table R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 1992 — Continued

Part of body	Part of body code ²	Total cases	Source of injury or illness				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Coccygeal region	234	4,201	—	278	172	54	162
Multiple back regions	238	16,276	—	3,782	840	440	1,603
Back, including spine, spinal cord, n.e.c.	239	4,419	—	868	238	205	431
Abdomen	24	24,217	395	6,678	1,379	1,330	3,852
Abdomen, except internal location of diseases or disorders	240	20,169	99	5,645	1,154	1,092	3,299
Internal abdominal location, unspecified	241	2,088	—	648	200	146	398
Stomach organ	242	799	224	213	13	49	30
Spleen	243	24	—	—	—	—	—
Urinary organs	244	104	40	—	—	—	—
Bladder	2441	59	40	—	—	—	—
Kidney(s)	2442	32	—	—	—	—	—
Intestines, peritoneum	245	612	—	87	—	34	81
Intestines, peritoneum, unspecified	2450	160	—	47	—	—	—
Small intestine	2452	33	—	—	—	—	14
Large intestine/colon, rectum	2453	380	—	40	—	34	62
Intestines, n.e.c.	2459	31	—	—	—	—	—
Other digestive structures	246	200	29	—	—	—	—
Liver	2461	192	26	—	—	—	—
Multiple internal abdominal locations	248	38	—	—	—	—	—
Internal abdominal location, n.e.c.	249	184	—	75	—	—	42
Pelvic region	25	59,920	145	15,620	2,600	3,854	8,821
Pelvic region, unspecified	250	1,816	26	218	25	132	240
Hip(s)	251	14,436	21	1,521	587	361	594
Pelvis	252	1,201	—	94	28	89	86
Buttock(s)	253	2,155	48	160	70	69	101
Groin	254	37,855	41	13,136	1,777	3,056	7,348
External reproductive tract structures	255	1,170	—	184	60	86	354
External reproductive tract structures, unspecified	2550	128	—	28	—	—	56
Scrotum	2551	647	—	102	57	71	150
Penis	2552	249	—	20	—	—	85
External female genital region	2553	41	—	21	—	—	11
Multiple external reproductive tract structures	2558	65	—	—	—	12	41
External reproductive tract structures, n.e.c.	2559	40	—	9	—	—	12
Internal reproductive tract structures	256	352	—	105	—	52	44
Prostate	2561	26	—	—	—	—	—
Testis(testes)	2562	222	—	89	—	50	41
Uterus	2564	68	—	—	—	—	—
Internal reproductive tract structures, n.e.c.	2569	18	—	—	—	—	—
Multiple pelvic region locations	258	570	9	127	22	9	22
Pelvic region, n.e.c.	259	364	—	76	29	—	33
Multiple trunk locations	28	16,626	97	2,970	708	718	1,291
Trunk, n.e.c.	29	1,169	10	211	92	112	158
Upper extremities	3	532,038	7,170	50,224	18,122	83,452	70,768
Upper extremities, unspecified	30	974	67	37	13	24	47
Arm(s)	31	93,383	1,377	11,086	4,062	7,921	11,205
Arm(s), unspecified	310	33,878	737	4,151	1,182	2,936	3,910
Upper arm(s)	311	4,753	26	808	183	255	910
Elbow(s)	312	32,672	37	3,928	2,010	2,232	3,451
Forearm(s)	313	17,167	527	1,685	533	2,131	2,425
Multiple arm(s) locations	318	3,261	21	336	108	242	321
Arm(s), n.e.c.	319	1,650	29	177	46	125	189
Wrist(s)	32	112,540	182	11,838	3,020	3,934	6,654
Hand(s), except finger(s)	33	95,798	3,444	8,573	3,601	14,128	15,770
Finger(s), fingernail(s)	34	197,440	970	15,901	6,503	52,970	34,293
Multiple upper extremities locations	38	31,305	1,125	2,742	919	4,432	2,756
Multiple upper extremities locations, unspecified	380	912	50	223	11	91	108
Hand(s) and finger(s)	381	9,425	401	659	380	2,072	1,180
Hand(s) and wrist(s)	382	6,858	286	730	160	542	519
Hand(s) and arm(s)	383	4,962	326	192	181	1,008	361
Multiple upper extremities locations, n.e.c.	389	9,147	62	938	187	720	587
Upper extremities, n.e.c.	39	597	—	47	—	44	43

See footnotes at end of table.

Table R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 1992 — Continued

Part of body	Source of injury or illness					
	Worker motion or position	Floors, walkways or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ³
Coccygeal region	155	2,627	18	255	114	361
Multiple back regions	2,800	2,179	257	1,029	1,826	1,516
Back, including spine, spinal cord, n.e.c.	596	679	60	483	460	394
Abdomen	1,575	1,085	1,030	1,174	1,465	4,255
Abdomen, except internal location of diseases or disorders	1,315	1,000	918	1,043	1,396	3,207
Internal abdominal location, unspecified	112	63	78	53	—	379
Stomach organ	14	—	10	—	47	195
Spleen	—	—	—	—	—	18
Urinary organs	—	11	—	15	—	22
Bladder	—	—	—	—	—	14
Kidney(s)	—	11	—	15	—	—
Intestines, peritoneum	111	—	—	56	—	196
Intestines, peritoneum, unspecified	—	—	—	—	—	105
Small intestine	—	—	—	—	—	15
Large intestine/colon, rectum	111	—	18	56	—	39
Intestines, n.e.c.	—	—	—	—	—	30
Other digestive structures	—	—	—	—	—	167
Liver	—	—	—	—	—	164
Multiple internal abdominal locations	—	—	—	—	—	35
Internal abdominal location, n.e.c.	16	—	—	—	—	35
Pelvic region	5,434	10,217	1,528	3,076	2,006	6,617
Pelvic region, unspecified	94	466	67	189	33	327
Hip(s)	1,790	6,374	113	930	824	1,321
Pelvis	188	454	—	172	42	45
Buttock(s)	84	1,246	17	68	103	189
Groin	3,114	1,378	1,264	1,492	917	4,334
External reproductive tract structures	43	44	51	83	23	240
External reproductive tract structures, unspecified	—	—	—	18	—	12
Scrotum	36	21	27	53	15	115
Penis	—	—	22	—	—	109
External female genital region	—	—	—	—	—	—
Multiple external reproductive tract structures	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	—	—	—	—	—	—
Internal reproductive tract structures	26	18	—	9	12	77
Prostate	—	—	—	—	—	18
Testis(testes)	14	—	—	—	—	15
Uterus	—	—	—	—	—	38
Internal reproductive tract structures, n.e.c.	—	—	—	—	—	—
Multiple pelvic region locations	54	118	—	118	20	69
Pelvic region, n.e.c.	40	120	—	16	32	16
Multiple trunk locations	1,160	4,571	199	1,554	1,260	2,098
Trunk, n.e.c.	70	195	31	83	69	137
Upper extremities	77,978	41,564	66,845	24,858	10,447	80,608
Upper extremities, unspecified	508	110	11	19	39	101
Arm(s)	10,904	16,133	5,136	5,169	3,337	17,053
Arm(s), unspecified	3,633	5,402	1,800	1,750	1,580	6,799
Upper arm(s)	438	408	254	201	262	1,008
Elbow(s)	4,546	7,800	1,092	2,229	608	4,738
Forearm(s)	1,310	1,649	1,788	712	687	3,720
Multiple arm(s) locations	843	612	83	198	86	411
Arm(s), n.e.c.	134	261	119	80	114	377
Wrist(s)	49,788	14,650	4,380	3,355	3,968	10,772
Hand(s), except finger(s)	5,829	3,976	14,139	6,018	877	19,444
Finger(s), fingernail(s)	4,240	3,914	41,152	8,956	1,525	27,015
Multiple upper extremities locations	6,603	2,678	2,011	1,219	677	6,143
Multiple upper extremities locations, unspecified	64	101	45	44	—	174
Hand(s) and finger(s)	604	307	1,080	505	57	2,181
Hand(s) and wrist(s)	2,212	499	366	260	123	1,162
Hand(s) and arm(s)	1,177	264	150	91	86	1,127
Multiple upper extremities locations, n.e.c.	2,547	1,506	371	318	410	1,500
Upper extremities, n.e.c.	107	103	15	123	25	81

See footnotes at end of table.

Table R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 1992 — Continued

Part of body	Part of body code ²	Total cases	Source of injury or illness				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Lower extremities	4	448,085	2,858	38,882	19,316	20,284	50,810
Lower extremities, unspecified	40	535	9	17	11	14	48
Leg(s)	41	207,012	1,096	14,856	9,533	8,933	15,447
Leg(s), unspecified	410	29,607	413	2,886	1,348	1,852	3,679
Thigh(s)	411	9,359	126	823	616	606	1,099
Knee(s)	412	148,085	337	9,314	6,784	5,163	8,279
Lower leg(s)	413	13,807	150	1,358	694	881	1,865
Multiple leg(s) locations	418	4,006	34	279	58	242	334
Leg(s), n.e.c.	419	2,148	36	194	33	189	191
Ankle(s)	42	102,537	385	5,014	2,130	2,062	5,580
Foot(feet), except toe(s)	43	89,024	1,107	11,864	4,063	5,475	19,141
Foot(feet), except toe(s), unspecified	430	76,518	1,037	10,533	3,535	4,845	16,627
Instep(s)	431	872	—	183	65	63	281
Sole	432	8,190	23	519	237	357	1,744
Sole(s), unspecified	4320	1,216	—	42	14	—	954
Ball(s)	4321	226	—	—	—	—	178
Arch(es)	4322	335	—	—	12	19	43
Heel(s)	4323	6,276	—	467	208	308	551
Multiple sole(s) locations	4328	102	20	—	—	24	—
Sole(s), n.e.c.	4329	35	—	—	—	—	17
Multiple foot(feet) locations	438	742	—	126	30	30	46
Foot(feet), n.e.c.	439	2,704	39	503	196	181	444
Toe(s), toenail(s)	44	32,972	73	5,737	3,002	3,087	8,887
Multiple lower extremities locations	48	15,766	187	1,351	567	692	1,696
Multiple lower extremities locations, unspecified	480	637	34	36	24	36	38
Foot(feet) and leg(s)	481	1,536	73	91	36	36	142
Foot(feet) and ankle(s)	482	4,752	39	336	85	218	299
Foot(feet) and toe(s)	483	2,580	16	506	209	219	654
Multiple lower extremities locations, n.e.c.	489	6,261	24	382	213	184	562
Lower extremities, n.e.c.	49	238	—	44	10	—	12
Body systems	5	26,212	9,225	138	100	517	1,048
Multiple body parts	8	180,616	5,467	14,912	6,439	6,749	11,024
Other body parts	9	270	5	41	5	22	20
Prosthetic devices	91	65	—	—	—	10	—
Other body parts, n.e.c.	98	205	—	41	—	12	12
Nonclassifiable	9999	34,453	705	1,381	382	433	920

See footnotes at end of table.

Table R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 1992 — Continued

Part of body	Source of injury or illness					
	Worker motion or position	Floors, walkways or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ³
Lower extremities	88,123	121,755	10,600	37,960	3,888	53,608
Lower extremities, unspecified	71	167	—	65	—	131
Leg(s)	44,520	64,242	6,128	15,708	2,912	23,636
Leg(s), unspecified	3,141	6,116	1,558	3,268	296	5,050
Thigh(s)	1,079	1,465	1,286	710	223	1,325
Knee(s)	38,226	52,239	2,490	9,641	2,199	13,413
Lower leg(s)	1,439	2,324	623	1,509	109	2,855
Multiple leg(s) locations	404	1,528	46	354	58	668
Leg(s), n.e.c.	230	570	126	226	27	325
Ankle(s)	33,611	37,729	743	5,730	518	9,036
Foot(feet), except toe(s)	7,674	13,248	2,183	10,719	311	13,239
Foot(feet), except toe(s), unspecified	6,785	10,574	1,977	8,570	282	11,752
Instep(s)	58	34	46	39	—	98
Sole	577	2,020	90	1,610	20	993
Sole(s), unspecified	46	20	—	—	—	128
Ball(s)	—	26	—	—	—	13
Arch(es)	30	96	—	90	—	33
Heel(s)	474	1,837	85	1,514	18	811
Multiple sole(s) locations	18	30	—	—	—	—
Sole(s), n.e.c.	—	11	—	—	—	—
Multiple foot(feet) locations	46	178	—	165	—	116
Foot(feet), n.e.c.	208	443	66	334	9	280
Toe(s), toenail(s)	501	1,669	1,347	3,913	31	4,726
Multiple lower extremities locations	1,724	4,633	197	1,796	105	2,818
Multiple lower extremities locations, unspecified	115	160	—	75	—	110
Foot(feet) and leg(s)	116	239	11	194	—	594
Foot(feet) and ankle(s)	573	1,694	33	646	34	794
Foot(feet) and toe(s)	22	135	95	336	15	372
Multiple lower extremities locations, n.e.c.	898	2,404	50	545	51	948
Lower extremities, n.e.c.	22	66	—	30	10	21
Body systems	219	222	125	387	170	14,062
Multiple body parts	12,865	57,723	2,363	28,742	8,135	26,198
Other body parts	65	62	—	13	—	33
Prosthetic devices	32	—	—	—	—	—
Other body parts, n.e.c.	32	59	—	—	—	30
Nonclassifiable	1,497	3,228	359	1,488	652	23,407

¹ Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

² Based on the 1992 occupational injury and illness classification structure developed by the Bureau of Labor Statistics.

³ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available or data that do not meet publication guidelines. Because of rounding, data may not sum to the totals. Major classifications may include detailed classifications not shown separately. n.e.c. = not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor