

Table R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, 1992

Part of body	Part of body code ³	Total cases	Nature of injury or illness						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Private industry [2,331,098 cases]		304.7	133.7	18.8	26.8	29.1	5.4	2.1	1.6
Head	0	20.7	0.1	0.9	2.9	2.2	0.5	1.3	—
Head, unspecified	00	2.7	—	—	0.6	1.0	—	—	—
Cranial region, including skull	01	1.7	—	0.1	0.3	0.2	—	—	—
Cranial region, unspecified	010	0.2	—	—	—	—	—	—	—
Brain	011	0.9	—	—	—	—	—	—	—
Scalp	012	0.5	—	—	0.3	0.1	—	—	—
Skull	013	0.1	—	0.1	—	—	—	—	—
Multiple cranial region locations	018	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	019	—	—	—	—	—	—	—	—
Ear(s)	02	0.4	—	—	0.1	—	0.1	—	—
Face	03	15.5	0.1	0.8	1.9	0.9	0.4	1.2	—
Face, unspecified	030	0.7	—	—	0.2	0.1	0.1	—	—
Forehead	031	0.7	—	—	0.4	0.2	—	—	—
Eye(s)	032	11.9	—	—	0.9	0.4	0.2	1.1	—
Nose, nasal cavity	033	0.6	—	0.3	0.1	0.1	—	—	—
Nose, except internal location of diseases or disorders	0330	0.6	—	0.3	0.1	0.1	—	—	—
Internal nasal location, unspecified	0331	—	—	—	—	—	—	—	—
Nasal passages	0333	—	—	—	—	—	—	—	—
Sinuses	0334	—	—	—	—	—	—	—	—
Multiple internal nasal locations	0338	—	—	—	—	—	—	—	—
Cheek(s)	034	0.2	—	—	0.1	—	—	—	—
Jaw/chin	035	0.2	—	0.1	—	—	—	—	—
Mouth	036	0.6	—	0.4	0.1	—	—	—	—
Mouth, unspecified	0360	0.1	—	—	—	—	—	—	—
Lip(s)	0361	0.1	—	—	0.1	—	—	—	—
Tooth(teeth)	0363	0.4	—	0.3	—	—	—	—	—
Gum	0364	—	—	—	—	—	—	—	—
Multiple mouth locations	0368	—	—	—	—	—	—	—	—
Mouth, n.e.c.	0369	—	—	—	—	—	—	—	—
Multiple face locations	038	0.4	—	—	0.1	—	—	—	—
Face, n.e.c.	039	0.1	—	—	—	—	—	—	—
Multiple head locations	08	0.3	—	—	—	0.1	—	—	—
Head, n.e.c.	09	0.1	—	—	—	—	—	—	—
Neck, including throat	1	5.2	3.9	0.1	—	0.2	—	—	—
Neck, except internal location of diseases or disorders	10	5.2	3.9	0.1	—	0.2	—	—	—
Internal neck location, unspecified	11	—	—	—	—	—	—	—	—
Trunk	2	119.1	86.5	2.4	0.4	6.1	0.2	—	—
Trunk, unspecified	20	1.0	0.3	—	—	0.1	—	—	—
Shoulder, including clavicle, scapula	21	13.8	9.0	0.5	—	0.9	—	—	—
Chest, including ribs, internal organs	22	5.6	1.4	1.0	—	1.6	—	—	—
Chest, except internal location of diseases or disorders	220	4.9	1.4	1.0	—	1.6	—	—	—
Internal chest location, unspecified	221	0.1	—	—	—	—	—	—	—
Heart	223	0.1	—	—	—	—	—	—	—
Bronchus	224	0.1	—	—	—	—	—	—	—
Lung(s), pleura	225	0.3	—	—	—	—	—	—	—
Multiple internal chest locations	228	—	—	—	—	—	—	—	—
Internal chest location, n.e.c.	229	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	85.4	70.5	0.6	0.1	2.0	—	—	—
Back, including spine, spinal cord, unspecified	230	45.7	37.8	0.3	—	0.9	—	—	—
Lumbar region	231	33.3	27.9	0.1	—	0.6	—	—	—
Thoracic region	232	2.6	2.1	—	—	0.1	—	—	—
Sacral region	233	0.6	0.4	—	—	—	—	—	—
Coccygeal region	234	0.6	0.1	0.1	—	0.2	—	—	—
Multiple back regions	238	2.1	1.7	—	—	—	—	—	—
Back, including spine, spinal cord, n.e.c.	239	0.6	0.4	—	—	—	—	—	—
Abdomen	24	3.2	1.1	—	0.1	0.3	0.1	—	—
Abdomen, except internal location of diseases or disorders	240	2.6	1.1	—	0.1	0.3	0.1	—	—
Internal abdominal location, unspecified	241	0.3	—	—	—	—	—	—	—
Stomach organ	242	0.1	—	—	—	—	—	—	—

See footnotes at end of table.

Table R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, 1992 — Continued

Part of body	Nature of injury or illness							
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		All other natures ⁴
			Total	With fractures and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Private industry [2,331,098 cases]	4.3	3.3	8.8	1.6	3.1	14.5	6.6	56.4
Head	—	—	0.5	0.1	—	0.3	—	12.0
Head, unspecified	—	—	0.1	—	—	0.1	—	0.8
Cranial region, including skull	—	—	—	—	—	—	—	1.0
Cranial region, unspecified	—	—	—	—	—	—	—	0.1
Brain	—	—	—	—	—	—	—	0.9
Scalp	—	—	—	—	—	—	—	—
Skull	—	—	—	—	—	—	—	—
Multiple cranial region locations	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	—	—	—	—	0.3
Face	—	—	0.3	0.1	—	0.1	—	9.8
Face, unspecified	—	—	—	—	—	—	—	0.2
Forehead	—	—	—	—	—	—	—	0.1
Eye(s)	—	—	0.1	—	—	0.1	—	9.2
Nose, nasal cavity	—	—	—	—	—	—	—	0.1
Nose, except internal location of diseases or disorders	—	—	—	—	—	—	—	0.1
Internal nasal location, unspecified	—	—	—	—	—	—	—	—
Nasal passages	—	—	—	—	—	—	—	—
Sinuses	—	—	—	—	—	—	—	—
Multiple internal nasal locations	—	—	—	—	—	—	—	—
Cheek(s)	—	—	—	—	—	—	—	—
Jaw/chin	—	—	—	—	—	—	—	—
Mouth	—	—	—	—	—	—	—	0.1
Mouth, unspecified	—	—	—	—	—	—	—	—
Lip(s)	—	—	—	—	—	—	—	—
Tooth(teeth)	—	—	—	—	—	—	—	—
Gum	—	—	—	—	—	—	—	—
Multiple mouth locations	—	—	—	—	—	—	—	—
Mouth, n.e.c.	—	—	—	—	—	—	—	—
Multiple face locations	—	—	0.1	—	—	—	—	0.1
Face, n.e.c.	—	—	—	—	—	—	—	—
Multiple head locations	—	—	0.1	—	—	—	—	—
Head, n.e.c.	—	—	—	—	—	—	—	—
Neck, including throat	—	—	—	—	—	0.4	—	0.7
Neck, except internal location of diseases or disorders	—	—	—	—	—	0.4	—	0.6
Internal neck location, unspecified	—	—	—	—	—	—	—	—
Trunk	—	0.4	0.8	0.1	0.5	8.4	6.6	13.8
Trunk, unspecified	—	—	—	—	—	—	—	0.6
Shoulder, including clavicle, scapula	—	0.4	0.1	—	0.1	0.8	—	1.9
Chest, including ribs, internal organs	—	—	0.1	—	—	0.3	—	1.0
Chest, except internal location of diseases or disorders	—	—	0.1	—	—	0.3	—	0.4
Internal chest location, unspecified	—	—	—	—	—	—	—	0.1
Heart	—	—	—	—	—	—	—	0.1
Bronchus	—	—	—	—	—	—	—	0.1
Lung(s), pleura	—	—	—	—	—	—	—	0.3
Multiple internal chest locations	—	—	—	—	—	—	—	—
Internal chest location, n.e.c.	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	—	—	0.4	—	0.3	6.6	6.6	5.2
Back, including spine, spinal cord, unspecified	—	—	0.2	—	0.1	3.4	3.4	3.1
Lumbar region	—	—	0.1	—	0.1	2.8	2.8	1.7
Thoracic region	—	—	—	—	—	0.2	0.2	0.1
Sacral region	—	—	—	—	—	—	—	0.1
Coccygeal region	—	—	—	—	—	—	—	—
Multiple back regions	—	—	0.1	—	—	0.1	0.1	0.2
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	0.1	0.1	0.1
Abdomen	—	—	—	—	—	0.2	—	1.4
Abdomen, except internal location of diseases or disorders	—	—	—	—	—	0.2	—	0.9
Internal abdominal location, unspecified	—	—	—	—	—	—	—	0.3
Stomach organ	—	—	—	—	—	—	—	0.1

See footnotes at end of table.

Table R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, 1992 — Continued

Part of body	Part of body code ³	Total cases	Nature of injury or illness						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Urinary organs	244	—	—	—	—	—	—	—	—
Bladder	2441	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	0.1	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	2450	—	—	—	—	—	—	—	—
Large intestine/colon, rectum	2453	—	—	—	—	—	—	—	—
Other digestive structures	246	—	—	—	—	—	—	—	—
Liver	2461	—	—	—	—	—	—	—	—
Multiple internal abdominal locations	248	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	—	—	—	—	—	—	—	—
Pelvic region	25	7.8	3.0	0.3	0.1	0.9	—	—	—
Pelvic region, unspecified	250	0.2	0.1	—	—	—	—	—	—
Hip(s)	251	1.9	0.6	0.2	—	0.5	—	—	—
Pelvis	252	0.2	—	0.1	—	—	—	—	—
Buttock(s)	253	0.3	0.1	—	—	0.1	—	—	—
Groin	254	5.0	2.1	—	—	0.1	—	—	—
External reproductive tract structures	255	0.2	—	—	—	—	—	—	—
External reproductive tract structures, unspecified	2550	—	—	—	—	—	—	—	—
Scrotum	2551	0.1	—	—	—	—	—	—	—
Penis	2552	—	—	—	—	—	—	—	—
External female genital region	2553	—	—	—	—	—	—	—	—
Multiple external reproductive tract structures	2558	—	—	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	2559	—	—	—	—	—	—	—	—
Internal reproductive tract structures	256	—	—	—	—	—	—	—	—
Testis(testes)	2562	—	—	—	—	—	—	—	—
Uterus	2564	—	—	—	—	—	—	—	—
Multiple pelvic region locations	258	0.1	—	—	—	—	—	—	—
Pelvic region, n.e.c.	259	—	—	—	—	—	—	—	—
Multiple trunk locations	28	2.2	1.2	—	—	0.3	—	—	—
Trunk, n.e.c.	29	0.2	0.1	—	—	—	—	—	—
Upper extremities	3	69.6	10.6	7.3	19.3	6.4	2.6	0.3	1.6
Upper extremities, unspecified	30	0.1	—	—	—	—	—	—	—
Arm(s)	31	12.2	3.0	1.6	1.4	1.8	0.7	0.1	—
Arm(s), unspecified	310	4.4	1.2	0.6	0.5	0.5	0.4	—	—
Upper arm(s)	311	0.6	0.3	—	0.1	—	—	—	—
Elbow(s)	312	4.3	1.0	0.6	0.2	0.9	—	—	—
Forearm(s)	313	2.2	0.4	0.2	0.6	0.2	0.2	—	—
Multiple arm(s) locations	318	0.4	0.1	—	—	0.1	—	—	—
Arm(s), n.e.c.	319	0.2	0.1	—	—	—	—	—	—
Wrist(s)	32	14.7	4.4	1.6	0.6	0.5	0.2	—	—
Hand(s), except finger(s)	33	12.5	1.0	0.9	4.3	1.9	1.0	0.2	—
Finger(s), fingernail(s)	34	25.8	1.4	3.1	12.5	1.7	0.3	—	1.5
Multiple upper extremities locations	38	4.1	0.8	0.2	0.5	0.4	0.4	—	—
Multiple upper extremities locations, unspecified	380	0.1	—	—	—	—	—	—	—
Hand(s) and finger(s)	381	1.2	0.1	0.1	0.3	0.1	0.1	—	—
Hand(s) and wrist(s)	382	0.9	0.2	—	—	0.1	0.1	—	—
Hand(s) and arm(s)	383	0.6	0.1	—	—	—	0.1	—	—
Multiple upper extremities locations, n.e.c.	389	1.2	0.4	0.1	—	0.1	—	—	—
Upper extremities, n.e.c.	39	0.1	—	—	—	—	—	—	—
Lower extremities	4	58.6	24.1	7.5	3.7	11.0	1.2	0.2	0.1
Lower extremities, unspecified	40	0.1	—	—	—	—	—	—	—
Leg(s)	41	27.1	11.9	1.5	1.8	5.4	0.3	0.1	—
Leg(s), unspecified	410	3.9	0.9	0.4	0.6	0.8	0.2	—	—
Thigh(s)	411	1.2	0.4	0.1	0.3	0.3	—	—	—
Knee(s)	412	19.4	10.1	0.7	0.5	3.7	—	—	—
Lower leg(s)	413	1.8	0.3	0.3	0.3	0.4	0.1	—	—
Multiple leg(s) locations	418	0.5	0.1	—	—	0.1	—	—	—
Leg(s), n.e.c.	419	0.3	0.1	0.1	—	—	—	—	—
Ankle(s)	42	13.4	9.4	1.7	0.1	0.7	0.2	—	—
Foot(foot), except toe(s)	43	11.6	1.9	2.1	1.4	3.5	0.5	0.1	—
Foot(foot), except toe(s), unspecified	430	10.0	1.7	1.8	1.1	3.0	0.5	0.1	—
Instep(s)	431	0.1	—	—	—	—	—	—	—
Sole	432	1.1	0.1	0.2	0.3	0.3	—	—	—

See footnotes at end of table.

Table R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, 1992 — Continued

Part of body	Nature of injury or illness							
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		All other natures ⁴
			Total	With fractures and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Urinary organs	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-
Intestines, peritoneum	-	-	-	-	-	-	-	0.1
Intestines, peritoneum, unspecified	-	-	-	-	-	-	-	-
Large intestine/colon, rectum	-	-	-	-	-	-	-	-
Other digestive structures	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-
Multiple internal abdominal locations	-	-	-	-	-	-	-	-
Internal abdominal location, n.e.c.	-	-	-	-	-	-	-	-
Pelvic region	-	-	0.1	-	-	0.4	-	3.1
Pelvic region, unspecified	-	-	-	-	-	-	-	0.1
Hip(s)	-	-	-	-	-	0.1	-	0.3
Pelvis	-	-	-	-	-	-	-	-
Buttock(s)	-	-	-	-	-	-	-	-
Groin	-	-	-	-	-	0.2	-	2.5
External reproductive tract structures	-	-	-	-	-	-	-	-
External reproductive tract structures, unspecified	-	-	-	-	-	-	-	-
Scrotum	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-
External female genital region	-	-	-	-	-	-	-	-
Multiple external reproductive tract structures	-	-	-	-	-	-	-	-
External reproductive tract structures, n.e.c.	-	-	-	-	-	-	-	-
Internal reproductive tract structures	-	-	-	-	-	-	-	-
Testis(testes)	-	-	-	-	-	-	-	-
Uterus	-	-	-	-	-	-	-	-
Multiple pelvic region locations	-	-	-	-	-	-	-	-
Pelvic region, n.e.c.	-	-	-	-	-	-	-	-
Multiple trunk locations	-	-	0.1	-	0.1	0.1	-	0.4
Trunk, n.e.c.	-	-	-	-	-	-	-	-
Upper extremities	4.3	2.5	1.8	0.5	0.4	2.1	-	10.8
Upper extremities, unspecified	-	-	-	-	-	-	-	0.1
Arm(s)	-	0.8	0.3	-	0.1	0.6	-	1.9
Arm(s), unspecified	-	0.2	0.1	-	-	0.2	-	0.7
Upper arm(s)	-	-	-	-	-	-	-	0.1
Elbow(s)	-	0.4	0.1	-	0.1	0.2	-	0.8
Forearm(s)	-	0.1	-	-	-	0.1	-	0.3
Multiple arm(s) locations	-	-	-	-	-	-	-	0.1
Arm(s), n.e.c.	-	-	-	-	-	-	-	-
Wrist(s)	4.3	1.1	0.2	-	0.1	0.5	-	1.4
Hand(s), except finger(s)	-	0.3	0.3	-	0.1	0.3	-	2.3
Finger(s), fingernail(s)	-	0.1	0.8	0.4	-	0.3	-	4.0
Multiple upper extremities locations	-	0.2	0.2	0.1	-	0.3	-	1.0
Multiple upper extremities locations, unspecified	-	-	-	-	-	-	-	-
Hand(s) and finger(s)	-	-	0.1	-	-	-	-	0.3
Hand(s) and wrist(s)	-	0.1	-	-	-	0.1	-	0.2
Hand(s) and arm(s)	-	-	-	-	-	0.1	-	0.2
Multiple upper extremities locations, n.e.c.	-	0.1	0.1	-	-	0.1	-	0.2
Upper extremities, n.e.c.	-	-	-	-	-	-	-	-
Lower extremities	-	0.2	1.6	0.2	0.7	2.0	-	7.0
Lower extremities, unspecified	-	-	-	-	-	-	-	-
Leg(s)	-	0.1	0.8	-	0.3	1.1	-	4.0
Leg(s), unspecified	-	-	0.2	-	-	0.2	-	0.6
Thigh(s)	-	-	-	-	-	-	-	0.1
Knee(s)	-	0.1	0.4	-	0.2	0.8	-	3.0
Lower leg(s)	-	-	0.1	-	-	-	-	0.3
Multiple leg(s) locations	-	-	0.1	-	-	-	-	0.1
Leg(s), n.e.c.	-	-	-	-	-	-	-	-
Ankle(s)	-	-	0.2	-	0.1	0.2	-	0.8
Foot(foot), except toe(s)	-	0.1	0.3	-	0.1	0.4	-	1.3
Foot(foot), except toe(s), unspecified	-	-	0.3	-	0.1	0.4	-	1.2
Instep(s)	-	-	-	-	-	-	-	-
Sole	-	-	-	-	-	-	-	0.1

See footnotes at end of table.

Table R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, 1992 — Continued

Part of body	Part of body code ³	Total cases	Nature of injury or illness						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Sole(s), unspecified	4320	0.2	—	—	0.1	—	—	—	—
Ball(s)	4321	—	—	—	—	—	—	—	—
Arch(es)	4322	—	—	—	—	—	—	—	—
Heel(s)	4323	0.8	0.1	0.2	0.1	0.3	—	—	—
Multiple sole(s) locations	4328	—	—	—	—	—	—	—	—
Multiple foot(feet) locations	438	0.1	—	—	—	—	—	—	—
Foot(feet), n.e.c.	439	0.4	0.1	0.1	—	0.1	—	—	—
Toe(s), toenail(s)	44	4.3	0.2	2.0	0.2	1.0	—	—	—
Multiple lower extremities locations	48	2.1	0.7	0.2	0.1	0.4	0.2	—	—
Multiple lower extremities locations, unspecified	480	0.1	—	—	—	—	—	—	—
Foot(feet) and leg(s)	481	0.2	—	—	—	—	0.1	—	—
Foot(feet) and ankle(s)	482	0.6	0.2	0.1	—	0.1	—	—	—
Foot(feet) and toe(s)	483	0.3	—	—	—	0.1	—	—	—
Multiple lower extremities locations, n.e.c.	489	0.8	0.3	—	—	0.1	—	—	—
Lower extremities, n.e.c.	49	—	—	—	—	—	—	—	—
Body systems	5	3.4	—	—	—	—	—	—	—
Multiple body parts	8	23.6	8.1	0.5	0.4	3.1	0.8	0.2	—
Other body parts	9	—	—	—	—	—	—	—	—
Prosthetic devices	91	—	—	—	—	—	—	—	—
Other body parts, n.e.c.	98	—	—	—	—	—	—	—	—
Nonclassifiable	9999	4.5	0.4	—	0.1	0.1	—	—	—

See footnotes at end of table.

Table R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, 1992 — Continued

Part of body	Nature of injury or illness							
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		All other natures ⁴
			Total	With fractures and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Sole(s), unspecified	-	-	-	-	-	-	-	-
Ball(s)	-	-	-	-	-	-	-	-
Arch(es)	-	-	-	-	-	-	-	-
Heel(s)	-	-	-	-	-	-	-	0.1
Multiple sole(s) locations	-	-	-	-	-	-	-	-
Multiple foot(feet) locations	-	-	-	-	-	-	-	-
Foot(feet), n.e.c.	-	-	-	-	-	-	-	-
Toe(s), toenail(s)	-	-	0.1	-	-	0.1	-	0.6
Multiple lower extremities locations	-	-	0.2	-	0.1	0.1	-	0.3
Multiple lower extremities locations, unspecified	-	-	-	-	-	-	-	-
Foot(feet) and leg(s)	-	-	-	-	-	-	-	-
Foot(feet) and ankle(s)	-	-	0.1	-	-	-	-	0.1
Foot(feet) and toe(s)	-	-	-	-	-	-	-	0.1
Multiple lower extremities locations, n.e.c.	-	-	0.1	-	0.1	-	-	0.1
Lower extremities, n.e.c.	-	-	-	-	-	-	-	-
Body systems	-	-	-	-	-	-	-	3.4
Multiple body parts	-	0.1	4.0	0.6	1.4	1.3	-	5.0
Other body parts	-	-	-	-	-	-	-	-
Prosthetic devices	-	-	-	-	-	-	-	-
Other body parts, n.e.c.	-	-	-	-	-	-	-	-
Nonclassifiable	-	-	-	-	-	-	-	3.7

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000) where

N = number of injuries and illnesses
 EH = total hours worked by all employees during the calendar year
 20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year).

² Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

³ Based on the 1992 occupational injury and illness classification structure developed by the Bureau of Labor Statistics.

⁴ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available or data that do not meet publication guidelines.
 n.e.c. = not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor