

Table R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 1995

| Part of body | Part of body code ² | Total cases | Nature of injury or illness | | | | | | |
|--|--------------------------------|-------------|-----------------------------|-----------|-----------------|---------|------------|----------------|-------------|
| | | | Sprains, strains | Fractures | Cuts, punctures | Bruises | Heat burns | Chemical burns | Amputations |
| Private industry | | 2,040,929 | 876,792 | 124,601 | 177,735 | 192,147 | 36,119 | 13,861 | 11,308 |
| Head | 0 | 140,898 | 817 | 5,462 | 20,857 | 16,179 | 3,109 | 8,500 | - |
| Head, unspecified | 00 | 21,545 | 168 | 164 | 5,302 | 8,084 | - | - | - |
| Cranial region, including skull | 01 | 14,273 | - | 400 | 2,657 | 1,827 | - | - | - |
| Cranial region, unspecified | 010 | 385 | - | - | 74 | 158 | - | - | - |
| Brain | 011 | 8,159 | - | - | - | 160 | - | - | - |
| Scalp | 012 | 4,830 | 19 | - | 2,566 | 1,271 | - | - | - |
| Skull | 013 | 741 | - | 400 | - | 199 | - | - | - |
| Multiple cranial region locations | 018 | 74 | - | - | - | - | - | - | - |
| Cranial region, n.e.c. | 019 | 83 | - | - | 16 | 34 | - | - | - |
| Ear(s) | 02 | 2,366 | 14 | - | 542 | 53 | 260 | - | - |
| Face | 03 | 101,274 | 582 | 4,837 | 12,111 | 6,031 | 2,745 | 8,447 | - |
| Face, unspecified | 030 | 4,640 | 108 | 159 | 944 | 888 | 821 | 378 | - |
| Forehead | 031 | 5,562 | 100 | 19 | 2,904 | 1,377 | - | - | - |
| Eye(s) | 032 | 77,056 | 257 | - | 5,005 | 2,071 | 1,470 | 7,756 | - |
| Nose, nasal cavity | 033 | 4,127 | 16 | 2,149 | 389 | 641 | - | - | - |
| Nose, except internal location of diseases or disorders | 0330 | 3,719 | 16 | 2,149 | 389 | 641 | - | - | - |
| Internal nasal location, unspecified | 0331 | 31 | - | - | - | - | - | - | - |
| Nasal passages | 0333 | 47 | - | - | - | - | - | - | - |
| Sinuses | 0334 | 324 | - | - | - | - | - | - | - |
| Cheek(s) | 034 | 1,328 | 38 | 212 | 682 | 160 | - | - | - |
| Jaw/chin | 035 | 1,790 | - | 628 | 391 | 347 | - | - | - |
| Mouth | 036 | 3,575 | - | 1,477 | 1,108 | 192 | 14 | 38 | - |
| Mouth, unspecified | 0360 | 686 | - | 30 | 121 | 109 | - | - | - |
| Lip(s) | 0361 | 1,047 | - | - | 827 | 68 | - | - | - |
| Tongue | 0362 | 60 | - | - | 52 | - | - | - | - |
| Tooth(teeth) | 0363 | 1,482 | - | 1,411 | - | - | - | - | - |
| Multiple mouth locations | 0368 | 214 | - | 36 | 35 | 14 | - | - | - |
| Mouth, n.e.c. | 0369 | 86 | - | - | 74 | - | - | - | - |
| Multiple face locations | 038 | 2,700 | - | 79 | 506 | 318 | 360 | 205 | - |
| Face, n.e.c. | 039 | 496 | - | 113 | 182 | 38 | - | - | - |
| Multiple head locations | 08 | 1,273 | - | 60 | 199 | 130 | 68 | 36 | - |
| Head, n.e.c. | 09 | 168 | - | - | 45 | 55 | - | - | - |
| Neck, including throat | 1 | 38,186 | 27,985 | 456 | 256 | 1,114 | 186 | 53 | - |
| Neck, except internal location of diseases or disorders | 10 | 37,892 | 27,985 | 456 | 256 | 1,114 | 186 | 53 | - |
| Internal neck location, unspecified | 11 | 132 | - | - | - | - | - | - | - |
| Vocal cord(s) | 12 | 57 | - | - | - | - | - | - | - |
| Larynx | 13 | 52 | - | - | - | - | - | - | - |
| Trunk | 2 | 776,617 | 551,093 | 15,085 | 2,035 | 38,972 | 1,080 | 245 | - |
| Trunk, unspecified | 20 | 3,469 | 1,497 | 84 | 31 | 568 | 60 | - | - |
| Shoulder, including clavicle, scapula | 21 | 100,792 | 67,511 | 2,723 | 245 | 7,104 | 50 | 14 | - |
| Chest, including ribs, internal organs | 22 | 37,612 | 10,733 | 6,710 | 476 | 9,342 | 480 | 51 | - |
| Chest, except internal location of diseases or disorders | 220 | 33,352 | 10,733 | 6,710 | 476 | 9,342 | 480 | 51 | - |
| Internal chest location, unspecified | 221 | 403 | - | - | - | - | - | - | - |
| Heart | 223 | 1,173 | - | - | - | - | - | - | - |
| Bronchus | 224 | 431 | - | - | - | - | - | - | - |
| Lung(s), pleura | 225 | 2,107 | - | - | - | - | - | - | - |
| Multiple internal chest locations | 228 | 17 | - | - | - | - | - | - | - |
| Internal chest location, n.e.c. | 229 | 100 | - | - | - | - | - | - | - |
| Back, including spine, spinal cord | 23 | 540,047 | 436,681 | 2,419 | 278 | 12,659 | 111 | 33 | - |
| Back, including spine, spinal cord, unspecified | 230 | 263,065 | 214,829 | 1,039 | 192 | 5,320 | 81 | 32 | - |
| Lumbar region | 231 | 232,728 | 190,132 | 481 | 56 | 4,347 | - | - | - |
| Thoracic region | 232 | 18,000 | 14,099 | 99 | 19 | 640 | - | - | - |
| Sacral region | 233 | 3,360 | 2,554 | 46 | - | 113 | - | - | - |
| Coccygeal region | 234 | 3,716 | 736 | 724 | - | 1,538 | - | - | - |
| Multiple back regions | 238 | 18,198 | 13,693 | 14 | - | 621 | - | - | - |
| Back, including spine, spinal cord, n.e.c. | 239 | 980 | 638 | 16 | - | 80 | - | - | - |
| Abdomen | 24 | 43,597 | 6,878 | 109 | 368 | 1,416 | 202 | 59 | - |
| Abdomen, except internal location of diseases or disorders | 240 | 11,704 | 6,878 | 109 | 368 | 1,416 | 202 | 59 | - |
| Internal abdominal location, unspecified | 241 | 14,476 | - | - | - | - | - | - | - |

See footnotes at end of table.

Table R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 1995 — Continued

| Part of body | Nature of injury or illness | | | | | | | |
|--|-----------------------------|------------|---|-----------------------------------|--------------------------|---------------------------------|---------------------------|--------------------------------|
| | Carpal tunnel syndrome | Tendonitis | Multiple traumatic injuries and disorders | | | Back pain and pain, except back | | All other natures ³ |
| | | | Total | With fractures and other injuries | With sprains and bruises | Total | Back pain, hurt back only | |
| Private industry | 31,457 | 22,072 | 61,709 | 11,438 | 22,888 | 134,498 | 58,985 | 358,628 |
| Head | — | — | 3,450 | 525 | 100 | 3,936 | — | 78,576 |
| Head, unspecified | — | — | 508 | — | — | 2,004 | — | 5,277 |
| Cranial region, including skull | — | — | 263 | — | — | 242 | — | 8,849 |
| Cranial region, unspecified | — | — | — | — | — | — | — | 140 |
| Brain | — | — | 52 | — | — | — | — | 7,947 |
| Scalp | — | — | 89 | — | — | 215 | — | 661 |
| Skull | — | — | 67 | — | — | — | — | 70 |
| Multiple cranial region locations | — | — | 42 | — | — | — | — | — |
| Cranial region, n.e.c. | — | — | — | — | — | 19 | — | — |
| Ear(s) | — | — | 33 | — | — | 69 | — | 1,387 |
| Face | — | — | 2,328 | 474 | 56 | 1,568 | — | 62,618 |
| Face, unspecified | — | — | 160 | — | — | 135 | — | 1,047 |
| Forehead | — | — | 378 | — | — | 85 | — | 650 |
| Eye(s) | — | — | 636 | — | — | 921 | — | 58,935 |
| Nose, nasal cavity | — | — | 126 | 69 | — | 43 | — | 729 |
| Nose, except internal location of diseases or disorders | — | — | 126 | 69 | — | 43 | — | 322 |
| Internal nasal location, unspecified | — | — | — | — | — | — | — | 31 |
| Nasal passages | — | — | — | — | — | — | — | 47 |
| Sinuses | — | — | — | — | — | — | — | 324 |
| Cheek(s) | — | — | 39 | 20 | — | — | — | 139 |
| Jaw/chin | — | — | 66 | — | — | 188 | — | 122 |
| Mouth | — | — | 214 | 44 | — | 99 | — | 409 |
| Mouth, unspecified | — | — | 112 | — | — | 57 | — | 204 |
| Lip(s) | — | — | 14 | — | — | — | — | 132 |
| Tongue | — | — | — | — | — | — | — | — |
| Tooth(teeth) | — | — | — | — | — | 20 | — | 51 |
| Multiple mouth locations | — | — | 79 | 44 | — | 20 | — | 15 |
| Mouth, n.e.c. | — | — | — | — | — | — | — | — |
| Multiple face locations | — | — | 640 | 288 | — | 67 | — | 515 |
| Face, n.e.c. | — | — | 67 | — | — | — | — | 70 |
| Multiple head locations | — | — | 308 | 42 | — | 43 | — | 405 |
| Head, n.e.c. | — | — | — | — | — | — | — | 40 |
| Neck, including throat | — | — | 173 | — | 58 | 3,994 | — | 3,959 |
| Neck, except internal location of diseases or disorders | — | — | 173 | — | 58 | 3,994 | — | 3,668 |
| Internal neck location, unspecified | — | — | — | — | — | — | — | 128 |
| Vocal cord(s) | — | — | — | — | — | — | — | 57 |
| Larynx | — | — | — | — | — | — | — | 52 |
| Trunk | — | 3,084 | 5,059 | 472 | 3,660 | 76,556 | 58,983 | 83,407 |
| Trunk, unspecified | — | — | 101 | — | 56 | 488 | — | 630 |
| Shoulder, including clavicle, scapula | — | 3,006 | 843 | 41 | 648 | 8,298 | — | 10,998 |
| Chest, including ribs, internal organs | — | — | 415 | 180 | 85 | 2,427 | — | 6,966 |
| Chest, except internal location of diseases or disorders | — | — | 415 | 180 | 85 | 2,427 | — | 2,705 |
| Internal chest location, unspecified | — | — | — | — | — | — | — | 403 |
| Heart | — | — | — | — | — | — | — | 1,173 |
| Bronchus | — | — | — | — | — | — | — | 431 |
| Lung(s), pleura | — | — | — | — | — | — | — | 2,107 |
| Multiple internal chest locations | — | — | — | — | — | — | — | 17 |
| Internal chest location, n.e.c. | — | — | — | — | — | — | — | 100 |
| Back, including spine, spinal cord | — | — | 2,350 | — | 2,043 | 58,983 | 58,983 | 26,533 |
| Back, including spine, spinal cord, unspecified | — | — | 1,013 | — | 834 | 28,034 | 28,034 | 12,524 |
| Lumbar region | — | — | 911 | — | 827 | 26,475 | 26,475 | 10,314 |
| Thoracic region | — | — | 67 | — | 49 | 2,218 | 2,218 | 846 |
| Sacral region | — | — | — | — | — | 391 | 391 | 251 |
| Coccygeal region | — | — | — | — | — | 297 | 297 | 409 |
| Multiple back regions | — | — | 338 | — | 314 | 1,465 | 1,465 | 2,059 |
| Back, including spine, spinal cord, n.e.c. | — | — | — | — | — | 104 | 104 | 130 |
| Abdomen | — | — | 50 | — | — | 1,576 | — | 32,936 |
| Abdomen, except internal location of diseases or disorders | — | — | 50 | — | — | 1,576 | — | 1,046 |
| Internal abdominal location, unspecified | — | — | — | — | — | — | — | 14,476 |

See footnotes at end of table.

Table R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 1995 — Continued

| Part of body | Part of body code ² | Total cases | Nature of injury or illness | | | | | | | |
|---|--------------------------------|----------------|-----------------------------|---------------|-----------------|---------------|---------------|----------------|---------------|----------|
| | | | Sprains, strains | Fractures | Cuts, punctures | Bruises | Heat burns | Chemical burns | Amputations | |
| Stomach organ | 242 | 1,441 | - | - | - | - | - | - | - | - |
| Spleen | 243 | 17 | - | - | - | - | - | - | - | - |
| Urinary organs | 244 | 52 | - | - | - | - | - | - | - | - |
| Bladder | 2441 | 31 | - | - | - | - | - | - | - | - |
| Intestines, peritoneum | 245 | 15,519 | - | - | - | - | - | - | - | - |
| Intestines, peritoneum, unspecified | 2450 | 13,052 | - | - | - | - | - | - | - | - |
| Peritoneum | 2451 | 893 | - | - | - | - | - | - | - | - |
| Small intestine | 2452 | 140 | - | - | - | - | - | - | - | - |
| Large intestine/colon, rectum | 2453 | 800 | - | - | - | - | - | - | - | - |
| Intestines, n.e.c. | 2459 | 635 | - | - | - | - | - | - | - | - |
| Other digestive structures | 246 | 150 | - | - | - | - | - | - | - | - |
| Liver | 2461 | 144 | - | - | - | - | - | - | - | - |
| Multiple internal abdominal locations | 248 | 34 | - | - | - | - | - | - | - | - |
| Internal abdominal location, n.e.c. | 249 | 203 | - | - | - | - | - | - | - | - |
| Pelvic region | 25 | 36,670 | 20,152 | 2,836 | 608 | 6,054 | 76 | 51 | - | - |
| Pelvic region, unspecified | 250 | 1,102 | 448 | 372 | 39 | 130 | - | - | - | - |
| Hip(s) | 251 | 13,054 | 4,116 | 1,789 | 120 | 3,922 | 41 | 14 | - | - |
| Pelvis | 252 | 1,020 | 172 | 639 | - | 81 | - | - | - | - |
| Buttock(s) | 253 | 2,136 | 337 | - | 217 | 822 | 14 | 17 | - | - |
| Groin | 254 | 17,621 | 14,489 | - | 167 | 726 | 14 | - | - | - |
| External reproductive tract structures | 255 | 760 | 213 | - | 65 | 231 | - | - | - | - |
| External reproductive tract structures, unspecified | 2550 | 67 | 50 | - | - | - | - | - | - | - |
| Scrotum | 2551 | 581 | 149 | - | - | 192 | - | - | - | - |
| Penis | 2552 | 82 | - | - | - | 31 | - | - | - | - |
| External female genital region | 2553 | 19 | - | - | - | - | - | - | - | - |
| Internal reproductive tract structures | 256 | 247 | - | - | - | - | - | - | - | - |
| Testis(testes) | 2562 | 211 | - | - | - | - | - | - | - | - |
| Multiple pelvic region locations | 258 | 540 | 268 | - | - | 109 | - | - | - | - |
| Pelvic region, n.e.c. | 259 | 190 | 108 | - | - | 32 | - | - | - | - |
| Multiple trunk locations | 28 | 13,974 | 7,386 | 204 | - | 1,763 | 95 | - | - | - |
| Trunk, n.e.c. | 29 | 455 | 256 | - | - | 66 | - | - | - | - |
| Upper extremities | 3 | 466,522 | 69,504 | 49,199 | 129,605 | 41,460 | 18,320 | 2,110 | 10,934 | - |
| Upper extremities, unspecified | 30 | 460 | 99 | - | 48 | 31 | 15 | - | - | - |
| Arm(s) | 31 | 86,667 | 22,644 | 9,616 | 9,386 | 12,249 | 5,338 | 468 | 128 | - |
| Arm(s), unspecified | 310 | 30,451 | 9,554 | 3,239 | 3,582 | 3,144 | 2,982 | 231 | 17 | - |
| Upper arm(s) | 311 | 4,451 | 2,185 | 407 | 511 | 439 | 100 | 17 | - | - |
| Elbow(s) | 312 | 31,845 | 6,703 | 4,383 | 1,330 | 5,952 | 153 | 68 | - | - |
| Forearm(s) | 313 | 15,154 | 2,512 | 1,171 | 3,780 | 2,334 | 1,590 | 84 | 108 | - |
| Multiple arm(s) locations | 318 | 2,834 | 862 | 293 | - | 202 | 379 | - | - | - |
| Arm(s), n.e.c. | 319 | 1,932 | 828 | 122 | 173 | 177 | 135 | 59 | - | - |
| Wrist(s) | 32 | 97,367 | 26,848 | 10,500 | 4,220 | 3,726 | 492 | 107 | - | - |
| Hand(s), except finger(s) | 33 | 82,590 | 6,879 | 6,832 | 27,965 | 12,567 | 8,272 | 1,190 | 101 | - |
| Finger(s), fingernail(s) | 34 | 176,909 | 8,297 | 21,050 | 86,066 | 10,963 | 2,298 | 200 | 10,693 | - |
| Multiple upper extremities locations | 38 | 22,391 | 4,688 | 1,178 | 1,916 | 1,919 | 1,899 | 142 | - | - |
| Multiple upper extremities locations, unspecified | 380 | 412 | 161 | 33 | - | 16 | - | - | - | - |
| Hand(s) and finger(s) | 381 | 5,632 | 488 | 404 | 1,331 | 457 | 651 | 45 | - | - |
| Hand(s) and wrist(s) | 382 | 4,672 | 1,245 | 183 | 181 | 619 | 186 | 40 | - | - |
| Hand(s) and arm(s) | 383 | 3,702 | 448 | 33 | 160 | 187 | 868 | 31 | - | - |
| Multiple upper extremities locations, n.e.c. | 389 | 7,973 | 2,347 | 525 | 216 | 640 | 168 | - | - | - |
| Upper extremities, n.e.c. | 39 | 139 | 48 | - | - | - | - | - | - | - |
| Lower extremities | 4 | 404,743 | 176,936 | 51,208 | 22,755 | 71,928 | 7,209 | 1,511 | 372 | - |
| Lower extremities, unspecified | 40 | 579 | 160 | 30 | 123 | 76 | - | - | - | - |
| Leg(s) | 41 | 194,484 | 89,748 | 10,632 | 13,432 | 35,736 | 1,807 | 693 | 65 | - |
| Leg(s), unspecified | 410 | 28,557 | 6,976 | 3,227 | 3,770 | 6,613 | 919 | 418 | - | - |
| Thigh(s) | 411 | 7,591 | 2,546 | 341 | 1,768 | 1,659 | 283 | 78 | - | - |
| Knee(s) | 412 | 138,058 | 75,141 | 4,779 | 4,841 | 23,290 | 165 | 90 | - | - |
| Lower leg(s) | 413 | 13,218 | 3,364 | 1,858 | 2,202 | 3,095 | 231 | 56 | 44 | - |
| Multiple leg(s) locations | 418 | 2,797 | 663 | 132 | 114 | 441 | 131 | 32 | - | - |
| Leg(s), n.e.c. | 419 | 4,263 | 1,058 | 296 | 737 | 639 | 78 | 20 | - | - |
| Ankle(s) | 42 | 94,941 | 69,590 | 12,622 | 787 | 3,995 | 1,087 | 95 | - | - |
| Foot(foot), except toe(s) | 43 | 75,120 | 12,103 | 15,256 | 6,835 | 23,122 | 3,478 | 597 | 44 | - |
| Foot(foot), except toe(s), unspecified | 430 | 65,439 | 10,944 | 12,882 | 5,437 | 20,626 | 3,322 | 543 | 33 | - |
| Instep(s) | 431 | 596 | 40 | 192 | - | 197 | 18 | - | - | - |
| Sole | 432 | 6,336 | 706 | 1,447 | 1,142 | 1,621 | 74 | - | - | - |

See footnotes at end of table.

Table R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 1995 — Continued

| Part of body | Nature of injury or illness | | | | | | | |
|---|-----------------------------|---------------|---|-----------------------------------|--------------------------|---------------------------------|---------------------------|--------------------------------|
| | Carpal tunnel syndrome | Tendonitis | Multiple traumatic injuries and disorders | | | Back pain and pain, except back | | All other natures ³ |
| | | | Total | With fractures and other injuries | With sprains and bruises | Total | Back pain, hurt back only | |
| Stomach organ | - | - | - | - | - | - | - | 1,441 |
| Spleen | - | - | - | - | - | - | - | 17 |
| Urinary organs | - | - | - | - | - | - | - | 52 |
| Bladder | - | - | - | - | - | - | - | 31 |
| Intestines, peritoneum | - | - | - | - | - | - | - | 15,516 |
| Intestines, peritoneum, unspecified | - | - | - | - | - | - | - | 13,052 |
| Peritoneum | - | - | - | - | - | - | - | 893 |
| Small intestine | - | - | - | - | - | - | - | 140 |
| Large intestine/colon, rectum | - | - | - | - | - | - | - | 798 |
| Intestines, n.e.c. | - | - | - | - | - | - | - | 635 |
| Other digestive structures | - | - | - | - | - | - | - | 150 |
| Liver | - | - | - | - | - | - | - | 144 |
| Multiple internal abdominal locations | - | - | - | - | - | - | - | 34 |
| Internal abdominal location, n.e.c. | - | - | - | - | - | - | - | 203 |
| Pelvic region | - | 31 | 247 | 18 | 138 | 3,835 | - | 2,781 |
| Pelvic region, unspecified | - | - | - | - | - | 59 | - | 44 |
| Hip(s) | - | - | 121 | 15 | 88 | 1,769 | - | 1,140 |
| Pelvis | - | - | 37 | - | - | - | - | 67 |
| Buttock(s) | - | - | 41 | - | - | 365 | - | 323 |
| Groin | - | - | - | - | 14 | 1,412 | - | 767 |
| External reproductive tract structures | - | - | - | - | - | 80 | - | 149 |
| External reproductive tract structures, unspecified | - | - | - | - | - | - | - | - |
| Scrotum | - | - | - | - | - | 77 | - | 130 |
| Penis | - | - | - | - | - | - | - | 16 |
| External female genital region | - | - | - | - | - | - | - | - |
| Internal reproductive tract structures | - | - | - | - | - | - | - | 247 |
| Testis(testes) | - | - | - | - | - | - | - | 211 |
| Multiple pelvic region locations | - | - | - | - | - | 123 | - | - |
| Pelvic region, n.e.c. | - | - | - | - | - | - | - | 16 |
| Multiple trunk locations | - | 33 | 1,043 | 199 | 659 | 935 | - | 2,463 |
| Trunk, n.e.c. | - | - | - | - | - | 14 | - | 101 |
| Upper extremities | 31,457 | 16,572 | 10,088 | 3,673 | 1,768 | 19,026 | - | 68,247 |
| Upper extremities, unspecified | - | 35 | - | - | - | - | - | 187 |
| Arm(s) | - | 6,400 | 1,678 | 230 | 391 | 5,762 | - | 12,996 |
| Arm(s), unspecified | - | 1,042 | 669 | 97 | 122 | 2,211 | - | 3,781 |
| Upper arm(s) | - | 187 | 86 | - | 41 | 137 | - | 382 |
| Elbow(s) | - | 3,998 | 486 | 33 | 134 | 2,444 | - | 6,327 |
| Forearm(s) | - | 934 | 289 | 64 | 54 | 453 | - | 1,898 |
| Multiple arm(s) locations | - | 188 | 132 | 15 | 40 | 350 | - | 408 |
| Arm(s), n.e.c. | - | 51 | 15 | - | - | 168 | - | 201 |
| Wrist(s) | 31,457 | 6,636 | 568 | 103 | 276 | 4,957 | - | 7,854 |
| Hand(s), except finger(s) | - | 1,480 | 1,644 | 390 | 321 | 2,707 | - | 12,953 |
| Finger(s), fingernail(s) | - | 866 | 4,515 | 2,433 | 218 | 2,819 | - | 29,142 |
| Multiple upper extremities locations | - | 1,151 | 1,656 | 516 | 562 | 2,741 | - | 5,090 |
| Multiple upper extremities locations, unspecified | - | - | - | - | - | 31 | - | 89 |
| Hand(s) and finger(s) | - | 104 | 476 | 247 | 17 | 295 | - | 1,370 |
| Hand(s) and wrist(s) | - | 288 | 169 | - | 104 | 921 | - | 842 |
| Hand(s) and arm(s) | - | 133 | 427 | 18 | 321 | 442 | - | 974 |
| Multiple upper extremities locations, n.e.c. | - | 623 | 562 | 221 | 118 | 1,052 | - | 1,815 |
| Upper extremities, n.e.c. | - | - | - | - | - | 18 | - | - |
| Lower extremities | - | 1,046 | 10,764 | 1,871 | 4,674 | 18,043 | - | 42,971 |
| Lower extremities, unspecified | - | - | - | - | - | 77 | - | 103 |
| Leg(s) | - | 559 | 5,513 | 338 | 2,920 | 11,072 | - | 25,226 |
| Leg(s), unspecified | - | 38 | 708 | 83 | 157 | 1,647 | - | 4,231 |
| Thigh(s) | - | - | 123 | - | - | 200 | - | 570 |
| Knee(s) | - | 477 | 3,555 | 154 | 2,369 | 8,604 | - | 17,116 |
| Lower leg(s) | - | 32 | 526 | - | 46 | 266 | - | 1,547 |
| Multiple leg(s) locations | - | - | 551 | 65 | 301 | 251 | - | 481 |
| Leg(s), n.e.c. | - | - | 51 | - | - | 105 | - | 1,280 |
| Ankle(s) | - | 118 | 943 | 225 | 532 | 1,874 | - | 3,830 |
| Foot(foot), except toe(s) | - | 354 | 1,380 | 320 | 509 | 3,498 | - | 8,453 |
| Foot(foot), except toe(s), unspecified | - | 242 | 1,210 | 273 | 468 | 2,839 | - | 7,361 |
| Instep(s) | - | - | - | - | - | 65 | - | 57 |
| Sole | - | 80 | 92 | - | - | 487 | - | 684 |

See footnotes at end of table.

Table R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 1995 — Continued

| Part of body | Part of body code ² | Total cases | Nature of injury or illness | | | | | | |
|---|--------------------------------|----------------|-----------------------------|--------------|-----------------|---------------|--------------|----------------|-------------|
| | | | Sprains, strains | Fractures | Cuts, punctures | Bruises | Heat burns | Chemical burns | Amputations |
| Sole(s), unspecified | 4320 | 715 | 18 | — | 505 | — | — | — | — |
| Ball(s) | 4321 | 209 | — | — | 98 | 51 | — | — | — |
| Arch(es) | 4322 | 194 | — | — | — | 108 | — | — | — |
| Heel(s) | 4323 | 5,174 | 662 | 1,422 | 520 | 1,442 | 61 | — | — |
| Multiple sole(s) locations | 4328 | 14 | — | — | — | — | — | — | — |
| Sole(s), n.e.c. | 4329 | 30 | — | — | 13 | — | — | — | — |
| Multiple foot(foot) locations | 438 | 548 | 66 | 45 | — | 246 | 37 | 18 | — |
| Foot(foot), n.e.c. | 439 | 2,201 | 346 | 691 | 244 | 432 | — | 30 | — |
| Toe(s), toenail(s) | 44 | 24,835 | 818 | 11,395 | 1,358 | 5,536 | 61 | — | 262 |
| Multiple lower extremities locations | 48 | 14,684 | 4,470 | 1,260 | 218 | 3,445 | 770 | 98 | — |
| Multiple lower extremities locations, unspecified | 480 | 264 | 103 | 55 | — | — | 19 | — | — |
| Foot(foot) and leg(s) | 481 | 1,475 | 191 | 69 | 14 | 481 | 194 | 33 | — |
| Foot(foot) and ankle(s) | 482 | 4,932 | 2,219 | 283 | — | 1,218 | 132 | — | — |
| Foot(foot) and toe(s) | 483 | 2,443 | 54 | 385 | 111 | 735 | 314 | — | — |
| Multiple lower extremities locations, n.e.c. | 489 | 5,570 | 1,903 | 468 | 81 | 983 | 111 | — | — |
| Lower extremities, n.e.c. | 49 | 101 | 48 | — | — | 17 | — | — | — |
| Body systems | 5 | 31,540 | — | — | — | — | — | — | — |
| Multiple body parts | 8 | 159,874 | 48,187 | 3,048 | 1,926 | 21,745 | 5,966 | 1,396 | — |
| Other body parts | 9 | 295 | 26 | 14 | — | 11 | — | — | — |
| Prosthetic devices | 91 | 32 | — | — | — | — | — | — | — |
| Other body parts, n.e.c. | 98 | 262 | — | 14 | — | — | — | — | — |
| Nonclassifiable | 9999 | 22,254 | 2,244 | 130 | 302 | 736 | 248 | 45 | — |

See footnotes at end of table.

Table R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 1995 — Continued

| Part of body | Nature of injury or illness | | | | | | | |
|---|-----------------------------|------------|---|-----------------------------------|--------------------------|---------------------------------|---------------------------|--------------------------------|
| | Carpal tunnel syndrome | Tendonitis | Multiple traumatic injuries and disorders | | | Back pain and pain, except back | | All other natures ³ |
| | | | Total | With fractures and other injuries | With sprains and bruises | Total | Back pain, hurt back only | |
| Sole(s), unspecified | - | - | 19 | - | - | 48 | - | 109 |
| Ball(s) | - | - | - | - | - | - | - | 43 |
| Arch(es) | - | - | - | - | - | - | - | - |
| Heel(s) | - | 74 | 73 | - | - | 410 | - | 510 |
| Multiple sole(s) locations | - | - | - | - | - | - | - | - |
| Sole(s), n.e.c. | - | - | - | - | - | - | - | - |
| Multiple foot(feet) locations | - | - | 36 | - | - | 47 | - | 52 |
| Foot(feet), n.e.c. | - | 32 | - | - | - | 60 | - | 299 |
| Toe(s), toenail(s) | - | - | 763 | 230 | 106 | 741 | - | 3,873 |
| Multiple lower extremities locations | - | 16 | 2,146 | 750 | 602 | 777 | - | 1,484 |
| Multiple lower extremities locations, unspecified | - | - | - | - | - | - | - | - |
| Foot(feet) and leg(s) | - | - | 267 | 74 | 94 | 109 | - | 117 |
| Foot(feet) and ankle(s) | - | - | 555 | 263 | 192 | 220 | - | 266 |
| Foot(feet) and toe(s) | - | - | 269 | 179 | 35 | 124 | - | 443 |
| Multiple lower extremities locations, n.e.c. | - | - | 1,033 | 230 | 281 | 322 | - | 636 |
| Lower extremities, n.e.c. | - | - | 16 | - | - | - | - | - |
| Body systems | - | - | - | - | - | - | - | 31,536 |
| Multiple body parts | - | 981 | 30,928 | 4,884 | 12,611 | 12,668 | - | 33,027 |
| Other body parts | - | - | - | - | - | - | - | 243 |
| Prosthetic devices | - | - | - | - | - | - | - | 32 |
| Other body parts, n.e.c. | - | - | - | - | - | - | - | 210 |
| Nonclassifiable | - | 365 | 1,247 | - | 16 | 276 | - | 16,662 |

¹ Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

² Based on the 1992 occupational injury and illness classification structure developed by the Bureau of Labor Statistics.

³ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available or data that do not meet publication guidelines. Because of rounding, data may not sum to the totals. Major classifications may include detailed classifications not shown separately. n.e.c. = not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor