

Table R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 1995

Part of body	Part of body code ²	Total cases	Source of injury or illness				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Private industry		2,040,929	38,345	287,175	75,910	143,226	227,042
Head	0	140,898	13,105	6,720	5,904	5,487	15,285
Head, unspecified	00	21,545	394	2,303	2,576	1,568	2,678
Cranial region, including skull	01	14,273	17	931	1,472	804	2,256
Cranial region, unspecified	010	385	-	-	48	16	71
Brain	011	8,159	-	381	853	456	1,298
Scalp	012	4,830	-	454	522	287	799
Skull	013	741	-	57	30	44	55
Multiple cranial region locations	018	74	-	-	-	-	-
Cranial region, n.e.c.	019	83	-	-	-	-	-
Ear(s)	02	2,366	31	106	116	94	264
Face	03	101,274	12,567	3,302	1,642	2,948	9,841
Face, unspecified	030	4,640	615	232	163	109	875
Forehead	031	5,562	35	360	562	475	1,530
Eye(s)	032	77,056	11,213	1,808	381	1,402	4,663
Nose, nasal cavity	033	4,127	146	252	151	310	555
Nose, except internal location of diseases or disorders	0330	3,719	57	251	149	310	555
Internal nasal location, unspecified	0331	31	18	-	-	-	-
Nasal passages	0333	47	15	-	-	-	-
Sinuses	0334	324	51	-	-	-	-
Cheek(s)	034	1,328	31	-	-	136	532
Jaw/chin	035	1,790	-	47	58	123	370
Mouth	036	3,575	91	328	223	144	743
Mouth, unspecified	0360	686	56	50	-	33	238
Lip(s)	0361	1,047	-	39	37	36	247
Tongue	0362	60	-	-	-	-	-
Tooth(teeth)	0363	1,482	-	220	151	44	184
Multiple mouth locations	0368	214	-	-	-	-	45
Mouth, n.e.c.	0369	86	-	-	-	19	-
Multiple face locations	038	2,700	404	232	59	123	420
Face, n.e.c.	039	496	-	17	20	126	154
Multiple head locations	08	1,273	92	67	92	52	195
Head, n.e.c.	09	168	-	-	-	-	50
Neck, including throat	1	38,186	308	5,175	1,711	1,800	2,807
Neck, except internal location of diseases or disorders	10	37,892	188	5,175	1,711	1,800	2,800
Internal neck location, unspecified	11	132	78	-	-	-	-
Vocal cord(s)	12	57	18	-	-	-	-
Larynx	13	52	13	-	-	-	-
Trunk	2	776,617	3,277	187,029	34,054	33,489	91,447
Trunk, unspecified	20	3,469	51	566	154	133	338
Shoulder, including clavicle, scapula	21	100,792	59	21,258	4,294	4,331	12,250
Chest, including ribs, internal organs	22	37,612	2,069	5,575	1,767	1,721	3,984
Chest, except internal location of diseases or disorders	220	33,352	125	5,469	1,766	1,698	3,910
Internal chest location, unspecified	221	403	197	100	-	-	-
Heart	223	1,173	-	-	-	-	32
Bronchus	224	431	218	-	-	-	17
Lung(s), pleura	225	2,107	1,401	-	-	-	-
Multiple internal chest locations	228	17	-	-	-	-	-
Internal chest location, n.e.c.	229	100	93	-	-	-	-
Back, including spine, spinal cord	23	540,047	368	136,781	23,629	21,817	59,870
Back, including spine, spinal cord, unspecified	230	263,065	189	65,156	11,902	10,365	29,255
Lumbar region	231	232,728	173	62,354	9,972	10,019	26,009
Thoracic region	232	18,000	-	4,537	693	693	2,196
Sacral region	233	3,360	-	930	226	123	377
Coccygeal region	234	3,716	-	344	131	97	35
Multiple back regions	238	18,198	-	3,253	680	500	1,921
Back, including spine, spinal cord, n.e.c.	239	980	-	205	-	-	77
Abdomen	24	43,597	550	13,404	1,917	3,039	9,270
Abdomen, except internal location of diseases or disorders	240	11,704	230	2,743	510	756	2,151
Internal abdominal location, unspecified	241	14,476	19	5,084	512	922	3,325
Stomach organ	242	1,441	276	560	80	17	142
Spleen	243	17	-	-	-	-	-

See footnotes at end of table.

Table R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 1995 — Continued

Part of body	Source of injury or illness					
	Worker motion or position	Floors, walkways or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ³
Private industry	300,987	317,226	91,853	158,197	97,564	303,404
Head	153	9,791	8,446	8,047	2,205	65,754
Head, unspecified	48	4,016	490	3,100	190	4,182
Cranial region, including skull	—	3,639	347	2,089	202	2,503
Cranial region, unspecified	—	—	43	14	—	143
Brain	—	2,250	122	1,284	156	1,350
Scalp	—	1,081	131	632	—	879
Skull	—	258	49	146	18	83
Multiple cranial region locations	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—
Ear(s)	—	—	—	154	—	1,523
Face	84	1,976	7,554	2,447	1,694	57,218
Face, unspecified	—	272	279	389	233	1,471
Forehead	—	446	381	846	67	859
Eye(s)	69	147	5,663	302	691	50,716
Nose, nasal cavity	—	261	244	170	304	1,726
Nose, except internal location of diseases or disorders	—	261	244	170	304	1,419
Internal nasal location, unspecified	—	—	—	—	—	—
Nasal passages	—	—	—	—	—	32
Sinuses	—	—	—	—	—	272
Cheek(s)	—	39	167	69	62	240
Jaw/chin	—	115	82	114	224	635
Mouth	—	346	622	314	58	706
Mouth, unspecified	—	39	96	—	14	110
Lip(s)	—	109	219	68	20	244
Tongue	—	—	—	—	—	—
Tooth(teeth)	—	164	250	176	—	269
Multiple mouth locations	—	—	—	44	—	51
Mouth, n.e.c.	—	—	—	—	—	—
Multiple face locations	—	282	99	198	52	831
Face, n.e.c.	—	69	18	44	—	35
Multiple head locations	—	125	—	254	91	283
Head, n.e.c.	—	—	—	—	—	46
Neck, including throat	6,278	2,359	810	9,283	2,845	4,810
Neck, except internal location of diseases or disorders	6,237	2,358	810	9,283	2,845	4,685
Internal neck location, unspecified	—	—	—	—	—	43
Vocal cord(s)	—	—	—	—	—	—
Larynx	—	—	—	—	—	35
Trunk	121,652	94,463	16,146	46,556	70,828	77,676
Trunk, unspecified	300	627	—	643	154	476
Shoulder, including clavicle, scapula	15,601	14,444	3,003	5,660	8,880	11,012
Chest, including ribs, internal organs	2,316	5,534	939	4,214	2,300	7,194
Chest, except internal location of diseases or disorders	2,208	5,534	931	4,210	2,277	5,225
Internal chest location, unspecified	—	—	—	—	—	103
Heart	95	—	—	—	—	1,023
Bronchus	—	—	—	—	—	196
Lung(s), pleura	—	—	—	—	—	635
Multiple internal chest locations	—	—	—	—	—	—
Internal chest location, n.e.c.	—	—	—	—	—	—
Back, including spine, spinal cord	93,569	59,632	10,364	29,710	55,511	48,796
Back, including spine, spinal cord, unspecified	44,806	31,918	5,084	15,067	24,534	24,790
Lumbar region	42,037	20,950	4,487	11,971	24,544	20,212
Thoracic region	2,913	1,160	428	1,256	2,277	1,845
Sacral region	468	330	71	91	424	316
Coccygeal region	130	2,702	—	73	31	172
Multiple back regions	3,140	2,472	277	1,197	3,419	1,338
Back, including spine, spinal cord, n.e.c.	74	101	15	55	282	124
Abdomen	3,240	1,301	1,092	2,335	1,631	5,817
Abdomen, except internal location of diseases or disorders	985	613	227	858	1,148	1,483
Internal abdominal location, unspecified	1,202	165	322	970	216	1,739
Stomach organ	46	—	14	—	—	294
Spleen	—	—	15	—	—	—

See footnotes at end of table.

Table R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 1995 — Continued

Part of body	Part of body code ²	Total cases	Source of injury or illness				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Urinary organs	244	52	—	—	—	—	—
Bladder	2441	31	—	—	—	—	—
Intestines, peritoneum	245	15,519	—	4,990	790	1,296	3,623
Intestines, peritoneum, unspecified	2450	13,052	—	4,241	660	1,108	2,990
Peritoneum	2451	893	—	246	46	50	216
Small intestine	2452	140	—	48	16	—	—
Large intestine/colon, rectum	2453	800	—	314	—	—	214
Intestines, n.e.c.	2459	635	—	142	61	82	183
Other digestive structures	246	150	—	—	—	—	—
Liver	2461	144	—	—	—	—	—
Multiple internal abdominal locations	248	34	—	—	—	—	—
Internal abdominal location, n.e.c.	249	203	—	—	—	48	—
Pelvic region	25	36,670	99	7,510	1,850	1,610	4,746
Pelvic region, unspecified	250	1,102	14	226	15	93	76
Hip(s)	251	13,054	34	834	435	338	820
Pelvis	252	1,020	—	157	16	152	74
Buttock(s)	253	2,136	17	113	38	45	77
Groin	254	17,621	—	5,862	1,300	932	3,186
External reproductive tract structures	255	760	—	123	—	35	257
External reproductive tract structures, unspecified	2550	67	—	—	—	—	—
Scrotum	2551	581	—	108	—	35	189
Penis	2552	82	—	—	—	—	32
External female genital region	2553	19	—	—	—	—	—
Internal reproductive tract structures	256	247	—	—	—	—	163
Testis(testes)	2562	211	—	—	—	—	163
Multiple pelvic region locations	258	540	—	156	—	—	43
Pelvic region, n.e.c.	259	190	—	—	—	—	50
Multiple trunk locations	28	13,974	76	1,886	432	783	953
Trunk, n.e.c.	29	455	—	51	—	55	36
Upper extremities	3	466,522	5,788	41,612	14,434	78,346	63,391
Upper extremities, unspecified	30	460	—	—	—	—	—
Arm(s)	31	86,667	1,208	9,983	3,343	7,432	11,245
Arm(s), unspecified	310	30,451	588	3,480	1,436	2,756	4,127
Upper arm(s)	311	4,451	42	1,028	128	225	590
Elbow(s)	312	31,845	141	3,183	1,245	2,417	3,578
Forearm(s)	313	15,154	181	1,558	375	1,652	2,402
Multiple arm(s) locations	318	2,834	173	319	41	158	296
Arm(s), n.e.c.	319	1,932	83	415	118	224	253
Wrist(s)	32	97,367	130	9,230	2,131	3,488	5,820
Hand(s), except finger(s)	33	82,590	3,050	7,505	3,109	14,079	13,921
Finger(s), fingernail(s)	34	176,909	633	12,972	5,256	50,215	30,258
Multiple upper extremities locations	38	22,391	756	1,868	592	3,090	2,118
Multiple upper extremities locations, unspecified	380	412	35	30	—	47	40
Hand(s) and finger(s)	381	5,632	227	573	102	1,552	661
Hand(s) and wrist(s)	382	4,672	131	374	333	462	535
Hand(s) and arm(s)	383	3,702	229	292	34	393	276
Multiple upper extremities locations, n.e.c.	389	7,973	133	598	114	637	606
Upper extremities, n.e.c.	39	139	—	34	—	16	—
Lower extremities	4	404,743	2,160	32,874	15,594	18,533	43,388
Lower extremities, unspecified	40	579	—	32	—	15	43
Leg(s)	41	194,484	1,004	12,173	7,710	8,298	15,636
Leg(s), unspecified	410	28,557	492	2,477	1,400	1,680	3,468
Thigh(s)	411	7,591	96	599	240	410	1,066
Knee(s)	412	138,058	204	7,570	5,236	4,838	8,614
Lower leg(s)	413	13,218	112	1,142	608	946	1,916
Multiple leg(s) locations	418	2,797	46	134	106	112	215
Leg(s), n.e.c.	419	4,263	54	250	119	312	356
Ankle(s)	42	94,941	155	4,992	1,377	2,034	4,212
Foot(feet), except toe(s)	43	75,120	819	9,179	4,221	5,322	15,353
Foot(feet), except toe(s), unspecified	430	65,439	758	8,310	3,637	4,814	13,565
Instep(s)	431	596	—	64	138	78	114
Sole	432	6,336	—	624	129	240	977
Sole(s), unspecified	4320	715	—	43	—	—	465
Ball(s)	4321	209	—	—	—	—	100
Arch(es)	4322	194	—	—	—	—	86
Heel(s)	4323	5,174	—	570	122	232	321

See footnotes at end of table.

Table R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 1995 — Continued

Part of body	Source of injury or illness					
	Worker motion or position	Floors, walkways or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ³
Urinary organs	—	—	—	—	—	48
Bladder	—	—	—	—	—	31
Intestines, peritoneum	989	516	510	502	252	2,029
Intestines, peritoneum, unspecified	902	498	389	396	176	1,673
Peritoneum	16	—	53	62	66	132
Small intestine	—	—	—	—	—	—
Large intestine/colon, rectum	57	—	44	17	—	108
Intestines, n.e.c.	—	—	14	—	—	106
Other digestive structures	—	—	—	—	—	146
Liver	—	—	—	—	—	142
Multiple internal abdominal locations	—	—	—	—	—	33
Internal abdominal location, n.e.c.	19	—	—	—	13	44
Pelvic region	4,603	9,342	538	2,270	1,095	3,006
Pelvic region, unspecified	31	420	50	66	37	75
Hip(s)	1,884	6,080	84	1,132	459	955
Pelvis	—	478	—	70	18	—
Buttock(s)	72	1,230	40	203	74	227
Groin	2,400	888	329	685	480	1,533
External reproductive tract structures	54	—	—	93	19	136
External reproductive tract structures, unspecified	—	—	—	—	—	14
Scrotum	44	—	—	77	19	95
Penis	—	—	—	—	—	—
External female genital region	—	—	—	—	—	—
Internal reproductive tract structures	—	—	—	—	—	—
Testis(testes)	—	—	—	—	—	—
Multiple pelvic region locations	106	161	—	14	—	—
Pelvic region, n.e.c.	—	53	—	—	—	—
Multiple trunk locations	2,002	3,462	120	1,692	1,248	1,320
Trunk, n.e.c.	—	121	62	30	—	56
Upper extremities	71,721	40,599	56,743	22,534	9,609	61,746
Upper extremities, unspecified	157	—	92	—	—	83
Arm(s)	10,642	15,058	5,139	5,912	3,244	13,459
Arm(s), unspecified	3,232	4,758	2,013	1,600	1,466	4,994
Upper arm(s)	428	710	240	116	341	603
Elbow(s)	4,930	7,608	686	3,338	972	3,747
Forearm(s)	1,435	1,249	1,848	648	278	3,527
Multiple arm(s) locations	427	554	233	175	101	356
Arm(s), n.e.c.	189	178	119	36	86	232
Wrist(s)	46,790	13,856	3,442	2,533	3,631	6,316
Hand(s), except finger(s)	4,984	4,885	10,924	3,888	774	15,472
Finger(s), fingernail(s)	3,932	4,133	36,141	9,158	1,342	22,870
Multiple upper extremities locations	5,190	2,621	1,005	1,012	618	3,521
Multiple upper extremities locations, unspecified	127	18	31	—	—	49
Hand(s) and finger(s)	429	316	432	306	40	994
Hand(s) and wrist(s)	1,309	424	191	166	194	551
Hand(s) and arm(s)	677	479	87	120	46	1,069
Multiple upper extremities locations, n.e.c.	2,647	1,384	263	395	337	858
Upper extremities, n.e.c.	—	—	—	—	—	—
Lower extremities	87,265	113,131	8,134	39,419	4,168	40,076
Lower extremities, unspecified	139	148	—	62	—	130
Leg(s)	46,084	59,226	4,759	17,787	2,911	18,896
Leg(s), unspecified	2,685	6,543	1,119	4,148	723	3,823
Thigh(s)	1,176	1,014	735	639	218	1,397
Knee(s)	39,997	46,960	2,216	9,984	1,739	10,700
Lower leg(s)	1,719	2,826	418	1,303	117	2,112
Multiple leg(s) locations	210	1,079	33	289	87	486
Leg(s), n.e.c.	297	806	239	1,424	—	378
Ankle(s)	31,951	37,188	516	5,466	687	6,362
Foot(feet), except toe(s)	7,213	11,128	1,687	9,802	421	9,974
Foot(feet), except toe(s), unspecified	6,008	8,813	1,525	8,576	398	9,036
Instep(s)	15	82	32	—	—	45
Sole	882	1,927	80	956	15	501
Sole(s), unspecified	101	48	—	—	—	46
Ball(s)	45	45	—	—	—	—
Arch(es)	—	—	—	—	—	—
Heel(s)	693	1,819	50	925	15	424

See footnotes at end of table.

Table R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 1995 — Continued

Part of body	Part of body code ²	Total cases	Source of injury or illness				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Multiple sole(s) locations	4328	14	—	—	—	—	—
Sole(s), n.e.c.	4329	30	—	—	—	—	—
Multiple foot(foot) locations	438	548	18	—	—	—	154
Foot(foot), n.e.c.	439	2,201	34	157	310	184	544
Toe(s), toenail(s)	44	24,835	42	5,363	1,916	2,313	6,384
Multiple lower extremities locations	48	14,684	139	1,124	371	550	1,756
Multiple lower extremities locations, unspecified	480	264	20	—	—	14	18
Foot(foot) and leg(s)	481	1,475	37	101	53	41	265
Foot(foot) and ankle(s)	482	4,932	40	243	74	175	250
Foot(foot) and toe(s)	483	2,443	—	312	111	165	684
Multiple lower extremities locations, n.e.c.	489	5,570	—	466	132	155	539
Lower extremities, n.e.c.	49	101	—	—	—	—	—
Body systems	5	31,540	9,868	434	177	834	1,537
Multiple body parts	8	159,874	3,392	11,942	3,831	4,549	8,592
Other body parts	9	295	—	13	—	—	—
Prosthetic devices	91	32	—	—	—	—	—
Other body parts, n.e.c.	98	262	—	—	—	—	—
Nonclassifiable	9999	22,254	447	1,377	205	189	591

See footnotes at end of table.

Table R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 1995 — Continued

Part of body	Source of injury or illness					
	Worker motion or position	Floors, walkways or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ³
Multiple sole(s) locations	—	—	—	—	—	—
Sole(s), n.e.c.	—	—	—	—	—	—
Multiple foot(feet) locations	69	83	—	87	—	100
Foot(feet), n.e.c.	239	224	51	158	—	293
Toe(s), toenail(s)	153	914	1,080	3,576	54	3,040
Multiple lower extremities locations	1,711	4,478	82	2,718	91	1,664
Multiple lower extremities locations, unspecified	—	84	—	46	—	55
Foot(feet) and leg(s)	131	333	—	286	17	211
Foot(feet) and ankle(s)	1,026	1,284	—	1,358	—	451
Foot(feet) and toe(s)	—	129	34	476	—	495
Multiple lower extremities locations, n.e.c.	506	2,649	38	552	52	452
Lower extremities, n.e.c.	15	47	—	—	—	—
Body systems	386	238	78	178	178	17,630
Multiple body parts	12,042	54,678	1,301	31,069	7,543	20,935
Other body parts	6	224	—	8	11	31
Prosthetic devices	—	16	—	—	—	16
Other body parts, n.e.c.	—	208	—	—	—	15
Nonclassifiable	1,484	1,743	194	1,104	176	14,744

¹ Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

² Based on the 1992 occupational injury and illness classification structure developed by the Bureau of Labor Statistics.

³ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available or data that do not meet publication guidelines. Because of rounding, data may not sum to the totals. Major classifications may include detailed classifications not shown separately. n.e.c. = not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor