

Table R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 1995

Part of body	Part of body code ²	Private industry	Age										Not reported
			Under 14 years	14 to 15 years	16 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over		
Total		2,040,929	17	865	83,512	265,469	628,282	538,757	319,009	131,326	18,891	54,800	
Head	0	140,898	—	35	6,504	22,978	49,077	33,730	16,868	6,683	1,023	3,996	
Head, unspecified	00	21,545	—	—	1,315	2,945	6,841	5,107	2,717	1,511	202	906	
Cranial region, including skull	01	14,273	—	—	912	2,108	4,469	3,246	2,190	960	223	164	
Cranial region, unspecified	010	385	—	—	15	55	225	37	42	—	—	—	
Brain	011	8,159	—	—	726	1,425	2,598	1,835	950	432	99	93	
Scalp	012	4,830	—	—	142	510	1,399	1,094	1,078	425	117	67	
Skull	013	741	—	—	—	88	188	266	78	88	—	—	
Multiple cranial region locations	018	74	—	—	—	—	—	—	—	—	—	—	
Cranial region, n.e.c.	019	83	—	—	—	19	39	—	17	—	—	—	
Ear(s)	02	2,366	—	—	—	188	1,039	542	261	157	—	146	
Face	03	101,274	—	—	4,151	17,591	36,343	24,581	11,405	3,922	547	2,704	
Face, unspecified	030	4,640	—	—	294	600	1,537	1,048	590	350	54	164	
Forehead	031	5,562	—	—	205	930	2,020	1,307	509	399	112	78	
Eye(s)	032	77,056	—	—	2,974	13,767	28,321	19,122	8,019	2,551	172	2,106	
Nose, nasal cavity	033	4,127	—	—	259	863	1,084	763	680	198	139	140	
Nose, except internal location of diseases or disorders	0330	3,719	—	—	234	849	1,029	701	434	195	139	140	
Internal nasal location, unspecified	0331	31	—	—	—	—	—	—	—	—	—	—	
Nasal passages	0333	47	—	—	—	—	—	—	—	—	—	—	
Sinuses	0334	324	—	—	—	—	—	34	239	—	—	—	
Cheek(s)	034	1,328	—	—	48	154	297	234	452	68	—	73	
Jaw/chin	035	1,790	—	—	32	269	851	306	199	71	—	60	
Mouth	036	3,575	—	—	229	583	1,085	1,107	343	140	—	62	
Mouth, unspecified	0360	686	—	—	57	37	293	236	37	—	—	14	
Lip(s)	0361	1,047	—	—	83	96	389	214	203	56	—	—	
Tongue	0362	60	—	—	—	—	31	—	—	—	—	—	
Tooth(teeth)	0363	1,482	—	—	69	395	246	603	84	52	—	31	
Multiple mouth locations	0368	214	—	—	20	—	73	30	19	—	—	17	
Mouth, n.e.c.	0369	86	—	—	—	—	53	—	—	—	—	—	
Multiple face locations	038	2,700	—	—	86	377	1,107	592	390	93	39	15	
Face, n.e.c.	039	496	—	—	—	47	41	101	222	52	—	—	
Multiple head locations	08	1,273	—	—	95	112	343	223	256	116	46	73	
Head, n.e.c.	09	168	—	—	—	35	42	31	38	16	—	—	
Neck, including throat	1	38,186	—	—	886	4,801	12,701	11,202	5,354	2,092	115	1,022	
Neck, except internal location of diseases or disorders	10	37,892	—	—	885	4,731	12,678	11,088	5,282	2,083	111	1,022	
Internal neck location, unspecified	11	132	—	—	—	—	16	46	54	—	—	—	
Vocal cord(s)	12	57	—	—	—	—	—	—	—	—	—	—	
Larynx	13	52	—	—	—	36	—	—	13	—	—	—	
Trunk	2	776,617	—	126	24,620	92,763	245,000	217,630	120,830	50,211	6,515	18,921	
Trunk, unspecified	20	3,469	—	—	57	398	993	873	576	392	52	129	
Shoulder, including clavicle, scapula	21	100,792	—	42	2,831	12,212	31,172	26,043	16,580	7,612	1,312	2,989	
Chest, including ribs, internal organs	22	37,612	—	—	916	3,339	9,592	11,107	7,458	4,028	462	711	
Chest, except internal location of diseases or disorders	220	33,352	—	—	836	3,044	8,817	9,922	6,555	3,328	334	516	
Internal chest location, unspecified	221	403	—	—	—	45	61	221	—	31	—	—	
Heart	223	1,173	—	—	—	—	—	147	300	463	106	141	
Bronchus	224	431	—	—	—	70	65	207	55	—	—	—	
Lung(s), pleura	225	2,107	—	—	48	172	546	594	512	170	19	46	
Multiple internal chest locations	228	17	—	—	—	—	—	—	—	—	—	—	
Internal chest location, n.e.c.	229	100	—	—	—	—	88	—	—	—	—	—	
Back, including spine, spinal cord	23	540,047	—	77	18,420	65,690	175,746	154,529	80,190	29,660	2,871	12,860	
Back, including spine, spinal cord, unspecified	230	263,065	—	—	9,180	33,229	85,788	73,600	38,309	14,709	1,261	6,961	
Lumbar region	231	232,728	—	53	7,688	26,551	75,802	67,843	35,075	13,203	1,314	5,198	
Thoracic region	232	18,000	—	—	559	2,589	6,722	4,841	2,361	558	57	313	
Sacral region	233	3,360	—	—	161	428	994	1,196	477	70	—	—	
Coccygeal region	234	3,716	—	—	394	350	999	830	703	240	105	96	
Multiple back regions	238	18,198	—	—	401	2,417	5,076	5,952	3,156	853	106	237	
Back, including spine, spinal cord, n.e.c.	239	980	—	—	36	125	366	267	109	—	16	33	
Abdomen	24	43,597	—	—	801	4,369	12,693	11,924	7,920	4,160	735	995	
Abdomen, except internal location of diseases or disorders	240	11,704	—	—	392	1,864	3,789	2,757	1,639	914	100	249	
Internal abdominal location, unspecified	241	14,476	—	—	179	1,058	4,384	4,453	2,589	1,164	334	317	

See footnotes at end of table.

Table R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 1995 — Continued

Part of body	Part of body code ²	Private industry	Age									
			Under 14 years	14 to 15 years	16 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over	Not reported
Stomach organ	242	1,441	—	—	15	106	578	386	152	91	—	112
Spleen	243	17	—	—	—	—	15	—	—	—	—	—
Urinary organs	244	52	—	—	—	—	36	—	—	—	—	—
Bladder	2441	31	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	15,519	—	—	216	1,332	3,800	4,141	3,468	1,954	293	315
Intestines, peritoneum, unspecified	2450	13,052	—	—	183	1,215	3,106	3,507	2,944	1,642	231	225
Peritoneum	2451	893	—	—	16	36	196	244	151	147	17	85
Small intestine	2452	140	—	—	—	—	39	73	—	—	—	—
Large intestine/colon, rectum	2453	800	—	—	15	49	249	151	249	53	34	—
Intestines, n.e.c.	2459	635	—	—	—	32	209	166	123	85	—	—
Other digestive structures	246	150	—	—	—	—	—	74	49	—	—	—
Liver	2461	144	—	—	—	—	—	71	45	—	—	—
Multiple internal abdominal locations	248	34	—	—	—	—	18	—	—	—	—	—
Internal abdominal location, n.e.c.	249	203	—	—	—	—	66	77	14	30	—	—
Pelvic region	25	36,670	—	—	1,382	5,273	10,739	9,287	5,032	3,010	938	1,003
Pelvic region, unspecified	250	1,102	—	—	—	55	545	246	127	84	—	15
Hip(s)	251	13,054	—	—	694	1,871	2,626	2,984	2,150	1,445	795	489
Pelvis	252	1,020	—	—	—	132	170	403	198	89	18	—
Buttock(s)	253	2,136	—	—	107	167	776	483	418	143	15	—
Groin	254	17,621	—	—	526	2,811	6,067	4,615	1,986	1,132	75	404
External reproductive tract structures	255	760	—	—	—	130	315	176	—	40	—	60
External reproductive tract structures, unspecified	2550	67	—	—	—	—	—	—	—	—	—	—
Scrotum	2551	581	—	—	—	103	246	126	18	31	—	46
Penis	2552	82	—	—	—	18	39	—	—	—	—	14
External female genital region	2553	19	—	—	—	—	—	—	—	—	—	—
Internal reproductive tract structures	256	247	—	—	—	—	36	183	—	—	—	—
Testis(testes)	2562	211	—	—	—	—	16	174	—	—	—	—
Multiple pelvic region locations	258	540	—	—	—	73	154	149	68	66	—	—
Pelvic region, n.e.c.	259	190	—	—	—	—	49	48	55	—	—	—
Multiple trunk locations	28	13,974	—	—	208	1,443	3,898	3,702	3,001	1,343	144	234
Trunk, n.e.c.	29	455	—	—	—	38	167	164	74	—	—	—
Upper extremities	3	466,522	—	344	26,378	68,852	141,496	114,147	71,501	27,402	3,921	12,476
Upper extremities, unspecified	30	460	—	—	—	46	112	121	117	59	—	—
Arm(s)	31	86,667	—	—	3,638	10,395	24,495	24,892	14,337	5,541	856	2,485
Arm(s), unspecified	310	30,451	—	19	1,149	4,400	9,427	7,912	4,449	1,815	409	870
Upper arm(s)	311	4,451	—	—	115	436	1,323	1,107	767	513	69	118
Elbow(s)	312	31,845	—	—	935	2,803	7,981	10,748	5,918	2,144	222	1,090
Forearm(s)	313	15,154	—	—	1,203	2,159	4,556	3,587	2,490	743	73	341
Multiple arm(s) locations	318	2,834	—	—	221	291	726	1,033	297	170	58	37
Arm(s), n.e.c.	319	1,932	—	—	14	306	482	505	416	156	—	—
Wrist(s)	32	97,367	—	63	3,744	11,700	29,165	26,011	16,835	6,441	952	2,456
Hand(s), except finger(s)	33	82,590	—	50	5,558	14,258	25,018	19,285	10,945	4,359	713	2,403
Finger(s), fingernail(s)	34	176,909	—	180	12,400	29,752	54,946	38,045	25,893	9,650	1,313	4,725
Multiple upper extremities locations	38	22,391	—	—	1,032	2,663	7,710	5,782	3,355	1,342	86	395
Multiple upper extremities locations, unspecified	380	412	—	—	—	—	98	170	72	35	—	—
Hand(s) and finger(s)	381	5,632	—	—	262	910	1,793	1,397	898	176	—	185
Hand(s) and wrist(s)	382	4,672	—	—	134	630	1,881	1,183	505	275	—	46
Hand(s) and arm(s)	383	3,702	—	16	390	422	1,048	833	559	370	—	56
Multiple upper extremities locations, n.e.c.	389	7,973	—	—	237	678	2,890	2,199	1,321	485	60	104
Upper extremities, n.e.c.	39	139	—	—	—	39	49	—	19	—	—	—
Lower extremities	4	404,743	—	221	18,674	53,736	120,134	103,873	65,284	28,745	4,064	10,008
Lower extremities, unspecified	40	579	—	—	30	54	87	312	44	44	—	—
Leg(s)	41	194,484	—	52	8,620	23,820	53,944	50,504	34,878	16,018	2,170	4,478
Leg(s), unspecified	410	28,557	—	18	1,173	3,435	7,994	7,376	4,738	2,549	450	824
Thigh(s)	411	7,591	—	—	387	1,032	2,415	1,798	1,344	487	50	77
Knee(s)	412	138,058	—	35	5,824	17,415	38,651	36,205	23,716	11,472	1,465	3,276
Lower leg(s)	413	13,218	—	—	916	1,333	3,157	3,728	2,767	996	126	194
Multiple leg(s) locations	418	2,797	—	—	117	234	794	791	534	245	—	53
Leg(s), n.e.c.	419	4,263	—	—	202	370	934	607	1,777	268	50	54
Ankle(s)	42	94,941	—	55	4,035	12,965	31,288	24,749	13,273	5,333	864	2,375
Foot(feet), except toe(s)	43	75,120	—	100	4,130	11,298	23,066	18,652	10,208	4,971	488	2,205
Foot(feet), except toe(s), unspecified	430	65,439	—	98	3,737	10,145	20,215	15,718	8,806	4,272	419	2,028
Instep(s)	431	596	—	—	—	137	148	208	63	—	—	—
Sole	432	6,336	—	—	321	652	1,876	1,907	927	461	40	148

See footnotes at end of table.

Table R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 1995 — Continued

Part of body	Part of body code ²	Private industry	Age									Not reported
			Under 14 years	14 to 15 years	16 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over	
Sole(s), unspecified	4320	715	—	—	125	104	228	158	72	—	—	—
Ball(s)	4321	209	—	—	40	—	57	103	—	—	—	—
Arch(es)	4322	194	—	—	—	67	—	44	17	30	—	20
Heel(s)	4323	5,174	—	—	153	478	1,570	1,578	838	396	34	123
Multiple sole(s) locations	4328	14	—	—	—	—	—	—	—	—	—	—
Sole(s), n.e.c.	4329	30	—	—	—	—	—	—	—	—	—	—
Multiple foot(foot) locations	438	548	—	—	—	120	124	178	55	61	—	—
Foot(foot), n.e.c.	439	2,201	—	—	56	244	704	642	357	155	—	—
Toe(s), toenail(s)	44	24,835	—	—	1,299	3,875	7,041	6,161	3,991	1,511	226	730
Multiple lower extremities locations	48	14,684	—	14	552	1,718	4,673	3,484	2,874	855	296	218
Multiple lower extremities locations, unspecified	480	264	—	—	—	—	70	81	38	—	—	—
Foot(foot) and leg(s)	481	1,475	—	—	83	216	381	272	293	46	164	19
Foot(foot) and ankle(s)	482	4,932	—	14	180	416	1,765	1,150	1,097	257	—	—
Foot(foot) and toe(s)	483	2,443	—	—	92	402	703	720	366	124	17	20
Multiple lower extremities locations, n.e.c.	489	5,570	—	—	172	661	1,754	1,261	1,080	403	90	148
Lower extremities, n.e.c.	49	101	—	—	—	—	36	—	16	—	14	—
Body systems	5	31,540	—	—	1,154	3,254	9,545	8,688	5,493	1,806	307	1,280
Multiple body parts	8	159,874	—	46	4,541	16,377	44,580	44,790	29,949	13,229	2,664	3,699
Other body parts	9	295	—	—	—	25	14	24	31	201	—	—
Prosthetic devices	91	32	—	—	—	—	—	17	16	—	—	—
Other body parts, n.e.c.	98	262	—	—	—	—	14	—	15	201	—	—
Nonclassifiable	9999	22,254	—	69	756	2,682	5,734	4,674	3,699	960	282	3,398

¹ Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

² Based on the 1992 occupational injury and illness classification structure developed by the Bureau of Labor Statistics.

NOTE: Dashes indicate data that are not available or data that do not meet publication guidelines. Because of rounding, data may not sum to the totals. Major classifications may include detailed classifications not shown separately. n.e.c. = not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor