

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2008

Part of body	Part of body code ²	Private industry ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Total		1,078,140	416,620	89,650	99,830	87,060	12,760	93,650	15,630	5,620
Head	0	73,270	220	4,860	12,200	11,730	460	9,900	1,360	3,320
Head, unspecified	00	16,340	90	210	3,910	3,870	30	4,940	—	—
Cranial region, including skull	01	10,550	—	470	1,910	1,900	—	990	—	—
Cranial region, unspecified	010	160	—	—	60	60	—	50	—	—
Brain	011	6,720	—	—	—	—	—	70	—	—
Scalp	012	2,740	—	—	1,740	1,730	—	690	—	—
Skull	013	640	—	470	—	—	—	100	—	—
Multiple cranial region locations	018	170	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	019	120	—	—	20	20	—	70	—	—
Ear(s)	02	1,030	—	—	280	250	30	50	40	—
Face	03	44,450	120	4,170	6,040	5,650	390	3,700	1,220	3,290
Face, unspecified	030	3,450	20	190	660	640	20	730	520	220
Forehead	031	3,020	—	—	2,000	1,970	30	560	—	—
Eye(s)	032	27,450	30	—	1,400	1,120	280	1,080	410	2,850
Nose, nasal cavity	033	2,550	30	1,460	330	290	40	350	—	—
Nose, except internal location of diseases or disorders	0330	2,520	30	1,460	330	290	40	350	—	—
Cheek(s)	034	1,080	—	330	210	190	20	370	—	20
Jaw/chin	035	810	—	110	230	230	—	220	—	—
Mouth	036	3,170	—	1,770	680	670	—	90	—	—
Mouth, unspecified	0360	330	—	—	80	80	—	20	—	—
Lip(s)	0361	610	—	—	480	480	—	30	—	—
Tooth(teeth)	0363	1,960	—	1,740	—	—	—	—	—	—
Gum	0364	20	—	—	—	—	—	—	—	—
Multiple mouth locations	0368	240	—	20	110	110	—	30	—	—
Mouth, n.e.c.	0369	20	—	—	—	—	—	—	—	—
Multiple face locations	038	2,510	—	90	450	450	—	270	240	140
Face, n.e.c.	039	410	—	200	70	70	—	20	—	40
Multiple head locations	08	850	—	20	30	30	—	220	80	20
Head, n.e.c.	09	50	—	—	40	30	—	—	—	—
Neck, including throat	1	15,890	10,360	320	500	180	330	530	20	—
Neck, except internal location of diseases or disorders ...	10	15,840	10,360	320	500	180	330	530	20	—
Internal neck location, unspecified	11	40	—	—	—	—	—	—	—	—
Trunk	2	366,710	235,060	10,690	1,580	1,300	280	17,820	770	50
Trunk, unspecified	20	1,660	620	100	20	—	—	410	20	—
Shoulder, including clavicle, scapula	21	74,100	48,850	2,140	250	170	80	3,250	280	—
Chest, including ribs, internal organs	22	18,020	3,220	3,650	200	170	30	5,200	140	—
Chest, except internal location of diseases or disorders	220	15,620	3,220	3,650	200	170	30	5,200	140	—

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2008 — Continued

Part of body	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Total	6,230	10,080	4,100	43,960	8,840	16,780	114,030	37,140	178,740
Head	—	—	—	2,680	350	60	4,620	—	34,110
Head, unspecified	—	—	—	710	—	30	2,030	—	4,440
Cranial region, including skull	—	—	—	170	—	—	110	—	6,900
Cranial region, unspecified	—	—	—	—	—	—	20	—	40
Brain	—	—	—	—	—	—	—	—	6,640
Scalp	—	—	—	80	—	—	40	—	170
Skull	—	—	—	20	—	—	—	—	40
Multiple cranial region locations	—	—	—	70	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	20	—	—
Ear(s)	—	—	—	—	—	—	100	—	540
Face	—	—	—	1,550	230	20	2,340	—	22,040
Face, unspecified	—	—	—	170	20	—	190	—	750
Forehead	—	—	—	80	—	—	120	—	200
Eye(s)	—	—	—	180	—	—	1,500	—	20,010
Nose, nasal cavity	—	—	—	80	—	—	90	—	200
Nose, except internal location of diseases or disorders	—	—	—	80	—	—	90	—	160
Cheek(s)	—	—	—	60	—	—	20	—	70
Jaw/chin	—	—	—	—	—	—	180	—	40
Mouth	—	—	—	130	40	—	170	—	300
Mouth, unspecified	—	—	—	—	—	—	20	—	170
Lip(s)	—	—	—	50	—	—	20	—	30
Tooth(teeth)	—	—	—	—	—	—	130	—	90
Gum	—	—	—	—	—	—	—	—	—
Multiple mouth locations	—	—	—	70	40	—	—	—	—
Mouth, n.e.c.	—	—	—	—	—	—	—	—	—
Multiple face locations	—	—	—	840	160	—	50	—	420
Face, n.e.c.	—	—	—	—	—	—	—	—	50
Multiple head locations	—	—	—	250	100	—	40	—	190
Head, n.e.c.	—	—	—	—	—	—	—	—	—
Neck, including throat	—	—	—	170	20	80	2,330	—	1,650
Neck, except internal location of diseases or disorders ...	—	—	—	170	20	80	2,330	—	1,600
Internal neck location, unspecified	—	—	—	—	—	—	—	—	40
Trunk	—	—	790	3,180	470	2,340	55,650	37,140	41,110
Trunk, unspecified	—	—	—	20	—	—	200	—	270
Shoulder, including clavicle, scapula	—	—	770	450	50	330	11,160	—	6,950
Chest, including ribs, internal organs	—	—	—	220	100	70	2,050	—	3,340
Chest, except internal location of diseases or disorders	—	—	—	220	100	70	2,050	—	940

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2008
 — Continued

Part of body	Part of body code ²	Private industry ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Internal chest location, unspecified	221	180	—	—	—	—	—	—	—	—
Heart	223	560	—	—	—	—	—	—	—	—
Bronchus	224	190	—	—	—	—	—	—	—	—
Lung(s), pleura	225	1,460	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	222,290	167,410	1,900	100	90	—	4,870	210	—
Back, including spine, spinal cord, unspecified	230	90,140	65,510	440	20	20	—	2,070	110	—
Lumbar region	231	112,720	88,490	500	30	30	—	1,620	—	—
Thoracic region	232	8,600	6,740	220	—	—	—	220	—	—
Sacral region	233	1,090	870	30	—	—	—	50	—	—
Coccygeal region	234	1,950	140	670	30	30	—	630	—	—
Multiple back regions	238	6,720	4,920	20	—	—	—	210	—	—
Back, including spine, spinal cord, n.e.c.	239	1,060	740	20	—	—	—	70	—	—
Abdomen	24	25,310	3,430	40	840	730	110	740	80	—
Abdomen, except internal location of diseases or disorders	240	7,520	3,430	40	840	730	110	740	80	—
Internal abdominal location, unspecified	241	7,620	—	—	—	—	—	—	—	—
Stomach organ	242	480	—	—	—	—	—	—	—	—
Urinary organs	244	20	—	—	—	—	—	—	—	—
Bladder	2441	20	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	9,570	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	2450	8,660	—	—	—	—	—	—	—	—
Peritoneum	2451	750	—	—	—	—	—	—	—	—
Large intestine/colon, rectum	2453	120	—	—	—	—	—	—	—	—
Intestines, n.e.c.	2459	20	—	—	—	—	—	—	—	—
Other digestive structures	246	30	—	—	—	—	—	—	—	—
Liver	2461	20	—	—	—	—	—	—	—	—
Multiple internal abdominal locations	248	40	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	40	—	—	—	—	—	—	—	—
Pelvic region	25	17,930	8,350	2,720	160	120	40	2,490	—	20
Pelvic region, unspecified	250	280	80	50	—	—	—	30	—	—
Hip(s)	251	7,900	2,320	1,840	—	—	—	1,710	—	—
Pelvis	252	1,060	100	800	—	—	—	60	—	—
Buttock(s)	253	1,330	380	—	80	50	30	500	—	—
Groin	254	6,930	5,340	—	20	20	—	150	—	—
External reproductive tract structures	255	240	80	—	40	40	—	40	—	—
External reproductive tract structures, unspecified ..	2550	30	20	—	—	—	—	—	—	—
Scrotum	2551	100	40	—	20	20	—	20	—	—
Penis	2552	50	—	—	20	—	—	20	—	—
External female genital region	2553	50	—	—	—	—	—	—	—	—
Internal reproductive tract structures	256	30	—	—	—	—	—	—	—	—
Uterus	2564	20	—	—	—	—	—	—	—	—
Multiple pelvic region locations	258	130	30	—	—	—	—	—	—	—
Pelvic region, n.e.c.	259	30	20	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2008 — Continued

Part of body	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Internal chest location, unspecified	-	-	-	-	-	-	-	-	180
Heart	-	-	-	-	-	-	-	-	560
Bronchus	-	-	-	-	-	-	-	-	190
Lung(s), pleura	-	-	-	-	-	-	-	-	1,460
Back, including spine, spinal cord	-	-	-	1,630	160	1,360	37,140	37,140	9,030
Back, including spine, spinal cord, unspecified	-	-	-	490	30	410	16,620	16,620	4,870
Lumbar region	-	-	-	760	30	690	18,250	18,250	3,060
Thoracic region	-	-	-	30	-	20	1,080	1,080	310
Sacral region	-	-	-	-	-	-	100	100	60
Coccygeal region	-	-	-	-	-	-	270	270	190
Multiple back regions	-	-	-	340	90	240	690	690	430
Back, including spine, spinal cord, n.e.c.	-	-	-	-	-	-	130	130	110
Abdomen	-	-	-	20	-	-	1,750	-	18,410
Abdomen, except internal location of diseases or disorders	-	-	-	20	-	-	1,750	-	620
Internal abdominal location, unspecified	-	-	-	-	-	-	-	-	7,620
Stomach organ	-	-	-	-	-	-	-	-	480
Urinary organs	-	-	-	-	-	-	-	-	20
Bladder	-	-	-	-	-	-	-	-	20
Intestines, peritoneum	-	-	-	-	-	-	-	-	9,570
Intestines, peritoneum, unspecified	-	-	-	-	-	-	-	-	8,660
Peritoneum	-	-	-	-	-	-	-	-	750
Large intestine/colon, rectum	-	-	-	-	-	-	-	-	120
Intestines, n.e.c.	-	-	-	-	-	-	-	-	20
Other digestive structures	-	-	-	-	-	-	-	-	30
Liver	-	-	-	-	-	-	-	-	20
Multiple internal abdominal locations	-	-	-	-	-	-	-	-	40
Internal abdominal location, n.e.c.	-	-	-	-	-	-	-	-	40
Pelvic region	-	-	20	160	-	130	2,470	-	1,520
Pelvic region, unspecified	-	-	-	-	-	-	20	-	90
Hip(s)	-	-	20	100	-	90	1,020	-	880
Pelvis	-	-	-	-	-	-	30	-	60
Buttock(s)	-	-	-	-	-	-	190	-	160
Groin	-	-	-	30	-	30	1,150	-	220
External reproductive tract structures	-	-	-	-	-	-	-	-	60
External reproductive tract structures, unspecified ..	-	-	-	-	-	-	-	-	-
Scrotum	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-
External female genital region	-	-	-	-	-	-	-	-	50
Internal reproductive tract structures	-	-	-	-	-	-	-	-	30
Uterus	-	-	-	-	-	-	-	-	20
Multiple pelvic region locations	-	-	-	-	-	-	40	-	30
Pelvic region, n.e.c.	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2008
 — Continued

Part of body	Part of body code ²	Private industry ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Multiple trunk locations	28	7,230	3,110	140	—	—	—	820	40	—
Trunk, n.e.c.	29	150	70	—	—	—	—	30	—	—
Upper extremities	3	244,150	36,680	35,320	71,470	64,030	7,440	16,460	7,790	820
Upper extremities, unspecified	30	340	130	—	20	—	20	—	—	—
Arm(s)	31	48,420	13,220	9,160	5,290	4,650	640	4,950	2,500	180
Arm(s), unspecified	310	16,850	4,370	3,990	2,120	1,890	230	970	900	130
Upper arm(s)	311	4,270	2,540	500	230	160	60	230	30	—
Elbow(s)	312	16,230	4,180	3,200	820	770	50	2,640	80	—
Forearm(s)	313	8,160	1,110	1,160	2,040	1,750	290	880	1,430	40
Multiple arm(s) locations	318	2,410	880	230	50	40	—	200	60	—
Arm(s), n.e.c.	319	500	150	80	40	40	—	20	—	—
Wrist(s)	32	46,660	13,250	9,580	2,570	1,810	760	1,660	190	50
Hand(s), except finger(s)	33	41,940	3,400	3,920	15,650	13,030	2,620	4,950	3,570	340
Finger(s), fingernail(s)	34	95,080	4,430	12,060	46,590	43,340	3,250	4,190	470	120
Multiple upper extremities locations	38	11,620	2,210	590	1,340	1,190	150	710	1,040	130
Multiple upper extremities locations, unspecified	380	180	50	—	—	—	—	—	—	—
Hand(s) and finger(s)	381	3,800	320	140	990	880	120	250	280	70
Hand(s) and wrist(s)	382	2,630	790	130	140	110	—	190	80	—
Hand(s) and arm(s)	383	1,400	150	30	110	110	—	90	250	40
Multiple upper extremities locations, n.e.c.	389	3,600	900	280	90	90	—	170	420	—
Upper extremities, n.e.c.	39	90	40	—	—	—	—	—	—	—
Lower extremities	4	240,760	104,760	35,230	12,440	8,310	4,130	33,890	2,540	790
Lower extremities, unspecified	40	250	40	60	20	—	20	60	—	—
Leg(s)	41	127,820	60,650	9,450	7,110	5,390	1,720	18,640	960	190
Leg(s), unspecified	410	17,060	4,040	3,270	2,230	2,010	220	2,640	590	70
Thigh(s)	411	4,720	1,320	390	910	620	280	1,160	90	30
Knee(s)	412	91,830	51,550	3,510	2,410	1,380	1,030	11,920	80	60
Lower leg(s)	413	10,280	2,200	1,900	1,450	1,270	180	2,360	160	30
Multiple leg(s) locations	418	3,430	1,400	270	90	80	—	500	40	—
Leg(s), n.e.c.	419	500	140	110	40	30	—	70	—	—
Ankle(s)	42	55,270	36,040	10,420	950	720	240	2,150	220	30
Foot(feet), except toe(s)	43	38,690	5,600	9,730	3,480	1,560	1,920	9,920	1,010	500
Foot(feet), except toe(s), unspecified	430	33,710	5,200	8,000	2,410	930	1,480	9,340	930	500
Instep(s)	431	160	—	50	—	—	—	50	—	—
Sole	432	3,820	320	1,400	1,000	580	420	340	20	—
Sole(s), unspecified	4320	460	—	—	420	60	360	—	—	—
Ball(s) of foot	4321	420	—	—	410	—	—	—	—	—
Arch(es)	4322	70	40	—	—	—	—	—	—	—
Heel(s)	4323	2,840	270	1,400	150	120	30	340	—	—
Sole(s), n.e.c.	4329	20	—	—	20	—	20	—	—	—
Multiple foot(feet) locations	438	260	20	90	—	—	—	30	30	—
Foot(feet), n.e.c.	439	740	60	190	70	60	20	150	20	—
Toe(s), toenail(s)	44	10,700	410	4,700	740	540	200	2,100	—	—

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2008 — Continued

Part of body	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Multiple trunk locations	—	—	—	680	150	450	850	—	1,570
Trunk, n.e.c.	—	—	—	—	—	—	40	—	—
Upper extremities	5,940	10,080	2,910	6,190	2,510	1,200	15,530	—	34,980
Upper extremities, unspecified	—	—	—	—	—	—	20	—	110
Arm(s)	30	—	860	700	220	160	4,620	—	6,920
Arm(s), unspecified	—	—	100	250	60	60	1,580	—	2,440
Upper arm(s)	—	—	70	—	—	—	270	—	390
Elbow(s)	—	—	510	160	30	60	1,850	—	2,780
Forearm(s)	—	—	90	100	20	—	280	—	1,010
Multiple arm(s) locations	—	—	20	170	110	30	560	—	240
Arm(s), n.e.c.	—	—	80	—	—	—	60	—	60
Wrist(s)	—	10,080	1,310	420	220	150	3,940	—	3,620
Hand(s), except finger(s)	30	—	240	780	180	180	2,280	—	6,800
Finger(s), fingernail(s)	5,870	—	130	3,420	1,620	520	2,990	—	14,810
Multiple upper extremities locations	—	—	360	850	260	170	1,660	—	2,720
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	30	—	50
Hand(s) and finger(s)	—	—	—	370	110	—	210	—	1,150
Hand(s) and wrist(s)	—	—	80	80	30	40	540	—	600
Hand(s) and arm(s)	—	—	—	40	20	—	390	—	280
Multiple upper extremities locations, n.e.c.	—	—	250	350	100	130	480	—	650
Upper extremities, n.e.c.	—	—	—	—	—	—	20	—	—
Lower extremities	250	—	300	6,370	1,270	2,750	21,390	—	22,810
Lower extremities, unspecified	—	—	—	—	—	—	—	—	30
Leg(s)	50	—	190	2,670	280	1,350	14,180	—	13,710
Leg(s), unspecified	40	—	—	440	40	90	1,480	—	2,280
Thigh(s)	—	—	—	40	—	—	210	—	530
Knee(s)	—	—	160	1,570	80	1,040	11,720	—	8,860
Lower leg(s)	—	—	—	200	70	—	360	—	1,610
Multiple leg(s) locations	—	—	—	420	100	200	310	—	410
Leg(s), n.e.c.	—	—	—	—	—	—	100	—	30
Ankle(s)	—	—	40	620	170	260	2,750	—	2,050
Foot(feet), except toe(s)	—	—	50	1,060	260	360	2,960	—	4,360
Foot(feet), except toe(s), unspecified	—	—	30	830	240	320	2,500	—	3,960
Instep(s)	—	—	—	—	—	—	—	—	30
Sole	—	—	20	170	—	—	260	—	280
Sole(s), unspecified	—	—	—	—	—	—	—	—	—
Ball(s) of foot	—	—	—	—	—	—	—	—	—
Arch(es)	—	—	—	—	—	—	20	—	—
Heel(s)	—	—	20	170	—	—	230	—	270
Sole(s), n.e.c.	—	—	—	—	—	—	—	—	—
Multiple foot(feet) locations	—	—	—	30	20	—	30	—	30
Foot(feet), n.e.c.	—	—	—	20	—	20	170	—	60
Toe(s), toenail(s)	180	—	—	370	130	30	590	—	1,600

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2008
 — Continued

Part of body	Part of body code ²	Private industry ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Multiple lower extremities locations	48	7,970	1,990	860	120	100	30	1,010	340	50
Multiple lower extremities locations, unspecified	480	130	30	20	—	—	—	20	—	—
Foot(feet) and leg(s)	481	1,010	150	70	—	—	—	100	150	—
Foot(feet) and ankle(s)	482	2,830	1,000	410	20	—	—	400	140	—
Foot(feet) and toe(s)	483	1,070	40	140	40	20	20	230	—	—
Multiple lower extremities locations, n.e.c.	489	2,930	770	210	50	50	—	270	30	30
Lower extremities, n.e.c.	49	60	20	—	—	—	—	20	—	—
Body systems	5	15,860	—	—	—	—	—	—	—	—
Multiple body parts	8	112,200	28,790	3,020	1,320	1,270	50	14,710	3,070	540
Other body parts	9	50	—	—	—	—	—	—	—	—
Other body parts, n.e.c.	98	20	—	—	—	—	—	—	—	—
Nonclassifiable	9999	9,240	750	210	330	240	90	340	80	80

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2008 — Continued

Part of body	Nature of injury or illness ⁴								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ⁵
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Multiple lower extremities locations	—	—	—	1,650	420	750	900	—	1,050
Multiple lower extremities locations, unspecified	—	—	—	20	—	—	20	—	20
Foot(feet) and leg(s)	—	—	—	160	30	120	310	—	50
Foot(feet) and ankle(s)	—	—	—	390	120	200	210	—	260
Foot(feet) and toe(s)	—	—	—	290	150	30	100	—	190
Multiple lower extremities locations, n.e.c.	—	—	—	780	110	400	260	—	520
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—	—
Body systems	—	—	—	—	—	—	—	—	15,860
Multiple body parts	30	—	70	25,300	4,230	10,320	14,300	—	21,050
Other body parts	—	—	—	—	—	—	—	—	50
Other body parts, n.e.c.	—	—	—	—	—	—	—	—	20
Nonclassifiable	—	—	40	70	—	30	200	—	7,120

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Nature codes: Sprains, strains, tears = 021; Fractures = 012; Cuts, lacerations, punctures = 034, 037; Cuts, lacerations = 034; Punctures = 037; Bruises, contusions = 043; Heat burns = 053; Chemical burns = 051; Amputations = 031; Carpal tunnel syndrome = 1241; Tendonitis = 1733; Multiple traumatic injuries and illnesses, Total = 080-089; With fractures, burns, and other injuries = 083, 084; With sprains and bruises = 082; Back pain and pain, except back, Total = 0972, 0973; Back

pain, hurt back only = 0972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies