

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2008

Part of body	Part of body code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		1,078,140	15,220	130,010	42,280	64,170	106,920
Head	0	73,270	5,240	3,770	4,330	3,290	8,920
Head, unspecified	00	16,340	60	1,020	2,350	910	1,820
Cranial region, including skull	01	10,550	—	510	810	590	1,170
Cranial region, unspecified	010	160	—	—	—	—	30
Brain	011	6,720	—	320	450	290	700
Scalp	012	2,740	—	160	320	210	340
Skull	013	640	—	20	20	—	70
Multiple cranial region locations	018	170	—	—	—	—	20
Cranial region, n.e.c.	019	120	—	—	—	70	20
Ear(s)	02	1,030	—	30	—	60	130
Face	03	44,450	5,110	2,150	1,080	1,710	5,570
Face, unspecified	030	3,450	410	150	160	140	560
Forehead	031	3,020	20	170	390	250	740
Eye(s)	032	27,450	4,370	770	190	860	2,120
Nose, nasal cavity	033	2,550	40	140	70	70	450
Nose, except internal location of diseases or disorders	0330	2,520	20	140	70	70	440
Cheek(s)	034	1,080	20	20	90	30	400
Jaw/chin	035	810	—	20	40	130	230
Mouth	036	3,170	20	390	90	130	650
Mouth, unspecified	0360	330	—	—	—	—	70
Lip(s)	0361	610	—	60	30	80	100
Tooth(teeth)	0363	1,960	—	330	50	40	360
Gum	0364	20	—	—	—	—	—
Multiple mouth locations	0368	240	—	—	—	—	110
Mouth, n.e.c.	0369	20	—	—	—	—	—
Multiple face locations	038	2,510	190	470	40	90	400
Face, n.e.c.	039	410	40	—	—	—	20
Multiple head locations	08	850	40	50	70	20	210
Head, n.e.c.	09	50	—	—	—	—	—
Neck, including throat	1	15,890	70	1,960	510	540	980
Neck, except internal location of diseases or disorders ...	10	15,840	40	1,960	510	540	980
Internal neck location, unspecified	11	40	20	—	—	—	—
Trunk	2	366,710	1,370	78,240	16,850	14,230	37,260
Trunk, unspecified	20	1,660	—	100	150	60	180
Shoulder, including clavicle, scapula	21	74,100	30	15,800	2,930	2,510	8,550
Chest, including ribs, internal organs	22	18,020	1,020	2,330	620	700	1,750
Chest, except internal location of diseases or disorders	220	15,620	30	2,300	610	700	1,740
Internal chest location, unspecified	221	180	40	—	—	—	—

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2008
 — Continued

Part of body	Source of injury or illness ⁴							
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		All other sources ⁵
				Total	Worker motion or position	Total	Health care patient	
Total	217,420	50,530	91,320	156,360	149,490	61,680	49,180	142,220
Head	9,770	3,710	5,680	300	50	3,270	1,670	24,990
Head, unspecified	3,800	460	2,480	110	40	660	340	2,660
Cranial region, including skull	3,520	110	1,670	130	—	420	160	1,610
Cranial region, unspecified	60	—	—	—	—	20	—	20
Brain	2,480	60	1,000	120	—	330	130	960
Scalp	650	50	400	—	—	30	—	570
Skull	210	—	250	—	—	—	—	50
Multiple cranial region locations	110	—	—	—	—	20	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—
Ear(s)	30	40	100	—	—	20	—	580
Face	2,300	3,090	1,390	50	20	2,080	1,110	19,920
Face, unspecified	310	170	230	—	—	460	210	850
Forehead	210	160	410	—	—	60	30	610
Eye(s)	120	1,530	100	40	20	710	450	16,650
Nose, nasal cavity	580	300	120	—	—	320	210	460
Nose, except internal location of diseases or disorders	580	300	120	—	—	320	210	460
Cheek(s)	100	80	170	—	—	40	20	120
Jaw/chin	80	30	140	—	—	80	40	70
Mouth	460	570	130	—	—	200	80	530
Mouth, unspecified	30	30	—	—	—	20	20	170
Lip(s)	40	100	40	—	—	50	30	90
Tooth(teeth)	360	400	40	—	—	130	30	250
Gum	—	—	—	—	—	—	—	—
Multiple mouth locations	30	30	40	—	—	—	—	20
Mouth, n.e.c.	—	—	—	—	—	—	—	—
Multiple face locations	250	210	90	—	—	220	60	540
Face, n.e.c.	190	40	—	—	—	—	—	70
Multiple head locations	110	—	40	—	—	90	50	220
Head, n.e.c.	—	—	—	—	—	—	—	—
Neck, including throat	1,410	190	4,440	2,470	2,360	1,480	1,170	1,850
Neck, except internal location of diseases or disorders ...	1,410	190	4,440	2,460	2,360	1,480	1,170	1,830
Internal neck location, unspecified	—	—	—	—	—	—	—	20
Trunk	54,820	8,130	25,280	59,620	57,440	36,340	32,100	34,570
Trunk, unspecified	490	—	190	230	220	110	100	140
Shoulder, including clavicle, scapula	13,000	2,060	5,010	10,080	9,770	6,590	5,440	7,540
Chest, including ribs, internal organs	3,260	580	2,740	1,370	650	980	740	2,690
Chest, except internal location of diseases or disorders	3,260	560	2,740	800	620	970	740	1,920
Internal chest location, unspecified	—	—	—	90	—	—	—	50

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2008 — Continued

Part of body	Part of body code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Heart	223	560	—	—	—	—	—
Bronchus	224	190	150	—	—	—	—
Lung(s), pleura	225	1,460	770	20	—	—	—
Back, including spine, spinal cord	23	222,290	100	49,540	10,830	7,810	19,760
Back, including spine, spinal cord, unspecified	230	90,140	40	18,670	4,580	2,730	8,170
Lumbar region	231	112,720	60	27,410	5,470	4,610	10,380
Thoracic region	232	8,600	—	1,920	400	260	770
Sacral region	233	1,090	—	160	20	20	40
Coccygeal region	234	1,950	—	20	40	—	—
Multiple back regions	238	6,720	—	1,130	280	180	300
Back, including spine, spinal cord, n.e.c.	239	1,060	—	230	30	—	100
Abdomen	24	25,310	150	7,180	1,260	2,030	5,240
Abdomen, except internal location of diseases or disorders	240	7,520	30	1,790	350	530	840
Internal abdominal location, unspecified	241	7,620	—	2,310	410	580	2,010
Stomach organ	242	480	100	110	—	50	60
Urinary organs	244	20	—	—	—	—	—
Bladder	2441	20	—	—	—	—	—
Intestines, peritoneum	245	9,570	—	2,960	480	860	2,330
Intestines, peritoneum, unspecified	2450	8,660	—	2,810	460	850	2,200
Peritoneum	2451	750	—	130	20	—	110
Large intestine/colon, rectum	2453	120	—	30	—	—	20
Intestines, n.e.c.	2459	20	—	—	—	—	—
Other digestive structures	246	30	—	—	—	—	—
Liver	2461	20	—	—	—	—	—
Multiple internal abdominal locations	248	40	—	—	—	—	—
Internal abdominal location, n.e.c.	249	40	—	—	—	—	—
Pelvic region	25	17,930	30	2,330	570	890	1,370
Pelvic region, unspecified	250	280	—	20	—	20	—
Hip(s)	251	7,900	—	360	170	370	380
Pelvis	252	1,060	—	30	—	70	20
Buttock(s)	253	1,330	—	30	20	20	50
Groin	254	6,930	—	1,810	340	400	850
External reproductive tract structures	255	240	—	60	20	—	40
External reproductive tract structures, unspecified ..	2550	30	—	—	—	—	—
Scrotum	2551	100	—	50	—	—	20
Penis	2552	50	—	—	—	—	—
External female genital region	2553	50	—	—	—	—	—
Internal reproductive tract structures	256	30	—	—	—	—	—
Uterus	2564	20	—	—	—	—	—
Multiple pelvic region locations	258	130	—	—	—	—	—
Pelvic region, n.e.c.	259	30	—	—	—	—	—
Multiple trunk locations	28	7,230	30	940	490	220	410
Trunk, n.e.c.	29	150	—	20	—	—	—
Upper extremities	3	244,150	2,520	21,930	8,210	34,570	32,690

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2008
 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Heart	—	—	—	440	—	—	—	80
Bronchus	—	—	—	—	—	—	—	30
Lung(s), pleura	—	—	—	30	—	—	—	620
Back, including spine, spinal cord	29,650	3,870	14,270	42,930	42,030	25,580	23,210	17,950
Back, including spine, spinal cord, unspecified	13,950	1,670	6,040	16,840	16,440	9,250	8,220	8,200
Lumbar region	11,670	1,730	6,600	23,460	23,100	13,580	12,380	7,760
Thoracic region	770	350	690	1,320	1,270	1,280	1,200	860
Sacral region	160	—	80	130	130	120	110	350
Coccygeal region	1,770	—	30	30	30	20	20	30
Multiple back regions	1,180	110	780	930	930	1,130	1,070	710
Back, including spine, spinal cord, n.e.c.	150	—	50	220	130	210	210	40
Abdomen	640	1,090	1,010	1,820	1,590	1,620	1,400	3,290
Abdomen, except internal location of diseases or disorders	330	570	490	430	390	1,190	990	970
Internal abdominal location, unspecified	140	190	220	480	450	120	110	1,150
Stomach organ	—	—	—	30	—	20	20	80
Urinary organs	—	—	—	—	—	—	—	—
Bladder	—	—	—	—	—	—	—	—
Intestines, peritoneum	160	330	280	840	730	280	270	1,050
Intestines, peritoneum, unspecified	140	330	240	770	660	210	210	650
Peritoneum	—	—	—	40	40	60	60	360
Large intestine/colon, rectum	—	—	30	—	—	—	—	20
Intestines, n.e.c.	—	—	—	—	—	—	—	20
Other digestive structures	—	—	—	30	—	—	—	—
Liver	—	—	—	20	—	—	—	—
Multiple internal abdominal locations	—	—	—	—	—	—	—	30
Internal abdominal location, n.e.c.	—	—	—	—	—	—	—	—
Pelvic region	5,800	420	970	2,580	2,560	640	490	2,320
Pelvic region, unspecified	110	20	40	—	—	30	—	30
Hip(s)	3,810	30	520	910	910	280	240	1,060
Pelvis	520	—	80	30	30	—	—	270
Buttock(s)	700	—	30	290	280	40	30	140
Groin	570	360	290	1,310	1,310	250	190	730
External reproductive tract structures	—	—	—	—	—	—	—	70
External reproductive tract structures, unspecified ..	—	—	—	—	—	—	—	—
Scrotum	—	—	—	—	—	—	—	—
Penis	—	—	—	—	—	—	—	—
External female genital region	—	—	—	—	—	—	—	—
Internal reproductive tract structures	—	—	—	—	—	—	—	—
Uterus	—	—	—	—	—	—	—	—
Multiple pelvic region locations	70	—	—	—	—	—	—	20
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—
Multiple trunk locations	1,950	110	1,060	570	570	840	710	610
Trunk, n.e.c.	30	—	20	50	50	—	—	20
Upper extremities	29,550	33,360	12,810	25,830	25,490	7,250	6,030	35,440

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2008 — Continued

Part of body	Part of body code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Upper extremities, unspecified	30	340	—	60	20	20	—
Arm(s)	31	48,420	470	5,300	2,040	3,710	5,270
Arm(s), unspecified	310	16,850	310	1,750	770	1,500	1,730
Upper arm(s)	311	4,270	—	760	290	250	760
Elbow(s)	312	16,230	—	1,870	620	880	1,110
Forearm(s)	313	8,160	120	640	270	790	1,430
Multiple arm(s) locations	318	2,410	—	200	90	260	200
Arm(s), n.e.c.	319	500	—	90	—	20	50
Wrist(s)	32	46,660	80	4,700	1,080	1,220	2,760
Hand(s), except finger(s)	33	41,940	1,150	3,850	1,650	5,310	5,770
Finger(s), fingernail(s)	34	95,080	370	7,230	3,130	22,900	17,890
Multiple upper extremities locations	38	11,620	450	780	290	1,420	990
Multiple upper extremities locations, unspecified	380	180	—	—	—	20	—
Hand(s) and finger(s)	381	3,800	280	190	140	910	480
Hand(s) and wrist(s)	382	2,630	40	280	50	180	150
Hand(s) and arm(s)	383	1,400	100	30	30	130	130
Multiple upper extremities locations, n.e.c.	389	3,600	20	280	70	180	220
Upper extremities, n.e.c.	39	90	—	—	—	—	—
Lower extremities	4	240,760	1,210	17,320	8,310	8,300	21,290
Lower extremities, unspecified	40	250	—	20	—	—	—
Leg(s)	41	127,820	390	8,540	3,990	3,900	8,420
Leg(s), unspecified	410	17,060	110	1,240	450	930	2,210
Thigh(s)	411	4,720	60	340	200	250	580
Knee(s)	412	91,830	140	5,880	2,820	2,120	4,160
Lower leg(s)	413	10,280	60	800	430	480	1,210
Multiple leg(s) locations	418	3,430	—	220	80	110	150
Leg(s), n.e.c.	419	500	—	50	—	—	120
Ankle(s)	42	55,270	140	2,310	1,330	910	2,200
Foot(feet), except toe(s)	43	38,690	590	4,090	1,660	2,330	7,160
Foot(feet), except toe(s), unspecified	430	33,710	590	3,860	1,510	2,200	5,990
Instep(s)	431	160	—	40	—	—	40
Sole	432	3,820	—	90	60	50	910
Sole(s), unspecified	4320	460	—	—	—	—	400
Ball(s) of foot	4321	420	—	—	—	—	410
Arch(es)	4322	70	—	—	—	—	—
Heel(s)	4323	2,840	—	70	60	50	60
Sole(s), n.e.c.	4329	20	—	—	—	—	20
Multiple foot(feet) locations	438	260	—	—	—	—	20
Foot(feet), n.e.c.	439	740	—	100	80	60	190
Toe(s), toenail(s)	44	10,700	30	1,810	1,000	840	2,780
Multiple lower extremities locations	48	7,970	50	560	310	330	720
Multiple lower extremities locations, unspecified	480	130	—	—	—	—	—
Foot(feet) and leg(s)	481	1,010	—	20	180	50	170
Foot(feet) and ankle(s)	482	2,830	—	300	50	100	70
Foot(feet) and toe(s)	483	1,070	—	130	50	110	180
Multiple lower extremities locations, n.e.c.	489	2,930	30	110	30	60	280

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2008
 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Upper extremities, unspecified	—	—	20	40	40	30	30	130
Arm(s)	11,920	2,060	3,270	4,530	4,370	2,120	1,800	7,740
Arm(s), unspecified	3,970	810	1,270	1,260	1,220	780	680	2,710
Upper arm(s)	440	110	310	340	340	290	200	730
Elbow(s)	5,910	490	1,170	2,030	1,990	380	320	1,760
Forearm(s)	900	590	310	380	300	450	400	2,270
Multiple arm(s) locations	610	50	190	490	480	120	90	190
Arm(s), n.e.c.	100	—	20	40	40	100	100	70
Wrist(s)	12,340	1,820	1,350	14,840	14,760	2,400	2,140	4,070
Hand(s), except finger(s)	2,290	7,290	2,660	1,840	1,770	620	410	9,520
Finger(s), fingernail(s)	1,640	21,470	4,940	2,010	1,970	1,510	1,180	12,000
Multiple upper extremities locations	1,310	720	570	2,560	2,550	550	470	1,970
Multiple upper extremities locations, unspecified	20	—	40	40	40	—	—	20
Hand(s) and finger(s)	120	390	180	310	310	90	70	700
Hand(s) and wrist(s)	300	130	120	870	860	200	190	310
Hand(s) and arm(s)	190	80	40	400	400	30	20	250
Multiple upper extremities locations, n.e.c.	680	110	180	950	940	230	180	690
Upper extremities, n.e.c.	40	—	—	20	20	—	—	—
Lower extremities	72,770	4,150	22,370	58,760	57,500	3,830	2,540	22,450
Lower extremities, unspecified	100	—	40	30	30	—	—	30
Leg(s)	39,620	2,780	11,000	34,760	34,190	2,870	2,050	11,560
Leg(s), unspecified	3,970	560	2,610	1,860	1,820	290	220	2,840
Thigh(s)	810	490	510	550	540	80	50	840
Knee(s)	31,070	1,470	5,330	30,670	30,220	2,190	1,590	5,990
Lower leg(s)	1,940	240	2,080	1,220	1,160	180	80	1,640
Multiple leg(s) locations	1,710	—	380	420	420	100	90	220
Leg(s), n.e.c.	120	—	80	30	30	30	30	40
Ankle(s)	22,090	190	2,980	19,070	18,500	460	310	3,600
Foot(foot), except toe(s)	7,310	710	5,970	3,680	3,590	330	120	4,880
Foot(foot), except toe(s), unspecified	5,550	690	5,440	3,270	3,190	310	110	4,300
Instep(s)	—	—	20	—	—	—	—	20
Sole	1,560	—	410	310	300	—	—	430
Sole(s), unspecified	—	—	—	—	—	—	—	30
Ball(s) of foot	—	—	—	—	—	—	—	—
Arch(es)	—	—	—	30	30	—	—	—
Heel(s)	1,540	—	410	260	250	—	—	390
Sole(s), n.e.c.	—	—	—	—	—	—	—	—
Multiple foot(foot) locations	40	—	40	60	60	—	—	60
Foot(foot), n.e.c.	150	—	50	40	40	—	—	60
Toe(s), toenail(s)	710	430	1,420	160	150	40	—	1,490
Multiple lower extremities locations	2,920	40	980	1,040	1,040	140	40	880
Multiple lower extremities locations, unspecified	40	—	—	20	20	—	—	40
Foot(foot) and leg(s)	240	—	70	140	140	—	—	110
Foot(foot) and ankle(s)	990	20	330	500	500	40	20	440
Foot(foot) and toe(s)	70	20	250	110	110	20	—	130
Multiple lower extremities locations, n.e.c.	1,590	—	310	280	280	70	20	170

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2008 — Continued

Part of body	Part of body code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Lower extremities, n.e.c.	49	60	—	—	20	—	—
Body systems	5	15,860	3,260	80	330	530	710
Multiple body parts	8	112,200	1,420	6,360	3,680	2,560	4,920
Other body parts	9	50	—	—	—	—	—
Other body parts, n.e.c.	98	20	—	—	—	—	—
Nonclassifiable	9999	9,240	150	350	60	150	160

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2008
 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker		Person, other than injured or ill worker		
				Total	Worker motion or position	Total	Health care patient	
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—
Body systems	240	50	170	2,690	110	1,850	450	5,970
Multiple body parts	47,740	780	19,840	6,290	6,150	7,390	5,060	11,240
Other body parts	—	—	—	—	—	—	—	50
Other body parts, n.e.c.	—	—	—	—	—	—	—	—
Nonclassifiable	1,120	170	730	400	380	280	170	5,670

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 00-09; Containers = 10-19; Furniture and fixtures = 20-29; Machinery = 30-39; Parts and materials = 40-49; Person, injured or ill worker = 56; Worker motion or position = 562; Person, other than injured or ill worker = 57; Health care patient = 573; Floors, walkways, or ground surfaces = 62; Handtools = 71-73; Vehicles = 80-89; All other sources = all remaining

codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies